

CA SYSVIEW Performance Management 16.0
CA RS 1911 Service List

1

Service	Description	Type
S010209	GSV2593E REXXLIB INVALID LRECL/RECFM	PTF
S010214	SUSPEND SYSTEM LOGGER CALLS AFTER LOGGER COMPONENT ERROR	*HIP/PRP*
S010269	JVM VERSION DETECTION AND IDENTIFICATION PROBLEMS	PTF
S010316	CICS TS 5.6 OPEN BETA SUPPORT	PTF
S010326	ABEND S0C4-11 XPFRMAIN RUNNING A REPORT	PTF
S010332	ABEND S0C4-11 PROCESSING RECORD SUBTYPE 9	PTF
S010382	ABEND S0E0-29 MOD GSVXDCCR RTN DCOP\$\$	PTF
S010421	ABEND S283-24 MOD ICHRFRR00 VTAM LOGON	PTF
S010484	STORAGE METRICS WITH MULTIPLIERS	PTF
S010493	ABEND S0C4 GSVJ1009 ISSUING JJOBGRP	PTF
S010497	COMMAND TABLE INFRASTRUCTURE CHANGES	PTF
S010537	ERPT208E INVALID OPERAND LINECOUNT 0	PTF
The CA RS 1911 service count for this release is 12		

CA SYSVIEW Performance Management
CA RS 1911 Service List for CNM4G00

FMID	Service	Description	Type
CNM4G00	S010209	GSV2593E REXXLIB INVALID LRECL/RECFM	PTF
	S010214	SUSPEND SYSTEM LOGGER CALLS AFTER LOGGER COMPONENT ERROR	*HIP/PRP*
	S010269	JVM VERSION DETECTION AND IDENTIFICATION PROBLEMS	PTF
	S010316	CICS TS 5.6 OPEN BETA SUPPORT	PTF
	S010326	ABEND S0C4-11 XPFRMAIN RUNNING A REPORT	PTF
	S010332	ABEND S0C4-11 PROCESSING RECORD SUBTYPE 9	PTF
	S010382	ABEND S0E0-29 MOD GSVXDCCR RTN DCOP\$\$	PTF
	S010421	ABEND S283-24 MOD ICHRFRR00 VTAM LOGON	PTF
	S010484	STORAGE METRICS WITH MULTIPLIERS	PTF
	S010493	ABEND S0C4 GSVJ1009 ISSUING JJOBGRP	PTF
	S010497	COMMAND TABLE INFRASTRUCTURE CHANGES	PTF
	S010537	ERPT208E INVALID OPERAND LINECOUNT 0	PTF
The CA RS 1911 service count for this FMID is 12			

Service	Details
S010209	S010209 M.C.S. ENTRIES = ++PTF (S010209) GSV2593E REXXLIB INVALID LRECL/RECFM PROBLEM DESCRIPTION: SYSVIEW supplies several libraries. One of these libraries, REXXLIB, contains compiled REXX execs and is dynamically concatenated to the SYSEXEC DD. When this library is initially allocated, it has a RECFM=FB. However, SYSVIEW ships with the following methods of converting REXXLIB to RECFM=VB: GSVUCFV1 - REXX exec GSVUCFV2 - REXX exec REXXFTOV - JCL Starting at SYSVIEW 16.0, SYSVIEW's libraries are now verified at SYSVIEW startup. This verification process checks to see if the data sets' attributes are what SYSVIEW expects them to be. However, this process incorrectly only allows REXXLIB to have a RECFM=FB and will fail otherwise. SYMPTOMS: At startup of the SYSVIEW main address space, messages similar to following appear: GSV2593E SCFG option Dsn-System-REXXLIB <dsn> Invalid LRECL DCB attribute GSV2593E SCFG option Dsn-System-REXXLIB <dsn> Invalid RECFM DCB attribute GSV2593E SCFG option Dsn-Site-REXXLIB <dsn> Invalid LRECL DCB attribute GSV2593E SCFG option Dsn-Site-REXXLIB <dsn> Invalid RECFM DCB attribute GSVX205E (MAIN) Nucleus load failed, reason 24 set up failed for system configuration IMPACT: SYSVIEW will fail to start. CIRCUMVENTION: None. PRODUCT(S) AFFECTED: CA SYSVIEW Release 16.0 Related Problem: SYSVW 2446 Copyright (C) 2019 CA. All rights reserved. R00031-NM4160-SP0 DESC(GSV2593E REXXLIB INVALID LRECL/RECFM). ++VER (Z038) FMID (CNM4G00) PRE (S009059) SUP (ST10209)

Service	Details						
S010214	S010214 M.C.S. ENTRIES = ++PTF (S010214) SUSPEND SYSTEM LOGGER CALLS AFTER LOGGER COMPONENT ERROR PROBLEM DESCRIPTION: SYSVIEW utilizes system logger services to read from and write to z/OS log streams. For various reasons, the system logger may suffer from a component error. For example, forcing the IXGLOGR address space may cause a caller to a logger service to be presented with a return code indicating a component error. When SYSVIEW encounters this error condition, it continues to call system logger services assuming system logger will eventually return to normal operation. The continued attempts to use system logger services while it is under the component error condition may cause undue stress to the system logger, and potentially other consumers of system logger services. This fix will temporarily suspend system logger calls made by SYSVIEW when a system logger component error is detected to better guarantee the stability of the system logger. Related to this problem is IBM system logger APAR OA58301. There are situations when the system logger does not return appropriate return and reason codes to indicate a component error, when in fact one occurred. It is strongly advised to apply the fix for OA58301 in addition to this fix to ensure proper functioning between SYSVIEW and the system logger. SYMPTOMS: In the reported case, abend S1C5 reason 000F0009 was observed in the system logger address space, IXGLOGR. After which, other address spaces that were calling system logger services experienced hangs. IMPACT: Undue stress to the system logger may cause instability in the system logger, and subsequently instability for other consumers of system logger services. CIRCUMVENTION: None. PRODUCT(S) AFFECTED: <table> <tr> <td>CA SYSVIEW</td><td>Release 14.2</td></tr> <tr> <td>CA SYSVIEW</td><td>Release 15.0</td></tr> <tr> <td>CA SYSVIEW</td><td>Release 16.0</td></tr> </table> Related Problem: SYSVW 2443 Copyright (C) 2019 CA. All rights reserved. R00032-NM4160-SP0 DESC(SUSPEND SYSTEM LOGGER CALLS AFTER LOGGER COMPONENT ERROR). ++VER (Z038) FMID (CNM4G00) PRE (S009059) SUP (CC08481 ST10214)	CA SYSVIEW	Release 14.2	CA SYSVIEW	Release 15.0	CA SYSVIEW	Release 16.0
CA SYSVIEW	Release 14.2						
CA SYSVIEW	Release 15.0						
CA SYSVIEW	Release 16.0						

Service	Details
S010269	S010269 M.C.S. ENTRIES = ++PTF (S010269) JVM VERSION DETECTION AND IDENTIFICATION PROBLEMS PROBLEM DESCRIPTION: The first problem resolved by this PTF is incorrect version detection for Java versions 1.7 and 1.7.1. When the JVM agent is started, message GSV1025E is issued in Java environments 1.7 and 1.7.1, resulting in the agent not being activated. The second problem resolved by this PTF relates to excessive UNIX address spaces being spawned to determined Java versions for currently active JVMs. While processing through the active JVMs, SYSVIEW will spawn UNIX address spaces in order to detect the active JVM version. In most cases these job will end quickly, unless they are running against a slow USS environment. It was found that some of the spawned UNIX address spaces were actually detecting SYSVIEW JVM's that were created to detect other active JVM versions. Eventually the session information gets cached or times out and the jobs are cleaned up, but in the meantime there may be a number of jobs spawned that are not required. SYMPTOMS: When the JVM agent is started, the following message is received: GSV1025E (0500004F) Java version not supported. Version 1.7 or higher required. Excessive number of spawned SYSVIEW UNIX jobs running with names similar to SYSVIEW#. Eventually these jobs finish, but during the process of determining JAVA version levels, some jobs may be submitted that are not required. IMPACT: The JVM agent stops for the first problem. The second problem results in unnecessary jobs active to determine Java versions. CIRCUMVENTION: None. PRODUCT(S) AFFECTED: CA SYSVIEW Release 15.0 CA SYSVIEW Release 16.0 Related Problem: SYSVW 2445 Copyright (C) 2019 CA. All rights reserved. R00033-NM4160-SP0 DESC(JVM VERSION DETECTION AND IDENTIFICATION PROBLEMS). ++VER (Z038) FMID (CNM4G00) PRE (S008681 S009589) SUP (ST10269) ++HOLD (S010269) SYSTEM FMID(CNM4G00) REASON (RESTART) DATE (19287) COMMENT (-----+-----

Service	Details
	<pre> REQUIRED Product libraries +-----+-----+ ***** * STEPS TO PERFORM * ***** If you do not use the JVM component then this HOLD can be ignored. After applying this PTF, the JVM data collector agent run-time binaries will need to be deployed to you site's run-time environment, followed by a stop and start of your JVMs. Follow these steps to implement the change: 1. Deploy the agent run-time from the SMP/E managed directory "./cnm4g00/CNM4JVMD/" (DDDEF CNM4JVMD) to the run-time directory "./cnm4g00/runtime/". The deploy can be performed by running the sysviewhlq.SAMPJCL(INST0006) install job. 2. Stop the JVMs configured to run the agent. 3. Start the JVMs configured to run the agent. Notes: 1. It is not required to immediately stop and start your JVMs to pick up the updated JVM data collector agent. A back-level agent will continue to communicate with a higher level SYSVIEW STC. It is recommended to keep the agent in sync with the SYSVIEW STC so the latest features and bug fixes are active in the agent. 2. The following SYSVIEW commands can be used to identify JVMs configured to run an agent that are currently running on a system: JVMARGS SYSTEM ; SELECT ARGUMENT CN -AGENTPATH Ensure all run-time directories are updated with the new binaries.). BINARY LINK('./libgsvoagt1.so') PARM(PATHMODE(0,7,7,5)) . BINARY LINK('./libgsvoagt4.so') PARM(PATHMODE(0,7,7,5)) . </pre>

CA SYSVIEW Performance Management 16.0
CA RS 1911 - PTF SO10316 Details

7

Service	Details
S010316	S010316 M.C.S. ENTRIES = ++PTF (S010316) CICS TS 5.6 OPEN BETA SUPPORT ENHANCEMENT DESCRIPTION: This PTF provides support for the CICS TS 5.6 Open Beta. PRODUCT(S) AFFECTED: CA SYSVIEW Release 16.0 Related Problem: SYSVW 2447 Copyright (C) 2019 CA. All rights reserved. R00035-NM4160-SP0 DESC(CICS TS 5.6 OPEN BETA SUPPORT). ++VER (Z038) FMID (CNM4G00) PRE (S008553 S008681 S008743 S008793 S008895 S009013 S009059 S009589 S009772 S009844 S010098 S010197) SUP (BC08481 S009287 ST09287 ST10315 ST10316) ++HOLD (S010316) SYSTEM FMID(CNM4G00) REASON (ENH) DATE (19282) COMMENT (<pre> +-----+ CA SYSVIEW PERFORMANCE MANAGEMENT Version 16.0 +-----+-----+ SEQUENCE After Apply +-----+-----+ PURPOSE Describe the new features +-----+-----+ USERS AFFECTED All users of SYSVIEW +-----+-----+ KNOWLEDGE REQUIRED Product administration +-----+-----+ ACCESS REQUIRED Product libraries +-----+-----+ ***** * STEPS TO PERFORM * ***** ENHANCEMENT DESCRIPTION: This PTF provides support for the CICS TS 5.6 Open Beta.). ++HOLD (S010316) SYSTEM FMID(CNM4G00) REASON (RESTART) DATE (19282) COMMENT (+-----+ CA SYSVIEW PERFORMANCE MANAGEMENT Version 16.0 +-----+-----+ SEQUENCE After Apply +-----+-----+ PURPOSE To implement the feature +-----+-----+ USERS AFFECTED All users of SYSVIEW for CICS +-----+-----+ KNOWLEDGE Product Administration REQUIRED +-----+-----+ ACCESS Product libraries REQUIRED Ability to run SYSVIEW for CICS transactions +-----+-----+ ***** * STEPS TO PERFORM * </pre>

Service	Details
	***** Apply this fix and either recycle the CICS region, or use the GSVT (terminate) and GSVS (start) transactions to recycle SYSVIEW for CICS within the CICS region. Reminder: Module GSVBTRCF used by the CTRACE command should be re-linked using the highest version of the CICS libraries available when upgrading to a new release of CICS. Reference member INST0061 in the SAMPJCL data set.).

Service	Details						
S010326	S010326 M.C.S. ENTRIES = ++PTF (S010326) ABEND S0C4-11 XPFRMAIN RUNNING A REPORT PROBLEM DESCRIPTION: An incorrectly set length field may result in incorrect report output, or in some rare cases a S0C4-11 abend in module XPFRMAIN csect XPFRUTL1. SYMPTOMS: In the reported case, a S0C4 abend occurred in module XPFRMAIN +3080 reporting on MQ records. However, the problem could potentially result in incorrect report data. IMPACT: A possible abend or incorrect report data. CIRCUMVENTION: None. PRODUCT(S) AFFECTED: <table> <tr> <td>CA EXPLORE Report Writer</td><td>Release 14.2</td></tr> <tr> <td>CA EXPLORE Report Writer</td><td>Release 15.0</td></tr> <tr> <td>CA EXPLORE Report Writer</td><td>Release 16.0</td></tr> </table> Related Problem: EXPRT0 105 Copyright (C) 2019 CA. All rights reserved. R00036-NM4160-SP0 DESC(ABEND S0C4-11 XPFRMAIN RUNNING A REPORT). ++VER (Z038) FMID (CNM4G00) SUP (ST10326)	CA EXPLORE Report Writer	Release 14.2	CA EXPLORE Report Writer	Release 15.0	CA EXPLORE Report Writer	Release 16.0
CA EXPLORE Report Writer	Release 14.2						
CA EXPLORE Report Writer	Release 15.0						
CA EXPLORE Report Writer	Release 16.0						

Service	Details
S010332	S010332 M.C.S. ENTRIES = ++PTF (S010332) ABEND S0C4-11 PROCESSING RECORD SUBTYPE 9 PROBLEM DESCRIPTION: If a SYSVIEW for CICS 255 record of subtype 9 is read (obsolete as of SYSVIEW 12.5) is read in an XLOG log stream by XPFRMAIN, an incorrectly set return will cause a S0C4-11 abend. SYMPTOMS: A possible S0C4-11 abend in XPFRMAIN while reporting on an XLOG logstream. IEA995I SYMPTOM DUMP OUTPUT 744 SYSTEM COMPLETION CODE=0C4 REASON CODE=00000011 TIME=11.25.46 SEQ=01780 CPU=0000 ASID=0042 PSW AT TIME OF ERROR 078D1000 93257A00 ILC 2 INTC 11 NO ACTIVE MODULE FOUND NAME=UNKNOWN DATA AT PSW IS UNAVAILABLE AT THIS TIME GR 0: 0011AA50 1: 00133A64 2: 0000003C 3: 009D9D6C 4: 20DA2EE0 5: 20D1F098 6: 00112A58 7: 0010A9F8 8: 0012F2C0 9: 00000000 A: 20DB6400 B: 00131BB8 C: 80107000 D: 00007090 E: 80131E94 F: 13257A00 END OF SYMPTOM DUMP IMPACT: Could fail to produce an XLOG report. CIRCUMVENTION: None PRODUCT(S) AFFECTED: CA EXPLORE Report Writer Release 15.0 CA EXPLORE Report Writer Release 16.0 Related Problem: EXPRTO 106 Copyright (C) 2019 CA. All rights reserved. R00037-NM4160-SP0 DESC(ABEND S0C4-11 PROCESSING RECORD SUBTYPE 9). ++VER (Z038) FMID (CNM4G00) PRE (S008228 S009013 S010098) SUP (ST10332)

Service	Details
S010382	S010382 M.C.S. ENTRIES = ++PTF (S010382) ABEND S0E0-29 MOD GSVXDCCR RTN DCOP\$\$ PROBLEM DESCRIPTION: Abend S0E0 can occur during shutdown of a SYSVIEW data collector subtask due to an incorrect register usage. SYMPTOMS: In the reported case the abend happened during system shutdown with messages similar to the following: GSVX451E Abend S0E0-29 in JVM data collector GSVX457I Psw 078C5000 9B4AB3BA Ilc 6 Intc 29 GSVX477I Key 8 State SUP Am 31 Asc AR GSVX458I Module GSVXNUC Addr 1B115000 Offset 003963BA GSVX458I NucMod GSVXDCCR Addr 1B4A7EC0 Offset 000034FA GSVX450I FixLvl BASE GSVX473I Routne DCOP\$\$ Addr 1B4AAD98 Offset 00000622 GSVX459I Data at PSW addr 1B4AB3B4 GSVX460I E3F0B31C 0017E300 FB280016 GSVX455I General registers at entry to abend GSVX467I R0-R1 00000000_0016A64C 00000000_86F68C56 GSVX467I R2-R3 00000000_00000000 00000000_000431C0 GSVX467I R4-R5 00000000_0000001D 00000000_1B10A914 GSVX467I R6-R7 00000000_00045440 00000000_8A34A800 GSVX467I R8-R9 00000000_18C6F800 00000000_000BE060 GSVX467I R10-R11 00000000_1B4AEA30 00000000_1C184000 GSVX467I R12-R13 00000000_1B4AAD98 00000000_1C191288 GSVX467I R14-R15 00000000_9B4AAEBC 00000000_1C186000 GSVX475I Access registers at entry to abend GSVX461I AR0-AR3 00000000 00000002 00000000 00010008 GSVX461I AR4-AR7 00000000 00000000 00010008 00000000 GSVX461I AR8-AR11 00000000 00000000 00000000 00000000 GSVX461I AR12-AR15 00000000 00000000 00000000 00000408 GSVX462I End of symptom dump IMPACT: An SVC dump is taken. CIRCUMVENTION: None. PRODUCT(S) AFFECTED: CA SYSVIEW Release 14.2 CA SYSVIEW Release 15.0 CA SYSVIEW Release 16.0 Related Problem: SYSVW 2438 Copyright (C) 2019 CA. All rights reserved. R00038-NM4160-SP0 DESC(ABEND S0E0-29 MOD GSVXDCCR RTN DCOP\$\$. ++VER (Z038) FMID (CNM4G00) PRE (S009589 S010098 S010316) SUP (S009681 ST09681 ST10382)

Service	Details
S010421	S010421 M.C.S. ENTRIES = ++PTF (S010421) ABEND S283-24 MOD ICHRF00 VTAM LOGON PROBLEM DESCRIPTION: Abend S283-24 can occur during logon if RACF is being used and the user enters invalid data in response to a password expired prompt. SYMPTOMS: In the reported case a user was logging on via the VTAM interface, received a password expired message, and entered a new password that was greater than 8 characters. ICH409I 283-024 ABEND DURING RACINIT PROCESSING GSVX451E Abend S283-24 in *NIP**** command GSVX472I Userid xxxxxxxx Terminal xxxxxxxx Interface VTAM GSVX452I SYSVIEW TCB/RB not in control at entry to abend GSVX453I Diagnostics for TCB/RB in control at entry to abend GSVX457I Psw 470C1000 854749EC Ilc 2 Intc 0D GSVX477I Key 0 State SUP Am 31 Asc PRI GSVX458I Module IGC0013{ Addr 05474000 Offset 000009EC GSVX459I Data at PSW addr 054749E6 GSVX460I 58F0C311 0A0D5860 D32891C0 GSVX455I General registers at entry to abend GSVX467I R0-R1 00000000_00000024 00000000_84283000 GSVX467I R2-R3 00000000_00F8B700 00000000_00000218 GSVX467I R4-R5 00000000_85474040 00000000_009FFCA0 GSVX467I R6-R7 00000000_7F68C0E4 00000000_7F68CF8D GSVX467I R8-R9 00000000_05480EB7 00000000_0547FEB8 GSVX467I R10-R11 00000000_84283000 00000000_7F68BF8E GSVX467I R12-R13 00000000_7F68AF8F 00000000_7F689F90 GSVX467I R14-R15 00000000_8547415E 00000000_00000024 GSVX475I Access registers at entry to abend GSVX461I AR0-AR3 00000000 00000000 00000000 00000000 GSVX461I AR4-AR7 00000000 00000000 00000000 00000000 GSVX461I AR8-AR11 00000000 00000000 00000000 00000000 GSVX461I AR12-AR15 00000000 00000000 00000000 00000000 GSVX454I Diagnostics for SYSVIEW TCB/RB at last interrupt GSVX457I Psw 478C0000 80E05094 Ilc 2 Intc 83 GSVX477I Key 8 State SUP Am 31 Asc PRI GSVX458I Module ICHRF00 Addr 00E022D8 Offset 00002DBC GSVX456I General registers at time of interrupt GSVX467I R0-R1 00000000_1BA95DC4 00000000_00000000 GSVX467I R2-R3 00000000_00F986F8 00000000_00000088 GSVX467I R4-R5 00000000_FFFFFFFF 00000000_00000002 GSVX467I R6-R7 00000000_00000088 00000000_1BA95B68 GSVX467I R8-R9 00000000_1BA95B00 00000000_1BA95E7C GSVX467I R10-R11 00000000_00000000 00000000_1BA95D48 GSVX467I R12-R13 00000000_00E049F8 00000000_1BA95D48 GSVX467I R14-R15 00000000_0000000F 00000000_00000000 GSVX476I Access registers at time of interrupt GSVX461I AR0-AR3 00000000 00000000 00000000 00000000 GSVX461I AR4-AR7 00000000 00000000 00000000 00000000 GSVX461I AR8-AR11 00000000 00000000 00000000 00000000 GSVX461I AR12-AR15 00000000 00000000 00000000 00000000 GSVX462I End of symptom dump GSVX950I SVCDUMP requested GSVX458I Module ICHRF00 Addr 00E022D8 Offset 00002DBC GSVX954I Issuing SDUMPX to capture SVC dump IEA794I SVC DUMP HAS CAPTURED: DUMPID=001 REQUESTED BY JOB (SYSVUSER) DUMP TITLE=CA SYSVIEW 15.0 0980 - Job SYSVUSER Asid 0095 Abend S283-24 Mod ICHRF00 Rtn IMPACT: An SVC dump is taken and the logon is aborted. CIRCUMVENTION: None. PRODUCT(S) AFFECTED: CA SYSVIEW

CA SYSVIEW Performance Management 16.0
CA RS 1911 - PTF SO10421 Details

13

Service	Details
	CA SYSVIEWRelease 16.0 Related Problem: SYSVW 2448 Copyright (C) 2019 CA. All rights reserved. R00040-NM4160-SP0 DESC(ABEND S283-24 MOD ICHRF000 VTAM LOGON). ++VER (Z038) FMID (CNM4G00) PRE (S009589 S009632) SUP (ST10421)

Service	Details
S010484	S010484 M.C.S. ENTRIES = ++PTF (S010484) STORAGE METRICS WITH MULTIPLIERS PROBLEM DESCRIPTION: Several MVS storage related metrics were using incorrect multipliers to convert the values to bytes. For example, if the value was in KB, a multiplier of 1000 was used rather than 1024. SYMPTOMS: The following metrics will contain incorrect values: NLFA SIZE Non-reconfigurable LFA size NLFA USED Non-reconfigurable LFA used RLFA SIZE Reconfigurable LFA size RLFA USED Reconfigurable LFA used IMPACT: Incorrect data. CIRCUMVENTION: None. PRODUCT(S) AFFECTED: CA SYSVIEW Release 14.2 CA SYSVIEW Release 15.0 CA SYSVIEW Release 16.0 Related Problem: SYSVW 2425 Copyright (C) 2019 CA. All rights reserved. R00041-NM4160-SP0 DESC(STORAGE METRICS WITH MULTIPLIERS). ++VER (Z038) FMID (CNM4G00) PRE (S009059 S010316) SUP (ST10484)

Service	Details
S010493	S010493 M.C.S. ENTRIES = ++PTF (S010493) ABEND S0C4 GSVJ1009 ISSUING JJOBGRP PROBLEM DESCRIPTION: Abend S0C4 is possible in module GSVJ1009 when issuing the JJOBGRP command if an ERROR= parameter with multiple conditions exists for a JES2 JOBGROUP. SYMPTOMS: Abend S0C4-11 or S0C4-3B occurs with messages similar to the following: GSVX451E Abend S0C4-11 in JJOBGRP command GSVX452I SYSVIEW SRB in control at entry to abend GSVX453I Diagnostics for SRB in control at entry to abend GSVX457I Psw 078C2001 BB7FFD66 Ilc 4 Intc 11 GSVX477I Key 8 State SUP Am 64 Asc PRI GSVX458I Module GSVJ1009 Addr 3B7FC000 Offset 00003D66 GSVX450I FixLvl BASE GSVX473I Routne GLTS\$\$ Addr 3B7FF8F0 Offset 00000476 GSVX459I Data at PSW addr 3B7FFD60 GSVX460I C0E0FFFF FFFD441E 00004111 GSVX455I General registers at entry to abend GSVX467I R0-R1 00000000_00000000 00000000_0000003F GSVX467I R2-R3 00000000_0000255C 00000000_00000001 GSVX467I R4-R5 00000000_3EC8F69C 00000057_000024F4 GSVX467I R6-R7 00000057_00002370 00000056_C0686EFC GSVX467I R8-R9 00000000_3EB93100 00000000_3EC8F060 GSVX467I R10-R11 00000000_3B801778 00000000_3EA54000 GSVX467I R12-R13 00000000_3B7FF8F0 00000000_3EA5F058 GSVX467I R14-R15 00000000_3B7FFD5A 00000000_00000000 IMPACT: An SVC dump is taken and the user session is terminated. CIRCUMVENTION: None. PRODUCT(S) AFFECTED: CA SYSVIEW Release 15.0 CA SYSVIEW Release 16.0 Related Problem: SYSVW 2450 Copyright (C) 2019 CA. All rights reserved. R00042-NM4160-SP0 DESC(ABEND S0C4 GSVJ1009 ISSUING JJOBGRP). ++VER (Z038) FMID (CNM4G00) SUP (ST10493)

Service	Details
S010497	S010497 M.C.S. ENTRIES = ++PTF (S010497) COMMAND TABLE INFRASTRUCTURE CHANGES ENHANCEMENT DESCRIPTION: This PTF provides a foundation that will allow for easier distribution of SYSVIEW enhancements by component using the continuous delivery model. PRODUCT(S) AFFECTED: CA SYSVIEW Release 16.0 Related Problem: SYSVW 2451 Copyright (C) 2019 CA. All rights reserved. R00043-NM4160-SP0 DESC(COMMAND TABLE INFRASTRUCTURE CHANGES). ++VER (Z038) FMID (CNM4G00) PRE (S009059 S009589 S010098 S010197 S010316) SUP (ST10497) ++HOLD (S010497) SYSTEM FMID(CNM4G00) REASON (ENH) DATE (19296) COMMENT (<pre> +-----+ CA SYSVIEW PERFORMANCE MANAGEMENT Version 16.0 +-----+-----+ SEQUENCE After Apply +-----+-----+ PURPOSE Describe the new features +-----+-----+ USERS AFFECTED All users of SYSVIEW +-----+-----+ KNOWLEDGE REQUIRED Product administration +-----+-----+ ACCESS Product libraries REQUIRED +-----+-----+ ***** * STEPS TO PERFORM * ***** </pre> ENHANCEMENT DESCRIPTION: This PTF provides a foundation that will allow for easier distribution of SYSVIEW enhancements by component using the continuous delivery model.).

Service	Details																																					
S010537	S010537 M.C.S. ENTRIES = ++PTF (S010537)																																					
	ERPT208E INVALID OPERAND LINECOUNT 0 PROBLEM DESCRIPTION: Feature PTF S009013 delivered the ability to format without page breaks. This was done by allowing a value of 0 (zero) to be coded on the LINECOUNT command. The problem is that PTF S009013 did not include the correct changes to support the value of 0 on the LINECOUNT command. When a value of 0 is specified an error message appears in the report output stating the value is not valid. SYMPTOMS: After applying feature PTF S009013 and using the LINECOUNT 0 command the following error is observed in the report output: LINECOUNT 0 \$ ERPT208E INVALID OPERAND IMPACT: Unable to create a report with no page breaks. CIRCUMVENTION: None. PRODUCT(S) AFFECTED: CA EXPLORE Report Writer Related Problem: EXPRT0 107 Copyright (C) 2019 CA. All rights reserved. R00044-NM4160-SP0 DESC(ERPT208E INVALID OPERAND LINECOUNT 0). ++VER (Z038) FMID (CNM4G00) SUP (ST10537) <table> <tr><td>MCS</td><td>S010209</td><td>STARTS ON PAGE 0002</td></tr> <tr><td>MCS</td><td>S010214</td><td>STARTS ON PAGE 0003</td></tr> <tr><td>MCS</td><td>S010269</td><td>STARTS ON PAGE 0004</td></tr> <tr><td>MCS</td><td>S010316</td><td>STARTS ON PAGE 0006</td></tr> <tr><td>MCS</td><td>S010326</td><td>STARTS ON PAGE 0018</td></tr> <tr><td>MCS</td><td>S010332</td><td>STARTS ON PAGE 0018</td></tr> <tr><td>MCS</td><td>S010382</td><td>STARTS ON PAGE 0019</td></tr> <tr><td>MCS</td><td>S010421</td><td>STARTS ON PAGE 0021</td></tr> <tr><td>MCS</td><td>S010484</td><td>STARTS ON PAGE 0022</td></tr> <tr><td>MCS</td><td>S010493</td><td>STARTS ON PAGE 0023</td></tr> <tr><td>MCS</td><td>S010497</td><td>STARTS ON PAGE 0024</td></tr> <tr><td>MCS</td><td>S010537</td><td>STARTS ON PAGE 0032</td></tr> </table>		MCS	S010209	STARTS ON PAGE 0002	MCS	S010214	STARTS ON PAGE 0003	MCS	S010269	STARTS ON PAGE 0004	MCS	S010316	STARTS ON PAGE 0006	MCS	S010326	STARTS ON PAGE 0018	MCS	S010332	STARTS ON PAGE 0018	MCS	S010382	STARTS ON PAGE 0019	MCS	S010421	STARTS ON PAGE 0021	MCS	S010484	STARTS ON PAGE 0022	MCS	S010493	STARTS ON PAGE 0023	MCS	S010497	STARTS ON PAGE 0024	MCS	S010537	STARTS ON PAGE 0032
MCS	S010209	STARTS ON PAGE 0002																																				
MCS	S010214	STARTS ON PAGE 0003																																				
MCS	S010269	STARTS ON PAGE 0004																																				
MCS	S010316	STARTS ON PAGE 0006																																				
MCS	S010326	STARTS ON PAGE 0018																																				
MCS	S010332	STARTS ON PAGE 0018																																				
MCS	S010382	STARTS ON PAGE 0019																																				
MCS	S010421	STARTS ON PAGE 0021																																				
MCS	S010484	STARTS ON PAGE 0022																																				
MCS	S010493	STARTS ON PAGE 0023																																				
MCS	S010497	STARTS ON PAGE 0024																																				
MCS	S010537	STARTS ON PAGE 0032																																				

Release 16.0

CA SYSVIEW Performance Management 16.0
CA RS 1911 Product/Component Listing

18

Product Family	Product	Release
Systems Management	CA SYSVIEW PERFORMANCE MANAGEMENT	16.00.00
The CA RS 1911 Product/Component Count for this release is 1		

CA RS Level	Service	FMID
CAR1911	S010537	CNM4G00
	S010497	CNM4G00
	S010493	CNM4G00
	S010484	CNM4G00
	S010421	CNM4G00
	S010382	CNM4G00
	S010332	CNM4G00
	S010326	CNM4G00
	S010316	CNM4G00
	S010269	CNM4G00
	S010214	CNM4G00
	S010209	CNM4G00
	S010206	CNM4G00
	S010197	CNM4G00
CAR1910	S010143	CNM4G00
	S010098	CNM4G00
	S009844	CNM4G00
	S009632	CNM4G00
	S009772	CNM4G00
	S009681	CNM4G00
CAR1909	S009650	CNM4G00
	S009607	CNM4G00
	S009589	CNM4G00
	S009537	CNM4G00
	S008894	CNM4G00
	S009287	CNM4G00
	S009281	CNM4G00
	S009059	CNM4G00
CAR1908	S009013	CNM4G00
	S008793	CNM4G00
	S008895	CNM4G00
	S008743	CNM4G00
	S008740	CNM4G00
CAR1907	S008698	CNM4G00
	S008681	CNM4G00
	S008674	CNM4G00
	S008553	CNM4G00
	S008544	CNM4G00
	S008502	CNM4G00
	S008485	CNM4G00
	S008459	CNM4G00
	S008228	CNM4G00