

CA OPS/MVS for JES3 13.0  
CA RS 2005 Service List

1

| Service                                            | Description                                                | Type |
|----------------------------------------------------|------------------------------------------------------------|------|
| S012493                                            | OSF SERVER HANGS WHEN ISSUING IMS COMMANDS VIA THE IMS BMP | PTF  |
| S012596                                            | OPS3724T WTO MAY CONTAIN ZERO'S FOR PROGRAM NAME           | PTF  |
| S012626                                            | OPSJES2 INPQ FUNCTION RETURNS 0 JOBS FOR Z/OS 2.4          | PTF  |
| S012660                                            | POSSIBLE ABEND SOC4 AFTER INSTALLING IBM PTF UJ01558       | PTF  |
| S012671                                            | PASSWORD MASKING IGNORED FOR SECURITY EVENT                | PTF  |
| S012827                                            | OPSJES2 NOT DISPLAYING REMOTE PRINTERS                     | PTF  |
| The CA RS 2005 service count for this release is 6 |                                                            |      |

CA OPS/MVS for JES3  
CA RS 2005 Service List for CCLXD00

2

| FMID                                            | Service | Description                                                | Type |
|-------------------------------------------------|---------|------------------------------------------------------------|------|
| CCLXD00                                         | S012493 | OSF SERVER HANGS WHEN ISSUING IMS COMMANDS VIA THE IMS BMP | PTF  |
|                                                 | S012596 | OPS3724T WTO MAY CONTAIN ZERO'S FOR PROGRAM NAME           | PTF  |
|                                                 | S012626 | OPSJES2 INPQ FUNCTION RETURNS 0 JOBS FOR Z/OS 2.4          | PTF  |
|                                                 | S012660 | POSSIBLE ABEND SOC4 AFTER INSTALLING IBM PTF UJ01558       | PTF  |
|                                                 | S012671 | PASSWORD MASKING IGNORED FOR SECURITY EVENT                | PTF  |
|                                                 | S012827 | OPSJES2 NOT DISPLAYING REMOTE PRINTERS                     | PTF  |
| The CA RS 2005 service count for this FMID is 6 |         |                                                            |      |

| Service | Details                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |
|---------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| SO12493 | <p>SO12493 M.C.S. ENTRIES = ++PTF (SO12493)</p> <p>OSF SERVER HANGS WHEN ISSUING IMS COMMANDS VIA THE IMS BMP</p> <p>PROBLEM DESCRIPTION:</p> <p>When an IMS command is sent to the OPS/MVS IMS BMP, and the response exceeds the maximum number of lines specified by OPS/MVS parameter REXXMAXQUEUE, OPS13520 message is issued indicating the following:</p> <p>OPS13520 MESSAGE SEND OVERFLOW ERROR, DETECTED AT OPPCSSRU+</p> <p>At this point the OSF Server hangs waiting for the command response ECB to be posted. The ECB is never posted and eventually, after the number of seconds specified by OPS/MVS parameter OSFWAIT, the server times out and terminates</p> <p>SYMPTOMS:</p> <p>The OPS13520 message and a hung OSF Server.</p> <p>IMPACT:</p> <p>Command responses are not returned to the Rexx exec due to the hung server.</p> <p>CIRCUMVENTION:</p> <p>None.</p> <p>PRODUCT(S) AFFECTED:</p> <p>CA OPS/MVS Base Release 13.0</p> <p>Related Problem:</p> <p>OPSMVS 1665</p> <p>Copyright (C) 2020 CA. All rights reserved. R00237-CLX130-SP1</p> <p>DESC(OSF SERVER HANGS WHEN ISSUING IMS COMMANDS VIA THE IMS BMP).</p> <p>++VER (Z038)</p> <p>FMID (CCLXD00)</p> <p>SUP ( ST12493 )</p> <p>++HOLD (SO12493) SYSTEM FMID(CCLXD00)</p> <p>REASON (ACTION ) DATE (20092)</p> <p>COMMENT (</p> <pre> +-----+        CA OPS/MVS Base                      Version 13.0        +-----+-----+  SEQUENCE   Before issuing IMS commands to the OPS IMS BMP.            +-----+-----+  PURPOSE    To prevent OSF Server hangs when using the OPS IMS BMP.        +-----+-----+  USERS      All users of the OPS IMS BMP.                                     AFFECTED                                                                    +-----+-----+  KNOWLEDGE  Basic z/OS system programming skills.                             REQUIRED                                                                    +-----+-----+  ACCESS     Authority to stop and start the OPS IMS BMP.                     REQUIRED                                                                    +-----+-----+ ***** * STEPS    TO    PERFORM * ***** 1. After applying the PTF, use the OPSVIEW 4.1.1 panel to toggle the IMSxxINITBMP parameter from YES to NO to stop the BMP. 2. Once the BMP is stopped, toggle the IMSxxINITBMP parameter from NO to YES to restart the BMP. </pre> |

CA OPS/MVS for JES3 13.0  
CA RS 2005 - PTF SO12493 Details

| Service | Details                                                                                                                                                                                           |
|---------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|         | <p>Note: The OPS/MVS CCLXLOAD library must be included in the BMP PROC STEPLIB or module OPIMBP must be copied to the IMS RESLIB for the change to be picked up when the BMP restarts.<br/>).</p> |

| Service         | Details                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |                 |              |
|-----------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------|--------------|
| SO12596         | <p>SO12596 M.C.S. ENTRIES = ++PTF (SO12596)</p> <p>OPS3724T WTO MAY CONTAIN ZERO'S FOR PROGRAM NAME</p> <p>PROBLEM DESCRIPTION:</p> <p>The OPS3724T message text may contain zeros in place of the program name or the ruleset.rule name from where the command originated.</p> <p>SYMPTOMS:</p> <p>The OPS3724T message will display x'0000' in place of the program name or ruleset.rule name that is dispatching work to an OSF server.</p> <p>IMPACT:</p> <p>Unable to identify the program name or ruleset.rule that is sending commands to an OSF server.</p> <p>CIRCUMVENTION:</p> <p>None.</p> <p>PRODUCT(S) AFFECTED:</p> <p>CA OPS/MVS Base Version 13.0</p> <p>CA OPS/MVS Base Release 13.5</p> <p>Related Problem:</p> <p>OPSMVS 1668</p> <p>Copyright (C) 2020 CA. All rights reserved. R00239-CLX130-SP1</p> <p>DESC(OPS3724T WTO MAY CONTAIN ZERO'S FOR PROGRAM NAME).</p> <p>++VER (Z038)</p> <p>FMID (CCLXD00)</p> <p>PRE ( R094507 R095980 R096478 S000300 S009264 S011482 )</p> <p>SUP ( ST12596 )</p> <p>++HOLD (SO12596) SYSTEM FMID(CCLXD00)</p> <p>REASON (ACTION ) DATE (20092)</p> <p>COMMENT (</p> <table border="1"> <tr> <td>CA OPS/MVS Base</td><td>Version 13.0</td></tr> </table> <p> SEQUENCE   After Apply  </p> <p> PURPOSE   To activate load modules updated by this PTF.  </p> <p> USERS   All OPS/MVS users  </p> <p> AFFECTED    </p> <p> KNOWLEDGE   Basic z/OS systems administration skills.  </p> <p> REQUIRED    </p> <p> ACCESS   - Access to OPS/MVS SMP/E Target loadlib CCLXLOAD and any  </p> <p> REQUIRED   deployed copies  </p> <p>    - Authority to issue MVS system commands  </p> <p>    - Authority to stop and start OPS/MVS  </p> <p>*****</p> <p>* STEPS TO PERFORM *</p> <p>*****</p> <p>1. This PTF updates load module OPRWFU. APPLY of this PTF updates SMP/E Target loadlib CCLXLOAD.</p> <p>2. Copy the updated load modules from SMP/E Target loadlib CCLXLOAD to any other deployed copies, such as a STEPLIB</p> | CA OPS/MVS Base | Version 13.0 |
| CA OPS/MVS Base | Version 13.0                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |                 |              |

| Service | Details                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
|---------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|         | <p>used by the OPS/MVS main address space, a link listed loadlib, etc.</p> <p>3. If the system library lookaside (LLA) program is managing any updated loadlib, you must refresh LLA by using MVS system command "F LLA,REFRESH" or some equivalent mechanism.</p> <p>4. If the system link pack area (LPA) contains any updated load module, you must refresh LPA by using MVS system command "SETPROG LPA" or some equivalent mechanism.</p> <p>5. Choose one of these two methods to begin using the updated load module:</p> <p>a. STOP OPS/MVS and START OPS/MVS</p> <p>OR</p> <p>b. Issue MVS command: F OPSS,RELOAD(OPRWFU)</p> <p>).</p> |

| Service         | Details                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |                 |              |
|-----------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------|--------------|
| S012626         | <p>S012626 M.C.S. ENTRIES = ++PTF (S012626)</p> <p>OPSJES2 INPQ FUNCTION RETURNS 0 JOBS FOR Z/OS 2.4</p> <p>PROBLEM DESCRIPTION:</p> <p>The OPSJES2 function is not returning the correct number of jobs for the INPQ keyword after upgrading to z/OS 2.4.</p> <p>SYMPTOMS:</p> <p>The OPSJES2('I','INPQ','A') function always returns 0 jobs.</p> <p>IMPACT:</p> <p>Automation using the OPSJES2 function to gather input queue information will fail.</p> <p>CIRCUMVENTION:</p> <p>None.</p> <p>PRODUCT(S) AFFECTED:</p> <p>CA OPS/MVS Base Version 13.0</p> <p>CA OPS/MVS Base Version 13.5</p> <p>Related Problem:</p> <p>OPSMVS 1671</p> <p>Copyright (C) 2020 CA. All rights reserved. R00240-CLX130-SP1</p> <p>DESC(OPSJES2 INPQ FUNCTION RETURNS 0 JOBS FOR Z/OS 2.4).</p> <p>++VER (Z038)</p> <p>FMID (CCLXD00)</p> <p>PRE ( R098697 )</p> <p>SUP ( R095028 S006787 S011788 S012593 ST06787 ST11788</p> <p>ST12593 ST12626 TR95028 )</p> <p>++HOLD (S012626) SYSTEM FMID(CCLXD00)</p> <p>REASON (DYNACT ) DATE (20093)</p> <p>COMMENT (</p> <table border="1"> <tr> <td>CA OPS/MVS Base</td><td>Version 13.0</td></tr> </table> <p>SEQUENCE   After APPLY</p> <p>PURPOSE   To activate load modules updated by this PTF, including</p> <p>  load module OPSAEX</p> <p>USERS   All OPS/MVS users</p> <p>AFFECTED  </p> <p>KNOWLEDGE   Basic z/OS systems programming skills</p> <p>REQUIRED  </p> <p>ACCESS   - Access to OPS/MVS SMP/E Target loadlib CCLXLOAD and any</p> <p>REQUIRED   deployed copies</p> <p>  - Authority to issue MVS system commands</p> <p>  - Authority to stop and start OPS/MVS</p> <p>*****</p> <p>* STEPS TO PERFORM *</p> <p>*****</p> <p>1. This PTF updates load module OPSAEX, as well as the other load modules identified by the ++MOD statements contained in this PTF. APPLY of this PTF updates SMP/E Target</p> | CA OPS/MVS Base | Version 13.0 |
| CA OPS/MVS Base | Version 13.0                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |                 |              |

| Service | Details                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
|---------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|         | <p>loadlib CCLXLOAD.</p> <p>2. Copy the updated load modules from SMP/E Target loadlib CCLXLOAD to any other deployed copies, such as a STEPLIB used by the OPS/MVS main address space, a link listed loadlib, etc.</p> <p>3. If the system library lookaside (LLA) program is managing any updated loadlib, you must refresh LLA by using MVS system command "F LLA,REFRESH" or some equivalent mechanism.</p> <p>4. TSO users must get out of OPSVIEW.</p> <p>5. Stop OPS/MVS.</p> <p>6. If the system link pack area (LPA) contains any updated load module, you must refresh LPA by using MVS system command "SETPROG LPA" or some equivalent mechanism.</p> <p>7. Start OPS/MVS.</p> <p>8. TSO users may access OPSVIEW. Depending on how OPSVIEW is accessed, this may require TSO logoff/logon.</p> <p>).</p> |



| Service         | Details                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |                 |              |
|-----------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------|--------------|
| SO12660         | <p>SO12660 M.C.S. ENTRIES = ++PTF (SO12660)</p> <p>POSSIBLE ABEND SOC4 AFTER INSTALLING IBM PTF UJ01558</p> <p>PROBLEM DESCRIPTION:</p> <p>After UJ01558 is installed, 64-bit storage services (IARV64 and IARST64) may return with unpredictable values in access register 0, 1, 14, and 15. This may cause SOC4 ABENDS in various OPS/MVS modules that operate in AR mode.</p> <p>SYMPTOMS:</p> <p>Potential ABEND SOC4 in OPS/MVS modules OPSMMG, OPIIUASM, and OPMTCAUP.</p> <p>IMPACT:</p> <p>There are no known instances of actual ABENDS in OPS/MVS due to UJ01558. However, it is possible that an SOC4 might occur in a rare codepath, leading to loss of an automation event, or even total product shutdown.</p> <p>CIRCUMVENTION:</p> <p>NONE.</p> <p>PRODUCT(S) AFFECTED:</p> <p>CA OPS/MVS Base Version 13.0</p> <p>CA OPS/MVS Base Version 13.5</p> <p>Related Problem:</p> <p>OPSMVS 1673</p> <p>Copyright (C) 2020 CA. All rights reserved. R00241-CLX130-SP1</p> <p>DESC(POSSIBLE ABEND SOC4 AFTER INSTALLING IBM PTF UJ01558).</p> <p>++VER (Z038)</p> <p>FMID (CCLXD00)</p> <p>PRE ( R096478 R099262 S005676 S006934 S008413 )</p> <p>SUP ( ST12660 )</p> <p>++HOLD (SO12660) SYSTEM FMID(CCLXD00)</p> <p>REASON (DYNACT ) DATE (20098)</p> <p>COMMENT (</p> <table border="1"> <tr> <td>CA OPS/MVS Base</td><td>Version 13.0</td></tr> </table> <p>SEQUENCE   After APPLY</p> <p>PURPOSE   To activate load modules updated by this PTF, including</p> <p>  load module OPSAEX</p> <p>USERS   All OPS/MVS users</p> <p>AFFECTED  </p> <p>KNOWLEDGE   Basic z/OS systems programming skills</p> <p>REQUIRED  </p> <p>ACCESS   - Access to OPS/MVS SMP/E Target loadlib CCLXLOAD and any</p> <p>REQUIRED   deployed copies</p> <p>  - Authority to issue MVS system commands</p> <p>  - Authority to stop and start OPS/MVS</p> <p>*****</p> <p>* STEPS TO PERFORM *</p> <p>*****</p> <p>1. This PTF updates load module OPSAEX, as well as the other</p> | CA OPS/MVS Base | Version 13.0 |
| CA OPS/MVS Base | Version 13.0                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |                 |              |

| Service | Details                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |
|---------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|         | <p>load modules identified by the ++MOD statements contained in this PTF. APPLY of this PTF updates SMP/E Target loadlib CCLXLOAD.</p> <p>2. Copy the updated load modules from SMP/E Target loadlib CCLXLOAD to any other deployed copies, such as a STEPLIB used by the OPS/MVS main address space, a link listed loadlib, etc.</p> <p>3. If the system library lookaside (LLA) program is managing any updated loadlib, you must refresh LLA by using MVS system command "F LLA,REFRESH" or some equivalent mechanism.</p> <p>4. TSO users must get out of OPSVIEW.</p> <p>5. Stop OPS/MVS.</p> <p>6. If the system link pack area (LPA) contains any updated load module, you must refresh LPA by using MVS system command "SETPROG LPA" or some equivalent mechanism.</p> <p>7. Start OPS/MVS.</p> <p>8. TSO users may access OPSVIEW. Depending on how OPSVIEW is accessed, this may require TSO logoff/logon.</p> <p>).</p> |

| Service         | Details                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |                 |              |
|-----------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------|--------------|
| SO12671         | <p>SO12671 M.C.S. ENTRIES = ++PTF (SO12671)</p> <p>PASSWORD MASKING IGNORED FOR SECURITY EVENT</p> <p>PROBLEM DESCRIPTION:</p> <p>Password masking not working for SEC Events</p> <p>SYMPTOMS:</p> <p>Passwords are not masked in OPSLOG for SEC Events</p> <p>IMPACT:</p> <p>Potential password exposure</p> <p>CIRCUMVENTION:</p> <p>None</p> <p>PRODUCT(S) AFFECTED:</p> <p>CA OPS/MVS Base Version 13.0</p> <p>CA OPS/MVS Base Release 13.5</p> <p>Related Problem:</p> <p>OPSMVS 1670</p> <p>Copyright (C) 2020 CA. All rights reserved. R00242-CLX130-SP1</p> <p>DESC(PASSWORD MASKING IGNORED FOR SECURITY EVENT).</p> <p>++VER (Z038)</p> <p>FMID (CCLXD00)</p> <p>PRE ( R096959 )</p> <p>SUP ( R099183 ST12671 TR99183 )</p> <p>++HOLD (SO12671) SYSTEM FMID(CCLXD00)</p> <p>REASON (DYNACT ) DATE (20100)</p> <p>COMMENT (</p> <table border="1"> <tr> <td>CA OPS/MVS Base</td><td>Version 13.0</td></tr> </table> <p>SEQUENCE   After APPLY</p> <p>PURPOSE   To activate load modules updated by this PTF, including</p> <p>  load module OPSAEX</p> <p>USERS   All OPS/MVS users</p> <p>AFFECTED  </p> <p>KNOWLEDGE   Basic z/OS systems programming skills</p> <p>REQUIRED  </p> <p>ACCESS   - Access to OPS/MVS SMP/E Target loadlib CCLXLOAD and any</p> <p>REQUIRED   deployed copies</p> <p>  - Authority to issue MVS system commands</p> <p>  - Authority to stop and start OPS/MVS</p> <p>*****</p> <p>* STEPS TO PERFORM *</p> <p>*****</p> <p>1. This PTF updates load module OPSAEX, as well as the other load modules identified by the ++MOD statements contained in this PTF. APPLY of this PTF updates SMP/E Target loadlib CCLXLOAD.</p> <p>2. Copy the updated load modules from SMP/E Target loadlib CCLXLOAD to any other deployed copies, such as a STEPLIB</p> | CA OPS/MVS Base | Version 13.0 |
| CA OPS/MVS Base | Version 13.0                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |                 |              |

| Service | Details                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
|---------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|         | <p>used by the OPS/MVS main address space, a link listed loadlib, etc.</p> <p>3. If the system library lookaside (LLA) program is managing any updated loadlib, you must refresh LLA by using MVS system command "F LLA,REFRESH" or some equivalent mechanism.</p> <p>4. TSO users must get out of OPSVIEW.</p> <p>5. Stop OPS/MVS.</p> <p>6. If the system link pack area (LPA) contains any updated load module, you must refresh LPA by using MVS system command "SETPROG LPA" or some equivalent mechanism.</p> <p>7. Start OPS/MVS.</p> <p>8. TSO users may access OPSVIEW. Depending on how OPSVIEW is accessed, this may require TSO logoff/logon.</p> <p>).</p> |

| Service         | Details                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |                 |              |
|-----------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------|--------------|
| SO12827         | <p>SO12827 M.C.S. ENTRIES = ++PTF (SO12827)</p> <p>OPSJES2 NOT DISPLAYING REMOTE PRINTERS</p> <p>PROBLEM DESCRIPTION:</p> <p>The OPSJES2 function is not returning remote printer information after upgrading to z/OS 2.4.</p> <p>SYMPTOMS:</p> <p>The OPSJES2('I','PRTS','*','*') function returns only local printers.</p> <p>IMPACT:</p> <p>Automation using the OPSJES2 function to gather remote printer information will fail.</p> <p>CIRCUMVENTION:</p> <p>None.</p> <p>PRODUCT(S) AFFECTED:</p> <p>CA OPS/MVS Base Version 13.0</p> <p>CA OPS/MVS Base Version 13.5</p> <p>Related Problem:</p> <p>OPSMVS 1675</p> <p>Copyright (C) 2020 CA. All rights reserved. R00243-CLX130-SP1</p> <p>DESC(OPSJES2 NOT DISPLAYING REMOTE PRINTERS).</p> <p>++VER (Z038)</p> <p>FMID (CCLXD00)</p> <p>PRE ( R098697 )</p> <p>SUP ( R095028 S006787 S011788 S012593 S012626 ST06787</p> <p>ST11788 ST12593 ST12626 ST12827 TR95028 )</p> <p>++HOLD (SO12827) SYSTEM FMID(CCLXD00)</p> <p>REASON (DYNACT ) DATE (20108)</p> <p>COMMENT (</p> <table border="1"> <tr> <td>CA OPS/MVS Base</td><td>Version 13.0</td></tr> </table> <p>SEQUENCE   After APPLY</p> <p>PURPOSE   To activate load modules updated by this PTF, including</p> <p>  load module OPSAEX</p> <p>USERS   All OPS/MVS users</p> <p>AFFECTED  </p> <p>KNOWLEDGE   Basic z/OS systems programming skills</p> <p>REQUIRED  </p> <p>ACCESS   - Access to OPS/MVS SMP/E Target loadlib CCLXLOAD and any</p> <p>REQUIRED   deployed copies</p> <p>  - Authority to issue MVS system commands</p> <p>  - Authority to stop and start OPS/MVS</p> <p>*****</p> <p>* STEPS TO PERFORM *</p> <p>*****</p> <p>1. This PTF updates load module OPSAEX, as well as the other load modules identified by the ++MOD statements contained in this PTF. APPLY of this PTF updates SMP/E Target</p> | CA OPS/MVS Base | Version 13.0 |
| CA OPS/MVS Base | Version 13.0                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |                 |              |

| Service | Details                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |                     |
|---------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------|
|         | <p>loadlib CCLXLOAD.</p> <p>2. Copy the updated load modules from SMP/E Target loadlib CCLXLOAD to any other deployed copies, such as a STEPLIB used by the OPS/MVS main address space, a link listed loadlib, etc.</p> <p>3. If the system library lookaside (LLA) program is managing any updated loadlib, you must refresh LLA by using MVS system command "F LLA,REFRESH" or some equivalent mechanism.</p> <p>4. TSO users must get out of OPSVIEW.</p> <p>5. Stop OPS/MVS.</p> <p>6. If the system link pack area (LPA) contains any updated load module, you must refresh LPA by using MVS system command "SETPROG LPA" or some equivalent mechanism.</p> <p>7. Start OPS/MVS.</p> <p>8. TSO users may access OPSVIEW. Depending on how OPSVIEW is accessed, this may require TSO logoff/logon.</p> <p>).</p> |                     |
| MCS     | SO12493                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              | STARTS ON PAGE 0002 |
| MCS     | SO12596                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              | STARTS ON PAGE 0003 |
| MCS     | SO12626                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              | STARTS ON PAGE 0005 |
| MCS     | SO12660                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              | STARTS ON PAGE 0007 |
| MCS     | SO12671                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              | STARTS ON PAGE 0008 |
| MCS     | SO12827                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              | STARTS ON PAGE 0010 |

CA OPS/MVS for JES3 13.0  
CA RS 2005 Product/Component Listing

15

| Product Family                                               | Product         | Release  |
|--------------------------------------------------------------|-----------------|----------|
| Systems Management                                           | CA OPS/MVS BASE | 13.00.00 |
| The CA RS 2005 Product/Component Count for this release is 1 |                 |          |

| CA RS Level | Service | FMID    |
|-------------|---------|---------|
| CAR2005     | S012827 | CCLXD00 |
|             | S012671 | CCLXD00 |
|             | S012660 | CCLXD00 |
|             | S012626 | CCLXD00 |
|             | S012596 | CCLXD00 |
|             | S012493 | CCLXD00 |
| CAR2004     | S012593 | CCLXD00 |
|             | S012410 | CCLXD00 |
| CAR2003     | S012095 | CCLXD00 |
|             | S011956 | CCLXD00 |
| CAR2002     | S011788 | CCLXD00 |
|             | S011482 | CCLXD00 |
| CAR2001     | S011245 | CCLXD00 |
|             | S011111 | CCLXD00 |
|             | S010838 | CCLXD00 |
| CAR1912     | S010842 | CCLXD00 |
| CAR1911     | S010591 | CCLXD00 |
|             | S010458 | CCLXD00 |
|             | S010420 | CCLXD00 |
|             | S010407 | CCLXD00 |
| CAR1910     | S010025 | CCLXD00 |
|             | S009879 | CCLXD00 |
|             | S009795 | CCLXD00 |
|             | S009773 | CCLXD00 |
|             | S008049 | CCLXD00 |
| CAR1909     | S009842 | CCLXD00 |
|             | S009697 | CCLXD00 |
|             | S009638 | CCLXD00 |
|             | S009490 | CCLXD00 |
| CAR1908     | S009264 | CCLXD00 |
|             | S009159 | CCLXD00 |
| CAR1907     | S009018 | CCLXD00 |
|             | S008875 | CCLXD00 |
|             | S008824 | CCLXD00 |
|             | S008718 | CCLXD00 |
|             | S008711 | CCLXD00 |
|             | S008252 | CCLXD03 |
| CAR1906     | S008641 | CCLXD00 |
|             | S008587 | CCLXD00 |
|             | S008573 | CCLXD00 |
|             | S008476 | CCLXD00 |
|             | S008413 | CCLXD00 |
|             | S008340 | CCLXD00 |
|             | S008298 | CCLXD00 |
|             | S008242 | CCLXD00 |
| CAR1905     | S008133 | CCLXD00 |
| CAR1904     | S007772 | CCLXD00 |



| CA RS<br>Level | Service | FMID    |
|----------------|---------|---------|
|                | S007720 | CCLXD00 |
|                | S007653 | CCLXD00 |
| CAR1903        | S007229 | CCLXD01 |
|                | S007074 | CCLXD00 |
| CAR1902        | S007183 | CCLXD01 |
|                | S007123 | CCLXD00 |
|                | S006934 | CCLXD00 |
|                | S006932 | CCLXD00 |
|                | S006787 | CCLXD00 |
| CAR1901        | S006683 | CCLXD00 |
|                | S006578 | CCLXD00 |
|                | S006538 | CCLXD00 |
|                | S006488 | CCLXD00 |
| CAR1812        | S006389 | CCLXD00 |
|                | S006327 | CCLXD01 |
|                | S006307 | CCLXD00 |
|                | S006258 | CCLXD00 |
|                | S006156 | CCLXD00 |
|                | S005994 | CCLXD01 |
| CAR1811        | S006103 | CCLXD00 |
|                | S005982 | CCLXD00 |
|                | S005726 | CCLXD00 |
|                | S005709 | CCLXD00 |
|                | S005692 | CCLXD00 |
|                | S005657 | CCLXD01 |
| CAR1810        | S005676 | CCLXD00 |
|                | S005672 | CCLXD00 |
|                | S005636 | CCLXD01 |
|                | S005589 | CCLXD00 |
|                | S005529 | CCLXD01 |
|                | S005501 | CCLXD00 |
|                | S005460 | CCLXD00 |
|                | S005340 | CCLXD00 |
|                | S005284 | CCLXD00 |
|                | S005268 | CCLXD00 |
| CAR1809        | S005193 | CCLXD00 |
|                | S005089 | CCLXD00 |
|                | S005046 | CCLXD00 |
|                | S004984 | CCLXD00 |
|                | S004937 | CCLXD00 |
|                | S004902 | CCLXD00 |
|                | S004899 | CCLXD00 |
|                | S004780 | CCLXD00 |
|                | S004605 | CCLXD00 |
|                | S004137 | CCLXD00 |
| CAR1808        | S004636 | CCLXD00 |
|                | S004624 | CCLXD00 |

| CA RS Level | Service | FMID    |
|-------------|---------|---------|
|             | S004478 | CCLXD00 |
|             | S004295 | CCLXD01 |
| CAR1807     | S003936 | CCLXD00 |
|             | S003909 | CCLXD00 |
| CAR1806     | S003746 | CCLXD00 |
|             | S003736 | CCLXD00 |
|             | S003721 | CCLXD01 |
|             | S003660 | CCLXD00 |
|             | S003629 | CCLXD00 |
|             | S001957 | CCLXD00 |
|             | S001878 | CCLXD00 |
|             | S001810 | CCLXD00 |
|             | S001805 | CCLXD00 |
|             | S001748 | CCLXD00 |
| CAR1805     | S001582 | CCLXD00 |
|             | S001318 | CCLXD00 |
|             | S001269 | CCLXD00 |
|             | S000892 | CCLXD00 |
| CAR1804     | S001096 | CCLXD00 |
|             | S001095 | CCLXD00 |
|             | S001082 | CCLXD01 |
|             | S000907 | CCLXD00 |
|             | S000647 | CCLXD00 |
|             | S000309 | CCLXD00 |
| CAR1803     | S000659 | CCLXD00 |
|             | S000639 | CCLXD00 |
|             | S000534 | CCLXD00 |
|             | S000407 | CCLXD00 |
|             | S000392 | CCLXD00 |
|             | S000300 | CCLXD00 |
|             | R099262 | CCLXD00 |
| CAR1802     | S000182 | CCLXD00 |
|             | S000165 | CCLXD00 |
|             | S000008 | CCLXD00 |
|             | S000002 | CCLXD00 |
|             | R099930 | CCLXD00 |
| CAR1801     | R099603 | CCLXD00 |
|             | R099549 | CCLXD00 |
|             | R099351 | CCLXD00 |
|             | R099017 | CCLXD00 |
| CAR1712     | R099183 | CCLXD00 |
|             | R099161 | CCLXD00 |
|             | R099146 | CCLXD00 |
|             | R099083 | CCLXD00 |
|             | R099076 | CCLXD00 |
|             | R098964 | CCLXD00 |
| CAR1711     | R098820 | CCLXD00 |

| CA RS Level | Service | FMID    |
|-------------|---------|---------|
|             | R098697 | CCLXD00 |
|             | R098686 | CCLXD00 |
|             | R098596 | CCLXD00 |
|             | R098522 | CCLXD00 |
|             | R098459 | CCLXD00 |
|             | R098339 | CCLXD00 |
|             | R098292 | CCLXD00 |
|             | R097912 | CCLXD01 |
|             | R096479 | CCLXD01 |
|             | R096478 | CCLXD00 |
| CAR1710     | R098139 | CCLXD00 |
|             | R097889 | CCLXD00 |
|             | R097835 | CCLXD00 |
| CAR1709     | R097665 | CCLXD00 |
|             | R097620 | CCLXD00 |
|             | R097559 | CCLXD00 |
|             | R097551 | CCLXD00 |
|             | R097465 | CCLXD00 |
|             | R097449 | CCLXD00 |
|             | R097420 | CCLXD00 |
| CAR1708     | R097040 | CCLXD00 |
|             | R097011 | CCLXD00 |
|             | R097008 | CCLXD00 |
|             | R097000 | CCLXD01 |
|             | R096971 | CCLXD00 |
|             | R096959 | CCLXD00 |
|             | R096643 | CCLXD00 |
| CAR1707     | R096446 | CCLXD00 |
| CAR1706     | R096115 | CCLXD00 |
|             | R095980 | CCLXD00 |
|             | R095953 | CCLXD00 |
|             | R095890 | CCLXD00 |
|             | R095212 | CCLXD00 |
| CAR1705     | R095660 | CCLXD00 |
|             | R095391 | CCLXD00 |
| CAR1704     | R095348 | CCLXD00 |
|             | R095285 | CCLXD00 |
|             | R095251 | CCLXD00 |
|             | R095204 | CCLXD00 |
|             | R095154 | CCLXD00 |
|             | R095028 | CCLXD00 |
|             | R094989 | CCLXD00 |
|             | R094880 | CCLXD00 |
|             | R094837 | CCLXD00 |
|             | R094774 | CCLXD00 |
|             | R094507 | CCLXD00 |
|             | R094245 | CCLXD00 |

| CA RS<br>Level | Service | FMID    |
|----------------|---------|---------|
| CAR1703        | R094721 | CCLXD00 |
|                | R094704 | CCLXD00 |
|                | R094652 | CCLXD04 |
|                | R094625 | CCLXD00 |
|                | R094613 | CCLXD00 |
|                | R094603 | CCLXD00 |
|                | R094474 | CCLXD00 |
|                | R094359 | CCLXD00 |
|                | R094323 | CCLXD00 |
| CAR1702        | R094192 | CCLXD03 |
|                | R094184 | CCLXD00 |
|                | R094116 | CCLXD00 |
|                | R094104 | CCLXD00 |
|                | R094084 | CCLXD03 |
|                | R094069 | CCLXD00 |
|                | R094062 | CCLXD00 |
|                | R093997 | CCLXD00 |
|                | R093945 | CCLXD00 |
|                | R093939 | CCLXD00 |
|                | R093749 | CCLXD00 |
| CAR1701        | R093685 | CCLXD00 |
|                | R093591 | CCLXD00 |
|                | R093549 | CCLXD00 |
|                | R093524 | CCLXD00 |