

CA Top Secret Security for z/OS 16.0
CA RS 2006 Service List

1

Service	Description	Type
S012162	TAMZ CLASS TABLE ALLOCATED IN FETCH PROTECTED STORAGE	PTF
S012931	PRIVATE STORAGE SHORTAGE CAUSES ABEND IN TSSKPORT+10F0	PTF
S012940	ISSUING TSO COMMAND VIA Z/OSMF PRODUCES FAILURES	PTF
S012947	SOC4 IN TSSOEADM+1EC AFTER FIX S010757	** PRP **
S012965	SUPPORT JES3PLUS(TM) FROM PHOENIX SOFTWARE	PTF
S012989	ALLOW USER-DEFINED FDT FIELDS TO BE ASSIGNED TO GROUP ACIDS	PTF
S013014	TSS MODIFY(RPW(LIST)) FAILS WITH TSS9079E	** PRP **
S013099	GENCERT FAILS WITH TSS0470E WHEN SIGNER HAS LARGE SDN	PTF
S013110	MAKEFSP FOR SYMLINK FUNCTION GETS RC 8/4/8	PTF
S013290	PROVIDE TSSASSEC SAMPLE FOR Z/OSMF SECURITY CONFIG ASSISTANT	PTF
The CA RS 2006 service count for this release is 10		

CA Top Secret Security for z/OS
CA RS 2006 Service List for CAKOG00

2

FMID	Service	Description	Type
CAKOG00	S012162	TAMZ CLASS TABLE ALLOCATED IN FETCH PROTECTED STORAGE	PTF
	S012931	PRIVATE STORAGE SHORTAGE CAUSES ABEND IN TSSKPORT+10F0	PTF
	S012940	ISSUING TSO COMMAND VIA Z/OSMF PRODUCES FAILURES	PTF
	S012947	SOC4 IN TSSOEADM+1EC AFTER FIX S010757	** PRP **
	S012965	SUPPORT JES3PLUS(TM) FROM PHOENIX SOFTWARE	PTF
	S012989	ALLOW USER-DEFINED FDT FIELDS TO BE ASSIGNED TO GROUP ACIDS	PTF
	S013014	TSS MODIFY(RPW(LIST)) FAILS WITH TSS9079E	** PRP **
	S013099	GENCERT FAILS WITH TSS0470E WHEN SIGNER HAS LARGE SDN	PTF
	S013110	MAKEFSP FOR SYMLINK FUNCTION GETS RC 8/4/8	PTF
	S013290	PROVIDE TSSASEC SAMPLE FOR Z/OSMF SECURITY CONFIG ASSISTANT	PTF
The CA RS 2006 service count for this FMID is 10			

Service	Details
SO12162	SO12162 M.C.S. ENTRIES = ++PTF (SO12162) TAMZ CLASS TABLE ALLOCATED IN FETCH PROTECTED STORAGE PROBLEM DESCRIPTION: The TAMz class table is allocated in fetch protected storage. Some applications may get a SOC4 abend when accessing the table. The table needs to be allocated in non-fetch protected storage. SYMPTOMS: SOC4 abend when accessing the TAMz class table. IMPACT: Application abends with SOC4. CIRCUMVENTION: None PRODUCT(S) AFFECTED: CA Top Secret for z/OS Version 16.0 CA Trusted Access Manager for Z Version 1.1 Related Problem: TSSMVS 10359 Copyright (C) 2020 CA. All rights reserved. R00887-TSS160-SP1 DESC(TAMZ CLASS TABLE ALLOCATED IN FETCH PROTECTED STORAGE). ++VER (Z038) FMID (CAKOG00) PRE (R099320 R099512 S000816 S004066 S006391) SUP (ST12162) ++HOLD (SO12162) SYSTEM FMID(CAKOG00) REASON (DYNACT) DATE (20121) COMMENT (<pre> +-----+ CA Top Secret for z/OS Version 16.0 +-----+-----+ SEQUENCE After Apply +-----+-----+ PURPOSE Allocate TAMz class table in non-fetch protected storage +-----+-----+ USERS All AFFECTED +-----+-----+ KNOWLEDGE 1. Console commands REQUIRED 2. Top Secret administration +-----+-----+ ACCESS 1. Console commands REQUIRED 2. Top Secret administrative authority +-----+-----+ ***** * STEPS TO PERFORM * ***** 1. LLA REFRESH e.g.; F LLA,REFRESH 2. TSS REINIT e.g.; S TSS,,REINIT).</pre>

Service	Details
SO12931	SO12931 M.C.S. ENTRIES = ++PTF (SO12931) PRIVATE STORAGE SHORTAGE CAUSES ABEND IN TSSKPORT+10F0 PROBLEM DESCRIPTION: Due to a private area storage shortage within TCPIP, CA Top Secret is unable to obtain storage for its security block during a RACROUTE REQUEST=EXTRACT, TYPE=ENVRXTR. An abend SOC4 occurs in TSSKPORT+10F0 when the zero address is referenced. SYMPTOMS: TITLE=CCSR010E TSSRSVCS SOC4 at *location* LMOD TSSKERNL CSECT TSSKPORT+0010F0. IMPACT: CA Top Secret is unable to create an environment for security events in the address space that is short-on-storage. CIRCUMVENTION: Recycle the address space that had the storage shortage problems. PRODUCT(S) AFFECTED: CA Top Secret for z/OS Release 16.0 Related Problem: TSSMVS 10373 Copyright (C) 2020 CA. All rights reserved. R00914-TSS160-SP1 DESC(PRIVATE STORAGE SHORTAGE CAUSES ABEND IN TSSKPORT+10F0). ++VER (Z038) FMID (CAKOG00) PRE (R084794 R095981 R099645 S000713 S001489) SUP (ST12931) ++HOLD (SO12931) SYSTEM FMID(CAKOG00) REASON (DYNACT) DATE (20120) COMMENT (<pre> +-----+ CA Top Secret for z/OS Version 16.0 +-----+-----+ SEQUENCE After Apply +-----+-----+ PURPOSE Handle short-on-storage condition +-----+-----+ USERS All users. AFFECTED +-----+-----+ KNOWLEDGE 1. Console commands REQUIRED 2. Top Secret administration +-----+-----+ ACCESS 1. Console authority REQUIRED 2. TSS administrative authority +-----+-----+ ***** * STEPS TO PERFORM * ***** LLA Refresh and REINIT Top Secret F LLA,REFRESH S TSS,,,REINIT).</pre>

Service	Details
S012940	S012940 M.C.S. ENTRIES = ++PTF (S012940) ISSUING TSO COMMAND VIA Z/OSMF PRODUCES FAILURES PROBLEM DESCRIPTION: During the use of z/OSMF, TSO commands are failing in the following situation: If an individual issues a TSO command to create a TSO address space, the command fails with RC=-94. If an application attempts to use TSO/E address space services, under Common Event Adapter (CEA), to create a TSO address space, the attempt fails with CEASESESSIONQUERYFAILED. SYMPTOMS: z/OSMF - Start_TSO() fails with RC=-94 when issuing a TSO command. Applications that use the CEA TSO/E address space services (such as CEATsoRequest) to create a TSO address space fails. IMPACT: One cannot issue the TSO command via z/OSMF to create a TSO address space. CEA cannot create a TSO address space. CIRCUMVENTION: None. PRODUCT(S) AFFECTED: CA Top Secret for z/OS Release 16.0 Related Problem: TSSMVS 10378 Copyright (C) 2020 CA. All rights reserved. R00915-TSS160-SP1 DESC(ISSUING TSO COMMAND VIA Z/OSMF PRODUCES FAILURES). ++VER (Z038) FMID (CAKOG00) PRE (R083104 R084794 R086945 R087918 R088603 R088796 R089203 R089334 R089888 R089889 R090317 R091603 R092696 R092771 R094971 R095793 R096696 R097892 R098297 R098395 R098795 R098804 R099091 R099167 R099320 R099484 R099512 R099645 S000168 S000713 S001265 S001489 S001630 S001968 S004066 S004391 S004444 S004966 S004996 S005250 S005264 S005615 S006391 S006599 S006616 S006832 S006966 S007485 S007990 S008020 S008490 S010311 S010482 S010485 S011410 S012161 S012296 S012318) SUP (AR87918 AR88603 AR89334 AR90069 AR98297 BR88603 BR89334 R087875 R088651 R089210 R090069 R090784 R091469 R092584 R094168 R095692 R096857 R097390 R097567 R097899 R099939 S000254 S000773 S001509 S001513 S001741 S001743 S003993 S004540 S005801 S005970 S007052 S007314 S007652 S008053 S008399 S008736 S011140 S012436 ST00032 ST00254 ST00773 ST00906 ST01223 ST01273 ST01316 ST01354 ST01365 ST01371 ST01375 ST01509 ST01513 ST01741 ST01743 ST01968 ST03679 ST03828 ST03830 ST03993 ST04540 ST04670 ST05226 ST05801 ST05970 ST07052 ST07314 ST07408 ST07562 ST07568 ST07628 ST07652 ST07836 ST08053 ST08390 ST08399 ST08736 ST10940 ST11140 ST11378 ST11633 ST11950 ST12436 ST12905 ST12940 TR86962 TR87875 TR87890 TR87917 TR88651 TR88994

Service	Details
	TR89004 TR89180 TR89203 TR89210 TR89665 TR89691 TR89888 TR89889 TR89997 TR90069 TR90317 TR90753 TR90784 TR91469 TR92584 TR94168 TR95423 TR95692 TR96855 TR96857 TR97390 TR97567 TR97899 TR98062 TR98715 TR98795 TR99939 TR99976) ++HOLD (SO12940) SYSTEM FMID(CAKOG00) REASON (DYNACT) DATE (20126) COMMENT (+-----+ CA Top Secret for z/OS Version 16.0 +-----+ SEQUENCE After Apply +-----+ PURPOSE Issuing TSO commands via ZOSMF RC=-94 +-----+ USERS Client ISSUING TSO command via ZOSMF AFFECTED +-----+ KNOWLEDGE 1. Console commands REQUIRED 2. Top Secret administration +-----+ ACCESS 1. Console authority REQUIRED 2. TSS administrative authority +-----+ ***** * STEPS TO PERFORM * ***** 1. SMP APPLY 2. LLA REFRESH 3. Restart CA Top Secret with TSS,,REINIT).

Service	Details																																
S012947	M.C.S. ENTRIES = ++PTF (S012947) SOC4 IN TSSOEADM+1EC AFTER FIX S010757 PROBLEM DESCRIPTION: This fix corrects two separate issues: 1) After fix S010757, at startup of a CEM TMON STC, an SOC4 abend will occur in TSSOEADM+1EC. This is the result of an R_admin command such as a TSS MODIFY(STATUS(SYSPLEX)) when there are no SYSPLEXs defined in the CA Top Secret control options. 2) R_admin command 'TSS LIST(acid) DATA(MFA)' fails to return any data. This only affects clients that are using Multi Factor Authentication. SYMPTOMS: CCSR010E SAFOEADM SOC4 at XXXXXXXX LMOD TSSOEADM CSECT TSSOEADM +0001EC R_admin command 'TSS LIST(acid) DATA(MFA)' fails to return data. IMPACT: CEM STC abends at startup but continues to process normally. Users of R_admin will not be able to report correctly on MFA data. CIRCUMVENTION: None. PRODUCT(S) AFFECTED: CA Top Secret for z/OS Version 16.0 Related Problem: TSSMVS 10357 Copyright (C) 2020 CA. All rights reserved. R00916-TSS160-SP1 DESC(SOC4 IN TSSOEADM+1EC AFTER FIX S010757). ++VER (Z038) FMID (CAKOG00) PRE (R084794 R092696 R095026 R095454 R097892 R099320 R099844 S000816 S001069 S001882 S004082 S004371 S004851 S006391 S006621 S006929 S008923 S010685 S010757 S012923) SUP (AS10757 R081160 R087515 R090626 S011311 S012408 ST10387 ST10609 ST11311 ST12117 ST12408 ST12793 ST12947 TR81160 TR87515 TR90626) ++HOLD (S012947) SYSTEM FMID(CAKOG00) REASON (DYNACT) DATE (20122) COMMENT (<table border="1"><tr><td colspan="2">-----+</td></tr><tr><td> CA Top Secret for z/OS</td><td>Version 16.0 </td></tr><tr><td colspan="2">-----+</td></tr><tr><td> SEQUENCE After Apply</td><td> </td></tr><tr><td colspan="2">-----+</td></tr><tr><td> PURPOSE Load module into LLA and activate</td><td> </td></tr><tr><td colspan="2">-----+</td></tr><tr><td> USERS All</td><td> </td></tr><tr><td> AFFECTED </td><td> </td></tr><tr><td colspan="2">-----+</td></tr><tr><td> KNOWLEDGE 1. Console commands</td><td> </td></tr><tr><td> REQUIRED 2. Top Secret administration</td><td> </td></tr><tr><td colspan="2">-----+</td></tr><tr><td> ACCESS 1. Console authority</td><td> </td></tr><tr><td> REQUIRED 2. TSS administrative authority</td><td> </td></tr><tr><td colspan="2">-----+</td></tr></table>	-----+		CA Top Secret for z/OS	Version 16.0	-----+		SEQUENCE After Apply		-----+		PURPOSE Load module into LLA and activate		-----+		USERS All		AFFECTED		-----+		KNOWLEDGE 1. Console commands		REQUIRED 2. Top Secret administration		-----+		ACCESS 1. Console authority		REQUIRED 2. TSS administrative authority		-----+	
-----+																																	
CA Top Secret for z/OS	Version 16.0																																
-----+																																	
SEQUENCE After Apply																																	
-----+																																	
PURPOSE Load module into LLA and activate																																	
-----+																																	
USERS All																																	
AFFECTED																																	
-----+																																	
KNOWLEDGE 1. Console commands																																	
REQUIRED 2. Top Secret administration																																	
-----+																																	
ACCESS 1. Console authority																																	
REQUIRED 2. TSS administrative authority																																	
-----+																																	

Service	Details
	***** * STEPS TO PERFORM * ***** 1. LLA REFRESH and restart CA Top Secret with TSS,,,REINIT) .

Service	Details		
SO12965	SO12965 M.C.S. ENTRIES = ++PTF (SO12965) SUPPORT JES3PLUS(TM) FROM PHOENIX SOFTWARE PROBLEM DESCRIPTION: With JES3plus from Phoenix Software, the CA Top Secret address space abends with a SOC4 in TSSFSB+B84 at startup. SYMPTOMS: CCSR010E TSSMNGR SOC4 at xxxxxxxx LMOD TSSMVS1 CSECT TSSFSB +000B84 IMPACT: Cannot bring up JES3plus from Phoenix Software. CIRCUMVENTION: IPL with IBM's JES3. PRODUCT(S) AFFECTED: CA-TOP SECRET-MVS Release 16.0 Related Problem: TSSMVS 10363 Copyright (C) 2020 CA. All rights reserved. R00917-TSS160-SP1 DESC(SUPPORT JES3PLUS(TM) FROM PHOENIX SOFTWARE). ++VER (Z038) FMID (CAKOG00) PRE (R082138 R083104 R083426 R084470 R084794 R085843 R088796 R092696 R092920 R096977 R098232 R098297 R098358 R098716 R099320 S000816 S001267 S004024 S005264 S006391 S006782 S006816 S007547 S008182 S011904) SUP (AS04024 AS05230 R085987 S004627 S005230 S006140 S007199 ST04627 ST05230 ST06140 ST07199 ST12382 ST12681 ST12965 TR85970 TR85973 TR85987) ++HOLD (SO12965) SYSTEM FMID(CAKOG00) REASON (DYNACT) DATE (20136) COMMENT (<table border="1"> <tr> <td>CA Top Secret for z/OS</td><td>Version 16.0</td></tr> </table> SEQUENCE After Apply PURPOSE Load module into LLA and activate USERS All AFFECTED KNOWLEDGE 1. Console commands REQUIRED 2. Top Secret administration ACCESS 1. Console authority REQUIRED 2. TSS administrative authority ***** * STEPS TO PERFORM * ***** 1. LLA REFRESH and restart CA Top Secret with TSS,,,REINIT).	CA Top Secret for z/OS	Version 16.0
CA Top Secret for z/OS	Version 16.0		

Service	Details
SO12989	SO12989 M.C.S. ENTRIES = ++PTF (SO12989) ALLOW USER-DEFINED FDT FIELDS TO BE ASSIGNED TO GROUP ACIDS ENHANCEMENT DESCRIPTION: Normally FDT fields cannot be assigned to GROUP type ACIDs because the field contents will not be returned from RACROUTE REQUEST=EXTRACT calls. Some clients have requested the ability to assign user-defined fields to GROUP acids for reporting purposes. In that case the field content is only visible in TSS LIST output. This maintenance will allow all user-defined fields to be assigned to GROUP type acids. PRODUCT(S) AFFECTED: CA Top Secret for z/OS Version 16.0 Related Problem: TSSMVS 10374 Copyright (C) 2020 CA. All rights reserved. R00919-TSS160-SP1 DESC(ALLOW USER-DEFINED FDT FIELDS TO BE ASSIGNED TO GROUP ACIDS). ++VER (Z038) FMID (CAKOG00) PRE (R084794 R086945 R092696 R094913 R095454 R096977 R097114 R097892 R098297 R098716 R099167 R099320 R099512 R099690 S000816 S001069 S001630 S001788 S004066 S005264 S006391 S006621 S006929 S007542 S007913 S008923 S010685 S011904 S012318) SUP (AR93059 AR94686 AS07542 AS08923 R079659 R085956 R090186 R091707 R093059 R094686 R095244 R098365 R099952 S001085 S005401 S007748 S007855 S007931 S008205 S010845 S011941 ST01085 ST05401 ST06618 ST06968 ST06989 ST07654 ST07739 ST07748 ST07850 ST07855 ST07931 ST08205 ST08910 ST09038 ST10111 ST10845 ST11936 ST11941 ST12989 TR79659 TR85956 TR90186 TR91707 TR93059 TR94686 TR95191 TR95244 TR98365 TR99952) ++HOLD (SO12989) SYSTEM FMID(CAKOG00) REASON (DOC) DATE (20133) COMMENT (+-----+ CA Top Secret for z/OS Version 16.0 +-----+ ***** * PUBLICATION * ***** The TSS ADD command will now also allow for the specification of user-defined fields to GROUP type acids. This specification is only valid for site documentation as the field data will not be extractable through any RACROUTE calls.). ++HOLD (SO12989) SYSTEM FMID(CAKOG00) REASON (DYNACT) DATE (20133) COMMENT (+-----+ CA Top Secret for z/OS Version 16.0 +-----+

Service	Details
	SEQUENCE After Apply
	+-----+-----+
	PURPOSE Activate changes without IPL
	+-----+-----+
	USERS All wishing to add user-defined fields to GROUP type
	AFFECTED acids.
	+-----+-----+
	KNOWLEDGE TSS administrative commands
	REQUIRED z/OS Operator Commands
	+-----+-----+
	ACCESS TSS administrative command authority
	REQUIRED z/OS Operator command authority
	+-----+-----+

	* STEPS TO PERFORM *

	LLA REFRESH and restart CA Top Secret
	).

Service	Details
S013014	M.C.S. ENTRIES = ++PTF (S013014) TSS MODIFY(RPW(LIST)) FAILS WITH TSS9079E PROBLEM DESCRIPTION: After applying fix S011001, issuing a TSS MODIFY(RPW(LIST)) fails. SYMPTOMS: TSS9079E INVALID DATA TSS9076I CURRENT OPTION IS <(LIST)> TSS0301I MODIFY FUNCTION FAILED, RETURN CODE = 8 IMPACT: The command issuer cannot see what is in the Restricted Password List. CIRCUMVENTION: Look in your 'SYSx.PARMLIB(TSSPRMxx)' for RPW(ADD,XXXX) entries, where XXXX specifies the password added to the list. PRODUCT(S) AFFECTED: CA Top Secret for z/OS Version 16.0 Related Problem: TSSMVS 10379 Copyright (C) 2020 CA. All rights reserved. R00922-TSS160-SP1 DESC(TSS MODIFY(RPW(LIST)) FAILS WITH TSS9079E). ++VER (Z038) FMID (CAKOG00) PRE (R080995 R082138 R083157 R084470 R084794 R085843 R086945 R087918 R088415 R088932 R089334 R092696 R093298 R095026 R096977 R098232 R098297 R098716 R099320 S000140 S001069 S005264 S006599 S006816 S008182 S008881 S011904 S012760) SUP (AS08182 AS12760 R089682 R095424 S004576 S011001 S011907 S012129 ST04345 ST04530 ST04576 ST05681 ST06421 ST06648 ST06701 ST10585 ST11001 ST11676 ST11907 ST12129 ST13013 ST13014 TR84431 TR89682 TR95424) ++HOLD (S013014) SYSTEM FMID(CAKOG00) REASON (DYNACT) DATE (20134) COMMENT (+-----+ CA Top Secret for z/OS Version 16.0 +-----+ SEQUENCE After Apply +-----+ PURPOSE Load module into LLA and activate +-----+ USERS All AFFECTED +-----+ KNOWLEDGE 1. Console commands REQUIRED 2. Top Secret administration +-----+ ACCESS 1. Console authority REQUIRED 2. TSS administrative authority +-----+ ***** * STEPS TO PERFORM *

Service	Details
	***** 1. LLA REFRESH and restart CA Top Secret with TSS,,REINIT) .

Service	Details
SO13099	SO13099 M.C.S. ENTRIES = ++PTF (SO13099) GENCERT FAILS WITH TSS0470E WHEN SIGNER HAS LARGE SDN PROBLEM DESCRIPTION: TSS GENCERT with SIGNWITH fails with TSS0470E CERTIFICATE NOT FOUND FOR SPECIFIED SIGNWITH when the size of the certificate and Subject Distinguished Name (SDN) is greater than 3614. SYMPTOMS: TSS0470E CERTIFICATE NOT FOUND FOR SPECIFIED SIGNWITH IMPACT: GENCERT command fails. CIRCUMVENTION: None. PRODUCT(S) AFFECTED: CA Top Secret for z/OS Version 16.0 Related Problem: TSSMVS 10381 Copyright (C) 2020 CA. All rights reserved. R00926-TSS160-SP1 DESC (GENCERT FAILS WITH TSS0470E WHEN SIGNER HAS LARGE SDN). ++VER (Z038) FMID (CAKOG00) SUP (ST13099) ++HOLD (SO13099) SYSTEM FMID(CAKOG00) REASON (DYNACT) DATE (20150) COMMENT (<pre> +-----+ CA Top Secret for z/OS Version 16.0 +-----+-----+ SEQUENCE After Apply +-----+-----+ PURPOSE Correct GENCERT error +-----+-----+ USERS All AFFECTED +-----+-----+ KNOWLEDGE 1. Console commands REQUIRED 2. Top Secret administration +-----+-----+ ACCESS 1. Console authority REQUIRED 2. TSS administrative authority +-----+-----+ ***** * STEPS TO PERFORM * ***** Apply apar, refresh LLA, restart TSS.).</pre>

Service	Details		
SO13110	SO13110 M.C.S. ENTRIES = ++PTF (SO13110) MAKEFSP FOR SYMLINK FUNCTION GETS RC 8/4/8 PROBLEM DESCRIPTION: The makeFSP callable service fails with return codes 8/4/8 when processing a symlink function when the parent directory has an access control list (ACL). SYMPTOMS: A setfacl command fails with: ln: FSUM6245 link to target "xxx" failed: EDC5111I Permission denied. TSSOERPT report shows a makeFSP event with function symlink and codes 8/4/8. IMPACT: The invoker of makeFSP callable service is unable to create a symbolic link when the parent directory has an ACL. CIRCUMVENTION: None PRODUCT(S) AFFECTED: CA Top Secret for z/OS Version 16.0 Related Problem: TSSMVS 10382 Copyright (C) 2020 CA. All rights reserved. R00927-TSS160-SP1 DESC(MAKEFSP FOR SYMLINK FUNCTION GETS RC 8/4/8). ++VER (Z038) FMID (CAKOG00) PRE (R095981) SUP (R080142 ST13110 TR80142) ++HOLD (SO13110) SYSTEM FMID(CAKOG00) REASON (DYNACT) DATE (20142) COMMENT (<table border="1"> <tr> <td>CA Top Secret for z/OS</td><td>Version 16.0</td></tr> </table> SEQUENCE After Apply PURPOSE Activate change without IPL USERS All users with ACLs AFFECTED KNOWLEDGE Operator commands REQUIRED ACCESS z/OS Operator console REQUIRED ***** * STEPS TO PERFORM * ***** 1. LLA Refresh 2. Execute console command 'F TSS,REFRESH(SAFOEDRV) ').	CA Top Secret for z/OS	Version 16.0
CA Top Secret for z/OS	Version 16.0		

Service	Details
S013290	S013290 M.C.S. ENTRIES = ++PTF (S013290) PROVIDE TSSASEC SAMPLE FOR Z/OSMF SECURITY CONFIG ASSISTANT ENHANCEMENT DESCRIPTION: This enhancement provides the new CAKOJCL0 member TSSASEC. It contains the model CA Top Secret security definitions for authorizing a user ACID to a variety of SERVER(BBG.SECCLASS.xxxxxxxx) resources required to use the z/OSMF Security Configuration Assistant. PRODUCT(S) AFFECTED: CA Top Secret for z/OS Version 16.0 Related Problem: TSSMVS 10386 Copyright (C) 2020 CA. All rights reserved. R00933-TSS160-SP1 DESC(PROVIDE TSSASEC SAMPLE FOR Z/OSMF SECURITY CONFIG ASSISTANT). ++VER (Z038) FMID (CAKOG00) SUP (ST13290) ++HOLD (S013290) SYSTEM FMID(CAKOG00) REASON (DOC) DATE (20143) COMMENT (<pre> +-----+ CA Top Secret for z/OS Version 16.0 +-----+ ***** * PUBLICATION * ***** This enhancement provides the new CAKOJCL0 member TSSASEC. It contains the model CA Top Secret security definitions for authorizing a user ACID to a variety of SERVER(BBG.SECCLASS.xxxxxxxx) resources required to use the z/OSMF Security Configuration Assistant.). MCS S012162 STARTS ON PAGE 0002 MCS S012931 STARTS ON PAGE 0003 MCS S012940 STARTS ON PAGE 0004 MCS S012947 STARTS ON PAGE 0006 MCS S012965 STARTS ON PAGE 0007 MCS S012989 STARTS ON PAGE 0009 MCS S013014 STARTS ON PAGE 0010 MCS S013099 STARTS ON PAGE 0012 MCS S013110 STARTS ON PAGE 0013 MCS S013290 STARTS ON PAGE 0014 </pre>

CA Top Secret Security for z/OS 16.0
CA RS 2006 Product/Component Listing

17

Product Family	Product	Release
Security	CA TOP SECRET FOR Z/OS	16.00.00
The CA RS 2006 Product/Component Count for this release is 1		

CA RS Level	Service	FMID
CAR2006	S013290	CAKOG00
	S013110	CAKOG00
	S013099	CAKOG00
	S013014	CAKOG00
	S012989	CAKOG00
	S012965	CAKOG00
	S012947	CAKOG00
	S012940	CAKOG00
	S012931	CAKOG00
	S012162	CAKOG00
	S012923	CAKOG00
	S012760	CAKOG00
CAR2005	S012752	CAKOG00
	S012533	CAKOG00
	S012531	CAKOG00
	S012436	CAKOG00
	S012319	CAKOG00
	S012318	CAKOG00
	S012038	CAKOG00
	S008772	CAKOG01
	S012408	CAKOG00
	S012296	CAKOG00
	S012161	CAKOG00
	S012129	CAKOG00
CAR2004	S012118	CAKOG00
	S012039	CAKOG00
	S011952	CAKOG02
	S011984	CAKOG00
	S011958	CAKOG00
	S011941	CAKOG00
	S011937	CAKOG00
	S011907	CAKOG00
	S011904	CAKOG00
	S011889	CAKOG00
	S011310	CAKOG00
	S010757	CAKOG00
CAR2003	S011656	CAKOG00
	S011504	CAKOG00
	S011478	CAKOG00
	S011429	CAKOG00
	S011410	CAKOG00
	S011357	CAKOG00
	S011115	CAKOG01
	S010700	CAKOG01
	S011311	CAKOG00
	S011307	CAKOG00
	S011233	CAKOG00

CA RS Level	Service	FMID
	S011151	CAKOG00
	S011146	CAKOG00
	S011140	CAKOG00
	S011041	CAKOG00
	S011001	CAKOG00
	S010778	CAKOG00
	S010486	CAKOG01
	S010485	CAKOG00
CAR1912	S010968	CAKOG00
	S010967	CAKOG00
	S010890	CAKOG00
	S010845	CAKOG00
	S010823	CAKOG00
	S010745	CAKOG00
	S010685	CAKOG00
	S010635	CAKOG00
	S010483	CAKOG01
	S010482	CAKOG00
	S006017	CAKOG01
CAR1911	S010461	CAKOG00
	S010383	CAKOG00
	S010311	CAKOG00
	S009909	CAKOG01
	S009529	CAKOG00
	S008881	CAKOG00
	S008053	CAKOG00
CAR1910	S009774	CAKOG00
	S009286	CAKOG00
CAR1909	S009829	CAKOG00
	S009635	CAKOG00
	S009634	CAKOG00
	S008125	CAKOG00
	S006782	CAKOG00
CAR1908	S009073	CAKOG00
	S008996	CAKOG01
	S008736	CAKOG00
	S008650	CAKOG00
	S008611	CAKOG00
	S008343	CAKOG00
CAR1907	S008923	CAKOG00
	S008909	CAKOG00
	S008791	CAKOG00
	S008601	CAKOG00
	S008490	CAKOG00
	S008205	CAKOG00
CAR1906	S008399	CAKOG00
	S008306	CAKOG00

CA RS Level	Service	FMID
	S008271	CAKOG00
	S008245	CAKOG00
	S008200	CAKOG00
	S008188	CAKOG00
	S008182	CAKOG00
	S008164	CAKOG01
	S008054	CAKOG00
CAR1905	S008150	CAKOG01
	S008092	CAKOG00
	S008024	CAKOG00
	S008020	CAKOG00
	S007990	CAKOG00
	S007966	CAKOG00
	S007938	CAKOG00
	S007931	CAKOG00
	S007913	CAKOG00
	S007855	CAKOG00
	S007479	CAKOG01
	S007478	CAKOG00
	S007360	CAKOG00
CAR1904	S007748	CAKOG00
	S007738	CAKOG00
	S007652	CAKOG00
	S007587	CAKOG00
	S007582	CAKOG00
	S007581	CAKOG00
	S007547	CAKOG00
	S007542	CAKOG00
	S007497	CAKOG00
	S007485	CAKOG00
	S007199	CAKOG00
	S007161	CAKOG00
	S007159	CAKOG01
	S007137	CAKOG00
	S006964	CAKOG00
	S006888	CAKOG00
CAR1903	S007314	CAKOG00
	S007261	CAKOG00
	S007052	CAKOG00
	S006816	CAKOG00
	S006813	CAKOG00
CAR1902	S007044	CAKOG00
	S006966	CAKOG00
	S006929	CAKOG00
	S006885	CAKOG01
	S006832	CAKOG00
	S006830	CAKOG00

CA RS Level	Service	FMID
	S006775	CAKOG00
	S006741	CAKOG00
	S006640	CAKOG00
	S006140	CAKOG00
	S005824	CAKOG00
	S005769	CAKOG00
	S005224	CAKOG00
	S000395	CAKOG00
	S000226	CAKOG00
CAR1901	S006621	CAKOG00
	S006616	CAKOG00
	S006599	CAKOG00
	S006548	CAKOG00
	S006175	CAKOG00
	S005546	CAKOG01
	S005545	CAKOG00
	R085987	CAKOG00
	R083213	CAKOG00
	R082305	CAKOG00
	R081855	CAKOG00
	R081160	CAKOG00
	R079885	CAKOG00
CAR1812	S006391	CAKOG00
	S006348	CAKOG00
	S005970	CAKOG00
	S005587	CAKOG01
	S005586	CAKOG00
CAR1811	S005859	CAKOG00
	S005801	CAKOG00
	S005724	CAKOG00
	S005697	CAKOG00
	S005615	CAKOG00
	S005608	CAKOG00
	S005421	CAKOG00
	S005414	CAKOG00
	S005401	CAKOG00
	S005128	CAKOG01
	S003835	CAKOG00
	R098948	CAKOG00
	R085956	CAKOG00
	R085935	CAKOG00
	R082900	CAKOG00
	R079659	CAKOG00
CAR1810	S005559	CAKOG00
	S005489	CAKOG00
	S005395	CAKOG02
	S005394	CAKOG00

CA RS Level	Service	FMID
	S005264	CAKOG00
	S005255	CAKOG00
	S005250	CAKOG00
	S005230	CAKOG00
	S005207	CAKOG00
	S004851	CAKOG00
	S004682	CAKOG00
	S000278	CAKOG01
	R098341	CAKOG00
CAR1809	S005160	CAKOG00
	S005062	CAKOG00
	S005028	CAKOG00
	S004996	CAKOG00
	S004966	CAKOG00
	S004964	CAKOG00
	S004936	CAKOG00
	S004881	CAKOG00
	S004576	CAKOG00
	S004240	CAKOG00
	S004144	CAKOG00
CAR1808	S004627	CAKOG00
	S004540	CAKOG00
	S004444	CAKOG00
	S004391	CAKOG00
	S004371	CAKOG00
	S004368	CAKOG00
	S004082	CAKOG00
	S004066	CAKOG00
	S003961	CAKOG00
	S003829	CAKOG00
	S003685	CAKOG00
	S003659	CAKOG00
	S001945	CAKOG00
	S001126	CAKOG00
	S000242	CAKOG00
CAR1807	S004109	CAKOG00
	S004024	CAKOG00
	S003993	CAKOG00
	S003864	CAKOG00
	S003858	CAKOG00
	S003596	CAKOG00
	S001788	CAKOG00
	S001743	CAKOG00
	S001525	CAKOG00
CAR1806	S003648	CAKOG00
	S001968	CAKOG00
	S001882	CAKOG00

CA RS Level	Service	FMID
	S001741	CAKOG00
	S001735	CAKOG00
	S001689	CAKOG00
	S001631	CAKOG00
	S001630	CAKOG00
	S001570	CAKOG00
CAR1805	S001513	CAKOG00
	S001509	CAKOG00
	S001489	CAKOG00
	S001355	CAKOG00
	S001285	CAKOG00
	S001267	CAKOG00
	S001265	CAKOG00
	S001198	CAKOG00
	S001008	CAKOG00
	S000861	CAKOG00
	S000468	CAKOG00
	S000279	CAKOG00
	R099747	CAKOG00
	R098984	CAKOG00
CAR1804	S001123	CAKOG00
	S001085	CAKOG00
	S001069	CAKOG00
	S000973	CAKOG01
	S000934	CAKOG00
	S000816	CAKOG00
	S000773	CAKOG00
	S000713	CAKOG00
	S000316	CAKOG00
CAR1803	S000387	CAKOG00
	S000365	CAKOG00
	S000262	CAKOG00
	S000254	CAKOG00
	S000250	CAKOG00
	S000249	CAKOG00
	S000170	CAKOG00
	S000140	CAKOG00
	S000139	CAKOG00
	S000092	CAKOG00
	S000039	CAKOG01
	R099952	CAKOG00
	R099844	CAKOG00
	R099694	CAKOG00
	R099650	CAKOG00
	R098925	CAKOG00
	R098826	CAKOG00
CAR1802	S000169	CAKOG01

CA RS Level	Service	FMID
	S000168	CAKOG00
	S000132	CAKOG00
	S000082	CAKOG00
	S000049	CAKOG00
	R099939	CAKOG00
	R099736	CAKOG01
	R099645	CAKOG00
	R099610	CAKOG00
	R099576	CAKOG00
	R099396	CAKOG00
	R098940	CAKOG00
	R098773	CAKOG00
	R098733	CAKOG00
	R098492	CAKOG01
	R097905	CAKOG00
CAR1801	R099690	CAKOG00
	R099512	CAKOG00
	R099484	CAKOG00
	R099394	CAKOG00
	R099320	CAKOG00
	R099095	CAKOG00
	R099091	CAKOG00
	R099005	CAKOG00
	R098361	CAKOG00
	R097776	CAKOG00
CAR1712	R099287	CAKOG00
	R099167	CAKOG00
	R098943	CAKOG00
	R098852	CAKOG00
	R098804	CAKOG00
	R098757	CAKOG00
	R098395	CAKOG00
	R098011	CAKOG00
	R094537	CAKOG00
CAR1711	R098795	CAKOG00
	R098734	CAKOG03
	R098716	CAKOG00
	R098634	CAKOG03
	R098458	CAKOG00
	R098455	CAKOG00
	R098437	CAKOG02
	R098394	CAKOG00
	R098390	CAKOG00
	R098389	CAKOG00
	R098365	CAKOG00
	R098358	CAKOG00
	R098297	CAKOG00

CA RS Level	Service	FMID
	R097411	CAKOG00
	R094019	CAKOG02
	R094018	CAKOG00
CAR1710	R098232	CAKOG00
	R098051	CAKOG00
	R097899	CAKOG00
	R097892	CAKOG00
	R097832	CAKOG00
	R097814	CAKOG00
	R097809	CAKOG00
	R097746	CAKOG00
	R097567	CAKOG00
	R097504	CAKOG02
	R097390	CAKOG00
	R097372	CAKOG01
	R097371	CAKOG00
	R091062	CAKOG00
CAR1709	R097317	CAKOG00
	R097257	CAKOG00
	R097114	CAKOG00
	R097009	CAKOG00
CAR1708	R097041	CAKOG00
	R096998	CAKOG00
	R096977	CAKOG00
	R096857	CAKOG00
	R096670	CAKOG00
	R096542	CAKOG00
	R096225	CAKOG00
	R096135	CAKOG01
	R095752	CAKOG00
	R094449	CAKOG00
	R094015	CAKOG00
	R091735	CAKOG00
	R091733	CAKOG01
CAR1707	R096696	CAKOG00
	R096321	CAKOG00
	R096125	CAKOG00
	R096103	CAKOG00
	R096081	CAKOG00
CAR1706	R096001	CAKOG00
	R095981	CAKOG00
	R095938	CAKOG00
	R095857	CAKOG00
	R095818	CAKOG00
	R095793	CAKOG00
	R095454	CAKOG00
	R095428	CAKOG00

CA RS Level	Service	FMID
	R095424	CAKOG00
	R092920	CAKOG00
CAR1705	R095692	CAKOG00
	R095291	CAKOG00
	R095244	CAKOG00
	R095201	CAKOG00
	R095061	CAKOG00
	R088301	CAKOG00
CAR1704	R095026	CAKOG00
	R094971	CAKOG00
	R094913	CAKOG00
	R094909	CAKOG00
	R094718	CAKOG00
	R094686	CAKOG00
	R094168	CAKOG00
	R093932	CAKOG00
CAR1703	R094517	CAKOG00
	R094383	CAKOG00
	R094298	CAKOG00
	R094101	CAKOG00
	R093840	CAKOG00
CAR1702	R093979	CAKOG00
	R093757	CAKOG00
	R093744	CAKOG00
	R093398	CAKOG00
CAR1701	R093171	CAKOG00
	R092888	CAKOG00
	R092584	CAKOG00
CAR1612	R093298	CAKOG00
	R093059	CAKOG00
	R092967	CAKOG00
	R092772	CAKOG01
	R092771	CAKOG00
	R092742	CAKOG00
	R092581	CAKOG00
	R092412	CAKOG00
	R092198	CAKOG01
	R092092	CAKOG00
	R092039	CAKOG00
CAR1611	R092854	CAKOG00
	R092811	CAKOG00
	R092809	CAKOG00
	R092808	CAKOG00
	R092696	CAKOG00
	R092675	CAKOG00
	R092619	CAKOG00
	R092560	CAKOG00

CA RS Level	Service	FMID
	R092502	CAKOG00
	R091873	CAKOG00
	R091186	CAKOG00
	R088880	CAKOG00
CAR1610	R091454	CAKOG00
	R091447	CAKOG00
CAR1609	R091707	CAKOG00
	R091702	CAKOG00
	R091603	CAKOG00
	R091469	CAKOG00
	R091248	CAKOG00
	R091172	CAKOG00
	R090979	CAKOG01
	R090633	CAKOG00
CAR1608	R091002	CAKOG00
	R090784	CAKOG00
	R090627	CAKOG00
	R090626	CAKOG00
	R090186	CAKOG00
	R089750	CAKOG00
	R088433	CAKOG01
	R086556	CAKOG00
CAR1607	R090358	CAKOG00
	R090317	CAKOG00
	R090165	CAKOG00
	R089936	CAKOG00
	R089828	CAKOG00
CAR1606	R090184	CAKOG01
	R090069	CAKOG00
	R089965	CAKOG00
	R089889	CAKOG00
	R089888	CAKOG00
	R089682	CAKOG00
	R089668	CAKOG00
	R089233	CAKOG00
CAR1605	R089361	CAKOG00
	R089334	CAKOG00
	R089210	CAKOG00
	R089203	CAKOG00
CAR1604	R088969	CAKOG02
	R088968	CAKOG00
	R088932	CAKOG00
	R088848	CAKOG00
	R088796	CAKOG00
	R088651	CAKOG00
	R088603	CAKOG00
	R088551	CAKOG00

CA RS Level	Service	FMID
	R088473	CAKOG00
	R088415	CAKOG00
	R087918	CAKOG00
	R087883	CAKOG00
	R087515	CAKOG00
CAR1603	R088130	CAKOG00
	R087961	CAKOG01
	R087881	CAKOG00
	R087875	CAKOG00
	R087826	CAKOG00
CAR1602	R087827	CAKOG00
	R087738	CAKOG00
	R087735	CAKOG00
	R086945	CAKOG00
	R086559	CAKOG00
	R086552	CAKOG00
	R086294	CAKOG00
	R085890	CAKOG00