

Compliance Event Manager 6.0
CA RS 2009 Service List

1

Service	Description	Type
S012260	ABEND SOC4 AT MONITOR SHUTDOWN	PTF
S013475	CEM STANDALONE ZFS CORRECTION	PTF
S013528	CEM GUI POLICY PRINT FUNCTIONALITY	PTF
S013737	TOMCAT UPGRADE TO VERSION 9.0.35	PTF
S013864	CEMUI UNABLE TO EDIT POLICY AFTER LDAP UPGRADE	PTF
S013948	DISPLAY POLICY SET MODIFY DATE AND BY	PTF
S014279	CEMUI ERROR MESSAGE ON CONFIGURATION PAGES	PTF
S014421	MONITOR TASK FAILS TO START WITH INVALID FIELD NAME TSS	PTF
S014496	CUSTOMIZATION ERROR	PTF
The CA RS 2009 service count for this release is 9		

Compliance Event Manager
CA RS 2009 Service List for CCEM600

2

FMID	Service	Description	Type
CCEM600	S012260	ABEND SOC4 AT MONITOR SHUTDOWN	PTF
	S013475	CEM STANDALONE ZFS CORRECTION	PTF
	S013528	CEM GUI POLICY PRINT FUNCTIONALITY	PTF
	S013737	TOMCAT UPGRADE TO VERSION 9.0.35	PTF
	S013864	CEMUI UNABLE TO EDIT POLICY AFTER LDAP UPGRADE	PTF
	S013948	DISPLAY POLICY SET MODIFY DATE AND BY	PTF
	S014279	CEMUI ERROR MESSAGE ON CONFIGURATION PAGES	PTF
	S014421	MONITOR TASK FAILS TO START WITH INVALID FIELD NAME TSS	PTF
	S014496	CUSTOMIZATION ERROR	PTF
The CA RS 2009 service count for this FMID is 9			

Service	Details
SO12260	<div>SO12260 M.C.S. ENTRIES = ++PTF (SO12260)</div> <div>ABEND SOC4 AT MONITOR SHUTDOWN</div> <div>PROBLEM DESCRIPTION:</div> <div>Corrects two (2) problems.</div> <div>1) ABEND SOC4 at shutdown of Monitor task.</div> <div>ABEND is related to file close of CEMTRC DD.</div> <div>2) Add Detailed Reason Codes (DRC) for Top Secret (TSS).</div> <div>SYMPTOMS:</div> <div>ABEND SOC4</div> <div>For CA Top Secret Version 15.0 and above, CA Compliance Event Manager cannot monitor DRCs higher than 159.</div> <div>IMPACT:</div> <div>None. Task continues shutdown.</div> <div>For TSS r15.0 and above, DRCs higher than 159 are not available for reporting.</div> <div>CIRCUMVENTION:</div> <div>None.</div> <div>PRODUCT(S) AFFECTED:</div> <div>CA Compliance Event Manager<div>Version 6.0</div></div> <div>Related Problem:</div> <div>CEVM 161</div> <div>Copyright (C) 2020 CA. All rights reserved. R00139-CEM060-SP1</div> <div>DESC (ABEND SOC4 AT MONITOR SHUTDOWN).</div> <div>++VER (Z038)</div> <div>FMID (CCEM600)</div> <div>PRE (R093955 R094299 R094481 R096808 R096988 R097117</div> <div>R097563 R097806 R099900 S000971 S001442 S001579</div> <div>S001786 S004214 S004651 S004968 S005262 S005263</div> <div>S005403 S005780 S006108 S007336 S007764 S007933</div> <div>S008290 S008567 S009259 S009713 S010112 S010673</div> <div>S011330 S011339 S011340 S011940 S013117)</div> <div>SUP (AC93748 R093241 ST12260 TR93241 TR96615)</div> <div>++HOLD (SO12260) SYSTEM FMID(CCEM600)</div> <div>REASON (ACTION) DATE (20230)</div> <div>COMMENT (</div> <div>+-----+</div>

Service	Details
	<p>* STEPS TO PERFORM *</p> <p>*****</p> <p>After applying the APAR</p> <p>A. If none of the installation, deployment, and configuration steps have been completed, no special action is needed. You can proceed with those steps.</p> <p>B. If an installation deployment was done:</p> <ol style="list-style-type: none">1. You must deploy the updated SMPE target libraries to your runtime dataset names.2. If desired, make a backup copy of the runtime libraries.3. Refer to the 'Deploy Product Maintenance' section in the CA Compliance Event Manager documentation for assistance.4. Proceed to step 'C' below. <p>C. Restart all CEM components (Router, Monitor, Warehouse, Logger, Alert).</p> <p>).</p>

Service	Details
S013475	<p>S013475 M.C.S. ENTRIES = ++PTF (S013475)</p> <p>CEM STANDALONE ZFS CORRECTION</p> <p>PROBLEM DESCRIPTION:</p> <p>The standalone install for CEM creates directories outside of the ZFS specified.</p> <p>SYMPTOMS:</p> <p>File directories created above the directory created for the CEM filesystem.</p> <p>IMPACT:</p> <p>Files and directories not created where they are supposed to be.</p> <p>CIRCUMVENTION:</p> <p>Move the 'logs' and 'tomcat' directories into the root directory for the CEM install.</p> <p>PRODUCT(S) AFFECTED:</p> <p>CA Compliance Event Manager Version 6.0</p> <p>Related Problem:</p> <p>CEVM 172</p> <p>Copyright (C) 2020 CA. All rights reserved. R00145-CEM060-SP1</p> <p>DESC(CEM STANDALONE ZFS CORRECTION).</p> <p>++VER (Z038)</p> <p>FMID (CEM600)</p> <p>PRE (S001579 S010140 S011940)</p> <p>SUP (ST13475)</p> <p>TEXT</p> <p>LINK('../cemetoms')</p> <p>PARM(PATHMODE(0,7,5,5),SHAREAS) .</p>

Service	Details
S013528	<div>M.C.S. ENTRIES = ++PTF (S013528)</div> <div>CEM GUI POLICY PRINT FUNCTIONALITY</div> <div>PROBLEM DESCRIPTION:</div> <div>This maintenance adds the following to the CEM UI:<ul style="list-style-type: none">- Ability to print the view page for policy sets.- Increase of the size limit for search results for event reporting.- Third party vulnerability updates for Spring libraries.- 'Program' as a valid test condition for PDS monitor statements</div> <div>SYMPTOMS:</div> <div>Inability to print the policy set view page from the GUI.</div> <div>IMPACT:</div> <div>inability to print the policy set view page from the GUI.</div> <div>CIRCUMVENTION:</div> <div>N/A</div> <div>PRODUCT(S) AFFECTED:</div> <div>CA Compliance Event Manager<div>Version 6.0</div></div> <div>Related Problem:</div> <div>CEVM 173</div> <div>Copyright (C) 2020 CA. All rights reserved. R00146-CEM060-SP1</div> <div>DESC(CEM GUI POLICY PRINT FUNCTIONALITY).</div> <div>++VER (Z038)</div> <div>FMID (CCEM600)</div> <div>PRE (R093245 R093955 R095234 R097117 R097806 R099364 S001523 S001579 S007773 S008567 S009251 S009872 S010112 S010140 S010559 S011702 S011940) SUP (R099129 S001341 S001464 S004400 S004778 S006184 S009212 S009475 S009750 S011588 S012941 ST01341 ST01464 ST04400 ST04778 ST06184 ST07311 ST08046 ST09212 ST09475 ST09750 ST11588 ST12941 ST13528 TR99129) ++HOLD (S013528) SYSTEM FMID(CCEM600) REASON (DYNACT) DATE (20226) COMMENT (<div>+-----+ CA Compliance Event Manager Version 6.0 +-----+ SEQUENCE Both before Apply and after Apply +-----+ PURPOSE Correct behavior in CEM UI +-----+ USERS Users of the CEM GUI AFFECTED +-----+ KNOWLEDGE SMP/E REQUIRED Product Installation Product Deployment +-----+ ACCESS Access to the CEM installation/deployment load REQUIRED libraries +-----+</div><div>*****</div><div>* STEPS TO PERFORM *</div></div>

Service	Details
	<p>*****</p> <p>Before applying the APAR</p> <p>A. Shut down the CEMETOM started task.</p> <p>After applying the APAR</p> <p>A. If none of the installation, deployment, customization and configuration steps have been completed, no special action is needed. You can proceed with those steps.</p> <p>B. If an installation deployment was done:</p> <ol style="list-style-type: none"> 1. If desired, make a backup copy of the runtime libraries. 2. Deploy the updated SMPE target libraries to your runtime dataset names. 3. Refer to the 'Deploy Product Maintenance' section in the CA Compliance Event Manager documentation for assistance. <p>C. Restart the CEMETOM started task</p> <p>).</p> <p>PARM(PATHMODE(0,7,7,5))</p> <p>SHSCRIPT(CEMETOMS,POST) .</p> <p>PARM(PATHMODE(0,7,7,5))</p> <p>SHSCRIPT(CEMETOMS,POST) .</p>

Service	Details		
SO13737	<p>SO13737 M.C.S. ENTRIES = ++PTF (SO13737)</p> <p>TOMCAT UPGRADE TO VERSION 9.0.35</p> <p>PROBLEM DESCRIPTION:</p> <ul style="list-style-type: none"> - Upgrade Tomcat from version 9.0.14 to version 9.0.35 due to flagged vulnerabilities. - Upgrade react and react-dom UI components from 16.2.0 to 16.8.4 to address vulnerabilities. <p>SYMPTOMS:</p> <p>N/A</p> <p>IMPACT:</p> <ul style="list-style-type: none"> - Eliminate the Tomcat version 9.0.14 vulnerabilities flagged. - Upgrade react and react-dom components from 16.2.0 to remove the vulnerabilities. <p>CIRCUMVENTION:</p> <p>None.</p> <p>PRODUCT(S) AFFECTED:</p> <p>CA Compliance Event Manager Version 6.0</p> <p>Related Problem:</p> <p>CEVM 176</p> <p>Copyright (C) 2020 CA. All rights reserved. R00148-CEM060-SP1</p> <p>DESC(TOMCAT UPGRADE TO VERSION 9.0.35).</p> <p>++VER (Z038)</p> <p>FMID (CEM600)</p> <p>PRE (R099364 S001579 S007773 S010140)</p> <p>SUP (R093976 ST13737 TR93976)</p> <p>++HOLD (SO13737) SYSTEM FMID(CEM600)</p> <p>REASON (DYNACT) DATE (20226)</p> <p>COMMENT (</p> <table border="1"> <tr> <td>CA Compliance Event Manager</td><td>Version 6.0</td></tr> </table> <p>SEQUENCE Before Accept</p> <p>PURPOSE Upgrade Tomcat to version 9.0.35</p> <p>USERS All users.</p> <p>AFFECTED </p> <p>KNOWLEDGE SMP/E</p> <p>REQUIRED Product Installation.</p> <p> Product Deployment.</p> <p> USS Commands.</p> <p>ACCESS Access to USS directory where CA Compliance Event</p> <p>REQUIRED Manager is installed.</p> <p>*****</p> <p>* STEPS TO PERFORM *</p> <p>*****</p> <p>Before applying the APAR</p> <p>A. Shutdown the CEMETOM started task.</p> <p>After applying the APAR</p>	CA Compliance Event Manager	Version 6.0
CA Compliance Event Manager	Version 6.0		

Service	Details
	<p>A. If none of the installation, deployment, customization and configuration steps have been completed, no special action is needed. You can proceed with those steps.</p> <p>B. If an installation deployment was done:</p> <ol style="list-style-type: none"> 1. If desired, make a backup copy of the runtime libraries. 2. Deploy the updated SMPE target libraries to your runtime dataset names. 3. Refer to the 'Deploy Product Maintenance' section in the Compliance Event Manager documentation for assistance. <p>C. Restart the CEMETOM started task).</p> <p>PARM(PATHMODE(0,7,7,5)) SHSCRIPT(CEMETOMS,POST) .</p>

Service	Details
SO13864	<p>SO13864 M.C.S. ENTRIES = ++PTF (SO13864)</p> <p>CEMUI UNABLE TO EDIT POLICY AFTER LDAP UPGRADE</p> <p>PROBLEM DESCRIPTION:</p> <p>Users cannot edit DSN Lists in the CA Compliance Event Manager GUI after applying CEM PTF (SO11940) and not enabling the internalUse flag for LDAP. This option was added to LDAP with PTF (SO11651).</p> <p>SYMPTOMS:</p> <p>When you select Modify (pencil icon), the Modify DSN List page does not open.</p> <p>IMPACT:</p> <p>Users unable to edit DSN Lists in Compliance Event Manager GUI.</p> <p>CIRCUMVENTION:</p> <p>N/A</p> <p>PRODUCT(S) AFFECTED:</p> <p>CA Compliance Event Manager Version 6.0</p> <p>Related Problem:</p> <p>CEVM 178</p> <p>Copyright (C) 2020 CA. All rights reserved. R00150-CEM060-SP1</p> <p>DESC(CEMUI UNABLE TO EDIT POLICY AFTER LDAP UPGRADE).</p> <p>++VER (Z038)</p> <p>FMID (CCEM600)</p> <p>PRE (R093245 R093955 R095234 R097117 R097806 R099364 S001523 S001579 S007773 S008567 S009251 S009872 S010112 S010140 S010559 S011702 S011940)</p> <p>SUP (R099129 S001341 S001464 S004400 S004778 S006184 S009212 S009475 S009750 S011588 S012941 S013528 ST01341 ST01464 ST04400 ST04778 ST06184 ST07311 ST08046 ST09212 ST09475 ST09750 ST11588 ST12941 ST13528 ST13864 TR99129)</p> <p>++HOLD (SO13864) SYSTEM FMID(CCEM600)</p> <p>REASON (ACTION) DATE (20230)</p> <p>COMMENT (</p> <pre> +-----+ CA Compliance Event Manager Version 6.0 +-----+ SEQUENCE Both before Apply and after Apply +-----+ PURPOSE Enable use of CEM UI without corresponding LDAP upgrade. +-----+ USERS All users. AFFECTED +-----+ KNOWLEDGE SMP/E REQUIRED Product Installation. Product Deployment. USS Commands. +-----+ ACCESS Access to USS directory where CA Compliance Event REQUIRED Manager is installed. +-----+ ***** * STEPS TO PERFORM * ***** </pre>

Service	Details
	<p>Before applying the APAR</p> <p>A. Shutdown the CEMETOM started task.</p> <p>After applying the APAR</p> <p>A. If none of the installation, deployment, customization and configuration steps have been completed, no special action is needed. You can proceed with those steps.</p> <p>B. If an installation deployment was done:</p> <ol style="list-style-type: none"> 1. If desired, make a backup copy of the runtime libraries. 2. Deploy the updated SMPE target libraries to your runtime dataset names. 3. Refer to the 'Deploy Product Maintenance' section in the Compliance Event Manager documentation for assistance. <p>C. Restart the CEMETOM started task.</p> <p>).</p> <p>PARM(PATHMODE(0,7,7,5))</p> <p>SHSCRIPT(CEMETOMS,POST) .</p> <p>PARM(PATHMODE(0,7,7,5))</p> <p>SHSCRIPT(CEMETOMS,POST) .</p>

Service	Details
S013948	<div>M.C.S. ENTRIES = ++PTF (S013948)</div> <div>DISPLAY POLICY SET MODIFY DATE AND BY</div> <div>PROBLEM DESCRIPTION:</div> <div>The View Policy Set page in CA Compliance Event Manager UI has been enhanced to add the following fields:<ul style="list-style-type: none">- Modified Date (Date and timestamp when the last change was made)- Modified By (User ID that last made changes)- Date Report Generated (Date and timestamp when the View Policy Set report was generated)</div> <div>SYMPTOMS:</div> <div>The CA Compliance Event Manager UI does not display the Modified Date ed By and Modified By fields or the date and time the View Policy Set page was generated.</div> <div>IMPACT:</div> <div>Users cannot view audit data for the View Policy Set page.</div> <div>CIRCUMVENTION:</div> <div>None.</div> <div>PRODUCT(S) AFFECTED:</div> <div>CA Compliance Event Manager<div>Version 6.0</div></div> <div>Related Problem:</div> <div>CEVM 179</div> <div>Copyright (C) 2020 CA. All rights reserved. R00151-CEM060-SP1</div> <div>DESC(DISPLAY POLICY SET MODIFY DATE AND BY).</div> <div>++VER (Z038)</div> <div>FMID (CCEM600)</div> <div>PRE (R093955 R095234 R097117 R097806 R099364 S001341 S001464 S001523 S001579 S004400 S004778 S006184 S007773 S008567 S009251 S009872 S010112 S010559 S011588 S011702 S011940 S012941 S013528 S013864) SUP (S009212 S009475 S009750 ST07311 ST09212 ST09475 ST09750 ST13948) ++HOLD (S013948) SYSTEM FMID(CCEM600) REASON (DYNACT) DATE (20230) COMMENT (<div>+-----+ CA Compliance Event Manager Version 6.0 +-----+ SEQUENCE Before Accept +-----+ PURPOSE Add policy set audit information to CEM GUI +-----+ USERS All users. AFFECTED +-----+ KNOWLEDGE SMP/E REQUIRED Product Installation. Product Deployment. USS Commands. +-----+ ACCESS Access to USS directory where CA Complainece Event REQUIRED Manager is installed. </div>)</div>

Service	Details
	<pre> +-----+-----+ ***** * STEPS TO PERFORM * ***** Before applying the APAR A. Shutdown the CEMETOM started task. After applying the APAR A. If none of the installation, deployment, customization and configuration steps have been completed, no special action is needed. You can proceed with those steps. B. If an installation deployment was done: 1. If desired, make a backup copy of the runtime libraries. 2. Deploy the updated SMPE target libraries to your runtime dataset names. 3. Refer to the 'Deploy Product Maintenance' section in the Compliance Event Manager documentation for assistance. C. Restart the CEMETOM started task). PARM(PATHMODE(0,7,7,5)) SHSCRIPT(CEMETOMS,POST) . </pre>

Service	Details
SO14279	<p>SO14279 M.C.S. ENTRIES = ++PTF (SO14279)</p> <p>CEMUI ERROR MESSAGE ON CONFIGURATION PAGES</p> <p>PROBLEM DESCRIPTION:</p> <p>The configuration page in the CA Compliance Event Manager GUI was incorrectly displaying error messages and would dismiss them immediately upon receiving an error.</p> <p>SYMPTOMS:</p> <p>Flash of an error message in CA Compliance Event Manager UI configuration pages.</p> <p>IMPACT:</p> <p>Users are unable to see error messages needed to troubleshoot and debug problems in the GUI.</p> <p>CIRCUMVENTION:</p> <p>Browse the CA Compliance Event Manager Tomcat log to view error messages.</p> <p>PRODUCT(S) AFFECTED:</p> <p>CA Compliance Event Manager Version 6.0</p> <p>Related Problem:</p> <p>CEVM 180</p> <p>Copyright (C) 2020 CA. All rights reserved. R00152-CEM060-SP1</p> <p>DESC(CEMUI ERROR MESSAGE ON CONFIGURATION PAGES) .</p> <p>++VER (Z038)</p> <p>FMID (CCEM600)</p> <p>PRE (R093955 R095234 R097117 R097806 R099364 S001341 S001464 S001523 S001579 S004400 S004778 S006184 S007773 S008567 S009251 S009872 S010112 S010559 S011588 S011702 S011940 S012941 S013528 S013864) SUP (S009212 S009475 S009750 S013948 ST07311 ST09212 ST09475 ST09750 ST13948 ST14279) ++HOLD (SO14279) SYSTEM FMID(CCEM600)</p> <p>REASON (ACTION) DATE (20230)</p> <p>COMMENT (</p> <pre> +-----+ CA Compliance Event Manager Version 6.0 +-----+ SEQUENCE Both before Apply and after Apply +-----+ PURPOSE Correct error in CEMUI +-----+ USERS All users. AFFECTED +-----+ KNOWLEDGE SMP/E REQUIRED Product Installation. Product Deployment. USS Commands. +-----+ ACCESS Access to USS directory where CA Compliance Event REQUIRED Manager is installed. +-----+ ***** * STEPS TO PERFORM * ***** </pre>

Service	Details
	<p>Before applying the APAR</p> <p>A. Shutdown the CEMETOM started task.</p> <p>After applying the APAR</p> <p>A. If none of the installation, deployment, customization and configuration steps have been completed, no special action is needed. You can proceed with those steps.</p> <p>B. If an installation deployment was done:</p> <ol style="list-style-type: none"> 1. If desired, make a backup copy of the runtime libraries. 2. Deploy the updated SMPE target libraries to your runtime dataset names. 3. Refer to the 'Deploy Product Maintenance' section in the Compliance Event Manager documentation for assistance. <p>C. Restart the CEMETOM started task</p> <p>).</p> <p>PARM(PATHMODE(0,7,7,5))</p> <p>SHSCRIPT(CEMETOMS,POST) .</p>

Service	Details
S014421	<p>S014421 M.C.S. ENTRIES = ++PTF (S014421)</p> <p>MONITOR TASK FAILS TO START WITH INVALID FIELD NAME TSS</p> <p>PROBLEM DESCRIPTION:</p> <p>On startup, the Monitor task detects an invalid field named of TSS and fails to start.</p> <p>This error can occur after applying S011702 and when the policy set includes a statement that has the CA Top Secret Definitions option selected.</p> <p>SYMPTOMS:</p> <p>The following messages display in the joblog of the Monitor task:</p> <p>CEM0266E CEM Policy MAPINIT Failed, RC = 00000010</p> <p>CEM0203I CEM Listener Termination</p> <p>CEM0900E Field name TSS is not valid for statement type ESM_MONITOR</p> <p>IMPACT:</p> <p>The Monitor task cannot be started or refreshed with the policy set that includes a statement with the CA Top Secret Definitions option selected.</p> <p>CIRCUMVENTION:</p> <p>None.</p> <p>PRODUCT(S) AFFECTED:</p> <p>CA Compliance Event Manager</p> <p>Related Problem:</p> <p>CEVM 181</p> <p>Copyright (C) 2020 CA. All rights reserved. R00153-CEM060-SP1</p> <p>DESC(MONITOR TASK FAILS TO START WITH INVALID FIELD NAME TSS).</p> <p>++VER (Z038)</p> <p>FMID (CCEM600)</p> <p>PRE (R095234 R099004 R099364 S008567 S009872 S010112</p> <p>S011702)</p> <p>SUP (ST14421)</p> <p>++HOLD (S014421) SYSTEM FMID(CCEM600)</p> <p>REASON (ACTION) DATE (20230)</p> <p>COMMENT (</p> <pre> +-----+ CA Compliance Event Manager Version 6.0 +-----+-----+ SEQUENCE After Apply +-----+-----+ PURPOSE Correct startup error for some CEM policy. +-----+-----+ USERS All users. AFFECTED +-----+-----+ KNOWLEDGE SMP/E REQUIRED Product Installation. Product Deployment. USS Commands. +-----+-----+ ACCESS Access to CEM product load libraries. REQUIRED +-----+-----+ ***** * STEPS TO PERFORM * ***** </pre>

Service	Details
	<p>After applying the APAR</p> <p>A. If none of the installation, deployment, customization and configuration steps have been completed, no special action is needed. You can proceed with those steps.</p> <p>B. If an installation deployment was done:</p> <ol style="list-style-type: none">1. If desired, make a backup copy of the runtime libraries.2. Deploy the updated SMPE target libraries to your runtime dataset names.3. Refer to the 'Deploy Product Maintenance' section in the Compliance Event Manager documentation for assistance. <p>C. Restart the CEM Monitor tasks (CEMMON by default).</p>

Service	Details		
SO14496	<p>SO14496 M.C.S. ENTRIES = ++PTF (SO14496)</p> <p>CUSTOMIZATION ERROR</p> <p>PROBLEM DESCRIPTION:</p> <p>Update the CA Compliance Event Manager security job for CA Top Secret to correct a customization error. Completed installations are not impacted.</p> <p>SYMPTOMS:</p> <p>ETJSH730E: Symbol substitution was not successful message is received while running the CEMCCONF job.</p> <p>IMPACT:</p> <p>Customization fails. Completed installations are not impacted.</p> <p>CIRCUMVENTION:</p> <p>Replace @DSI_PROC@ with @CIARS_PROC@ in the J00170SA member in your STAGE.JOBLIB prior to running the CEMCCONF job.</p> <p>PRODUCT(S) AFFECTED:</p> <p>CA Compliance Event Manager Version 6.0</p> <p>Related Problem:</p> <p>CEVM 177</p> <p>Copyright (C) 2020 CA. All rights reserved. R00154-CEM060-SP1</p> <p>DESC(CUSTOMIZATION ERROR).</p> <p>++VER (Z038)</p> <p>FMID (CCEM600)</p> <p>PRE (R095234 S004429 S007462 S013155)</p> <p>SUP (S009349 ST09349 ST14496)</p> <p>++HOLD (SO14496) SYSTEM FMID(CCEM600)</p> <p>REASON (ACTION) DATE (20231)</p> <p>COMMENT (</p> <table border="1"> <tr> <td>CA Compliance Event Manager</td><td>Version 6.0</td></tr> </table> <p>SEQUENCE After Apply</p> <p>PURPOSE Update a security job on CA Top Secret systems.</p> <p>USERS Users of CA Compliance Event Manager with CA Top Secret.</p> <p>AFFECTED </p> <p>KNOWLEDGE CA Top Secret administration.</p> <p>REQUIRED </p> <p>ACCESS CA Top Secret administration.</p> <p>REQUIRED </p> <p>*****</p> <p>* STEPS TO PERFORM *</p> <p>*****</p> <p>After applying the PTF:</p> <p>A. If all of the installation, deployment, customization and configuration steps have been completed, no special action is needed.</p> <p>B. If none of the installation, deployment, customization and configuration steps have been completed, no special action is needed. You can proceed with those steps.</p>	CA Compliance Event Manager	Version 6.0
CA Compliance Event Manager	Version 6.0		

Service	Details	
	<p>C. If you are not using CA Top Secret as your ESM, no special action is needed.</p> <p>D. If an installation deployment was done:</p> <ol style="list-style-type: none"> 1. If desired, make a backup copy of the runtime libraries. 2. Deploy the updated SMPE target libraries to your runtime data set names. 3. Refer to the 'Deploy Product Maintenance Using Sample Jobs' section in the CA Compliance Event Manager documentation for assistance. <p>E. If the following error is encountered while running the CEMCCONF job for symbol @DSI_PROC@:</p> <p>ETJSH730E: Symbol substitution was not successful</p> <p>The following steps will correct this error without destroying changes already made to your CONFIG.DATA data set:</p> <ol style="list-style-type: none"> 1. Replace @DSI_PROC@ with @CIARS_PROC@ in the J00170SA job in your cemeh1q.cemem1q.STAGE.JOBLIB library. 2. Rerun the CEMCCONF job. 3. Proceed with the remaining customization and configuration steps. <p>).</p>	
MCS	SO12260	STARTS ON PAGE 0002
MCS	SO13475	STARTS ON PAGE 0004
MCS	SO13528	STARTS ON PAGE 0004
MCS	SO13737	STARTS ON PAGE 0006
MCS	SO13864	STARTS ON PAGE 0008
MCS	SO13948	STARTS ON PAGE 0009
MCS	SO14279	STARTS ON PAGE 0011
MCS	SO14421	STARTS ON PAGE 0013
MCS	SO14496	STARTS ON PAGE 0014

Compliance Event Manager 6.0
CA RS 2009 Product/Component Listing

20

Product Family	Product	Release
Security	CA COMPLIANCE EVENT MANAGER	06.00.00
The CA RS 2009 Product/Component Count for this release is 1		

CA RS Level	Service	FMID
CAR2009	S014496	CCEM600
	S014421	CCEM600
	S014279	CCEM600
	S013948	CCEM600
	S013864	CCEM600
	S013737	CCEM600
	S013528	CCEM600
	S013475	CCEM600
	S012260	CCEM600
CAR2007	S013656	CCEM600
	S013155	CCEM600
	S013117	CCEM600
	S012941	CCEM600
	S012780	CCEM600
CAR2005	S012259	CCEM600
	S011940	CCEM600
	S011702	CCEM600
CAR2003	S011845	CCEM600
	S011588	CCEM600
CAR2002	S011340	CCEM600
	S011339	CCEM600
	S011336	CCEM600
	S010559	CCEM600
CAR2001	S011330	CCEM600
	S011024	CCEM600
	S010977	CCEM600
	S010673	CCEM600
CAR1911	S010140	CCEM600
	S010112	CCEM600
CAR1910	S009872	CCEM600
	S009750	CCEM600
	S009686	CCEM600
	S009475	CCEM600
	S009433	CCEM600
	S009189	CCEM600
	S009098	CCEM600
	S007185	CCEM600
CAR1909	S009713	CCEM600
CAR1908	S009349	CCEM600
	S009259	CCEM600
	S009251	CCEM600
	S009212	CCEM600
	S009127	CCEM600
	S008987	CCEM600
	S008567	CCEM600
	S008290	CCEM600
CAR1907	S008400	CCEM600

CA RS Level	Service	FMID
CAR1906	S007933	CCEM600
	S007773	CCEM600
	S007764	CCEM600
	S007464	CCEM600
	S007336	CCEM600
CAR1905	S008023	CCEM600
	S007962	CCEM600
CAR1904	S007611	CCEM600
	S007462	CCEM600
	S007246	CCEM600
	S005455	CCEM600
CAR1903	S006184	CCEM600
CAR1902	S006689	CCEM600
	S006607	CCEM600
	S006260	CCEM600
	S006108	CCEM600
	S005927	CCEM600
	S005848	CCEM600
	S005262	CCEM600
	S004429	CCEM600
CAR1901	S005780	CCEM600
	S005403	CCEM600
	S005263	CCEM600
CAR1812	S004968	CCEM600
	S004778	CCEM600
	S004399	CCEM600
	S001860	CCEM600
	R099634	CCEM600
	R098690	CCEM600
CAR1811	S004400	CCEM600
CAR1809	S004998	CCEM600
	S004920	CCEM600
	S001867	CCEM600
CAR1808	S004651	CCEM600
	S004214	CCEM600
CAR1807	S001786	CCEM600
	S001579	CCEM600
	S001523	CCEM600
	S001464	CCEM600
	S001442	CCEM600
	S001341	CCEM600
	S000971	CCEM600
	R099900	CCEM600
CAR1805	R096988	CCEM600
CAR1804	R099364	CCEM600
CAR1803	R099004	CCEM600
CAR1801	R099129	CCEM600

CA RS Level	Service	FMID
	R097806	CCEM600
CAR1712	R098165	CCEM600
	R097563	CCEM600
CAR1711	R097117	CCEM600
CAR1710	R096808	CCEM600
	R096796	CCEM600
	R095914	CCEM600
	R095318	CCEM600
	R095234	CCEM600
	R095120	CCEM600
	R094840	CCEM600
	R094808	CCEM600
	R094481	CCEM600
	R094299	CCEM600
	R093976	CCEM600
	R093955	CCEM600
	R093570	CCEM600
	R093245	CCEM600
	R093241	CCEM600