

CA Top Secret Security for z/OS 16.0
CA RS 2009 Service List

1

Service	Description	Type
S013469	ABEND S378-14 TSS P11TOKEN TOKENLST LABLCTKN*	PTF
S013542	INCORRECT TSS0472E INVALID PRIVATE KEY SIZE ON IMPORT	PTF
S013595	ABEND SOC4 IN TSSCPF+F6C	PTF
S013922	R_AUDITX IN 64 BIT MODE ABEND WITH SOC4-04	PTF
S013963	SOC4 ON TSS ADD(ACID OR AUDIT) DATASET(XXXXXX)	PTF
S014291	TSS EXPORT COMMANDS WITH SOC4 IN CEEINIT W/O OMVS SEGMENT	PTF
S014329	UPDATES TO GENSMMSG(YES) AND PTHRESH VIOL COUNTS	PTF
S014392	NEWPHRASE(MAX=NNN) INCORRECTLY AFFECTS OLD PASSWORD CHECKS	PTF
S014396	QUERY SECURITY WITH A BLANK USERID RESULTS IN TSS9406E(030)	PTF
S014413	UNABLE TO USE MSCA PHRASE - TSS9273A/TSS9080A CONSOLE PROMPT	PTF
The CA RS 2009 service count for this release is 10		

CA Top Secret Security for z/OS
CA RS 2009 Service List for CAKOG00

2

FMID	Service	Description	Type
CAKOG00	S013469	ABEND S378-14 TSS P11TOKEN TOKENLST LABLCTKN*	PTF
	S013542	INCORRECT TSS0472E INVALID PRIVATE KEY SIZE ON IMPORT	PTF
	S013595	ABEND SOC4 IN TSSCPF+F6C	PTF
	S013922	R_AUDITX IN 64 BIT MODE ABEND WITH SOC4-04	PTF
	S013963	SOC4 ON TSS ADD(ACID OR AUDIT) DATASET(XXXXXX)	PTF
	S014291	TSS EXPORT COMMANDS WITH SOC4 IN CEEINIT W/O OMVS SEGMENT	PTF
	S014329	UPDATES TO GENSMMSG(YES) AND PTHRESH VIOL COUNTS	PTF
	S014392	NEWPHRASE(MAX=NNN) INCORRECTLY AFFECTS OLD PASSWORD CHECKS	PTF
	S014413	UNABLE TO USE MSCA PHRASE - TSS9273A/TSS9080A CONSOLE PROMPT	PTF
The CA RS 2009 service count for this FMID is 9			

CA Top Secret Security for z/OS
CA RS 2009 Service List for CAKOG01

3

FMID	Service	Description	Type
CAKOG01	SO14396	QUERY SECURITY WITH A BLANK USERID RESULTS IN TSS9406E(030)	PTF
The CA RS 2009 service count for this FMID is 1			

Service	Details
SO13469	SO13469 M.C.S. ENTRIES = ++PTF (SO13469) ABEND S378-14 TSS P11TOKEN TOKENLST LABLCTKN* PROBLEM DESCRIPTION: TSS P11TOKEN TOKENLST LABLCTKN* command may abend if the cumulative size of the certificates SUBJECTN feilds cause a secondary storage allocation. SYMPTOMS: ABEND S378-14 in SAFCRCSF(SAFCRTKN). TSS0292E TSS COMMAND ABENDED PROCESSING THIS REQUEST IMPACT: The list command fails. CIRCUMVENTION: None. PRODUCT(S) AFFECTED: CA Top Secret for z/OS Version 16.0 Related Problem: TSSMVS 10390 Copyright (C) 2020 CA. All rights reserved. R00943-TSS160-SP1 DESC(ABEND S378-14 TSS P11TOKEN TOKENLST LABLCTKN*). ++VER (Z038) FMID (CAKOG00) SUP (ST13469) ++HOLD (SO13469) SYSTEM FMID(CAKOG00) REASON (ACTION) DATE (20239) COMMENT (<pre> +-----+ CA Top Secret for z/OS Version 16.0 +-----+ SEQUENCE After Apply +-----+ PURPOSE Activate the fix +-----+ USERS Top Secret Administrators AFFECTED +-----+ KNOWLEDGE 1- SMP/E 2- z/OS Systems Programming REQUIRED 3- Security Administration +-----+ ACCESS Update access to Top Secret install libraries REQUIRED +-----+ ***** * STEPS TO PERFORM * ***** SMP APAR apply, LLA refresh, F TSS,REFRESH(SAFAL)) </pre>

Service	Details
SO13542	SO13542 M.C.S. ENTRIES = ++PTF (SO13542) INCORRECT TSS0472E INVALID PRIVATE KEY SIZE ON IMPORT PROBLEM DESCRIPTION: Incorrect TSS0472E message on IMPORT command SYMPTOMS: TSS0472E INVALID PRIVATE KEY SIZE on IMPORT command IMPACT: The certificate is not imported. CIRCUMVENTION: Certificates less than 1024 in size are not affected. PRODUCT(S) AFFECTED: CA Top Secret for z/OS Version 16.0 Related Problem: TSSMVS 10393 Copyright (C) 2020 CA. All rights reserved. R00946-TSS160-SP1 DESC(INCORRECT TSS0472E INVALID PRIVATE KEY SIZE ON IMPORT). ++VER (Z038) FMID (CAKOG00) SUP (ST13542) ++HOLD (SO13542) SYSTEM FMID(CAKOG00) REASON (ACTION) DATE (20239) COMMENT (<pre> +-----+ CA Top Secret for z/OS Version 16.0 +-----+ SEQUENCE After Apply +-----+ PURPOSE Resolve error on IMPORT certificate command +-----+ USERS Security administrators AFFECTED +-----+ KNOWLEDGE Security administration, SMP/E processing REQUIRED +-----+ ACCESS Update access to Top Secret execution libraries REQUIRED +-----+ ***** * STEPS TO PERFORM * ***** 1. Apply fix 2. Re-init Top Secret).</pre>

Service	Details		
SO13595	SO13595 M.C.S. ENTRIES = ++PTF (SO13595) ABEND SOC4 IN TSSCPF+F6C PROBLEM DESCRIPTION: Abend SOC4 in TSSCPF+F6C occurred during CPF processing while de-chaining a command buffer whose storage had been previously released. This APAR updated the thread termination process to prevent this situation. A new CPF trace entry to aid in future diagnostics. SYMPTOMS: TSS9804A CA-TSS CPF COMMUNICATIONS LINK ABEND SOC4 IN TSSCPF+F6C IEF196I CCSR010E TSSCPF SOC4 at 264D23BC LMOD TSSCPF CSECT TSSCPF IMPACT: The TSSCPF subtask abends. This may leave CPF inoperative and require a restart of CPF. CIRCUMVENTION: Recycle CPF: TSS MODIFY(CPF(ON)) and TSS MODIFY(CPF(REFRESH)) PRODUCT(S) AFFECTED: CA Top Secret for z/OS Version 16.0 Related Problem: TSSMVS 10389 Copyright (C) 2020 CA. All rights reserved. R00949-TSS160-SP1 DESC (ABEND SOC4 IN TSSCPF+F6C). ++VER (Z038) FMID (CAKOG00) PRE (R084794 S005559) SUP (S006775 ST01181 ST06775 ST13595) ++HOLD (SO13595) SYSTEM FMID(CAKOG00) REASON (DYNACT) DATE (20216) COMMENT (<table border="1"> <tr> <td>CA Top Secret for z/OS</td><td>Version 16.0</td></tr> </table> SEQUENCE After Apply PURPOSE Prevent abend SOC4 in TSSCPF USERS All CPU users AFFECTED KNOWLEDGE 1. Console commands REQUIRED 2. Top Secret administration ACCESS 1. Console authority REQUIRED 2. TSS administrative authority ***** * STEPS TO PERFORM * ***** LLA refresh and recycle of TSS).	CA Top Secret for z/OS	Version 16.0
CA Top Secret for z/OS	Version 16.0		

Service	Details
SO13922	SO13922 M.C.S. ENTRIES = ++PTF (SO13922) R_AUDITX IN 64 BIT MODE ABEND WITH SOC4-04 PROBLEM DESCRIPTION: R_AUDITX in 64 bit mode abends in SAFRT00A offset x'11B8' with SOC4-04, invalid address check. SYMPTOMS: CCSR010E SAFRT00A SOC4 at 10EB4F50 LMOD SAFRT00A CSECT SAFRT00A +0011B8 IMPACT: R_AUDITX fails to write to the log record. CIRCUMVENTION: N / A PRODUCT(S) AFFECTED: CA Top Secret for z/OS Release 16.0 Related Problem: TSSMVS 10402 Copyright (C) 2020 CA. All rights reserved. R00973-TSS160-SP1 DESC(R_AUDITX IN 64 BIT MODE ABEND WITH SOC4-04). ++VER (Z038) FMID (CAKOG00) SUP (ST13922) ++HOLD (SO13922) SYSTEM FMID(CAKOG00) REASON (DYNACT) DATE (20223) COMMENT (CA Top Secret for z/OS Version 16.0 SEQUENCE After Apply PURPOSE Correct abend without IPL USERS User using R_AUDITX AFFECTED KNOWLEDGE MVS Console commands REQUIRED ACCESS MVS Console REQUIRED ***** * STEPS TO PERFORM * ***** 1. LLA Refresh 2. F TSS,REFRESH(SAFRT00A)) .

Service	Details
SO13963	SO13963 M.C.S. ENTRIES = ++PTF (SO13963) SOC4 ON TSS ADD(ACID OR AUDIT) DATASET(XXXXXX) PROBLEM DESCRIPTION: A TSS ADD() DATASET() command can abend in rare cases where the contents of the dataset name being added will cause the dataset portion of the user's security record in storage to end exactly on a page boundary. This can occur when adding a dataset ownership or when adding a dataset to the AUDIT record. SYMPTOMS: TSS9190A CA-TSS COMMAND PROCESSOR ABEND SOC4 IN TSSAUTH1+3E1EC CCSR010E TSSAUTHZ SOC4 at OBD0D1EC LMOD TSSAUTH CSECT TSSAUTH2 +0191EC IMPACT: The command fails. CIRCUMVENTION: Change the length of the dataset name being added. PRODUCT(S) AFFECTED: CA Top Secret for z/OS Version 16.0 Related Problem: TSSMVS 10403 Copyright (C) 2020 CA. All rights reserved. R00974-TSS160-SP1 DESC(SOC4 ON TSS ADD(ACID OR AUDIT) DATASET(XXXXXX)). ++VER (Z038) FMID (CAKOG00) PRE (R084794 R086945 R092696 R094913 R095454 R096977 R097114 R097892 R098297 R098716 R099167 R099320 R099512 R099690 S000816 S001069 S001630 S001788 S004066 S005264 S006391 S006621 S006929 S007542 S007913 S007931 S008923 S010685 S011904 S012318) SUP (AR93059 AR94686 AS07542 AS08923 R079659 R085956 R090186 R091707 R093059 R094686 R095244 R098365 R099952 S001085 S005401 S007748 S007855 S008205 S010845 S011941 S012989 ST01085 ST05401 ST06618 ST06968 ST06989 ST07654 ST07739 ST07748 ST07850 ST07855 ST07931 ST08205 ST08910 ST09038 ST10111 ST10845 ST11936 ST11941 ST12989 ST13963 TR79659 TR85956 TR90186 TR91707 TR93059 TR94686 TR95191 TR95244 TR98365 TR99952) ++HOLD (SO13963) SYSTEM FMID(CAKOG00) REASON (DYNACT) DATE (20233) COMMENT (+-----+ CA Top Secret for z/OS

Service	Details
	ACCESS TSS administrative command authority REQUIRED z/OS Operator command authority +-----+ ***** * STEPS TO PERFORM * ***** LLA REFRESH and restart CA Top Secret) .

Service	Details
SO14291	SO14291 M.C.S. ENTRIES = ++PTF (SO14291) TSS EXPORT COMMANDS WITH SOC4 IN CEEINIT W/O OMVS SEGMENT PROBLEM DESCRIPTION: A SOC4 abend can occur in CEEBINIT when an administrative ACID without an OMVS segment issues a TSS EXPORT command. SYMPTOMS: Two dumps are taken: The first abend is normal: CCSR010E SAFCRX12 SEC6 at 03231AAC LMOD BPXINLPA CSECT N/A +N/A TSS16VS2 N/A TSS16VS2 The second abend (to be corrected) is: CCSR010E TSSAUTHP SOC4 at 0004D804 LMOD CEEBINIT CSECT N/A +N/A TSS16VS2 N/A TSS16VS2 IMPACT: Two SVC dumps are taken instead of one. CIRCUMVENTION: N/A PRODUCT(S) AFFECTED: CA Top Secret for z/OS Version 16.0 Related Problem: TSSMVS 10408 Copyright (C) 2020 CA. All rights reserved. R00980-TSS160-SP1 DESC(TSS EXPORT COMMANDS WITH SOC4 IN CEEINIT W/O OMVS SEGMENT). ++VER (Z038) FMID (CAKOG00) PRE (SO13405) SUP (ST14291) ++HOLD (SO14291) SYSTEM FMID(CAKOG00) REASON (DYNACT) DATE (20219) COMMENT (<pre> +-----+ CA Top Secret for z/OS Version 16.0 +-----+-----+ SEQUENCE After Apply +-----+-----+ PURPOSE Updating SAFCRX12 without an IPL +-----+-----+ USERS User of Digicert Certificates commands - such as AFFECTED GENCERT, EXPORT +-----+-----+ KNOWLEDGE TSS administrative commands REQUIRED z/OS Operator Commands +-----+-----+ ACCESS TSS administrative command authority REQUIRED z/OS Operator command authority +-----+-----+ ***** * STEPS TO PERFORM * ***** 1. LLA REFRESH 2. F TSS,REFRESH(SAFCRX12)). </pre>

Service	Details
SO14329	SO14329 M.C.S. ENTRIES = ++PTF (SO14329) UPDATES TO GENSMMSG(YES) AND PTHRESH VIOL COUNTS PROBLEM DESCRIPTION: 1. The following signon event exceptions will now undergo PTHRESH (Password violation) processing. 1A. When a user enters passphrase data into a password field, but the user has no passphrase associated with their acid. (DRC 197) TSS7101E USER HAS NO PW PHRASE 1B. When a user enters password data into a password field, but passphrase data is required because the TSS control option PHRASEONLY is active. (DRC 223) TSS7189E Signon Requires Phrase 1C. When a user enters password data into a password field, but the user has no password associated with their acid. (DRC 224) TSS7179E Userid has no Password 2. In addition, these exception messages (noted above) will be suppressed under the TSS control option GENSMMSG(YES) and replaced with the generic message: TSS7099E Signon credentials invalid. 3. The messages for MFA fallback processing have been reworded as follows: TSS7062E Unable to validate sign on credentials at this time TSS7059E Fallback Processing Activated. Enter Password/Phrase 4. In the event that a MFA server is down or inoperative, the following message, depending on the MFA factor, will be displayed at the MVS console (SEC9): TSS7062E Unable to validate signon credentials: CA RSA server is unavailable TSS7062E Unable to validate signon credentials: RADIUS server is unavailable TSS7062E Unable to validate signon credentials: CA PAM server is unavailable TSS7062E Unable to validate signon credentials: IBM RSA server is unavailable SYMPTOMS: IMPACT: CIRCUMVENTION: PRODUCT(S) AFFECTED: CA Top Secret for z/OS Version 16.0 Related Problem: TSSMVS 10398 Copyright (C) 2020 CA. All rights reserved. R00983-TSS160-SP1 DESC(UPDATES TO GENSMMSG(YES) AND PTHRESH VIOL COUNTS). ++VER (Z038) FMID (CAKOG00) PRE (R084794 R086552 R088415 R089334 R092696 R092854 R094971 R095026 R095793 R096977 R097892 R098297 R098716 R099287 R099320 R099747 S001630 S003858 S004066 S004966 S004996 S005615 S006616 S006832 S006966 S007485 S008020 S008490 S008881 S010311) SUP (BR98297 R097257 R099095 R099610 S000250 S000279 S003864 S005697 S006640 S008611 S011041 S012039 ST00250 ST00279 ST01791 ST01907 ST03864 ST05697 ST06640 ST08611 ST09156 ST11041 ST12039 ST14327 ST14329 TR96051 TR96202 TR97257 TR97369 TR99095 TR99137 TR99286 TR99287 TR99388 TR99610) ++HOLD (SO14329) SYSTEM FMID(CAKOG00) REASON (DYNACT) DATE (20233)

Service	Details
	COMMENT (+-----+ CA Top Secret for z/OS Version 16.0 +-----+ SEQUENCE After Apply +-----+ PURPOSE UPDATES TO GENSMMSG(YES) AND PTHRESH VIOL COUNTS +-----+ USERS All AFFECTED +-----+ KNOWLEDGE 1. Console commands REQUIRED 2. Top Secret administration +-----+ ACCESS 1. Console authority REQUIRED 2. TSS administrative authority +-----+ ***** * STEPS TO PERFORM * ***** LLA refresh and REINIT TSS.) .

Service	Details
SO14392	SO14392 M.C.S. ENTRIES = ++PTF (SO14392) NEWPHRASE(MAX=NNN) INCORRECTLY AFFECTS OLD PASSWORD CHECKS PROBLEM DESCRIPTION: Changing the NEWPHRASE(MAX=nnn) control option setting to a shorter value invalidates any current phrases longer than the new MAX= value. The control option setting is meant to limit the maximum length for new password phrases only. Current longer phrases should continue to work. SYMPTOMS: TSS7100E 030 J=jjjjjjjj A=*NOACID* T=N/A F=ffffffff - Invalid Parameter TSS9406E PROBABLE SITE INTERFACING ERROR (030) IMPACT: The signon attempt fails. CIRCUMVENTION: Temporarily reset the NEWPHRASE control option back to the previous higher value via: TSS MODI NEWPHRASE(MAX=100) PRODUCT(S) AFFECTED: CA Top Secret for z/OS Version 16.0 Related Problem: TSSMVS 10400 Copyright (C) 2020 CA. All rights reserved. R00987-TSS160-SP1 DESC(NEWPHRASE(MAX=NNN) INCORRECTLY AFFECTS OLD PASSWORD CHECKS). ++VER (Z038) FMID (CAKOG00) PRE (R083104 R084794 R086945 R087918 R088603 R088796 R089334 R091603 R092696 R092771 R094971 R095793 R096696 R097892 R098297 R098395 R099091 R099167 R099320 R099484 R099512 R099645 S000168 S000713 S001265 S001489 S001630 S004066 S004444 S004966 S004996 S005250 S005264 S005615 S006391 S006599 S006616 S006832 S006966 S007485 S007990 S008020 S008490 S010311 S010482 S010485 S012161 S012296 S012318) SUP (AR87918 AR88603 AR89334 AR90069 AR98297 AS01489 AS10311 AS13895 BR88603 BR89334 R087875 R088651 R089203 R089210 R089888 R089889 R090069 R090317 R090784 R091062 R091469 R092584 R094168 R095692 R096857 R097390 R097567 R097899 R098795 R098804 R099939 S000254 S000773 S001509 S001513 S001570 S001741 S001743 S001968 S003993 S004391 S004540 S005801 S005970 S007052 S007314 S007652 S008053 S008399 S008736 S011140 S011410 S012436 S012940 S013311 S013895 S014000 ST00032 ST00254 ST00773 ST00906 ST01223 ST01273 ST01316 ST01354 ST01365 ST01371 ST01375 ST01509 ST01513 ST01570 ST01741 ST01743 ST01968 ST03679 ST03828 ST03830 ST03993 ST04391 ST04540 ST04670 ST05226 ST05801 ST05970 ST07052 ST07314 ST07408 ST07562 ST07568 ST07628 ST07652 ST07836 ST08053 ST08390 ST08399 ST08736 ST10940 ST11140 ST11378 ST11410 ST11633 ST11950 ST12436 ST12905 ST12940 ST13017 ST13260 ST13311 ST13712 ST13796 ST13804 ST13815 ST13895 ST14000

Service	Details
	ST14362 ST14392 TR86962 TR87875 TR87890 TR87917
	TR88651 TR88994 TR89004 TR89180 TR89203 TR89210
	TR89665 TR89691 TR89888 TR89889 TR89997 TR90069
	TR90317 TR90753 TR90784 TR91062 TR91469 TR92584
	TR94168 TR95423 TR95692 TR96855 TR96857 TR97390
	TR97567 TR97899 TR98062 TR98715 TR98772 TR98795
	TR98804 TR99939 TR99976)
	++HOLD (SO14392) SYSTEM FMID(CAKOG00)
	REASON (DYNACT) DATE (20232)
	COMMENT (
	+-----+
	CA Top Secret for z/OS Version 16.0
	+-----+
	SEQUENCE After Apply
	+-----+
	PURPOSE Activate changes without IPL
	+-----+
	USERS All using Password Phrases
	AFFECTED
	+-----+
	KNOWLEDGE TSS administrative commands
	REQUIRED z/OS Operator Commands
	+-----+
	ACCESS TSS administrative command authority
	REQUIRED z/OS Operator command authority
	+-----+

	* STEPS TO PERFORM *

	LLA REFRESH and restart CA Top Secret with ,,,REINIT
	).

Service	Details
SO14396	SO14396 M.C.S. ENTRIES = ++PTF (SO14396) The following items are included in this solution: 1. QUERY SECURITY WITH A BLANK USERID RESULTS IN TSS9406E(030) 2. CICS - FORUSER ACID NOT BEING SIGNED OFF ===== QUERY SECURITY WITH A BLANK USERID RESULTS IN TSS9406E(030) PROBLEM DESCRIPTION: If an EXEC CICS QUERY SECURITY is driven with a blank userid such as: EXEC CICS QUERY SECURITY RESTYPE(TRANSACTION) RESID('CEMT') USERID(' ') The response codes from the QUERY SECURITY call are valid. For example: RESPONSE: USERIDERR EIBRESP=+0000000069 EIBRESP2=+0000000011 But a signon is still driven with a blank userid which results in the following message: TSS9406E PROBABLE SITE INTERFACING ERROR (030) SYMPTOMS: EXEC CICS QUERY SECURITY calls with a blank userid result in the following message: TSS9406E PROBABLE SITE INTERFACING ERROR (030) IMPACT: An application issuing an EXEC CICS QUERY SECURITY results in valid response codes but receives the following MVS log message: TSS9406E PROBABLE SITE INTERFACING ERROR (030) CIRCUMVENTION: Update application to pass a valid userid on the QUERY SECURITY call. PRODUCT(S) AFFECTED: CA Top Secret for z/OS Version 16.0 Related Problem: TSSMVS 10410 ===== CICS - FORUSER ACID NOT BEING SIGNED OFF PROBLEM DESCRIPTION CICS is not signing off acids that are signed on during FORUSER processing. This prevents FORUSER ACID from being updated. SYMPTOMS: Unable to update FORUSER ACID for the life of the CICS region. IMPACT: ACID remains signed on until the region is recycled or TSS REFRESH is issued. CIRCUMVENTION: ISSUE a TSS REFRESH for the ACID. PRODUCT(S) AFFECTED: CA Top Secret for z/OS Version 16.0 Related Problem: TSSMVS 10406 Copyright (C) 2020 CA. All rights reserved. R00989-TSS160-SP1 DESC(QUERY SECURITY WITH A BLANK USERID RESULTS IN TSS9406E(030)). ++VER (Z038) FMID (CAKOG01) PRE (R080996 R090979 S006885 S007159 S012830) SUP (S009909 S011115 S013600 ST08033 ST08638 ST09881 ST09909 ST11115 ST13600 ST14038 ST14360 ST14396) ++HOLD (SO14396) SYSTEM FMID(CAKOG01) REASON (DYNACT) DATE (20225)

Service	Details
	COMMENT (+-----+ CA Top Secret for z/OS CICS Component Version 16.0 +-----+ SEQUENCE After Apply +-----+ PURPOSE Load module into LLA and activate +-----+ USERS All AFFECTED +-----+ KNOWLEDGE 1. Console commands REQUIRED 2. Top Secret administration +-----+ ACCESS 1. Console authority REQUIRED 2. TSS administrative authority +-----+ ***** * STEPS TO PERFORM * ***** 1. LLA REFRESH and recycle cics) .

Service	Details
SO14413	SO14413 M.C.S. ENTRIES = ++PTF (SO14413) UNABLE TO USE MSCA PHRASE - TSS9273A/TSS9080A CONSOLE PROMPT PROBLEM DESCRIPTION: When entering Top Secret commands from the console via the F TSS command, you may be prompted to enter the password for the MSCA if you do not have the CONSOLE attribute or appropriate CASECAUT authority for the command. The messages which can accept the MSCA password are: F TSS,TSS - TSS9273A ENTER TSS COMMAND PASSWORD F TSS,<control option> - TSS9080A ENTER YOUR OPERATORID/PASSWORD FOR MODIFY ACCOUNTABILITY You are unable to successfully reply to these messages by using the MSCA prior passphrase. The prompt does not accept the MSCA prior passphrase because the reply is limited to 8 characters. SYMPTOMS: The following message is received: IEE700I REPLY nnnn IGNORED; REPLY TOO LONG FOR REQUESTOR. IMPACT: Unable to reply to console prompts when the MSCA does not have a password. CIRCUMVENTION: None. PRODUCT(S) AFFECTED: CA Top Secret for z/OS Release 16.0 Related Problem: TSSMVS 10372 Copyright (C) 2020 CA. All rights reserved. R00990-TSS160-SP1 DESC(UNABLE TO USE MSCA PHRASE - TSS9273A/TSS9080A CONSOLE PROMPT). ++VER (Z038) FMID (CAKOG00) PRE (R080995 R082138 R083104 R083157 R084470 R084794 R085310 R085843 R086945 R087918 R088415 R088932 R089203 R089334 R089888 R090317 R091603 R092696 R093298 R095026 R095938 R096857 R096977 R097892 R098232 R098297 R098361 R098395 R098716 R099091 R099320 R099484 S000140 S000262 S000713 S000816 S001069 S001265 S001285 S001489 S001509 S001630 S001689 S003993 S004391 S005264 S006391 S006599 S006741 S006816 S007485 S007990 S008182 S008881 S008923 S011904 S012760 S012940 S013890 S014392) SUP (AR87918 AR89334 AR90069 AS08182 AS12760 AS13895 R079885 R087875 R088651 R089682 R090069 R091469 R092584 R095424 R097567 R099396 R099939 S001743 S004540 S004576 S007137 S007314 S008053 S011001 S011907 S011937 S012129 S012436 S013014 S013311 S013895 S014000 ST01223 ST01743 ST03679 ST04345 ST04530 ST04540 ST04576 ST05681 ST06421 ST06429 ST06648 ST06701 ST07137 ST07314 ST08053 ST10585 ST10940 ST11001 ST11676 ST11907 ST11937 ST12129 ST12436 ST12838 ST13013 ST13014 ST13017 ST13260 ST13311 ST13587 ST13663 ST13712 ST13750 ST13796 ST13804 ST13815 ST13816 ST13840 ST13895 ST13907 ST14000 ST14413 TR79885 TR84431 TR86962 TR87875 TR87890 TR87917 TR88651 TR88994 TR89004 TR89180

Service	Details
	TR89203 TR89665 TR89682 TR89888 TR89997 TR90069 TR90317 TR91469 TR92584 TR95112 TR95424 TR96281 TR97567 TR98361 TR99396 TR99939) ++HOLD (SO14413) SYSTEM FMID(CAKOG00) REASON (ACTION) DATE (20244) COMMENT (<pre> +-----+ CA Top Secret for z/OS Version 16.0 +-----+ SEQUENCE After Apply +-----+ PURPOSE Load module into LLA and activate +-----+ USERS All AFFECTED +-----+ KNOWLEDGE 1. Console commands REQUIRED 2. Top Secret administration +-----+ ACCESS 1. Console authority REQUIRED 2. TSS administrative authority +-----+ ***** * STEPS TO PERFORM * ***** 1. LLA REFRESH and restart CA Top Secret with TSS,,,REINIT). ++HOLD (SO14413) SYSTEM FMID(CAKOG00) REASON (DOC) DATE (20244) COMMENT (+-----+ CA Top Secret for z/OS Version 16.0 +-----+ ***** * PUBLICATION * ***** Messages TSS9080A Change to message text and description ENTER THE MSCA PASSWORD/PASSPHRASE FOR MODIFY ACCOUNTABILITY Reason: The entered CA Top Secret control option requires operator accountability. The ACID does not have console authority or the appropriate CASECAUT authority to issue the command. issue this command. Action: Enter the MSCA password or passphrase to continue. When entering a mixed case response, enclose the text in single quotes. TSS9270E Change the message text and description PASSWORD/PASSPHRASE IS INCORRECT Reason: An attempt was made to utilize the TSS command from an O/S console, and the password or passphrase supplied in response to the TSS9089A </pre>

Service	Details	
	messages was not the MSCA's password or passphrase. Action: Re-issue the command and provide the proper MSCA previous password or passphrase. TSS9273A ENTER TSS COMMAND PASSWORD/PASSPHRASE Reason: Displayed in response to the F TSS,TSS command. Action: You must enter the MSCA's previous password or passphrase to allow continuation of the request.).	
	MCS	S013469 STARTS ON PAGE 0002
	MCS	S013542 STARTS ON PAGE 0003
	MCS	S013595 STARTS ON PAGE 0004
	MCS	S013922 STARTS ON PAGE 0005
	MCS	S013963 STARTS ON PAGE 0006
	MCS	S014291 STARTS ON PAGE 0007
	MCS	S014329 STARTS ON PAGE 0009
	MCS	S014392 STARTS ON PAGE 0011
	MCS	S014396 STARTS ON PAGE 0012
	MCS	S014413 STARTS ON PAGE 0015

CA Top Secret Security for z/OS 16.0
CA RS 2009 Product/Component Listing

20

Product Family	Product	Release
Security	CA TOP SECRET FOR Z/OS	16.00.00
The CA RS 2009 Product/Component Count for this release is 1		

CA RS Level	Service	FMID
CAR2009	S014413	CAKOG00
	S014396	CAKOG01
	S014392	CAKOG00
	S014329	CAKOG00
	S014291	CAKOG00
	S013963	CAKOG00
	S013922	CAKOG00
	S013595	CAKOG00
	S013542	CAKOG00
	S013469	CAKOG00
CAR2008	S014005	CAKOG00
	S014000	CAKOG00
	S013895	CAKOG00
	S013890	CAKOG00
	S013700	CAKOG00
	S013405	CAKOG00
CAR2007	S013600	CAKOG01
	S013533	CAKOG00
	S013510	CAKOG00
	S013389	CAKOG00
	S013382	CAKOG00
	S013311	CAKOG00
	S013060	CAKOG00
	S012830	CAKOG01
	S012413	CAKOG00
	S012332	CAKOG00
	S010618	CAKOG00
	S009836	CAKOG01
	R085669	CAKOG01
CAR2006	S013290	CAKOG00
	S013110	CAKOG00
	S013099	CAKOG00
	S013014	CAKOG00
	S012989	CAKOG00
	S012965	CAKOG00
	S012947	CAKOG00
	S012940	CAKOG00
	S012931	CAKOG00
	S012162	CAKOG00
CAR2005	S012923	CAKOG00
	S012760	CAKOG00
	S012752	CAKOG00
	S012533	CAKOG00
	S012531	CAKOG00
	S012436	CAKOG00
	S012319	CAKOG00
	S012318	CAKOG00

CA RS Level	Service	FMID
	S012038	CAKOG00
	S008772	CAKOG01
CAR2004	S012408	CAKOG00
	S012296	CAKOG00
	S012161	CAKOG00
	S012129	CAKOG00
	S012118	CAKOG00
	S012039	CAKOG00
	S011952	CAKOG02
CAR2003	S011984	CAKOG00
	S011958	CAKOG00
	S011941	CAKOG00
	S011937	CAKOG00
	S011907	CAKOG00
	S011904	CAKOG00
	S011889	CAKOG00
	S011310	CAKOG00
	S010757	CAKOG00
CAR2002	S011656	CAKOG00
	S011504	CAKOG00
	S011478	CAKOG00
	S011429	CAKOG00
	S011410	CAKOG00
	S011357	CAKOG00
	S011115	CAKOG01
	S010700	CAKOG01
CAR2001	S011311	CAKOG00
	S011307	CAKOG00
	S011233	CAKOG00
	S011151	CAKOG00
	S011146	CAKOG00
	S011140	CAKOG00
	S011041	CAKOG00
	S011001	CAKOG00
	S010778	CAKOG00
	S010486	CAKOG01
	S010485	CAKOG00
CAR1912	S010968	CAKOG00
	S010967	CAKOG00
	S010890	CAKOG00
	S010845	CAKOG00
	S010823	CAKOG00
	S010745	CAKOG00
	S010685	CAKOG00
	S010635	CAKOG00
	S010483	CAKOG01
	S010482	CAKOG00

CA RS Level	Service	FMID
	S006017	CAKOG01
CAR1911	S010461	CAKOG00
	S010383	CAKOG00
	S010311	CAKOG00
	S009909	CAKOG01
	S009529	CAKOG00
	S008881	CAKOG00
	S008053	CAKOG00
CAR1910	S009774	CAKOG00
	S009286	CAKOG00
CAR1909	S009829	CAKOG00
	S009635	CAKOG00
	S009634	CAKOG00
	S008125	CAKOG00
	S006782	CAKOG00
CAR1908	S009073	CAKOG00
	S008996	CAKOG01
	S008736	CAKOG00
	S008650	CAKOG00
	S008611	CAKOG00
	S008343	CAKOG00
CAR1907	S008923	CAKOG00
	S008909	CAKOG00
	S008791	CAKOG00
	S008601	CAKOG00
	S008490	CAKOG00
	S008205	CAKOG00
CAR1906	S008399	CAKOG00
	S008306	CAKOG00
	S008271	CAKOG00
	S008245	CAKOG00
	S008200	CAKOG00
	S008188	CAKOG00
	S008182	CAKOG00
	S008164	CAKOG01
	S008054	CAKOG00
CAR1905	S008150	CAKOG01
	S008092	CAKOG00
	S008024	CAKOG00
	S008020	CAKOG00
	S007990	CAKOG00
	S007966	CAKOG00
	S007938	CAKOG00
	S007931	CAKOG00
	S007913	CAKOG00
	S007855	CAKOG00
	S007479	CAKOG01

CA RS Level	Service	FMID
	S007478	CAKOG00
	S007360	CAKOG00
CAR1904	S007748	CAKOG00
	S007738	CAKOG00
	S007652	CAKOG00
	S007587	CAKOG00
	S007582	CAKOG00
	S007581	CAKOG00
	S007547	CAKOG00
	S007542	CAKOG00
	S007497	CAKOG00
	S007485	CAKOG00
	S007199	CAKOG00
	S007161	CAKOG00
	S007159	CAKOG01
	S007137	CAKOG00
	S006964	CAKOG00
	S006888	CAKOG00
CAR1903	S007314	CAKOG00
	S007261	CAKOG00
	S007052	CAKOG00
	S006816	CAKOG00
	S006813	CAKOG00
CAR1902	S007044	CAKOG00
	S006966	CAKOG00
	S006929	CAKOG00
	S006885	CAKOG01
	S006832	CAKOG00
	S006830	CAKOG00
	S006775	CAKOG00
	S006741	CAKOG00
	S006640	CAKOG00
	S006140	CAKOG00
	S005824	CAKOG00
	S005769	CAKOG00
	S005224	CAKOG00
	S000395	CAKOG00
	S000226	CAKOG00
CAR1901	S006621	CAKOG00
	S006616	CAKOG00
	S006599	CAKOG00
	S006548	CAKOG00
	S006175	CAKOG00
	S005546	CAKOG01
	S005545	CAKOG00
	R085987	CAKOG00
	R083213	CAKOG00

CA RS Level	Service	FMID
	R082305	CAKOG00
	R081855	CAKOG00
	R081160	CAKOG00
	R079885	CAKOG00
CAR1812	S006391	CAKOG00
	S006348	CAKOG00
	S005970	CAKOG00
	S005587	CAKOG01
	S005586	CAKOG00
CAR1811	S005859	CAKOG00
	S005801	CAKOG00
	S005724	CAKOG00
	S005697	CAKOG00
	S005615	CAKOG00
	S005608	CAKOG00
	S005421	CAKOG00
	S005414	CAKOG00
	S005401	CAKOG00
	S005128	CAKOG01
	S003835	CAKOG00
	R098948	CAKOG00
	R085956	CAKOG00
	R085935	CAKOG00
	R082900	CAKOG00
	R079659	CAKOG00
CAR1810	S005559	CAKOG00
	S005489	CAKOG00
	S005395	CAKOG02
	S005394	CAKOG00
	S005264	CAKOG00
	S005255	CAKOG00
	S005250	CAKOG00
	S005230	CAKOG00
	S005207	CAKOG00
	S004851	CAKOG00
	S004682	CAKOG00
	S000278	CAKOG01
	R098341	CAKOG00
CAR1809	S005160	CAKOG00
	S005062	CAKOG00
	S005028	CAKOG00
	S004996	CAKOG00
	S004966	CAKOG00
	S004964	CAKOG00
	S004936	CAKOG00
	S004881	CAKOG00
	S004576	CAKOG00

CA RS Level	Service	FMID
	S004240	CAKOG00
	S004144	CAKOG00
CAR1808	S004627	CAKOG00
	S004540	CAKOG00
	S004444	CAKOG00
	S004391	CAKOG00
	S004371	CAKOG00
	S004368	CAKOG00
	S004082	CAKOG00
	S004066	CAKOG00
	S003961	CAKOG00
	S003829	CAKOG00
	S003685	CAKOG00
	S003659	CAKOG00
	S001945	CAKOG00
	S001126	CAKOG00
	S000242	CAKOG00
CAR1807	S004109	CAKOG00
	S004024	CAKOG00
	S003993	CAKOG00
	S003864	CAKOG00
	S003858	CAKOG00
	S003596	CAKOG00
	S001788	CAKOG00
	S001743	CAKOG00
	S001525	CAKOG00
CAR1806	S003648	CAKOG00
	S001968	CAKOG00
	S001882	CAKOG00
	S001741	CAKOG00
	S001735	CAKOG00
	S001689	CAKOG00
	S001631	CAKOG00
	S001630	CAKOG00
	S001570	CAKOG00
CAR1805	S001513	CAKOG00
	S001509	CAKOG00
	S001489	CAKOG00
	S001355	CAKOG00
	S001285	CAKOG00
	S001267	CAKOG00
	S001265	CAKOG00
	S001198	CAKOG00
	S001008	CAKOG00
	S000861	CAKOG00
	S000468	CAKOG00
	S000279	CAKOG00

CA RS Level	Service	FMID
	R099747	CAKOG00
	R098984	CAKOG00
CAR1804	S001123	CAKOG00
	S001085	CAKOG00
	S001069	CAKOG00
	S000973	CAKOG01
	S000934	CAKOG00
	S000816	CAKOG00
	S000773	CAKOG00
	S000713	CAKOG00
	S000316	CAKOG00
CAR1803	S000387	CAKOG00
	S000365	CAKOG00
	S000262	CAKOG00
	S000254	CAKOG00
	S000250	CAKOG00
	S000249	CAKOG00
	S000170	CAKOG00
	S000140	CAKOG00
	S000139	CAKOG00
	S000092	CAKOG00
	S000039	CAKOG01
	R099952	CAKOG00
	R099844	CAKOG00
	R099694	CAKOG00
	R099650	CAKOG00
	R098925	CAKOG00
	R098826	CAKOG00
CAR1802	S000169	CAKOG01
	S000168	CAKOG00
	S000132	CAKOG00
	S000082	CAKOG00
	S000049	CAKOG00
	R099939	CAKOG00
	R099736	CAKOG01
	R099645	CAKOG00
	R099610	CAKOG00
	R099576	CAKOG00
	R099396	CAKOG00
	R098940	CAKOG00
	R098773	CAKOG00
	R098733	CAKOG00
	R098492	CAKOG01
	R097905	CAKOG00
CAR1801	R099690	CAKOG00
	R099512	CAKOG00
	R099484	CAKOG00

CA RS Level	Service	FMID
	R099394	CAKOG00
	R099320	CAKOG00
	R099095	CAKOG00
	R099091	CAKOG00
	R099005	CAKOG00
	R098361	CAKOG00
	R097776	CAKOG00
CAR1712	R099287	CAKOG00
	R099167	CAKOG00
	R098943	CAKOG00
	R098852	CAKOG00
	R098804	CAKOG00
	R098757	CAKOG00
	R098395	CAKOG00
	R098011	CAKOG00
	R094537	CAKOG00
CAR1711	R098795	CAKOG00
	R098734	CAKOG03
	R098716	CAKOG00
	R098634	CAKOG03
	R098458	CAKOG00
	R098455	CAKOG00
	R098437	CAKOG02
	R098394	CAKOG00
	R098390	CAKOG00
	R098389	CAKOG00
	R098365	CAKOG00
	R098358	CAKOG00
	R098297	CAKOG00
	R097411	CAKOG00
	R094019	CAKOG02
	R094018	CAKOG00
CAR1710	R098232	CAKOG00
	R098051	CAKOG00
	R097899	CAKOG00
	R097892	CAKOG00
	R097832	CAKOG00
	R097814	CAKOG00
	R097809	CAKOG00
	R097746	CAKOG00
	R097567	CAKOG00
	R097504	CAKOG02
	R097390	CAKOG00
	R097372	CAKOG01
	R097371	CAKOG00
	R091062	CAKOG00
CAR1709	R097317	CAKOG00

CA RS Level	Service	FMID
	R097257	CAKOG00
	R097114	CAKOG00
	R097009	CAKOG00
CAR1708	R097041	CAKOG00
	R096998	CAKOG00
	R096977	CAKOG00
	R096857	CAKOG00
	R096670	CAKOG00
	R096542	CAKOG00
	R096225	CAKOG00
	R096135	CAKOG01
	R095752	CAKOG00
	R094449	CAKOG00
	R094015	CAKOG00
	R091735	CAKOG00
	R091733	CAKOG01
CAR1707	R096696	CAKOG00
	R096321	CAKOG00
	R096125	CAKOG00
	R096103	CAKOG00
	R096081	CAKOG00
CAR1706	R096001	CAKOG00
	R095981	CAKOG00
	R095938	CAKOG00
	R095857	CAKOG00
	R095818	CAKOG00
	R095793	CAKOG00
	R095454	CAKOG00
	R095428	CAKOG00
	R095424	CAKOG00
	R092920	CAKOG00
CAR1705	R095692	CAKOG00
	R095291	CAKOG00
	R095244	CAKOG00
	R095201	CAKOG00
	R095061	CAKOG00
	R088301	CAKOG00
CAR1704	R095026	CAKOG00
	R094971	CAKOG00
	R094913	CAKOG00
	R094909	CAKOG00
	R094718	CAKOG00
	R094686	CAKOG00
	R094168	CAKOG00
	R093932	CAKOG00
CAR1703	R094517	CAKOG00
	R094383	CAKOG00

CA RS Level	Service	FMID
	R094298	CAKOG00
	R094101	CAKOG00
	R093840	CAKOG00
CAR1702	R093979	CAKOG00
	R093757	CAKOG00
	R093744	CAKOG00
	R093398	CAKOG00
CAR1701	R093171	CAKOG00
	R092888	CAKOG00
	R092584	CAKOG00
CAR1612	R093298	CAKOG00
	R093059	CAKOG00
	R092967	CAKOG00
	R092772	CAKOG01
	R092771	CAKOG00
	R092742	CAKOG00
	R092581	CAKOG00
	R092412	CAKOG00
	R092198	CAKOG01
	R092092	CAKOG00
	R092039	CAKOG00
CAR1611	R092854	CAKOG00
	R092811	CAKOG00
	R092809	CAKOG00
	R092808	CAKOG00
	R092696	CAKOG00
	R092675	CAKOG00
	R092619	CAKOG00
	R092560	CAKOG00
	R092502	CAKOG00
	R091873	CAKOG00
	R091186	CAKOG00
	R088880	CAKOG00
CAR1610	R091454	CAKOG00
	R091447	CAKOG00
CAR1609	R091707	CAKOG00
	R091702	CAKOG00
	R091603	CAKOG00
	R091469	CAKOG00
	R091248	CAKOG00
	R091172	CAKOG00
	R090979	CAKOG01
	R090633	CAKOG00
CAR1608	R091002	CAKOG00
	R090784	CAKOG00
	R090627	CAKOG00
	R090626	CAKOG00

CA RS Level	Service	FMID
	R090186	CAKOG00
	R089750	CAKOG00
	R088433	CAKOG01
	R086556	CAKOG00
CAR1607	R090358	CAKOG00
	R090317	CAKOG00
	R090165	CAKOG00
	R089936	CAKOG00
	R089828	CAKOG00
CAR1606	R090184	CAKOG01
	R090069	CAKOG00
	R089965	CAKOG00
	R089889	CAKOG00
	R089888	CAKOG00
	R089682	CAKOG00
	R089668	CAKOG00
	R089233	CAKOG00
CAR1605	R089361	CAKOG00
	R089334	CAKOG00
	R089210	CAKOG00
	R089203	CAKOG00
CAR1604	R088969	CAKOG02
	R088968	CAKOG00
	R088932	CAKOG00
	R088848	CAKOG00
	R088796	CAKOG00
	R088651	CAKOG00
	R088603	CAKOG00
	R088551	CAKOG00
	R088473	CAKOG00
	R088415	CAKOG00
	R087918	CAKOG00
	R087883	CAKOG00
	R087515	CAKOG00
CAR1603	R088130	CAKOG00
	R087961	CAKOG01
	R087881	CAKOG00
	R087875	CAKOG00
	R087826	CAKOG00
CAR1602	R087827	CAKOG00
	R087738	CAKOG00
	R087735	CAKOG00
	R086945	CAKOG00
	R086559	CAKOG00
	R086552	CAKOG00
	R086294	CAKOG00
	R085890	CAKOG00