

Service	Description	Type
LU02905	CICS OPTION(38) EXEC CICS START COMMANDS	PTF
LU02911	LONG WAIT FOR TSS COMMANDS	PTF
LU03029	ABEND S002-18 RUNNING TSSOERPT	PTF
LU03081	SOC4 ABEND IN MODULE TSSKPOR1+1E82 WITH SECCACHE ACTIVE	PTF
LU03197	STORAGE DEADMAIN SP255 KEY0 FOR INITUSP SUPPL GROUP LIST	PTF
LU03205	TSSRECVR GENERATES INVALID REFRESH COMMANDS WITH TARGET(=)	PTF
LU03329	IMPROVE STORAGE MANAGEMENT W/TSS BASE CODE FOR CEM CLIENTS	PTF
LU03416	UPDATES TO IBM MFA GENERIC RADIUS FACTOR PROCESSING	PTF
LU03444	SHUTDOWN OF TSS UNDER JES3 RECEIVES END OF MEMORY (EOM)	PTF
LU03459	ACCESS=STATUS NOT RETURNING UPDATE ACCESS FOR RIE RESOURCE	PTF
The CA RS 2112 service count for this release is 10		

FMID	Service	Description	Type
CAKOG00	LU02905	CICS OPTION(38) EXEC CICS START COMMANDS	PTF
	LU02911	LONG WAIT FOR TSS COMMANDS	PTF
	LU03029	ABEND S002-18 RUNNING TSSOERPT	PTF
	LU03081	SOC4 ABEND IN MODULE TSSKPOR1+1E82 WITH SECCACHE ACTIVE	PTF
	LU03197	STORAGE DEADMAIN SP255 KEY0 FOR INITUSP SUPPL GROUP LIST	PTF
	LU03205	TSSRECVR GENERATES INVALID REFRESH COMMANDS WITH TARGET(=)	PTF
	LU03329	IMPROVE STORAGE MANAGEMENT W/TSS BASE CODE FOR CEM CLIENTS	PTF
	LU03416	UPDATES TO IBM MFA GENERIC RADIUS FACTOR PROCESSING	PTF
	LU03444	SHUTDOWN OF TSS UNDER JES3 RECEIVES END OF MEMORY (EOM)	PTF
	LU03459	ACCESS=STATUS NOT RETURNING UPDATE ACCESS FOR RIE RESOURCE	PTF
The CA RS 2112 service count for this FMID is 10			

Service	Details
LU02905	LU02905 M.C.S. ENTRIES = ++PTF (LU02905) CICS OPTION(38) EXEC CICS START COMMANDS PROBLEM DESCRIPTION: With the removal of SECVFYFREQ (CICS) parm starting with CTS 5.4, extracts related to the 'EXEC CICS START' command can be cached. When 'EXEC CICS START' command extracts are cached, the user may be unable to initiate a CICS transaction via 'EXEC CICS START'. SYMPTOMS: If the 'EXEC CICS START' command extract is cached at the same time a user is suspended, the user cannot issue transactions when the suspend is removed. The user must wait until after USRDELAY signs them off before they can issue transactions. IMPACT: The user is unable to initiate a CICS transaction via 'EXEC CICS START'. CIRCUMVENTION: N / A PRODUCT(S) AFFECTED: CA Top Secret for z/OS Version 16.0 Related Problem: TSSMVS 14763 Copyright (C) 2021 CA. All rights reserved. R01193-TSS160-SP1 DESC(CICS OPTION(38) EXEC CICS START COMMANDS). ++VER (Z038) FMID (CAKOG00) PRE (LU00745 LU01657 LU02880 S010485 S011357 S012161 S015439) SUP (LT00851 LT02638 LT02717 LT02849 LT02905 LU00851 ST11357 ST12058) ++HOLD (LU02905) SYSTEM FMID(CAKOG00) REASON (DYNACT) DATE (21314) COMMENT (<pre> +-----+ CA Top Secret for z/OS Version 16.0 +-----+-----+ SEQUENCE After Apply +-----+-----+ PURPOSE Update Option(38) from Caching CICS START EXTRACTS +-----+-----+ USERS Running CICS / CTS with OPTION(38) AFFECTED +-----+-----+ KNOWLEDGE 1. Console commands REQUIRED 2. Top Secret administration +-----+-----+ ACCESS 1. Console authority REQUIRED 2. TSS administrative authority +-----+-----+ ***** * STEPS TO PERFORM * ***** 1. SMP APPLY </pre>

Service	Details
	2. LLA REFRESH 3. Restart TSS with REINIT) .

Service	Details
LU02911	LU02911 M.C.S. ENTRIES = ++PTF (LU02911) LONG WAIT FOR TSS COMMANDS PROBLEM DESCRIPTION: TSS Commands that update the in-core WAEMAIL, UNAME/SNAME or SDT tables successfully freemain the old tables but fail to decrement a counter that the tables were freed. If this counter increments too high, Top Secret may begin to insert waits during command processing. SYMPTOMS: TSS command processing takes longer than normal due to delayed response time. IMPACT: TSS commands take longer than expected. If commands are received via CPF, this problem could be more obvious. CIRCUMVENTION: Recycle Top Secret to reset these indicators. PRODUCT(S) AFFECTED: CA Top Secret for z/OS Version 16.0 Related Problem: TSSMVS 14879 Copyright (C) 2021 CA. All rights reserved. R01194-TSS160-SP1 DESC(LONG WAIT FOR TSS COMMANDS). ++VER (Z038) FMID (CAKOG00) PRE (LU00482 LU01345 LU01759 LU01778 R082138 R084794 R085310 R086945 R095938 R098297 R098361 R099320 R099396 S000140 S000816 S001265 S001285 S006391 S006741 S008923 S011904 S014413 S015715 S016294) SUP (AS00816 LT01686 LT02911 R079885 S000262 S001689 S007137 S011937 ST00262 ST01689 ST06429 ST07137 ST11937 ST12838 TR79885 TR95112 TR96281 TR98361) ++HOLD (LU02911) SYSTEM FMID(CAKOG00) REASON (DYNACT) DATE (21313) COMMENT (<pre> +-----+ CA Top Secret for z/OS Version 16.0 +-----+ SEQUENCE After Apply +-----+ PURPOSE Activate changes without IPL +-----+ USERS All AFFECTED +-----+ KNOWLEDGE TSS administrative commands z/OS Operator Commands REQUIRED z/OS Operator Commands +-----+ ACCESS TSS administrative command authority REQUIRED z/OS Operator command authority +-----+ ***** * STEPS TO PERFORM * ***** </pre> *****

Service	Details
	LLA REFRESH and restart CA Top Secret) .

Service	Details
LU03029	LU03029 M.C.S. ENTRIES = ++PTF (LU03029) ABEND S002-18 RUNNING TSSOERPT PROBLEM DESCRIPTION: Abend S002-18 occurs when running a TSSOERPT report. SYMPTOMS: TSSOEPRT report job terminates with Abend S002-18, indicating QSAM WRITE error. IMPACT: TSSOERPT report output is incomplete. CIRCUMVENTION: N/A PRODUCT(S) AFFECTED: CA Top Secret for z/OS Version 16.0 Related Problem: TSSMVS 14964 Copyright (C) 2021 CA. All rights reserved. R01199-TSS160-SP1 DESC (ABEND S002-18 RUNNING TSSOERPT). ++VER (Z038) FMID (CAKOG00) PRE (LU02263 R085911 R092696 S000816 S006741 S016294) SUP (LT03029) ++HOLD (LU03029) SYSTEM FMID(CAKOG00) REASON (DYNACT) DATE (21305) COMMENT (<pre> +-----+ CA Top Secret for z/OS Version 16.0 +-----+-----+ SEQUENCE After Apply +-----+-----+ PURPOSE Correct S002-18 abend in TSSOERPT +-----+-----+ USERS Users of TSSOERPT and IBM MFA Out-of_Band AFFECTED +-----+-----+ KNOWLEDGE 1. Console commands REQUIRED 2. Top Secret administration +-----+-----+ ACCESS 1.Console authority REQUIRED 2. TSS administrative authority +-----+-----+ ***** * STEPS TO PERFORM * ***** F LLA,REFRESH (refresh LLA) F TSS,REFRESH(SAFAL) (refresh SAF module SAFOERPT)) </pre>

Service	Details																		
LU03081	LU03081 M.C.S. ENTRIES = ++PTF (LU03081) SOC4 ABEND IN MODULE TSSKPOR1+1E82 WITH SECCACHE ACTIVE PROBLEM DESCRIPTION: With SECCACHE active, a SOC4 abend in module TSSKPOR1+1EB82 is possible at logon. This abend is most likely to occur when the NOSPACE value shows an excessive amount of data allocation failures. SYMPTOMS: CCSR010E TSSRSVCS SOC4 at xxxxxxxx LMOD TSSKERNL CSECT TSSKPOR1 +001E82 IMPACT: A sign-on task abends with SOC4 in module TSSKPOR1+1EB82. CIRCUMVENTION: None. PRODUCT(S) AFFECTED: CA Top Secret for z/OS Version 16.0 Related Problem: TSSMVS 14997 Copyright (C) 2021 CA. All rights reserved. R01200-TSS160-SP1 DESC(SOC4 ABEND IN MODULE TSSKPOR1+1E82 WITH SECCACHE ACTIVE). ++VER (Z038) FMID (CAKOG00) PRE (LU01345 R080127 R096225 R098232 R098395) SUP (LT03081) ++HOLD (LU03081) SYSTEM FMID(CAKOG00) REASON (DYNACT) DATE (21300) COMMENT (<table border="1"> <tr> <td>CA Top Secret for z/OS</td><td>Version 16.0</td></tr> <tr> <td>SEQUENCE</td><td>After Apply</td></tr> <tr> <td>PURPOSE</td><td>Load module into LLA and activate</td></tr> <tr> <td>USERS</td><td>All</td></tr> <tr> <td>AFFECTED</td><td></td></tr> <tr> <td>KNOWLEDGE</td><td>TSS administrative commands z/OS Operator Commands</td></tr> <tr> <td>REQUIRED</td><td>z/OS Operator Commands</td></tr> <tr> <td>ACCESS</td><td>TSS administrative command authority</td></tr> <tr> <td>REQUIRED</td><td>z/OS Operator command authority</td></tr> </table> ***** * STEPS TO PERFORM * ***** 1. LLA REFRESH and restart CA Top Secret with TSS,,REINIT).	CA Top Secret for z/OS	Version 16.0	SEQUENCE	After Apply	PURPOSE	Load module into LLA and activate	USERS	All	AFFECTED		KNOWLEDGE	TSS administrative commands z/OS Operator Commands	REQUIRED	z/OS Operator Commands	ACCESS	TSS administrative command authority	REQUIRED	z/OS Operator command authority
CA Top Secret for z/OS	Version 16.0																		
SEQUENCE	After Apply																		
PURPOSE	Load module into LLA and activate																		
USERS	All																		
AFFECTED																			
KNOWLEDGE	TSS administrative commands z/OS Operator Commands																		
REQUIRED	z/OS Operator Commands																		
ACCESS	TSS administrative command authority																		
REQUIRED	z/OS Operator command authority																		

Service	Details
LU03197	LU03197 M.C.S. ENTRIES = ++PTF (LU03197) STORAGE DEADMAIN SP255 KEY0 FOR INITUSP SUPPL GROUP LIST PROBLEM DESCRIPTION: Small amounts of subpool 255, Key 0 storage remain unfreed from the USS Supplemental Group list after the initACEE Delete function completes. This can lead to storage fragmentation if the address space is not recycled for long periods of time. SYMPTOMS: *TSS9999E CA-TSS SECURITY SVC ABEND S653 IN PROGRAM UNKNOWN CCSR010E TSSRSVCS S653 at 07DA90DE LMOD IGC0008C CSECT N/A +N/A IZURESTE N/A IZURESTE S878 abends may also result. IMPACT: Outages may result because address spaces need to be restarted. CIRCUMVENTION: Recycle affected address spaces on a scheduled basis. PRODUCT(S) AFFECTED: CA Top Secret for z/OS Version 16.0 Related Problem: TSSMVS 15069 Copyright (C) 2021 CA. All rights reserved. R01204-TSS160-SP1 DESC(STORAGE DEADMAIN SP255 KEY0 FOR INITUSP SUPPL GROUP LIST). ++VER (Z038) FMID (CAKOG00) PRE (LU00910 LU01778 LU02880 R083104 R084794 R086945 R088603 R088796 R089334 R092696 R092771 R094971 R095793 R096696 R096857 R098297 R098804 R099167 R099320 R099512 R099645 S000168 S000713 S001265 S001489 S001509 S001630 S003993 S004066 S004391 S004444 S004966 S004996 S005250 S005264 S005615 S006391 S006599 S006616 S006832 S006966 S007990 S008020 S008490 S010311 S010482 S010485 S012161 S012296 S012318 S012940 S014392 S014730 S015439 S015715 S016290 S016294) SUP (AR88603 AR98297 AS10311 AS16290 BL00910 BR88603 BR89334 LT00817 LT01407 LT01685 LT02026 LT03155 LT03197 LU00817 LU01407 LU01685 LU02026 R089210 R089889 R090784 R094168 R095692 R097390 R097899 R098795 S000254 S000773 S001513 S001741 S001968 S005801 S005970 S007052 S007652 S008399 S008736 S011140 S011410 S016319 ST00032 ST00254 ST00773 ST00906 ST01273 ST01316 ST01354 ST01371 ST01375 ST01513 ST01741 ST01968 ST03828 ST03830 ST04670 ST05226 ST05801 ST05970 ST07052 ST07408 ST07562 ST07568 ST07628 ST07652 ST08390 ST08399 ST08736 ST11140 ST11378 ST11410 ST11633 ST11950 ST16319 TR89210 TR89691 TR89889 TR90753 TR90784 TR94168 TR95692 TR97390 TR97899 TR98062 TR98715 TR98795 TR99976) ++HOLD (LU03197) SYSTEM FMID(CAKOG00) REASON (DYNACT) DATE (21312) COMMENT (

Service	Details
	<pre> +-----+ CA Top Secret for z/OS Version 16.0 +-----+ SEQUENCE After Apply +-----+ PURPOSE Activate changes without IPL +-----+ USERS All AFFECTED +-----+ KNOWLEDGE TSS administrative commands z/OS Operator Commands REQUIRED z/OS Operator Commands +-----+ ACCESS TSS administrative command authority REQUIRED z/OS Operator command authority +-----+ ***** * STEPS TO PERFORM * ***** 1. To correct the problem and prevent further orphaned storage: LLA REFRESH and restart CA Top Secret with ,,,REINIT 2. To release already orphaned storage: A restart of the affected address spaces is required).</pre>

Service	Details		
LU03205	LU03205 M.C.S. ENTRIES = ++PTF (LU03205) TSSRECVR GENERATES INVALID REFRESH COMMANDS WITH TARGET(=) PROBLEM DESCRIPTION: TSSRECVR generates invalid command syntax for TSS REFRESH() JOBNAME() commands. SYMPTOMS: TSS TARGET(=) REFRESH(TCSFJA2) JOBNAME(*) TSS0299E TARGET KEYWORD ILLEGAL FOR FUNCTION TSS0301I TSS FUNCTION FAILED, RETURN CODE = 4 IMPACT: The REFRESH commands fail. CIRCUMVENTION: Edit the RECVROUT file to remove TARGET(=) from all REFRESH commands before executing them. PRODUCT(S) AFFECTED: CA Top Secret for z/OS Version 16.0 Related Problem: TSSMVS 15095 Copyright (C) 2021 CA. All rights reserved. R01205-TSS160-SP1 DESC(TSSRECVR GENERATES INVALID REFRESH COMMANDS WITH TARGET(=)). ++VER (Z038) FMID (CAKOG00) PRE (R082138 R084794 R086945) SUP (LT03205) ++HOLD (LU03205) SYSTEM FMID(CAKOG00) REASON (DYNACT) DATE (21313) COMMENT (<table border="1"> <tr> <td>CA Top Secret for z/OS</td><td>Version 16.0</td></tr> </table> SEQUENCE After Apply PURPOSE Activate changes without IPL USERS All AFFECTED KNOWLEDGE z/OS Operator Commands REQUIRED ACCESS z/OS Operator command authority REQUIRED ***** * STEPS TO PERFORM * ***** LLA REFRESH and rerun TSSRECVR utility).	CA Top Secret for z/OS	Version 16.0
CA Top Secret for z/OS	Version 16.0		

Service	Details
LU03329	LU03329 M.C.S. ENTRIES = ++PTF (LU03329) IMPROVE STORAGE MANAGEMENT W/TSS BASE CODE FOR CEM CLIENTS PROBLEM DESCRIPTION: This solution reduces getmains by utilizing a pre-allocated work area. SYMPTOMS: Reduce CPU overhead. IMPACT: Reduce CPU overhead. CIRCUMVENTION: None. PRODUCT(S) AFFECTED: CA Top Secret for z/OS Version 16.0 Related Problem: TSSMVS 15195 Copyright (C) 2021 CA. All rights reserved. R01210-TSS160-SP1 DESC(IMPROVE STORAGE MANAGEMENT W/TSS BASE CODE FOR CEM CLIENTS). ++VER (Z038) FMID (CAKOG00) PRE (R099320 S004066 S005394) SUP (AR95026 AS14005 DR99320 LT03329 R083110 R087735 R094517 R096081 R099694 S000468 S005769 S006888 S008245 S008343 S009286 S010823 S014005 S015329 ST00468 ST04030 ST04172 ST05769 ST06888 ST08148 ST08245 ST08343 ST09269 ST09286 ST10548 ST10692 ST10705 ST10823 ST14005 ST15329 TR81849 TR83110 TR86561 TR87677 TR87735 TR92091 TR93550 TR94514 TR94517 TR94968 TR96081 TR99694) ++HOLD (LU03329) SYSTEM FMID(CAKOG00) REASON (DYNACT) DATE (21323) COMMENT (<pre> +-----+ CA Top Secret for z/OS Version 16.0 +-----+-----+ SEQUENCE After Apply +-----+-----+ PURPOSE Load module into LLA and activate +-----+-----+ USERS All AFFECTED +-----+-----+ KNOWLEDGE TSS administrative commands z/OS Operator Commands REQUIRED z/OS Operator Commands +-----+-----+ ACCESS TSS administrative command authority REQUIRED z/OS Operator command authority +-----+-----+ ***** * STEPS TO PERFORM * ***** 1. LLA REFRESH and restart CA Top Secret with TSS,,,REINIT). </pre>

Service	Details
LU03416	LU03416 M.C.S. ENTRIES = ++PTF (LU03416) UPDATES TO IBM MFA GENERIC RADIUS FACTOR PROCESSING PROBLEM DESCRIPTION: Sign on using IBM MFA and generic Radius Factor AZFRADP1 not receiving radius server prompts for a reply to: SELECT AN OPTION TO CONTINUE: 1 - EMAIL, 2 - SMS. ENTER '0' TO ABORT. To fully support IBM factor AZFRADP1 the following updates were made: - Enhanced MFA message displays during RADIUS challenges for additional credential info. - The revoke count no longer increments for "need more info" events but the revoke count does increment for invalid responses to phone push method, SMS text code, or email code options. - Sets IDT RC's 8/74/1 that trigger the IKJ56469I Enter MFA info panel under TSO. SYMPTOMS: TSS7060E RADIUS followed by IKJ56474I USERID OR PASSWORD IS INCORRECT OR NOT AUTHORIZED. IMPACT: Cannot use IBM MFA factor AZFRADP1 for phone push, SMS or EMAIL. CIRCUMVENTION: n/a PRODUCT(S) AFFECTED: CA Top Secret for z/OS Version 16.0 Related Problem: TSSMVS 14584 Copyright (C) 2021 CA. All rights reserved. R01212-TSS160-SP1 DESC(UPDATES TO IBM MFA GENERIC RADIUS FACTOR PROCESSING). ++VER (Z038) FMID (CAKOG00) PRE (LU00512 LU00747 LU00809 LU00910 LU01608 LU01634 LU01778 LU02880 R083104 R084794 R086552 R086945 R087918 R088415 R088603 R088796 R089203 R089334 R089888 R089889 R090317 R091603 R092696 R092771 R092854 R095026 R095793 R096696 R096977 R097892 R098297 R098395 R098716 R098795 R098804 R099091 R099167 R099287 R099320 R099484 R099512 R099645 R099747 S000168 S000713 S001265 S001489 S001630 S001968 S003858 S004066 S004391 S004444 S005250 S005264 S005615 S006391 S006599 S006616 S007485 S007990 S008881 S010482 S010485 S011410 S012161 S012296 S012318 S014000 S014329 S014392 S014413 S014515 S014730 S015439 S015715 S015896 S016019 S016055 S016134 S016290 S016294) SUP (AL00910 AR87918 AR88603 AR89334 AR90069 AR98297 AS10311 AS13895 AS15439 AS16290 BL00910 BR88603 BR89334 BR98297 BS15896 LT00398 LT00817 LT01407 LT01634 LT01685 LT01795 LT01839 LT02026 LT02097 LT02224 LT02403 LT02601 LT02852 LT03151 LT03155 LT03197 LT03416 LU00817 LU01407 LU01685 LU01795 LU01839 LU02026 LU02097 LU02224 LU02403 LU03197 R087875 R088651 R089210 R090069 R090784 R091469 R092584 R094168 R094971 R095692 R096857 R097257

Service	Details
	R097390 R097567 R097899 R099610 R099939 S000250 S000254 S000279 S000773 S001509 S001513 S001741 S001743 S003864 S003993 S004540 S004966 S004996 S005697 S005801 S005970 S006640 S006832 S006966 S007052 S007314 S007652 S008020 S008053 S008399 S008490 S008611 S008736 S010311 S011041 S011140 S012039 S012436 S012940 S013311 S013895 S015261 S015753 S016319 ST00032 ST00250 ST00254 ST00279 ST00773 ST00906 ST01223 ST01273 ST01316 ST01354 ST01365 ST01371 ST01375 ST01509 ST01513 ST01741 ST01743 ST01791 ST01907 ST01968 ST03657 ST03679 ST03828 ST03830 ST03864 ST03993 ST04540 ST04670 ST04965 ST04966 ST04996 ST05226 ST05697 ST05801 ST05970 ST06640 ST06832 ST06966 ST07052 ST07314 ST07408 ST07562 ST07568 ST07628 ST07652 ST07836 ST07869 ST08020 ST08053 ST08390 ST08399 ST08490 ST08611 ST08736 ST09156 ST09486 ST09487 ST10311 ST10940 ST11041 ST11140 ST11378 ST11410 ST11633 ST11950 ST12039 ST12436 ST12905 ST12940 ST13017 ST13260 ST13311 ST13712 ST13796 ST13804 ST13815 ST13895 ST14000 ST15261 ST15753 ST16134 ST16319 TR86962 TR87875 TR87890 TR87917 TR88651 TR88994 TR89004 TR89180 TR89203 TR89210 TR89665 TR89691 TR89888 TR89889 TR89997 TR90069 TR90317 TR90753 TR90784 TR91469 TR92584 TR94168 TR94971 TR95423 TR95692 TR96051 TR96202 TR96855 TR96857 TR97257 TR97369 TR97390 TR97567 TR97899 TR98062 TR98715 TR98795 TR99137 TR99286 TR99287 TR99388 TR99610 TR99939 TR99976) ++HOLD (LU03416) SYSTEM FMID(CAKOG00) REASON (DYNACT) DATE (21334) COMMENT (+-----+ CA Top Secret for z/OS Version 16.0 +-----+ SEQUENCE After Apply +-----+ PURPOSE UPdates to IBM MFA Generic Radius factor AZFRADP1 +-----+ USERS IBM MFA users of factor AZFRADP1 AFFECTED +-----+ KNOWLEDGE 1. Console commands REQUIRED 2. Top Secret administration +-----+ ACCESS 1. Console authority REQUIRED 2. TSS administrative authority +-----+ ***** * STEPS TO PERFORM * ***** LLA refresh and REINIT TSS).

Service	Details																																
LU03444	LU03444 M.C.S. ENTRIES = ++PTF (LU03444) SHUTDOWN OF TSS UNDER JES3 RECEIVES END OF MEMORY (EOM) PROBLEM DESCRIPTION: Shutting down TSS while running JES3 / JES3PLUS receives END OF MEMORY (EOM) message IAT6809 from Master. SYMPTOMS: The following messages have been reported: TSS 0068494939 TSS TSS ENDED MAXCC=00000 SUBSYS=STC TSS 0068494940 IEF352I ADDRESS SPACE UNAVAILABLE *MASTER* 0068494943 IAT6809 JOB TSS (JOB23286) - TERMINATED BY END OF MEMORY IMPACT: No functional impact, other than the messages. CIRCUMVENTION: On JES3 / JES3PLUS systems, issue TSS MODIFY SYSOUT(CLOSE) before bringing down Top Secret. PRODUCT(S) AFFECTED: CA Top Secret for z/OS Version 16.0 Related Problem: TSSMVS 15272 Copyright (C) 2021 CA. All rights reserved. R01215-TSS160-SP1 DESC(SHUTDOWN OF TSS UNDER JES3 RECEIVES END OF MEMORY (EOM)). ++VER (Z038) FMID (CAKOG00) PRE (LU00910 LU01778 R082138 R083426 R084470 R084794 R085843 R092696 R096977 R098232 R098297 R098358 R098716 R099320 S000816 S001267 S005264 S006391 S006816 S007547 S008182 S011904 S012965 S013550 S015764 S016294) SUP (LT01329 LT03444 LU01329 R085987 R088880 ST08127 ST13284 ST13285 TR85970 TR85973 TR85987 TR88880) ++HOLD (LU03444) SYSTEM FMID(CAKOG00) REASON (DYNACT) DATE (21333) COMMENT (<table border="1"> <tr> <td colspan="2">+-----+ CA Top Secret for z/OS Version 16.0 +-----+</td></tr> <tr> <td> SEQUENCE</td><td> After Apply </td></tr> <tr> <td colspan="2">+-----+</td></tr> <tr> <td> PURPOSE</td><td> Clean Shutdown of JES3 or JES3PLUS </td></tr> <tr> <td colspan="2">+-----+</td></tr> <tr> <td> USERS</td><td> JES3 or JES3PLUS </td></tr> <tr> <td> AFFECTED</td><td> </td></tr> <tr> <td colspan="2">+-----+</td></tr> <tr> <td> KNOWLEDGE</td><td> 1. Console commands </td></tr> <tr> <td> REQUIRED</td><td> 2. Top Secret administration </td></tr> <tr> <td colspan="2">+-----+</td></tr> <tr> <td> ACCESS</td><td> 1. Console authority </td></tr> <tr> <td> REQUIRED</td><td> 2. TSS administrative authority </td></tr> <tr> <td colspan="2">+-----+</td></tr> <tr> <td colspan="2">*****</td></tr> <tr> <td>* STEPS</td><td>TO PERFORM *</td></tr> </table>	+-----+ CA Top Secret for z/OS Version 16.0 +-----+		SEQUENCE	After Apply	+-----+		PURPOSE	Clean Shutdown of JES3 or JES3PLUS	+-----+		USERS	JES3 or JES3PLUS	AFFECTED		+-----+		KNOWLEDGE	1. Console commands	REQUIRED	2. Top Secret administration	+-----+		ACCESS	1. Console authority	REQUIRED	2. TSS administrative authority	+-----+		*****		* STEPS	TO PERFORM *
+-----+ CA Top Secret for z/OS Version 16.0 +-----+																																	
SEQUENCE	After Apply																																
+-----+																																	
PURPOSE	Clean Shutdown of JES3 or JES3PLUS																																
+-----+																																	
USERS	JES3 or JES3PLUS																																
AFFECTED																																	
+-----+																																	
KNOWLEDGE	1. Console commands																																
REQUIRED	2. Top Secret administration																																
+-----+																																	
ACCESS	1. Console authority																																
REQUIRED	2. TSS administrative authority																																
+-----+																																	

* STEPS	TO PERFORM *																																

Service	Details
	***** 1. Refresh LLA F LLA,REFRESH 2. Reinit TSS S TSS,,REINIT) .

Service	Details	
LU03459	LU03459 M.C.S. ENTRIES = ++PTF (LU03459) ACCESS=STATUS NOT RETURNING UPDATE ACCESS FOR RIE RESOURCE PROBLEM DESCRIPTION: RACROUTE REQUEST=AUTH STATUS=ACCESS fails for RIE resource class when allowed access is UPDATE. SYMPTOMS: Application returns resource violation DRC=97, invalid access level. IMPACT: User cannot access or use application. CIRCUMVENTION: None. PRODUCT(S) AFFECTED: CA Top Secret for z/OS Version 16.0 Related Problem: TSSMVS 15310 Copyright (C) 2021 CA. All rights reserved. R01216-TSS160-SP1 DESC (ACCESS=STATUS NOT RETURNING UPDATE ACCESS FOR RIE RESOURCE). ++VER (Z038) FMID (CAKOG00) PRE (R087918 R097892 R099320 R099484 S004066 S007542 S008125) SUP (AR99484 ER99320 LT01328 LT01954 LT03459 LU01328 LU01954 R096542 R098394 S000861 S005207 S011429 ST00861 ST05207 ST06900 ST11429 TR96542 TR98394) ++HOLD (LU03459) SYSTEM FMID(CAKOG00) REASON (DYNACT) DATE (21327) COMMENT (CA Top Secret for z/OS Version 16.0 SEQUENCE After Apply PURPOSE Return UPDATE access level for STATUS=ACCESS RIE resource USERS RACROUTE STATUS=ACCESS calls for highest access level AFFECTED permitted to user. KNOWLEDGE 1. Console commands REQUIRED 2. Top Secret administration ACCESS 1. Console authority REQUIRED 2. TSS administrative authority ***** * STEPS TO PERFORM * ***** LLA Refresh and TSS REINIT) MCS LU02905 STARTS ON PAGE 0002 MCS LU02911 STARTS ON PAGE 0003 MCS LU03029 STARTS ON PAGE 0004 MCS LU03081 STARTS ON PAGE 0005	

Service	Details		
	MCS	LU03197	STARTS ON PAGE 0006
	MCS	LU03205	STARTS ON PAGE 0008
	MCS	LU03329	STARTS ON PAGE 0009
	MCS	LU03416	STARTS ON PAGE 0011
	MCS	LU03444	STARTS ON PAGE 0013
	MCS	LU03459	STARTS ON PAGE 0014

Top Secret Security for z/OS 16.0
CA RS 2112 Product/Component Listing

19

Product Family	Product	Release
Security	CA TOP SECRET FOR Z/OS	16.00.00
The CA RS 2112 Product/Component Count for this release is 1		

CA RS Level	Service	FMID
CAR2112	LU03459	CAKOG00
	LU03444	CAKOG00
	LU03416	CAKOG00
	LU03329	CAKOG00
	LU03205	CAKOG00
	LU03197	CAKOG00
	LU03081	CAKOG00
	LU03029	CAKOG00
	LU02911	CAKOG00
	LU02905	CAKOG00
	LU02892	CAKOG00
	LU02881	CAKOG01
CAR2111	LU02880	CAKOG00
	LU02803	CAKOG00
	LU02848	CAKOG00
	LU02668	CAKOG00
	LU02579	CAKOG00
	LU02523	CAKOG00
	LU02448	CAKOG00
	LU02403	CAKOG00
CAR2110	LU02224	CAKOG00
	LU02070	CAKOG00
	LU02069	CAKOG00
	LU02373	CAKOG00
	LU02336	CAKOG00
	LU02328	CAKOG01
	LU02263	CAKOG00
	LU02097	CAKOG00
	LU02026	CAKOG00
	LU02018	CAKOG01
CAR2109	LU01778	CAKOG00
	LU01954	CAKOG00
	LU01839	CAKOG00
	LU01701	CAKOG00
	LU01658	CAKOG01
	LU01657	CAKOG00
	LU00525	CAKOG00
	LU00423	CAKOG00
CAR2108	LU01796	CAKOG00
	LU01795	CAKOG00
	LU01759	CAKOG00
	LU01711	CAKOG00
	LU01685	CAKOG00
	LU01634	CAKOG00

CA RS Level	Service	FMID
	LU01608	CAKOG00
	LU01558	CAKOG00
	LU01395	CAKOG00
	LU01372	CAKOG00
	LU01356	CAKOG00
	LU01345	CAKOG00
	LU01328	CAKOG00
	LU01183	CAKOG01
	LU00987	CAKOG00
CAR2106	S016092	CAKOG00
	R079894	CAKOG00
	LU01475	CAKOG00
	LU01407	CAKOG00
	LU01344	CAKOG00
	LU01343	CAKOG00
	LU01329	CAKOG00
	LU01159	CAKOG00
	LU01132	CAKOG00
	LU01024	CAKOG00
	LU01023	CAKOG00
	LU00910	CAKOG00
	LU00832	CAKOG00
	LU00788	CAKOG00
CAR2105	LU00892	CAKOG00
	LU00851	CAKOG00
	LU00850	CAKOG00
	LU00835	CAKOG00
	LU00817	CAKOG00
	LU00809	CAKOG00
	LU00746	CAKOG01
	LU00745	CAKOG00
	LU00567	CAKOG00
	LU00482	CAKOG00
	LU00418	CAKOG00
	LU00360	CAKOG00
CAR2104	S016204	CAKOG00
	S016135	CAKOG00
	LU00747	CAKOG00
	LU00526	CAKOG00
	LU00512	CAKOG00
	LU00372	CAKOG00
	LU00358	CAKOG00
	LU00345	CAKOG00
CAR2103	S016321	CAKOG00
	S016319	CAKOG00
	S016316	CAKOG00
	S016312	CAKOG00

CA RS Level	Service	FMID
	S016294	CAKOG00
	S016110	CAKOG00
	S016021	CAKOG00
CAR2102	S016290	CAKOG00
	S016134	CAKOG00
	S015905	CAKOG00
	S015869	CAKOG00
CAR2101	S016055	CAKOG00
	S016048	CAKOG00
	S016019	CAKOG00
	S015896	CAKOG00
	S015764	CAKOG00
	S015753	CAKOG00
	S015715	CAKOG00
	S015659	CAKOG00
	S015653	CAKOG00
	S015648	CAKOG00
CAR2012	S015625	CAKOG00
	S015538	CAKOG00
	S015439	CAKOG00
	S015401	CAKOG00
	S015329	CAKOG00
	S015261	CAKOG00
	S015188	CAKOG00
	S014538	CAKOG00
	S013801	CAKOG00
CAR2011	S015135	CAKOG01
CAR2010	S014947	CAKOG00
	S014769	CAKOG00
	S014730	CAKOG00
	S014521	CAKOG00
	S014515	CAKOG00
	S014444	CAKOG00
	S014341	CAKOG02
	S014340	CAKOG00
	S013550	CAKOG00
	S013289	CAKOG00
CAR2009	S014413	CAKOG00
	S014396	CAKOG01
	S014392	CAKOG00
	S014329	CAKOG00
	S014291	CAKOG00
	S013963	CAKOG00
	S013922	CAKOG00
	S013595	CAKOG00
	S013542	CAKOG00
	S013469	CAKOG00

CA RS Level	Service	FMID
CAR2008	S014005	CAKOG00
	S014000	CAKOG00
	S013895	CAKOG00
	S013890	CAKOG00
	S013700	CAKOG00
	S013405	CAKOG00
CAR2007	S013600	CAKOG01
	S013533	CAKOG00
	S013510	CAKOG00
	S013389	CAKOG00
	S013382	CAKOG00
	S013311	CAKOG00
	S013060	CAKOG00
	S012830	CAKOG01
	S012413	CAKOG00
	S012332	CAKOG00
	S010618	CAKOG00
	S009836	CAKOG01
	R085669	CAKOG01
CAR2006	S013290	CAKOG00
	S013110	CAKOG00
	S013099	CAKOG00
	S013014	CAKOG00
	S012989	CAKOG00
	S012965	CAKOG00
	S012947	CAKOG00
	S012940	CAKOG00
	S012931	CAKOG00
	S012162	CAKOG00
CAR2005	S012923	CAKOG00
	S012760	CAKOG00
	S012752	CAKOG00
	S012533	CAKOG00
	S012531	CAKOG00
	S012436	CAKOG00
	S012319	CAKOG00
	S012318	CAKOG00
	S012038	CAKOG00
	S008772	CAKOG01
CAR2004	S012408	CAKOG00
	S012296	CAKOG00
	S012161	CAKOG00
	S012129	CAKOG00
	S012118	CAKOG00
	S012039	CAKOG00
	S011952	CAKOG02
CAR2003	S011984	CAKOG00

CA RS Level	Service	FMID
	S011958	CAKOG00
	S011941	CAKOG00
	S011937	CAKOG00
	S011907	CAKOG00
	S011904	CAKOG00
	S011889	CAKOG00
	S011310	CAKOG00
	S010757	CAKOG00
CAR2002	S011656	CAKOG00
	S011504	CAKOG00
	S011478	CAKOG00
	S011429	CAKOG00
	S011410	CAKOG00
	S011357	CAKOG00
	S011115	CAKOG01
	S010700	CAKOG01
CAR2001	S011311	CAKOG00
	S011307	CAKOG00
	S011233	CAKOG00
	S011151	CAKOG00
	S011146	CAKOG00
	S011140	CAKOG00
	S011041	CAKOG00
	S011001	CAKOG00
	S010778	CAKOG00
	S010486	CAKOG01
	S010485	CAKOG00
CAR1912	S010968	CAKOG00
	S010967	CAKOG00
	S010890	CAKOG00
	S010845	CAKOG00
	S010823	CAKOG00
	S010745	CAKOG00
	S010685	CAKOG00
	S010635	CAKOG00
	S010483	CAKOG01
	S010482	CAKOG00
	S006017	CAKOG01
CAR1911	S010461	CAKOG00
	S010383	CAKOG00
	S010311	CAKOG00
	S009909	CAKOG01
	S009529	CAKOG00
	S008881	CAKOG00
	S008053	CAKOG00
CAR1910	S009774	CAKOG00
	S009286	CAKOG00

CA RS Level	Service	FMID
CAR1909	S009829	CAKOG00
	S009635	CAKOG00
	S009634	CAKOG00
	S008125	CAKOG00
	S006782	CAKOG00
CAR1908	S009073	CAKOG00
	S008996	CAKOG01
	S008736	CAKOG00
	S008650	CAKOG00
	S008611	CAKOG00
	S008343	CAKOG00
CAR1907	S008923	CAKOG00
	S008909	CAKOG00
	S008791	CAKOG00
	S008601	CAKOG00
	S008490	CAKOG00
	S008205	CAKOG00
CAR1906	S008399	CAKOG00
	S008306	CAKOG00
	S008271	CAKOG00
	S008245	CAKOG00
	S008200	CAKOG00
	S008188	CAKOG00
	S008182	CAKOG00
	S008164	CAKOG01
	S008054	CAKOG00
CAR1905	S008150	CAKOG01
	S008092	CAKOG00
	S008024	CAKOG00
	S008020	CAKOG00
	S007990	CAKOG00
	S007966	CAKOG00
	S007938	CAKOG00
	S007931	CAKOG00
	S007913	CAKOG00
	S007855	CAKOG00
	S007479	CAKOG01
	S007478	CAKOG00
	S007360	CAKOG00
	S007748	CAKOG00
CAR1904	S007738	CAKOG00
	S007652	CAKOG00
	S007587	CAKOG00
	S007582	CAKOG00
	S007581	CAKOG00
	S007547	CAKOG00
	S007542	CAKOG00

CA RS Level	Service	FMID
	S007497	CAKOG00
	S007485	CAKOG00
	S007199	CAKOG00
	S007161	CAKOG00
	S007159	CAKOG01
	S007137	CAKOG00
	S006964	CAKOG00
	S006888	CAKOG00
CAR1903	S007314	CAKOG00
	S007261	CAKOG00
	S007052	CAKOG00
	S006816	CAKOG00
	S006813	CAKOG00
CAR1902	S007044	CAKOG00
	S006966	CAKOG00
	S006929	CAKOG00
	S006885	CAKOG01
	S006832	CAKOG00
	S006830	CAKOG00
	S006775	CAKOG00
	S006741	CAKOG00
	S006640	CAKOG00
	S006140	CAKOG00
	S005824	CAKOG00
	S005769	CAKOG00
	S005224	CAKOG00
	S000395	CAKOG00
	S000226	CAKOG00
CAR1901	S006621	CAKOG00
	S006616	CAKOG00
	S006599	CAKOG00
	S006548	CAKOG00
	S006175	CAKOG00
	S005546	CAKOG01
	S005545	CAKOG00
	R085987	CAKOG00
	R083213	CAKOG00
	R082305	CAKOG00
	R081855	CAKOG00
	R081160	CAKOG00
	R079885	CAKOG00
CAR1812	S006391	CAKOG00
	S006348	CAKOG00
	S005970	CAKOG00
	S005587	CAKOG01
	S005586	CAKOG00
CAR1811	S005859	CAKOG00

CA RS Level	Service	FMID
	S005801	CAKOG00
	S005724	CAKOG00
	S005697	CAKOG00
	S005615	CAKOG00
	S005608	CAKOG00
	S005421	CAKOG00
	S005414	CAKOG00
	S005401	CAKOG00
	S005128	CAKOG01
	S003835	CAKOG00
	R098948	CAKOG00
	R085956	CAKOG00
	R085935	CAKOG00
	R082900	CAKOG00
	R079659	CAKOG00
CAR1810	S005559	CAKOG00
	S005489	CAKOG00
	S005395	CAKOG02
	S005394	CAKOG00
	S005264	CAKOG00
	S005255	CAKOG00
	S005250	CAKOG00
	S005230	CAKOG00
	S005207	CAKOG00
	S004851	CAKOG00
	S004682	CAKOG00
	S000278	CAKOG01
	R098341	CAKOG00
CAR1809	S005160	CAKOG00
	S005062	CAKOG00
	S005028	CAKOG00
	S004996	CAKOG00
	S004966	CAKOG00
	S004964	CAKOG00
	S004936	CAKOG00
	S004881	CAKOG00
	S004576	CAKOG00
	S004240	CAKOG00
	S004144	CAKOG00
CAR1808	S004627	CAKOG00
	S004540	CAKOG00
	S004444	CAKOG00
	S004391	CAKOG00
	S004371	CAKOG00
	S004368	CAKOG00
	S004082	CAKOG00
	S004066	CAKOG00

CA RS Level	Service	FMID
	S003961	CAKOG00
	S003829	CAKOG00
	S003685	CAKOG00
	S003659	CAKOG00
	S001945	CAKOG00
	S001126	CAKOG00
	S000242	CAKOG00
CAR1807	S004109	CAKOG00
	S004024	CAKOG00
	S003993	CAKOG00
	S003864	CAKOG00
	S003858	CAKOG00
	S003596	CAKOG00
	S001788	CAKOG00
	S001743	CAKOG00
	S001525	CAKOG00
CAR1806	S003648	CAKOG00
	S001968	CAKOG00
	S001882	CAKOG00
	S001741	CAKOG00
	S001735	CAKOG00
	S001689	CAKOG00
	S001631	CAKOG00
	S001630	CAKOG00
	S001570	CAKOG00
CAR1805	S001513	CAKOG00
	S001509	CAKOG00
	S001489	CAKOG00
	S001355	CAKOG00
	S001285	CAKOG00
	S001267	CAKOG00
	S001265	CAKOG00
	S001198	CAKOG00
	S001008	CAKOG00
	S000861	CAKOG00
	S000468	CAKOG00
	S000279	CAKOG00
	R099747	CAKOG00
	R098984	CAKOG00
CAR1804	S001123	CAKOG00
	S001085	CAKOG00
	S001069	CAKOG00
	S000973	CAKOG01
	S000934	CAKOG00
	S000816	CAKOG00
	S000773	CAKOG00
	S000713	CAKOG00

CA RS Level	Service	FMID
CAR1803	S000316	CAKOG00
	S000387	CAKOG00
	S000365	CAKOG00
	S000262	CAKOG00
	S000254	CAKOG00
	S000250	CAKOG00
	S000249	CAKOG00
	S000170	CAKOG00
	S000140	CAKOG00
	S000139	CAKOG00
	S000092	CAKOG00
	S000039	CAKOG01
	R099952	CAKOG00
	R099844	CAKOG00
	R099694	CAKOG00
CAR1802	R099650	CAKOG00
	R098925	CAKOG00
	R098826	CAKOG00
	S000169	CAKOG01
	S000168	CAKOG00
	S000132	CAKOG00
	S000082	CAKOG00
	S000049	CAKOG00
	R099939	CAKOG00
	R099736	CAKOG01
	R099645	CAKOG00
	R099610	CAKOG00
	R099576	CAKOG00
	R099396	CAKOG00
	R098940	CAKOG00
CAR1801	R098773	CAKOG00
	R098733	CAKOG00
	R098492	CAKOG01
	R097905	CAKOG00
	R099690	CAKOG00
	R099512	CAKOG00
	R099484	CAKOG00
	R099394	CAKOG00
	R099320	CAKOG00
	R099095	CAKOG00
	R099091	CAKOG00
	R099005	CAKOG00
	R098361	CAKOG00
	R097776	CAKOG00
	R099287	CAKOG00
CAR1712	R099167	CAKOG00
	R098943	CAKOG00

CA RS Level	Service	FMID
	R098852	CAKOG00
	R098804	CAKOG00
	R098757	CAKOG00
	R098395	CAKOG00
	R098011	CAKOG00
	R094537	CAKOG00
CAR1711	R098795	CAKOG00
	R098734	CAKOG03
	R098716	CAKOG00
	R098634	CAKOG03
	R098458	CAKOG00
	R098455	CAKOG00
	R098437	CAKOG02
	R098394	CAKOG00
	R098390	CAKOG00
	R098389	CAKOG00
	R098365	CAKOG00
	R098358	CAKOG00
	R098297	CAKOG00
	R097411	CAKOG00
	R094019	CAKOG02
	R094018	CAKOG00
CAR1710	R098232	CAKOG00
	R098051	CAKOG00
	R097899	CAKOG00
	R097892	CAKOG00
	R097832	CAKOG00
	R097814	CAKOG00
	R097809	CAKOG00
	R097746	CAKOG00
	R097567	CAKOG00
	R097504	CAKOG02
	R097390	CAKOG00
	R097372	CAKOG01
	R097371	CAKOG00
	R091062	CAKOG00
CAR1709	R097317	CAKOG00
	R097257	CAKOG00
	R097114	CAKOG00
	R097009	CAKOG00
CAR1708	R097041	CAKOG00
	R096998	CAKOG00
	R096977	CAKOG00
	R096857	CAKOG00
	R096670	CAKOG00
	R096542	CAKOG00
	R096225	CAKOG00

CA RS Level	Service	FMID
	R096135	CAKOG01
	R095752	CAKOG00
	R094449	CAKOG00
	R094015	CAKOG00
	R091735	CAKOG00
	R091733	CAKOG01
CAR1707	R096696	CAKOG00
	R096321	CAKOG00
	R096125	CAKOG00
	R096103	CAKOG00
	R096081	CAKOG00
CAR1706	R096001	CAKOG00
	R095981	CAKOG00
	R095938	CAKOG00
	R095857	CAKOG00
	R095818	CAKOG00
	R095793	CAKOG00
	R095454	CAKOG00
	R095428	CAKOG00
	R095424	CAKOG00
	R092920	CAKOG00
CAR1705	R095692	CAKOG00
	R095291	CAKOG00
	R095244	CAKOG00
	R095201	CAKOG00
	R095061	CAKOG00
	R088301	CAKOG00
CAR1704	R095026	CAKOG00
	R094971	CAKOG00
	R094913	CAKOG00
	R094909	CAKOG00
	R094718	CAKOG00
	R094686	CAKOG00
	R094168	CAKOG00
	R093932	CAKOG00
CAR1703	R094517	CAKOG00
	R094383	CAKOG00
	R094298	CAKOG00
	R094101	CAKOG00
	R093840	CAKOG00
CAR1702	R093979	CAKOG00
	R093757	CAKOG00
	R093744	CAKOG00
	R093398	CAKOG00
CAR1701	R093171	CAKOG00
	R092888	CAKOG00
	R092584	CAKOG00

CA RS Level	Service	FMID
CAR1612	R093298	CAKOG00
	R093059	CAKOG00
	R092967	CAKOG00
	R092772	CAKOG01
	R092771	CAKOG00
	R092742	CAKOG00
	R092581	CAKOG00
	R092412	CAKOG00
	R092198	CAKOG01
	R092092	CAKOG00
	R092039	CAKOG00
CAR1611	R092854	CAKOG00
	R092811	CAKOG00
	R092809	CAKOG00
	R092808	CAKOG00
	R092696	CAKOG00
	R092675	CAKOG00
	R092619	CAKOG00
	R092560	CAKOG00
	R092502	CAKOG00
	R091873	CAKOG00
	R091186	CAKOG00
	R088880	CAKOG00
CAR1610	R091454	CAKOG00
	R091447	CAKOG00
CAR1609	R091707	CAKOG00
	R091702	CAKOG00
	R091603	CAKOG00
	R091469	CAKOG00
	R091248	CAKOG00
	R091172	CAKOG00
	R090979	CAKOG01
	R090633	CAKOG00
CAR1608	R091002	CAKOG00
	R090784	CAKOG00
	R090627	CAKOG00
	R090626	CAKOG00
	R090186	CAKOG00
	R089750	CAKOG00
	R088433	CAKOG01
	R086556	CAKOG00
CAR1607	R090358	CAKOG00
	R090317	CAKOG00
	R090165	CAKOG00
	R089936	CAKOG00
	R089828	CAKOG00
CAR1606	R090184	CAKOG01

CA RS Level	Service	FMID
	R090069	CAKOG00
	R089965	CAKOG00
	R089889	CAKOG00
	R089888	CAKOG00
	R089682	CAKOG00
	R089668	CAKOG00
	R089233	CAKOG00
CAR1605	R089361	CAKOG00
	R089334	CAKOG00
	R089210	CAKOG00
	R089203	CAKOG00
CAR1604	R088969	CAKOG02
	R088968	CAKOG00
	R088932	CAKOG00
	R088848	CAKOG00
	R088796	CAKOG00
	R088651	CAKOG00
	R088603	CAKOG00
	R088551	CAKOG00
	R088473	CAKOG00
	R088415	CAKOG00
	R087918	CAKOG00
	R087883	CAKOG00
	R087515	CAKOG00
CAR1603	R088130	CAKOG00
	R087961	CAKOG01
	R087881	CAKOG00
	R087875	CAKOG00
	R087826	CAKOG00
CAR1602	R087827	CAKOG00
	R087738	CAKOG00
	R087735	CAKOG00
	R086945	CAKOG00
	R086559	CAKOG00
	R086552	CAKOG00
	R086294	CAKOG00
	R085890	CAKOG00