

Top Secret for z/OS 16.0
CA RS 2211 Service List

1

Service	Description	Type
LU05554	CPF RECOVERY RECORDS ARE NOT CLEANED UP FROM CPFFILE	PTF
LU06640	INCORRECT RETURN CODE ON RACROUTE VERIFY WITH SERVAUTH	PTF
LU06987	TSSCFBK PRODUCES UNKNOWN DATA ENCOUNTERED MSGS WITH LU06089	PTF
LU07164	ATTACH PROGRAM SECURITY BYPASSED WITH BMC BATCH OPTIMIZER	PTF
LU07457	CICS ADDRESS SPACE ABENDS DUE TO X'15'S OVERLAY WITH LU02328	** PRP **
LU07505	AUDIT TASK FAILS TO RELEASE LOCK DURING ABEND RECOVERY	PTF
LU07536	SUPPORT THE USE OF UNIX SYSTEM SERVICES BY THE MSCA	PTF
LU07737	SECURITY OR INTEGRITY PROBLEM	** PRP **
The CA RS 2211 service count for this release is 8		

Top Secret for z/OS
CA RS 2211 Service List for CAKOG00

2

FMID	Service	Description	Type
CAKOG00	LU05554	CPF RECOVERY RECORDS ARE NOT CLEANED UP FROM CPFFILE	PTF
	LU06640	INCORRECT RETURN CODE ON RACROUTE VERIFY WITH SERVAUTH	PTF
	LU06987	TSSCFBK PRODUCES UNKNOWN DATA ENCOUNTERED MSGS WITH LU06089	PTF
	LU07164	ATTACH PROGRAM SECURITY BYPASSED WITH BMC BATCH OPTIMIZER	PTF
	LU07505	AUDIT TASK FAILS TO RELEASE LOCK DURING ABEND RECOVERY	PTF
	LU07536	SUPPORT THE USE OF UNIX SYSTEM SERVICES BY THE MSCA	PTF
	LU07737	SECURITY OR INTEGRITY PROBLEM	** PRP **
The CA RS 2211 service count for this FMID is 7			

Top Secret for z/OS
CA RS 2211 Service List for CAKOG01

3

FMID	Service	Description	Type
CAKOG01	LU07457	CICS ADDRESS SPACE ABENDS DUE TO X'15'S OVERLAY WITH LU02328	** PRP **
The CA RS 2211 service count for this FMID is 1			

Service	Details
LU05554	LU05554 M.C.S. ENTRIES = ++PTF (LU05554) REWORK(2022279) The following items are included in this solution: 1. CPF RECOVERY RECORDS ARE NOT CLEANED UP FROM CPFFILE 2. TSSCPF RETRY PROCESS TAKES LONG TIME TO CLEAR CPF RECFILE ===== CPF RECOVERY RECORDS ARE NOT CLEANED UP FROM CPFFILE PROBLEM DESCRIPTION: When the Command Propagation Facility (CPF) receiving node connection terminates or explicitly stops the connection to the sending node, commands are not resumed from the CPF recovery file once the connection resumes or is explicitly restarted via an operator command. SYMPTOMS: On the sending CPF node, commands for the receiving node remain in the CPF recovery file after the connection resumes. IMPACT: Commands are not propagated to the receiving CPF node. CIRCUMVENTION: Refresh CPF on the sending node. Ensure the receiving node is active and accepting commands from the sender. PRODUCT(S) AFFECTED: Top Secret for z/OS Version 16.0 Related Problem: TSSMVS 16805 ===== TSSCPF RETRY PROCESS TAKES LONG TIME TO CLEAR CPF RECFILE PROBLEM DESCRIPTION: The TSSCPF recovery process for re-sending TSS commands from the CPF recovery file paces commands at 50 commands every 30 seconds. For sites with large recovery files, this response time is too long. By default, this fix eliminates pacing CPF recovery commands. If control option OPTIONS(99) is set in the TSS startup parameter file, then CPF recovery file paces commands at 200 commands every 2 seconds. SYMPTOMS: TSS commands are not cleared from the CPF recovery file in a timely manner. This delay can be seen by monitoring the TSSCPF node journal file on the sending node. It should be apparent that commands are sent in batches of 50 commands every 30 seconds. IMPACT: Administration falls behind on target nodes when a link outage has occurred. CIRCUMVENTION: None. PRODUCT(S) AFFECTED: Top Secret for z/OS Version 16.0 Related Problem: TSSMVS 15898 (C) 2022 Broadcom Inc and/or its subsidiaries; All rights reserved R01290-TSS160 DESC(CPF RECOVERY RECORDS ARE NOT CLEANED UP FROM CPFFILE). ++VER (Z038) FMID (CAKOG00) PRE (LU01778 LU04016 LU04926 R084794 S005559 S016294 S016312) SUP (LT00360 LT04277 LT05500 LT05554 LU00360 S006775 S013595

Service	Details
	SO14444 ST01181 ST06775 ST13595 ST13629 ST14444) ++HOLD (LU05554) SYSTEM FMID(CAKOG00) REASON (ACTION) DATE (22279) COMMENT (+-----+ Top Secret for z/OS Version 16.0 +-----+ SEQUENCE After Apply +-----+ PURPOSE Load module into LLA and activate +-----+ USERS Installations using Command Propagation Facility (CPF) AFFECTED +-----+ KNOWLEDGE 1. Console commands REQUIRED 2. Top Secret administration +-----+ ACCESS 1. Console authority REQUIRED 2. TSS administrative authority +-----+ ***** * STEPS TO PERFORM * ***** 1. Issue LLA,REFRESH 2. Recycle CPF with TSS,CPF(REFRESH) or TSS,CPF(OFF) followed by TSS,CPF(ON)). ++HOLD (LU05554) SYSTEM FMID(CAKOG00) REASON (DOC) DATE (22279) COMMENT (+-----+ Top Secret for z/OS Version 16.0 +-----+ ***** * PUBLICATION * ***** Top Secret Administrative Guide Specifying Control Options to Modify your Environment Options(99) - Enables pacing of commands from the CPF recovery file when a connection resumes between nodes. Pacing will be 200 commands sent every 2 seconds.).

Service	Details
LU06640	LU06640 M.C.S. ENTRIES = ++PTF (LU06640) REWORK(2022284) The following items are included in this solution: 1. INCORRECT RETURN CODE ON RACROUTE VERIFY WITH SERVAUTH 2. BPXAS ADDRESS SPACES SUFFER SUBPOOL 255 STORAGE LEAK ===== INCORRECT RETURN CODE ON RACROUTE VERIFY WITH SERVAUTH PROBLEM DESCRIPTION: When issuing a RACROUTE VERIFY CREATE request that contains a SERVAUTH parameter, and the user does not have the required access, the RACF return code is returned as x'1C' when it should be returned as x'30'. SYMPTOMS: Current RC: x8/1C - The user's access has been revoked. Correct RC: x8/30 - The user is not authorized to the port of entry in the TERMINAL, JESINPUT, or CONSOLE class. IMPACT: The use of an incorrect return code may cause an application to respond in an undesired manner. CIRCUMVENTION: None. PRODUCT(S) AFFECTED: Top Secret for z/OS Version 16.0 Related Problem: TSSMVS 17602 ===== BPXAS ADDRESS SPACES SUFFER SUBPOOL 255 STORAGE LEAK PROBLEM DESCRIPTION: BPXAS Address Spaces may not be able to initiate new work due to region space. Use of the DIAGxx VSM CHECKREGIONLOSS parameter led to the discovery of this problem. There is a Subpool 255 storage leak that causes the problem. A virtual storage analysis reveals that there are storage blocks which start with the eye catcher 'TSENS' and the length of these blocks have been observed to be x70 (112) or x80 (128) bytes long, but the length may be different depending on the BPXnnn message these blocks contain. These blocks contain messages related to USS Program Control conditions. Messages within the storage blocks are: BPX014I ENVIRONMENT MUST REMAIN CONTROLLED for DAEMON (BPX.DAEMON) PROCESSING and BPX015I HFS PROGRAM /bin/xxxxx.... IS NOT MARKED PROGRAM CONTROLLED . SYMPTOMS: S822 or S80A abends when USS initiates work in a BPXAS address space. IMPACT: BPXAS Address Spaces restart when no work is scheduled on them for 30 minutes. Depending on how much USS related work is on the system the problem might not surface. The problem also requires BPXnnnI conditions to arise so in general the impact of the problem is minimal. CIRCUMVENTION: Address any USS Program Control situations that generate BPXnnnI messages. Some of these situations could be suppressed by other USS or security settings. It might be difficult to resolve the situations at the level of granularity required. PRODUCT(S) AFFECTED:

Service	Details
	Top Secret for z/OS Version 16.0 Related Problem: TSSMVS 17686 (C) 2022 Broadcom Inc and/or its subsidiaries; All rights reserved R01324-TSS160 DESC(INCORRECT RETURN CODE ON RACROUTE VERIFY WITH SERVAUTH) . ++VER (Z038) FMID (CAKOG00) PRE (LU00910 LU01778 LU02880 LU03416 LU04016 LU05293 LU05818 R083104 R084794 R086945 R088603 R088796 R089334 R092696 R092771 R094971 R095793 R096696 R096857 R098297 R098804 R099167 R099320 R099512 R099645 S000168 S000713 S001265 S001489 S001509 S001630 S003993 S004066 S004391 S004444 S004966 S004996 S005250 S005264 S005615 S006391 S006599 S006616 S006832 S006966 S007990 S008020 S008490 S010311 S010482 S010485 S012161 S012296 S012318 S012940 S014392 S014730 S015439 S015715 S016290 S016294) SUP (AR88603 AR98297 AS10311 AS16290 BL00910 BR88603 BR89334 CS16294 LT00817 LT01407 LT01685 LT02026 LT03155 LT03197 LT04128 LT04196 LT04674 LT04993 LT06491 LT06640 LU00817 LU01407 LU01685 LU02026 LU03197 LU04128 LU04674 LU04993 R089210 R089889 R090784 R094168 R095692 R097390 R097899 R098795 S000254 S000773 S001513 S001741 S001968 S005801 S005970 S007052 S007652 S008399 S008736 S011140 S011410 S016319 ST00032 ST00254 ST00773 ST00906 ST01273 ST01316 ST01354 ST01371 ST01375 ST01513 ST01741 ST01968 ST03828 ST03830 ST04670 ST05226 ST05801 ST05970 ST07052 ST07408 ST07562 ST07568 ST07628 ST07652 ST08390 ST08399 ST08736 ST11140 ST11378 ST11410 ST11633 ST11950 ST16319 TR89210 TR89691 TR89889 TR90753 TR90784 TR94168 TR95692 TR97390 TR97899 TR98062 TR98715 TR98795 TR99976) ++HOLD (LU06640) SYSTEM FMID(CAKOG00) REASON (DYNACT) DATE (22284) COMMENT (+-----+ Top Secret for z/OS Version 16.0 +-----+ SEQUENCE After Apply +-----+ PURPOSE Activate changes without an IPL +-----+ USERS All users AFFECTED +-----+ KNOWLEDGE TSS administrative commands REQUIRED z/OS Operator commands +-----+ ACCESS TSS administrative command authority REQUIRED z/OS Operator command authority +-----+ ***** * STEPS TO PERFORM * *****

Service	Details
	1. LLA REFRESH 2. S TSS,,,REINIT) .

Service	Details
LU06987	LU06987 M.C.S. ENTRIES = ++PTF (LU06987) REWORK(2022279) The following items are included in this solution: 1. TSSCFBK PRODUCES UNKNOWN DATA ENCOUNTERED MSGS WITH LU06089 2. TSSCFBK LIST(SDT) CALENDAR(ALL) WITH NO CALENDARS GETS RC 0 3. TSSCFBK LIST(SDT) KERBLINK(ALL) INCORRECT NO RECORDS EXIST ===== TSSCFBK PRODUCES UNKNOWN DATA ENCOUNTERED MSGS WITH LU06089 PROBLEM DESCRIPTION: With LU06089 applied the TSSCFBK utility will fail to produce OUT DD data if the input command produces more than a small amount of output. Legitimate "Unknown data encountered on next line for" messages result in a condition code of 0000 for the TSSCFBK job step but the condition code should be 8 when the message is correctly issued. SYMPTOMS: PRINT file output will include this message multiple times- Unknown data encountered on next line for ... This message is followed by a line of normal output, but the expected first line is not shown. IMPACT: The TSSCFBK utility is unusable for all but low amount of output commands. CIRCUMVENTION: Use the TSSCFBK utility instead and run it during low TSS activity times of the day. PRODUCT(S) AFFECTED: Top Secret for z/OS Version 16.0 Related Problem: TSSMVS 18041 ===== TSSCFBK LIST(SDT) CALENDAR(ALL) WITH NO CALENDARS GETS RC 0 PROBLEM DESCRIPTION: If the TSSCFBK utility is run against the active TSS security files with a LIST(SDT) command for all entities of a particular SDT-based record type such as Calendar, Time, or Mask, and there are no such record types defined, then the correct error messages and condition code are displayed- For example- TSS LIST(SDT) CALENDAR(ALL) TSS0347E NAMED ENTRY NOT FOUND IN RECORD TSS0301I LIST FUNCTION FAILED, RETURN CODE = 8 If the TSSCFBK utility is run against the backup TSS security files, the user does not receive error messages and a condition code 0 results for LIST(SDT) ALL commands like- TSS LIST(SDT) xxxxxxxx(ALL) TSSCFBK should exhibit the same behavior as TSSCFBK for these LIST(SDT) ALL commands when record types are not defined. SYMPTOMS: TSSCFBK PRINT file output for input command- TSS LIST(SDT) CALENDAR(ALL) when there are no calendars defined results in no messages to indicate a problem. The job ends with a condition code of 0. The same result occurs for other SDT record types when ALL are requested and there are none.

Service	Details
	IMPACT: User confusion could result when the expected output is not displayed. CIRCUMVENTION: Run the TSSCFE utility against the active TSS security files instead of running the TSSCFBK utility against the backup security files. PRODUCT(S) AFFECTED: Top Secret for z/OS Version 16.0 Related Problem: TSSMVS 18229 ===== TSSCFBK LIST(SDT) KERBLINK(ALL) INCORRECT NO RECORDS EXIST PROBLEM DESCRIPTION: If command TSS LIST(SDT) KERBLINK(ALL) is issued under TSO or using the TSSCFE utility, all the KERBLINK SDT records are displayed correctly. If the same command is used with the TSSCFBK utility against the TSS Backup security files, the results are what you would expect if there are no KERBLINK records. In addition, an SVCDUMP is taken in the Top Secret address space for an S0Cx abend in SAF module CAS4QSRT. SYMPTOMS: TSS LIST(SDT) KERBLINK(ALL) command with KERBLINK records in existence results in the following messages when using the TSSCFBK utility. TSS0347E NAMED ENTRY NOT FOUND IN RECORD TSS0301I LIST FUNCTION FAILED, RETURN CODE = 8 The Top Secret address space produces an SVCDUMP with a title similar to-CCSR010E SAFKBTBU SOC1 at 0C1C7C22 LMOD SAFKBTBU CSECT CAS4QSRT +0001F2 IMPACT: The user may think that no KERBLINK records exist when in fact there may be KERBLINK records in the Top Secret Security VSAM backup file. The SVCDUMP may initiate a troubleshooting ticket. CIRCUMVENTION: Run the TSSCFE utility against the active TSS security files instead of running the TSSCFBK utility against the backup security files. PRODUCT(S) AFFECTED: Top Secret for z/OS Version 16.0 Related Problem: TSSMVS 18283 (C) 2022 Broadcom Inc and/or its subsidiaries; All rights reserved R01335-TSS160 DESC(TSSCFBK PRODUCES UNKNOWN DATA ENCOUNTERED MSGS WITH LU06089). ++VER (Z038) FMID (CAKOG00) PRE (LU04016 LU06089 LU06762 R095454 R095981 R099394 S008054 S008923 S014769) SUP (AR95454 BS14515 LT06987 R096670 R098852 R098940 S005224 S015401 S015648 ST05224 ST15401 ST15648 TR96670 TR98852 TR98940) ++HOLD (LU06987) SYSTEM FMID(CAKOG00) REASON (DYNACT) DATE (22279) COMMENT (+-----+ Top Secret for z/OS Version 16.0 +-----+ SEQUENCE After Apply

Service	Details
	<pre> +-----+-----+ PURPOSE PTF Activation Instructions +-----+-----+ USERS Top Secret sites that use the TSSCFBK utility AFFECTED +-----+-----+ KNOWLEDGE Top Secret shutdown and startup commands REQUIRED +-----+-----+ ACCESS z/OS Console command authority and Top Secret REQUIRED startup and shutdown authority +-----+-----+ ***** * STEPS TO PERFORM * ***** 1. F LLA,REFRESH 2. P TSS - Reply 'T' to WTOR 3. S TSS,,REINIT). </pre>

Service	Details		
LU07164	LU07164 M.C.S. ENTRIES = ++PTF (LU07164) REWORK(2022278) ATTACH PROGRAM SECURITY BYPASSED WITH BMC BATCH OPTIMIZER PROBLEM DESCRIPTION: When a batch job is submitted for execution, the ATTACH for the initial task normally results in a program security check event. With the BMC Batch Optimizer product active, this event is bypassed. SYMPTOMS: No messages or abends occur, but the expected program security event is effectively disabled. IMPACT: Unauthorized users may have access to programs and other resources. CIRCUMVENTION: Disable the BMC Batch Optimizer product. PRODUCT(S) AFFECTED: Top Secret for z/OS Version 16.0 Related Problem: TSSMVS 17603 (C) 2022 Broadcom Inc and/or its subsidiaries; All rights reserved R01349-TSS160 DESC(ATTACH PROGRAM SECURITY BYPASSED WITH BMC BATCH OPTIMIZER). ++VER (Z038) FMID (CAKOG00) PRE (LU00747 LU01344 LU04016 S004240 S015896) SUP (LT06478 LT07164) ++HOLD (LU07164) SYSTEM FMID(CAKOG00) REASON (DYNACT) DATE (22278) COMMENT (<table border="1"> <tr> <td>Top Secret for z/OS</td><td>Version 16.0</td></tr> </table> SEQUENCE After Apply PURPOSE Activate changes without an IPL USERS Users of BMC Batch Optimizer AFFECTED KNOWLEDGE TSS administrative commands REQUIRED z/OS Operator commands ACCESS TSS administrative command authority REQUIRED z/OS Operator command authority ***** * STEPS TO PERFORM * ***** 1. F LLA REFRESH 2. S TSS,,REINIT) .	Top Secret for z/OS	Version 16.0
Top Secret for z/OS	Version 16.0		

Service	Details
LU07457	LU07457 M.C.S. ENTRIES = ++PTF (LU07457) REWORK(2022304) CICS ADDRESS SPACE ABENDS DUE TO X'15'S OVERLAY WITH LU02328 PROBLEM DESCRIPTION: When PTF LU02328 is applied, CICS control block areas are overlaid with x'15's. The module responsible for the overlay is CAKSMSGH. This module has a MVI instruction that moves the x'15's one byte at a time in a loop and eventually the MVI instruction SOC4 abends. The problem occurs as a chain reaction to a mishandled passphrase entered on a lock screen password prompt. SYMPTOMS: CICS SOC4 abends with an SVCDUMP. The title of the SVCDUMP is CICS DUMP: SYSTEM=CIPCMT2 CODE=KERNDUMP ID=0/0000 The first SOC4 may be in Top Secret Module CAKSMSGH at offset +x2F6. The x2F6 offset is on CICS TS release 5.5. Other CICS releases show a slightly different offset. IMPACT: The CICS region must be restarted. CIRCUMVENTION: None PRODUCT(S) AFFECTED: Top Secret for z/OS Version 16.0 Related Problem: TSSMVS 18384 (C) 2022 Broadcom Inc and/or its subsidiaries; All rights reserved R01356-TSS160 DESC(CICS ADDRESS SPACE ABENDS DUE TO X'15'S OVERLAY WITH LU02328). ++VER (Z038) FMID (CAKOG01) PRE (LU01590 LU02328 LU04017 R085964 R086054 R086143 R087961 R091733 S000278 S005546 S009836) SUP (AL02328 LT07457) ++HOLD (LU07457) SYSTEM FMID(CAKOG01) REASON (DYNACT) DATE (22304) COMMENT (<pre> +-----+ Top Secret for z/OS Version 16.0 +-----+-----+ SEQUENCE After Apply +-----+-----+ PURPOSE Activating this PTF +-----+-----+ USERS Users of CICS regions that have Top Secret CICS installed AFFECTED +-----+-----+ KNOWLEDGE SMP/E for Top Secret and CICS recycle procedures REQUIRED +-----+-----+ ACCESS Top Secret SMP/E datasets and z/OS operator commands REQUIRED +-----+-----+ ***** * STEPS TO PERFORM * </pre>

Service	Details
	***** 1. F LLA REFRESH 2. Recycle CICS TS region(s)) .

Service	Details																
LU07505	LU07505 M.C.S. ENTRIES = ++PTF (LU07505) REWORK(2022278) AUDIT TASK FAILS TO RELEASE LOCK DURING ABEND RECOVERY PROBLEM DESCRIPTION: If the AUDIT task (TSSWRAUD) experiences an I/O error, the abend recovery process does not complete successfully and the AUDIT file lock is not released. In a shared AUDIT file environment, any other systems attempting to acquire the lock fail. SYMPTOMS: Messages on failing system: TSS9218I I/O ERROR ON AUDIT FILE TSS9219E AUDIT/TRACKING TASK ABENDING Messages on AUDIT file sharing systems: TSS9123A - UNABLE TO OBTAIN AUDIT FILE LOCK. TSS9123A - SYSTEM xxxx HAS HELD LOCK FOR nn MINUTES TSS9123A - IF SYSTEM xxxx IS NOT OPERATIONAL TSS9123A - REPLY 'RESET', OTHERWISE REPLY 'WAIT'. IMPACT: Audit records maintained in ECSA storage cannot be written to the audit file until the lock is released. If too many audit records accumulate in storage, the storage process starts purging non-violation type records, and these records are lost. CIRCUMVENTION: None. Respond 'RESET' on the sharing system to release the AUDIT file lock, because the abending system is not operational. PRODUCT(S) AFFECTED: Top Secret for z/OS Version 16.0 Related Problem: TSSMVS 18442 (C) 2022 Broadcom Inc and/or its subsidiaries; All rights reserved R01357-TSS160 DESC(AUDIT TASK FAILS TO RELEASE LOCK DURING ABEND RECOVERY). ++VER (Z038) FMID (CAKOG00) PRE (LU00423 LU04016) SUP (LT07505 SO13389 ST13389 TR92107) ++HOLD (LU07505) SYSTEM FMID(CAKOG00) REASON (DYNACT) DATE (22278) COMMENT (<table border="1"> <tr> <td>Top Secret for z/OS</td><td>Version 16.0</td></tr> <tr> <td>SEQUENCE</td><td>After Apply</td></tr> <tr> <td>PURPOSE</td><td>Activate changes without an IPL</td></tr> <tr> <td>USERS</td><td>All users</td></tr> <tr> <td>AFFECTED</td><td></td></tr> <tr> <td>KNOWLEDGE</td><td>TSS administrative commands</td></tr> <tr> <td>REQUIRED</td><td>z/OS Operator commands</td></tr> <tr> <td>ACCESS</td><td>TSS administrative command authority</td></tr> </table>)	Top Secret for z/OS	Version 16.0	SEQUENCE	After Apply	PURPOSE	Activate changes without an IPL	USERS	All users	AFFECTED		KNOWLEDGE	TSS administrative commands	REQUIRED	z/OS Operator commands	ACCESS	TSS administrative command authority
Top Secret for z/OS	Version 16.0																
SEQUENCE	After Apply																
PURPOSE	Activate changes without an IPL																
USERS	All users																
AFFECTED																	
KNOWLEDGE	TSS administrative commands																
REQUIRED	z/OS Operator commands																
ACCESS	TSS administrative command authority																

Service	Details
	<pre> REQUIRED z/OS Operator command authority +-----+-----+ ***** * STEPS TO PERFORM * ***** 1. F LLA REFRESH 2. S TSS,,,REINIT). </pre>

Service	Details
LU07536	LU07536 M.C.S. ENTRIES = ++PTF (LU07536) SUPPORT THE USE OF UNIX SYSTEM SERVICES BY THE MSCA ENHANCEMENT DESCRIPTION: Add support for the MSCA to log on and use Unix Systems Services. The MSCA will be logically assigned a UID(0), making it a SUPERUSER ACID. You are still required to assign all other OMVS segment fields (HOME and OMVSPGM) along with GROUP and DFLTGRP assignments to make the MSCA user USS compliant. PRODUCT(S) AFFECTED: Top Secret for z/OS Version 16.0 Related Problem: TSSMVS 18106 (C) 2022 Broadcom Inc and/or its subsidiaries; All rights reserved R01358-TSS160 DESC(SUPPORT THE USE OF UNIX SYSTEM SERVICES BY THE MSCA). ++VER (Z038) FMID (CAKOG00) PRE (LU00482 LU00835 LU01778 LU04016 LU04559 R084794 R087883 R089361 R092696 R092771 R095454 R096977 R096998 R097892 R098297 R098716 R098925 R099167 S000816 S001069 S001285 S001630 S004371 S004851 S007542 S008791 S010461 S011889 S012318 S012923 S014730 S015905 S016294) SUP (AL04559 LT01558 LT02184 LT04784 LT05406 LT06490 LT07085 LT07536 LU01558 LU04784 LU05406 LU06490 R095857 R097317 R097746 R097814 R098458 S000170 S003648 S016321 ST00170 ST01642 ST03648 ST08324 ST16321 TR95857 TR97068 TR97150 TR97317 TR97746 TR97814 TR98458) ++HOLD (LU07536) SYSTEM FMID(CAKOG00) REASON (DOC) DATE (22276) COMMENT (+-----+ Top Secret for z/OS Version 16.0 +-----+ ***** * PUBLICATION * ***** Administrating / z/OS Unix Systems Services Define an ACID as a USS User With this solution applied, the MSCA can now sign on to USS, assuming the MSCA is assigned all other required USS attributes (GROUP, DFLTGRP, HOME, OMVSPGM). You cannot assign a UID to the MSCA. A UID of 0 is logically assigned as part of the logon process. When you LIST the MSCA record, it always displays an OMVS segment with a UID of 0.). ++HOLD (LU07536) SYSTEM FMID(CAKOG00) REASON (DYNACT) DATE (22276) COMMENT (+-----+ Top Secret for z/OS Version 16.0 +-----+ SEQUENCE After Apply

Service	Details
	<pre> +-----+-----+ PURPOSE Activate changes without an IPL +-----+-----+ USERS All users AFFECTED +-----+-----+ KNOWLEDGE TSS administrative commands REQUIRED z/OS Operator commands +-----+-----+ ACCESS TSS administrative command authority REQUIRED z/OS Operator command authority +-----+-----+ ***** * STEPS TO PERFORM * ***** 1. F LLA REFRESH 2. S TSS,,REINIT). </pre>

Service	Details
LU07737	LU07737 M.C.S. ENTRIES = ++PTF (LU07737) REWORK(2022291) SECURITY OR INTEGRITY PROBLEM PROBLEM DESCRIPTION: Security or Integrity Problem. For more details access Security Advisories using the following URL: support.broadcom.com/security-advisory/security-advisories-list.html Broadcom recommends that you subscribe to notifications for Security Advisories for the associated products that you support in your organization. Please use the following URL to register for proactive notifications: https://support.broadcom.com/user/notifications.html SYMPTOMS: N/A IMPACT: Security or Integrity Problem. CIRCUMVENTION: N/A PRODUCT(S) AFFECTED: Top Secret for z/OS Version 16.0 Related Problem: TSSMVS 18628 (C) 2022 Broadcom Inc and/or its subsidiaries; All rights reserved R01362-TSS160 DESC(SECURITY OR INTEGRITY PROBLEM). ++VER (Z038) FMID (CAKOG00) PRE (LU00747 LU01344 LU04016 S004240 S015896) SUP (DC90345 LT06478 LT07164 LT07737 LU07164) ++HOLD (LU07737) SYSTEM FMID(CAKOG00) REASON (DYNACT) DATE (22291) COMMENT (<pre> +-----+ Top Secret for z/OS Version 16.0 +-----+-----+ SEQUENCE After Apply +-----+-----+ PURPOSE SECURITY OR INTEGRITY PROBLEM +-----+-----+ USERS All users AFFECTED +-----+-----+ KNOWLEDGE TSS administrative commands REQUIRED z/OS Operator commands +-----+-----+ ACCESS TSS administrative command authority REQUIRED z/OS Operator command authority +-----+-----+ ***** * STEPS TO PERFORM * ***** 1. F LLA REFRESH 2. S TSS,,REINIT). </pre>)

Service	Details		
	MCS	LU05554	STARTS ON PAGE 0002
	MCS	LU06640	STARTS ON PAGE 0004
	MCS	LU06987	STARTS ON PAGE 0007
	MCS	LU07164	STARTS ON PAGE 0010
	MCS	LU07457	STARTS ON PAGE 0012
	MCS	LU07505	STARTS ON PAGE 0013
	MCS	LU07536	STARTS ON PAGE 0015
	MCS	LU07737	STARTS ON PAGE 0016

Top Secret for z/OS 16.0
CA RS 2211 Product/Component Listing

21

Product Family	Product	Release
Security	CA TOP SECRET FOR Z/OS	16.00.00
The CA RS 2211 Product/Component Count for this release is 1		

CA RS Level	Service	FMID
CAR2211	LU07737	CAKOG00
	LU07536	CAKOG00
	LU07505	CAKOG00
	LU07457	CAKOG01
	LU07164	CAKOG00
	LU06987	CAKOG00
	LU06640	CAKOG00
	LU05554	CAKOG00
CAR2210	LU07316	CAKOG00
	LU07170	CAKOG00
	LU07029	CAKOG00
	LU06830	CAKOG00
	LU06656	CAKOG00
CAR2209	LU07090	CAKOG00
	LU06767	CAKOG00
	LU06762	CAKOG00
	LU06682	CAKOG00
	LU06679	CAKOG00
	LU06639	CAKOG00
	LU06604	CAKOG00
	LU06488	CAKOG00
	LU06467	CAKOG00
	LU05065	CAKOG00
CAR2208	LU06552	CAKOG00
	LU06537	CAKOG00
	LU06494	CAKOG00
	LU06490	CAKOG00
	LU06477	CAKOG00
	LU06445	CAKOG00
	LU06273	CAKOG01
	LU05130	CAKOG02
	LU05129	CAKOG00
	LU01590	CAKOG01
CAR2207	LU06242	CAKOG00
	LU06167	CAKOG00
	LU06162	CAKOG00
	LU06089	CAKOG00
	LU03239	CAKOG00
CAR2206	LU05818	CAKOG00
	LU05700	CAKOG00
	LU05699	CAKOG00
	LU05697	CAKOG00
	LU05572	CAKOG00
	LU05552	CAKOG00
	LU05512	CAKOG00
CAR2205	LU05406	CAKOG00
	LU05375	CAKOG00

CA RS Level	Service	FMID
	LU05293	CAKOG00
	LU05282	CAKOG00
	LU05240	CAKOG00
CAR2204	LU05191	CAKOG00
	LU05104	CAKOG00
	LU04993	CAKOG00
	LU04976	CAKOG00
	LU04926	CAKOG00
	LU04895	CAKOG00
	LU04878	CAKOG00
	LU04852	CAKOG00
	LU04784	CAKOG00
	LU04674	CAKOG00
CAR2203	LU04810	CAKOG00
	LU04761	CAKOG00
	LU04734	CAKOG00
	LU04659	CAKOG00
	LU04602	CAKOG00
	LU04560	CAKOG00
	LU04559	CAKOG00
	LU04271	CAKOG00
	LU04128	CAKOG00
	LU03467	CAKOG00
CAR2202	LU04265	CAKOG00
	LU04152	CAKOG00
	LU03830	CAKOG00
	LU03728	CAKOG00
CAR2201	LU04019	CAKOG03
	LU04018	CAKOG02
	LU04017	CAKOG01
	LU04016	CAKOG00
	LU03739	CAKOG00
	LU03598	CAKOG00
	LU03527	CAKOG00
CAR2112	LU03459	CAKOG00
	LU03444	CAKOG00
	LU03416	CAKOG00
	LU03329	CAKOG00
	LU03205	CAKOG00
	LU03197	CAKOG00
	LU03081	CAKOG00
	LU03029	CAKOG00
	LU02911	CAKOG00
	LU02905	CAKOG00
CAR2111	R085631	CAKOG00
	LU03127	CAKOG00
	LU02918	CAKOG00

CA RS Level	Service	FMID
	LU02892	CAKOG00
	LU02881	CAKOG01
	LU02880	CAKOG00
	LU02803	CAKOG00
CAR2110	LU02848	CAKOG00
	LU02668	CAKOG00
	LU02579	CAKOG00
	LU02523	CAKOG00
	LU02448	CAKOG00
	LU02403	CAKOG00
	LU02224	CAKOG00
	LU02070	CAKOG00
	LU02069	CAKOG00
CAR2109	LU02373	CAKOG00
	LU02336	CAKOG00
	LU02328	CAKOG01
	LU02263	CAKOG00
	LU02097	CAKOG00
	LU02026	CAKOG00
	LU02018	CAKOG01
	LU01778	CAKOG00
CAR2108	LU01954	CAKOG00
	LU01839	CAKOG00
	LU01701	CAKOG00
	LU01658	CAKOG01
	LU01657	CAKOG00
	LU00525	CAKOG00
	LU00423	CAKOG00
CAR2107	LU01796	CAKOG00
	LU01795	CAKOG00
	LU01759	CAKOG00
	LU01711	CAKOG00
	LU01685	CAKOG00
	LU01634	CAKOG00
	LU01608	CAKOG00
	LU01558	CAKOG00
	LU01395	CAKOG00
	LU01372	CAKOG00
	LU01356	CAKOG00
	LU01345	CAKOG00
	LU01328	CAKOG00
	LU01183	CAKOG01
	LU00987	CAKOG00
CAR2106	SO16092	CAKOG00
	RO79894	CAKOG00
	LU01475	CAKOG00
	LU01407	CAKOG00

CA RS Level	Service	FMID
	LU01344	CAKOG00
	LU01343	CAKOG00
	LU01329	CAKOG00
	LU01159	CAKOG00
	LU01132	CAKOG00
	LU01024	CAKOG00
	LU01023	CAKOG00
	LU00910	CAKOG00
	LU00832	CAKOG00
	LU00788	CAKOG00
CAR2105	LU00892	CAKOG00
	LU00851	CAKOG00
	LU00850	CAKOG00
	LU00835	CAKOG00
	LU00817	CAKOG00
	LU00809	CAKOG00
	LU00746	CAKOG01
	LU00745	CAKOG00
	LU00567	CAKOG00
	LU00482	CAKOG00
	LU00418	CAKOG00
	LU00360	CAKOG00
CAR2104	S016204	CAKOG00
	S016135	CAKOG00
	LU00747	CAKOG00
	LU00526	CAKOG00
	LU00512	CAKOG00
	LU00372	CAKOG00
	LU00358	CAKOG00
	LU00345	CAKOG00
CAR2103	S016321	CAKOG00
	S016319	CAKOG00
	S016316	CAKOG00
	S016312	CAKOG00
	S016294	CAKOG00
	S016110	CAKOG00
	S016021	CAKOG00
CAR2102	S016290	CAKOG00
	S016134	CAKOG00
	S015905	CAKOG00
	S015869	CAKOG00
CAR2101	S016055	CAKOG00
	S016048	CAKOG00
	S016019	CAKOG00
	S015896	CAKOG00
	S015764	CAKOG00
	S015753	CAKOG00

CA RS Level	Service	FMID
	S015715	CAKOG00
	S015659	CAKOG00
	S015653	CAKOG00
	S015648	CAKOG00
CAR2012	S015625	CAKOG00
	S015538	CAKOG00
	S015439	CAKOG00
	S015401	CAKOG00
	S015329	CAKOG00
	S015261	CAKOG00
	S015188	CAKOG00
	S014538	CAKOG00
	S013801	CAKOG00
CAR2011	S015135	CAKOG01
CAR2010	S014947	CAKOG00
	S014769	CAKOG00
	S014730	CAKOG00
	S014521	CAKOG00
	S014515	CAKOG00
	S014444	CAKOG00
	S014341	CAKOG02
	S014340	CAKOG00
	S013550	CAKOG00
	S013289	CAKOG00
CAR2009	S014413	CAKOG00
	S014396	CAKOG01
	S014392	CAKOG00
	S014329	CAKOG00
	S014291	CAKOG00
	S013963	CAKOG00
	S013922	CAKOG00
	S013595	CAKOG00
	S013542	CAKOG00
	S013469	CAKOG00
CAR2008	S014005	CAKOG00
	S014000	CAKOG00
	S013895	CAKOG00
	S013890	CAKOG00
	S013700	CAKOG00
	S013405	CAKOG00
CAR2007	S013600	CAKOG01
	S013533	CAKOG00
	S013510	CAKOG00
	S013389	CAKOG00
	S013382	CAKOG00
	S013311	CAKOG00
	S013060	CAKOG00

CA RS Level	Service	FMID
	S012830	CAKOG01
	S012413	CAKOG00
	S012332	CAKOG00
	S010618	CAKOG00
	S009836	CAKOG01
	R085669	CAKOG01
CAR2006	S013290	CAKOG00
	S013110	CAKOG00
	S013099	CAKOG00
	S013014	CAKOG00
	S012989	CAKOG00
	S012965	CAKOG00
	S012947	CAKOG00
	S012940	CAKOG00
	S012931	CAKOG00
	S012162	CAKOG00
CAR2005	S012923	CAKOG00
	S012760	CAKOG00
	S012752	CAKOG00
	S012533	CAKOG00
	S012531	CAKOG00
	S012436	CAKOG00
	S012319	CAKOG00
	S012318	CAKOG00
	S012038	CAKOG00
	S008772	CAKOG01
CAR2004	S012408	CAKOG00
	S012296	CAKOG00
	S012161	CAKOG00
	S012129	CAKOG00
	S012118	CAKOG00
	S012039	CAKOG00
	S011952	CAKOG02
CAR2003	S011984	CAKOG00
	S011958	CAKOG00
	S011941	CAKOG00
	S011937	CAKOG00
	S011907	CAKOG00
	S011904	CAKOG00
	S011889	CAKOG00
	S011310	CAKOG00
	S010757	CAKOG00
CAR2002	S011656	CAKOG00
	S011504	CAKOG00
	S011478	CAKOG00
	S011429	CAKOG00
	S011410	CAKOG00

CA RS Level	Service	FMID
	S011357	CAKOG00
	S011115	CAKOG01
	S010700	CAKOG01
CAR2001	S011311	CAKOG00
	S011307	CAKOG00
	S011233	CAKOG00
	S011151	CAKOG00
	S011146	CAKOG00
	S011140	CAKOG00
	S011041	CAKOG00
	S011001	CAKOG00
	S010778	CAKOG00
	S010486	CAKOG01
	S010485	CAKOG00
CAR1912	S010968	CAKOG00
	S010967	CAKOG00
	S010890	CAKOG00
	S010845	CAKOG00
	S010823	CAKOG00
	S010745	CAKOG00
	S010685	CAKOG00
	S010635	CAKOG00
	S010483	CAKOG01
	S010482	CAKOG00
	S006017	CAKOG01
CAR1911	S010461	CAKOG00
	S010383	CAKOG00
	S010311	CAKOG00
	S009909	CAKOG01
	S009529	CAKOG00
	S008881	CAKOG00
	S008053	CAKOG00
CAR1910	S009774	CAKOG00
	S009286	CAKOG00
CAR1909	S009829	CAKOG00
	S009635	CAKOG00
	S009634	CAKOG00
	S008125	CAKOG00
	S006782	CAKOG00
CAR1908	S009073	CAKOG00
	S008996	CAKOG01
	S008736	CAKOG00
	S008650	CAKOG00
	S008611	CAKOG00
	S008343	CAKOG00
CAR1907	S008923	CAKOG00
	S008909	CAKOG00

CA RS Level	Service	FMID
	S008791	CAKOG00
	S008601	CAKOG00
	S008490	CAKOG00
	S008205	CAKOG00
CAR1906	S008399	CAKOG00
	S008306	CAKOG00
	S008271	CAKOG00
	S008245	CAKOG00
	S008200	CAKOG00
	S008188	CAKOG00
	S008182	CAKOG00
	S008164	CAKOG01
	S008054	CAKOG00
CAR1905	S008150	CAKOG01
	S008092	CAKOG00
	S008024	CAKOG00
	S008020	CAKOG00
	S007990	CAKOG00
	S007966	CAKOG00
	S007938	CAKOG00
	S007931	CAKOG00
	S007913	CAKOG00
	S007855	CAKOG00
	S007479	CAKOG01
	S007478	CAKOG00
	S007360	CAKOG00
CAR1904	S007748	CAKOG00
	S007738	CAKOG00
	S007652	CAKOG00
	S007587	CAKOG00
	S007582	CAKOG00
	S007581	CAKOG00
	S007547	CAKOG00
	S007542	CAKOG00
	S007497	CAKOG00
	S007485	CAKOG00
	S007199	CAKOG00
	S007161	CAKOG00
	S007159	CAKOG01
	S007137	CAKOG00
	S006964	CAKOG00
	S006888	CAKOG00
CAR1903	S007314	CAKOG00
	S007261	CAKOG00
	S007052	CAKOG00
	S006816	CAKOG00
	S006813	CAKOG00

CA RS Level	Service	FMID
CAR1902	S007044	CAKOG00
	S006966	CAKOG00
	S006929	CAKOG00
	S006885	CAKOG01
	S006832	CAKOG00
	S006830	CAKOG00
	S006775	CAKOG00
	S006741	CAKOG00
	S006640	CAKOG00
	S006140	CAKOG00
	S005824	CAKOG00
	S005769	CAKOG00
	S005224	CAKOG00
	S000395	CAKOG00
	S000226	CAKOG00
CAR1901	S006621	CAKOG00
	S006616	CAKOG00
	S006599	CAKOG00
	S006548	CAKOG00
	S006175	CAKOG00
	S005546	CAKOG01
	S005545	CAKOG00
	R085987	CAKOG00
	R083213	CAKOG00
	R082305	CAKOG00
	R081855	CAKOG00
	R081160	CAKOG00
	R079885	CAKOG00
CAR1812	S006391	CAKOG00
	S006348	CAKOG00
	S005970	CAKOG00
	S005587	CAKOG01
	S005586	CAKOG00
CAR1811	S005859	CAKOG00
	S005801	CAKOG00
	S005724	CAKOG00
	S005697	CAKOG00
	S005615	CAKOG00
	S005608	CAKOG00
	S005421	CAKOG00
	S005414	CAKOG00
	S005401	CAKOG00
	S005128	CAKOG01
	S003835	CAKOG00
	R098948	CAKOG00
	R085956	CAKOG00
	R085935	CAKOG00

CA RS Level	Service	FMID
	R082900	CAKOG00
	R079659	CAKOG00
CAR1810	S005559	CAKOG00
	S005489	CAKOG00
	S005395	CAKOG02
	S005394	CAKOG00
	S005264	CAKOG00
	S005255	CAKOG00
	S005250	CAKOG00
	S005230	CAKOG00
	S005207	CAKOG00
	S004851	CAKOG00
	S004682	CAKOG00
	S000278	CAKOG01
	R098341	CAKOG00
CAR1809	S005160	CAKOG00
	S005062	CAKOG00
	S005028	CAKOG00
	S004996	CAKOG00
	S004966	CAKOG00
	S004964	CAKOG00
	S004936	CAKOG00
	S004881	CAKOG00
	S004576	CAKOG00
	S004240	CAKOG00
	S004144	CAKOG00
CAR1808	S004627	CAKOG00
	S004540	CAKOG00
	S004444	CAKOG00
	S004391	CAKOG00
	S004371	CAKOG00
	S004368	CAKOG00
	S004082	CAKOG00
	S004066	CAKOG00
	S003961	CAKOG00
	S003829	CAKOG00
	S003685	CAKOG00
	S003659	CAKOG00
	S001945	CAKOG00
	S001126	CAKOG00
	S000242	CAKOG00
CAR1807	S004109	CAKOG00
	S004024	CAKOG00
	S003993	CAKOG00
	S003864	CAKOG00
	S003858	CAKOG00
	S003596	CAKOG00

CA RS Level	Service	FMID
	S001788	CAKOG00
	S001743	CAKOG00
	S001525	CAKOG00
CAR1806	S003648	CAKOG00
	S001968	CAKOG00
	S001882	CAKOG00
	S001741	CAKOG00
	S001735	CAKOG00
	S001689	CAKOG00
	S001631	CAKOG00
	S001630	CAKOG00
	S001570	CAKOG00
CAR1805	S001513	CAKOG00
	S001509	CAKOG00
	S001489	CAKOG00
	S001355	CAKOG00
	S001285	CAKOG00
	S001267	CAKOG00
	S001265	CAKOG00
	S001198	CAKOG00
	S001008	CAKOG00
	S000861	CAKOG00
	S000468	CAKOG00
	S000279	CAKOG00
	R099747	CAKOG00
	R098984	CAKOG00
CAR1804	S001123	CAKOG00
	S001085	CAKOG00
	S001069	CAKOG00
	S000973	CAKOG01
	S000934	CAKOG00
	S000816	CAKOG00
	S000773	CAKOG00
	S000713	CAKOG00
	S000316	CAKOG00
CAR1803	S000387	CAKOG00
	S000365	CAKOG00
	S000262	CAKOG00
	S000254	CAKOG00
	S000250	CAKOG00
	S000249	CAKOG00
	S000170	CAKOG00
	S000140	CAKOG00
	S000139	CAKOG00
	S000092	CAKOG00
	S000039	CAKOG01
	R099952	CAKOG00

CA RS Level	Service	FMID
	R099844	CAKOG00
	R099694	CAKOG00
	R099650	CAKOG00
	R098925	CAKOG00
	R098826	CAKOG00
CAR1802	S000169	CAKOG01
	S000168	CAKOG00
	S000132	CAKOG00
	S000082	CAKOG00
	S000049	CAKOG00
	R099939	CAKOG00
	R099736	CAKOG01
	R099645	CAKOG00
	R099610	CAKOG00
	R099576	CAKOG00
	R099396	CAKOG00
	R098940	CAKOG00
	R098773	CAKOG00
	R098733	CAKOG00
	R098492	CAKOG01
	R097905	CAKOG00
CAR1801	R099690	CAKOG00
	R099512	CAKOG00
	R099484	CAKOG00
	R099394	CAKOG00
	R099320	CAKOG00
	R099095	CAKOG00
	R099091	CAKOG00
	R099005	CAKOG00
	R098361	CAKOG00
	R097776	CAKOG00
CAR1712	R099287	CAKOG00
	R099167	CAKOG00
	R098943	CAKOG00
	R098852	CAKOG00
	R098804	CAKOG00
	R098757	CAKOG00
	R098395	CAKOG00
	R098011	CAKOG00
	R094537	CAKOG00
CAR1711	R098795	CAKOG00
	R098734	CAKOG03
	R098716	CAKOG00
	R098634	CAKOG03
	R098458	CAKOG00
	R098455	CAKOG00
	R098437	CAKOG02

CA RS Level	Service	FMID
	R098394	CAKOG00
	R098390	CAKOG00
	R098389	CAKOG00
	R098365	CAKOG00
	R098358	CAKOG00
	R098297	CAKOG00
	R097411	CAKOG00
	R094019	CAKOG02
	R094018	CAKOG00
CAR1710	R098232	CAKOG00
	R098051	CAKOG00
	R097899	CAKOG00
	R097892	CAKOG00
	R097832	CAKOG00
	R097814	CAKOG00
	R097809	CAKOG00
	R097746	CAKOG00
	R097567	CAKOG00
	R097504	CAKOG02
	R097390	CAKOG00
	R097372	CAKOG01
	R097371	CAKOG00
	R091062	CAKOG00
CAR1709	R097317	CAKOG00
	R097257	CAKOG00
	R097114	CAKOG00
	R097009	CAKOG00
CAR1708	R097041	CAKOG00
	R096998	CAKOG00
	R096977	CAKOG00
	R096857	CAKOG00
	R096670	CAKOG00
	R096542	CAKOG00
	R096225	CAKOG00
	R096135	CAKOG01
	R095752	CAKOG00
	R094449	CAKOG00
	R094015	CAKOG00
	R091735	CAKOG00
	R091733	CAKOG01
CAR1707	R096696	CAKOG00
	R096321	CAKOG00
	R096125	CAKOG00
	R096103	CAKOG00
	R096081	CAKOG00
CAR1706	R096001	CAKOG00
	R095981	CAKOG00

CA RS Level	Service	FMID
	R095938	CAKOG00
	R095857	CAKOG00
	R095818	CAKOG00
	R095793	CAKOG00
	R095454	CAKOG00
	R095428	CAKOG00
	R095424	CAKOG00
	R092920	CAKOG00
CAR1705	R095692	CAKOG00
	R095291	CAKOG00
	R095244	CAKOG00
	R095201	CAKOG00
	R095061	CAKOG00
	R088301	CAKOG00
CAR1704	R095026	CAKOG00
	R094971	CAKOG00
	R094913	CAKOG00
	R094909	CAKOG00
	R094718	CAKOG00
	R094686	CAKOG00
	R094168	CAKOG00
	R093932	CAKOG00
CAR1703	R094517	CAKOG00
	R094383	CAKOG00
	R094298	CAKOG00
	R094101	CAKOG00
	R093840	CAKOG00
CAR1702	R093979	CAKOG00
	R093757	CAKOG00
	R093744	CAKOG00
	R093398	CAKOG00
CAR1701	R093171	CAKOG00
	R092888	CAKOG00
	R092584	CAKOG00
CAR1612	R093298	CAKOG00
	R093059	CAKOG00
	R092967	CAKOG00
	R092772	CAKOG01
	R092771	CAKOG00
	R092742	CAKOG00
	R092581	CAKOG00
	R092412	CAKOG00
	R092198	CAKOG01
	R092092	CAKOG00
	R092039	CAKOG00
CAR1611	R092854	CAKOG00
	R092811	CAKOG00

CA RS Level	Service	FMID
	R092809	CAKOG00
	R092808	CAKOG00
	R092696	CAKOG00
	R092675	CAKOG00
	R092619	CAKOG00
	R092560	CAKOG00
	R092502	CAKOG00
	R091873	CAKOG00
	R091186	CAKOG00
	R088880	CAKOG00
CAR1610	R091454	CAKOG00
	R091447	CAKOG00
CAR1609	R091707	CAKOG00
	R091702	CAKOG00
	R091603	CAKOG00
	R091469	CAKOG00
	R091248	CAKOG00
	R091172	CAKOG00
	R090979	CAKOG01
	R090633	CAKOG00
CAR1608	R091002	CAKOG00
	R090784	CAKOG00
	R090627	CAKOG00
	R090626	CAKOG00
	R090186	CAKOG00
	R089750	CAKOG00
	R088433	CAKOG01
	R086556	CAKOG00
CAR1607	R090358	CAKOG00
	R090317	CAKOG00
	R090165	CAKOG00
	R089936	CAKOG00
	R089828	CAKOG00
CAR1606	R090184	CAKOG01
	R090069	CAKOG00
	R089965	CAKOG00
	R089889	CAKOG00
	R089888	CAKOG00
	R089682	CAKOG00
	R089668	CAKOG00
	R089233	CAKOG00
CAR1605	R089361	CAKOG00
	R089334	CAKOG00
	R089210	CAKOG00
	R089203	CAKOG00
CAR1604	R088969	CAKOG02
	R088968	CAKOG00

CA RS Level	Service	FMID
	R088932	CAKOG00
	R088848	CAKOG00
	R088796	CAKOG00
	R088651	CAKOG00
	R088603	CAKOG00
	R088551	CAKOG00
	R088473	CAKOG00
	R088415	CAKOG00
	R087918	CAKOG00
	R087883	CAKOG00
	R087515	CAKOG00
CAR1603	R088130	CAKOG00
	R087961	CAKOG01
	R087881	CAKOG00
	R087875	CAKOG00
	R087826	CAKOG00
CAR1602	R087827	CAKOG00
	R087738	CAKOG00
	R087735	CAKOG00
	R086945	CAKOG00
	R086559	CAKOG00
	R086552	CAKOG00
	R086294	CAKOG00
	R085890	CAKOG00