

CA Endeavor SCM 18.1
CA RS 2001 Service List

Service	Description	Type
SO10822	BSTXCOPY DOES NOT RETURN THE CORRECT REASON CODE FOR BINDER	PTF
SO10824	ALLOC=LMAP/PMAP FUNCTIONALITY FOR USS PATHS AND MEMBERS	PTF
SO10825	ECLIPSE UI: RELEASE 18.1.3	PTF
SO10896	PROCESSOR - UNSUPPORTED EXEC PARAMETERS	PTF
SO10979	MORE INFORMATION FOR ERROR C1G0034E	PTF
SO11123	LL OPTION SHOULD NOT BE VISIBLE WHEN ASCM=N SET IN C1DEFLT5	PTF
SO11124	LL OPTION SHOULD NOT BE VISIBLE WHEN ASCM=N SET IN C1DEFLT5	PTF
The CA RS 2001 service count for this release is 7		

CA Endeavor SCM
CA RS 2001 Service List for CSIQI10

FMID	Service	Description	Type
CSIQI10	SO10822	BSTXCOPY DOES NOT RETURN THE CORRECT REASON CODE FOR BINDER	PTF
	SO10824	ALLOC=LMAP/PMAP FUNCTIONALITY FOR USS PATHS AND MEMBERS	PTF
	SO10896	PROCESSOR - UNSUPPORTED EXEC PARAMETERS	PTF
	SO10979	MORE INFORMATION FOR ERROR C1G0034E	PTF
	SO11123	LL OPTION SHOULD NOT BE VISIBLE WHEN ASCM=N SET IN C1DEFULTS	PTF
The CA RS 2001 service count for this FMID is 5			

CA Endeavor SCM
CA RS 2001 Service List for CSIQI11

FMID	Service	Description	Type
CSIQI11	SO11124	LL OPTION SHOULD NOT BE VISIBLE WHEN ASCM=N SET IN C1DEFLT5	PTF
The CA RS 2001 service count for this FMID is 1			

CA Endeavor SCM
CA RS 2001 Service List for CSIQI13

FMID	Service	Description	Type
CSIQI13	SO10825	ECLIPSE UI: RELEASE 18.1.3	PTF
The CA RS 2001 service count for this FMID is 1			

CA Endeavor SCM 18.1
CA RS 2001 - PTF SO10822 Details

Service	Details						
SO10822	<p>SO10822 M.C.S. ENTRIES = ++PTF (SO10822)</p> <p>BSTXCOPY DOES NOT RETURN THE CORRECT REASON CODE FOR BINDER</p> <p>PROBLEM DESCRIPTION:</p> <p>The BSTXCOPY utility returns the return code instead of the reason code for the Binder when used to copy and convert datasets from PDS to PDSE. This leads to customer confusion as the reason code reported is not the same as the reason code that the Binder would have returned and hence, the user cannot find the root cause of the problem.</p> <p>SYMPTOMS:</p> <p>The reason code provided to the clients do not correspond to the reason code of the Binder.</p> <p>IMPACT:</p> <p>The client cannot investigate their problem as the reason code is incorrect.</p> <p>CIRCUMVENTION:</p> <p>None.</p> <p>PRODUCT(S) AFFECTED:</p> <table style="width: 100%; border: none;"> <tr> <td style="width: 80%;">CA Endeavor SCM</td> <td style="text-align: right;">Version 17.0</td> </tr> <tr> <td>CA Endeavor SCM</td> <td style="text-align: right;">Version 18.0</td> </tr> <tr> <td>CA Endeavor SCM</td> <td style="text-align: right;">Version 18.1</td> </tr> </table> <p>Related Problem:</p> <p>ENDBAS 7656</p> <p>Copyright (C) 2019 CA. All rights reserved. R00004-SCM181-SP0</p> <p>DESC(BSTXCOPY DOES NOT RETURN THE CORRECT REASON CODE FOR BINDER).</p> <p>++VER (Z038)</p> <p>FMID (CSIQI10)</p> <p>SUP (ST10822)</p>	CA Endeavor SCM	Version 17.0	CA Endeavor SCM	Version 18.0	CA Endeavor SCM	Version 18.1
CA Endeavor SCM	Version 17.0						
CA Endeavor SCM	Version 18.0						
CA Endeavor SCM	Version 18.1						

CA Endeavor SCM 18.1
CA RS 2001 - PTF SO10824 Details

Service	Details
SO10824	<p>SO10824 M.C.S. ENTRIES = ++PTF (SO10824)</p> <p>ALLOC=LMAP/PMAP FUNCTIONALITY FOR USS PATHS AND MEMBERS</p> <p>ENHANCEMENT DESCRIPTION:</p> <p>Processor keyword ALLOC=LMAP/PMAP is used to automatically expand a DD statement into a concatenation based on the map. This is currently limited to cases when Endeavor symbol is used in the data set name. This PTF enhances ALLOC=LMAP/PMAP to create concatenation expansion also when Endeavor symbols are located in USS path names or member names.</p> <p>PRODUCTS AFFECTED:</p> <p>CA Endeavor Software Change Manager, Version 18.0</p> <p>Related Problem:</p> <p>ENDBAS 7732</p> <p>Copyright (C) 2019 CA. All rights reserved. R00005-SCM181-SP0</p> <p>DESC(ALLOC=LMAP/PMAP FUNCTIONALITY FOR USS PATHS AND MEMBERS).</p> <p>++VER (Z038)</p> <p>FMID (CSIQI10)</p> <p>SUP (ST10824)</p>

**CA Endeavor SCM 18.1
CA RS 2001 - PTF SO10825 Details**

Service	Details
SO10825	<p>SO10825 M.C.S. ENTRIES = ++PTF (SO10825)</p> <p>ECLIPSE UI: RELEASE 18.1.3 Eclipse UI Release 18.1.3</p> <ul style="list-style-type: none"> - Uppercasing of package notes needs to be removed <p>Removing the logic responsible for capitalizing the Package notes string, during Cast and Approve actions.</p> <p>This was removed only partly in the version 18.1.2</p> <ul style="list-style-type: none"> - Fixes for type loading <p>It is possible that types are loading multiple times even though they are already loaded. This is in case we are getting entire map during the project refresh. This should also fix freezing of the UI before the Generate Action Options dialog is displayed, This freezing is caused by loading of the types and processor groups.</p> <ul style="list-style-type: none"> - Save Username to memento <p>Adding an annotation to include the username into the memento that stores Endeavor data.</p> <ul style="list-style-type: none"> - Element view search info bar is not refreshed <p>When the repository is searched for the first time, and Element view is brought into focus after the search, the search info bar is incorrect.</p> <ul style="list-style-type: none"> - Updates to package workflow <p>Various updates to the package workflow</p> <ul style="list-style-type: none"> - Hashcode of the element content can be incorrect * Fix for retrieve to local where Hashcode can be incorrect * Search project fix - SEARCH option is now set * printStackTrace(...) added for tracing - Unable to locate project endeavor_local <p>For the "List Log" action on the Log View entry, there is a special project "endeavor_local" created. Problem is, that this special project is not treated as such during the delta tracking therefore plugin is looking for it in internal structures where there is no such project, and issuing error: "Unable to locate project endeavor_local"</p> <p>Related Problem: ENDBAS 7739</p> <p>Copyright (C) 2019 CA. All rights reserved. R00006-SCM181-SP0</p> <p>DESC(ECLIPSE UI: RELEASE 18.1.3). ++VER (Z038) FMID (CSIQI13) SUP (ST10825) ++HOLD (SO10825) SYSTEM FMID(CSIQI13) REASON (ACTION) DATE (19322) COMMENT (</p> <pre> +-----+ CA Endeavor SCM for Web Services Version 18.1 +-----+ SEQUENCE After Apply +-----+ PURPOSE This correction delivers an updated Endeavor Eclipse plug-in. To implement this update, you must DEPLOY or UPDATE the Eclipse-BasedUI to the target Tomcat directory and then recycle the Tomcat server for this update to be available for Eclipse users. +-----+ USERS All Endeavor Eclipse Plug-in users. AFFECTED +-----+ KNOWLEDGE 1. SMP/e REQUIRED 2. Endeavor Web Services 3. Tomcat 4. Unix System Services +-----+ </pre>

CA Endeavor SCM 18.1
 CA RS 2001 - PTF SO10825 Details

Service	Details
	<pre> ACCESS 1. Update access to USS target and deployment files REQUIRED 2. Ability to stop and start Tomcat +-----+-----+-----+-----+-----+-----+-----+-----+-----+-----+ ***** * STEPS TO PERFORM * *****</pre>
	<pre>1. Stop Tomcat 2. Verify that the parameters in the ENWSInstallOptions.properties file are set according to your environment. This file resides in the USS directory where this PTF has been installed to (USS install directory). 3. In the TSO OMVS environment, change to the directory where the script EclipseIns.sh resides: cd <USS install directory>/tpv execute the script: sh EclipseIns.sh 4. Start Tomcat 5. Inform users that an update is available and they should "Check for new Software" in Eclipse to update the version of the Endeavor plug-in installed on their machine.). BINARY LINK('.. /tpv/tomcat/webapps/endeavor_eclipse_plugin .zip') PARM(PATHMODE(0,7,7,5)) .</pre>

CA Endeavor SCM 18.1
CA RS 2001 - PTF SO10896 Details

Service	Details
SO10896	<p>SO10896 M.C.S. ENTRIES = ++PTF (SO10896)</p> <p>PROCESSOR - UNSUPPORTED EXEC PARAMETERS</p> <p>PROBLEM DESCRIPTION: In an Endeavor, a subset of the parameters of the JCL EXEC statement are supported. The parameters that were added more recently are reported as invalid instead of unsupported.</p> <p>SYMPTOMS: The generate of a processor fails with an error instead of succeeding with a warning.</p> <p>IMPACT: As long as the unrecognized keyword is present on the EXEC statement, the generate of the processor fails.</p> <p>CIRCUMVENTION: Remove the keyword from the EXEC statement.</p> <p>PRODUCT(S) AFFECTED: CA Endeavor SCM Version 18.0</p> <p>Related Problem: ENDBAS 7740</p> <p>Copyright (C) 2019 CA. All rights reserved. R00008-SCM181-SP0</p> <p>DESC(PROCESSOR - UNSUPPORTED EXEC PARAMETERS). ++VER (Z038) FMID (CSIQI10) SUP (ST10896)</p>

CA Endeavor SCM 18.1
CA RS 2001 - PTF SO10979 Details

Service	Details
SO10979	<p>SO10979 M.C.S. ENTRIES = ++PTF (SO10979)</p> <p>MORE INFORMATION FOR ERROR C1G0034E</p> <p>PROBLEM DESCRIPTION:</p> <p>WHEN A PACKAGE IS CAST AND PRODUCES THE C1G0034E ERROR MESSAGE, ONLY THE ELEMENT NAME IS SHOWN IN THE ERROR MESSAGES. IT WOULD BE HELPFUL TO SHOW THE ELEMENT ENVIRONMENT, SYSTEM, SUBSYSTEM, STAGE AND TYPE.</p> <p>SYMPTOMS:</p> <p>WHEN C1G0034E ERROR MESSAGE IS PRODUCED ONLY THE ELEMENT NAME IS SHOWN</p> <p>IMPACT:</p> <p>MUST REFER TO THE ENMP305I MESSAGE FOR THE PACKAGE NAME/STATEMENT NUMBER TO FIND THE ELEMENT DETAILS.</p> <p>CIRCUMVENTION:</p> <p>MUST REFER TO THE ENMP305I MESSAGE FOR THE PACKAGE NAME/STATEMENT NUMBER TO FIND THE ELEMENT DETAILS.</p> <p>PRODUCT(S) AFFECTED:</p> <p>CA Endeavor SCM Version 18.0</p> <p>Related Problem:</p> <p>ENDBAS 7738</p> <p>Copyright (C) 2019 CA. All rights reserved. R00010-SCM181-SP0</p> <p>DESC(MORE INFORMATION FOR ERROR C1G0034E).</p> <p>++VER (Z038)</p> <p>FMID (CSIQI10)</p> <p>SUP (ST10979)</p>

CA Endeavor SCM 18.1
CA RS 2001 - PTF SO11123 Details

Service	Details
SO11123	<p>SO11123 M.C.S. ENTRIES = ++PTF (SO11123)</p> <p>LL OPTION SHOULD NOT BE VISIBLE WHEN ASCM=N SET IN C1DEFLTS</p> <p>PROBLEM DESCRIPTION:</p> <p>When ASCM=N is set in C1DEFLTS, the LL option is shown in the element display panel, C1SD10NA. In addition, when option LL is selected for an element, the following long error message is shown when requested: 'SX/BX/CX/HX REQUIRE ACM OPTION WITH ASCM=Y SET IN C1DEFLTS.'</p> <p>The "LL" option is not shown in the long error message.</p> <p>SYMPTOMS:</p> <p>LL option shown on the element display panel when it is not available. When an element is selected with the "LL" option, the long error message does not include "LL".</p> <p>IMPACT:</p> <p>Customer may get confused as why option LL is shown and why it's not included in the error msg.</p> <p>CIRCUMVENTION:</p> <p>none.</p> <p>PRODUCT(S) AFFECTED:</p> <p>CA Endeavor SCM Version 18.0 CA Endeavor SCM Release 18.1</p> <p>Related Problem: ENDBAS 7743</p> <p>Copyright (C) 2019 CA. All rights reserved. R00012-SCM181-SP0</p> <p>DESC(LL OPTION SHOULD NOT BE VISIBLE WHEN ASCM=N SET IN C1DEFLTS). ++VER (Z038) FMID (CSIQI10) SUP (ST11123) ++IF FMID(CSIQI11) REQ(SO11124) . ++HOLD (SO11123) SYSTEM FMID(CSIQI10) REASON (ACTION) DATE (19337) COMMENT (</p> <pre> +-----+ CA Endeavor SCM Release 18.1 +-----+ SEQUENCE Before Apply +-----+ PURPOSE This PTF updates PANELS in the CSIQPENU library. If you have customized the PANEL(S) delivered by this PTF, you must backup your customized version of the PANEL(S) before applying this PTF to avoid losing your changes. +-----+ USERS All Endeavor users. AFFECTED +-----+ KNOWLEDGE 1. SMP/e REQUIRED 2. Endeavor Administration 3. Endeavor PANELS +-----+ ACCESS No special access is required. REQUIRED +-----+ ***** * STEPS TO PERFORM * ***** 1. Backup any customized PANELS in CSIQPENU that this PTF supplies. 2. APPLY this PTF. 3. Re-apply your customizations to the updated PANELS in CSIQPENU.).</pre>

CA Endeavor SCM 18.1
CA RS 2001 - PTF SO11124 Details

Service	Details	
SO11124	<p>M.C.S. ENTRIES = ++PTF (SO11124)</p> <p>LL OPTION SHOULD NOT BE VISIBLE WHEN ASCM=N SET IN C1DEFLTS</p> <p>PROBLEM DESCRIPTION:</p> <p>When ASCM=N is set in C1DEFLTS, the LL option is shown in the element display panel, C1SD10NA. In addition, when option LL is selected for an element, the following long error message is shown when requested: 'SX/BX/CX/HX REQUIRE ACM OPTION WITH ASCM=Y SET IN C1DEFLTS.'</p> <p>The "LL" option is not shown in the long error message.</p> <p>SYMPTOMS:</p> <p>LL option shown on the element display panel when it is not available. When an element is selected with the "LL" option, the long error message does not include "LL".</p> <p>IMPACT:</p> <p>Customer may get confused as why option LL is shown and why it's not included in the error msg.</p> <p>CIRCUMVENTION:</p> <p>none.</p> <p>PRODUCT(S) AFFECTED:</p> <p>CA Endeavor SCM Version 18.0 CA Endeavor SCM Release 18.1</p> <p>Related Problem: ENDBAS 7743</p> <p>Copyright (C) 2019 CA. All rights reserved. R00012-SCM181-SP0</p> <p>DESC(LL OPTION SHOULD NOT BE VISIBLE WHEN ASCM=N SET IN C1DEFLTS). ++VER (Z038) FMID (CSIQI11) SUP (ST11124) ++IF FMID(CSIQI10) REQ(SO11123) . ++HOLD (SO11124) SYSTEM FMID(CSIQI11) REASON (ACTION) DATE (19337) COMMENT (</p> <pre> +-----+ CA Endeavor SCM Japanese Localization Release 18.1 +-----+ SEQUENCE Before Apply +-----+ PURPOSE This PTF updates PANELS in the CSIQPJPN library. If you have customized the PANEL(S) delivered by this PTF, you must backup your customized version of the PANEL(S) before applying this PTF to avoid losing your changes. +-----+ USERS All Endeavor users. AFFECTED +-----+ KNOWLEDGE 1. SMP/e REQUIRED 2. Endeavor Administration 3. Endeavor PANELS +-----+ ACCESS No special access is required. REQUIRED +-----+ ***** * STEPS TO PERFORM * ***** 1. Backup any customized PANELS in CSIQPJPN that this PTF supplies. 2. APPLY this PTF. 3. Re-apply your customizations to the updated PANELS in CSIQPJPN.). MCS SO10822 STARTS ON PAGE 0002 MCS SO10824 STARTS ON PAGE 0002 MCS SO10825 STARTS ON PAGE 0003 MCS SO10896 STARTS ON PAGE 0005 </pre>	

CA Endeavor SCM 18.1
CA RS 2001 - PTF SO11124 Details

Service	Details		
MCS	SO10979		STARTS ON PAGE 0006
MCS	SO11123		STARTS ON PAGE 0006
MCS	SO11124		STARTS ON PAGE 0008

CA Endeavor SCM 18.1
CA RS 2001 Product/Component Listing

Product Family	Product	Release
Application Development	CA ENDEVOR SCM	18.01.00
The CA RS 2001 Product/Component Count for this release is 1		

CA Endeavor SCM 18.1
All CA RS Levels Service List

CA RS Level	Service	FMID
CAR2001	SO11124	CSIQI11
	SO11123	CSIQI10
	SO10979	CSIQI10
	SO10896	CSIQI10
	SO10825	CSIQI13
	SO10824	CSIQI10
	SO10822	CSIQI10