

CA Spool Java Transformers 14.0
CA RS 2105 Service List

Service	Description	Type
LU00363	ADD SUPPORT FOR OUTPUT TRANSFORMATION ENGINE V20.4	PTF
LU00713	ADD SUPPORT FOR OUTPUT TRANSFORMATION DESIGNER V20.4	PTF
LU01076	CONTINUOUS DELIVERY LEVEL SET 14.0.02	PTF
The CA RS 2105 service count for this release is 3		

CA Spool Java Transformers
CA RS 2105 Service List for CE0CE00

2

FMID	Service	Description	Type
CE0CE00	LU00363	ADD SUPPORT FOR OUTPUT TRANSFORMATION ENGINE V20.4	PTF
	LU00713	ADD SUPPORT FOR OUTPUT TRANSFORMATION DESIGNER V20.4	PTF
The CA RS 2105 service count for this FMID is 2			

CA Spool Java Transformers
CA RS 2105 Service List for CFD3E00

3

FMID	Service	Description	Type
CFD3E00	LU01076	CONTINUOUS DELIVERY LEVEL SET 14.0.02	PTF
The CA RS 2105 service count for this FMID is 1			

CA Spool Java Transformers 14.0
CA RS 2105 - PTF LU00363 Details

4

Service	Details																								
LU00363	<p>LU00363 M.C.S. ENTRIES = ++PTF (LU00363)</p> <p>ADD SUPPORT FOR OUTPUT TRANSFORMATION ENGINE V20.4</p> <p>PROBLEM DESCRIPTION:</p> <p>In order to take advantage of the latest functionality available for data transformation, the CA Spool Java transformers have been upgraded to the latest release of software from OpenText, the CA Spool Java Transformer vendor, from V16.5.nn to V20.4.nn.</p> <p>SYMPTOMS:</p> <p>None.</p> <p>IMPACT:</p> <p>CA Spool Java Transformer customers are upgraded to the current release.</p> <p>CIRCUMVENTION:</p> <p>None.</p> <p>PRODUCT(S) AFFECTED:</p> <p>CA SPOOL JAVA TRANSFORMERS Version 14.0</p> <p>Related Problem:</p> <p>CSP00L 12856</p> <p>Copyright (C) 2021 CA. All rights reserved. R00041-E0C140-SP1</p> <p>DESC(ADD SUPPORT FOR OUTPUT TRANSFORMATION ENGINE V20.4).</p> <p>++VER (Z038)</p> <p>FMID (CE0CE00)</p> <p>SUP (LT00363 R098702 S006931 S008371 S012210 ST06931 ST08371 ST12210 TR98702)</p> <p>++HOLD (LU00363) SYSTEM FMID(CE0CE00)</p> <p>REASON (ACTION) DATE (21096)</p> <p>COMMENT (</p> <table border="1"> <tr> <td>CA SPOOL JAVA TRANSFORMERS</td><td>Version 14.0</td></tr> </table> <p>SEQUENCE After Apply</p> <table border="1"> <tr> <td>PURPOSE</td><td>Restore the new CA Spool Java Transformers engine</td></tr> <tr> <td></td><td>build 20.4.09 into the desired USS directory and enable</td></tr> <tr> <td></td><td>its use by the CA Spool Java Transformers FSS task.</td></tr> <tr> <td></td><td>This is an upgrade to the latest release of Output</td></tr> <tr> <td></td><td>Transformation Engine from OpenText.</td></tr> </table> <table border="1"> <tr> <td>USERS</td><td>Users who wish to update the CA Spool Java Transformers.</td></tr> <tr> <td>AFFECTED</td><td></td></tr> </table> <table border="1"> <tr> <td>KNOWLEDGE</td><td>1. Customizing the CA Spool Java Transformers.</td></tr> <tr> <td>REQUIRED</td><td>2. SMP/E</td></tr> </table> <table border="1"> <tr> <td>ACCESS</td><td>1. The CA Spool Java Transformers' target libraries.</td></tr> <tr> <td>REQUIRED</td><td>2. USS directories where the CA Spool Java Transformers</td></tr> </table> <p>*****</p> <p>* STEPS TO PERFORM *</p> <p>*****</p> <p>1. Tailor and submit CAI.CE0CJCL(BQ4JJTAR) to restore the CE0CDATA(D2ETAR) TAR backup file delivered by this PTF.</p>	CA SPOOL JAVA TRANSFORMERS	Version 14.0	PURPOSE	Restore the new CA Spool Java Transformers engine		build 20.4.09 into the desired USS directory and enable		its use by the CA Spool Java Transformers FSS task.		This is an upgrade to the latest release of Output		Transformation Engine from OpenText.	USERS	Users who wish to update the CA Spool Java Transformers.	AFFECTED		KNOWLEDGE	1. Customizing the CA Spool Java Transformers.	REQUIRED	2. SMP/E	ACCESS	1. The CA Spool Java Transformers' target libraries.	REQUIRED	2. USS directories where the CA Spool Java Transformers
CA SPOOL JAVA TRANSFORMERS	Version 14.0																								
PURPOSE	Restore the new CA Spool Java Transformers engine																								
	build 20.4.09 into the desired USS directory and enable																								
	its use by the CA Spool Java Transformers FSS task.																								
	This is an upgrade to the latest release of Output																								
	Transformation Engine from OpenText.																								
USERS	Users who wish to update the CA Spool Java Transformers.																								
AFFECTED																									
KNOWLEDGE	1. Customizing the CA Spool Java Transformers.																								
REQUIRED	2. SMP/E																								
ACCESS	1. The CA Spool Java Transformers' target libraries.																								
REQUIRED	2. USS directories where the CA Spool Java Transformers																								

Service	Details
	<p>IMPORTANT: All of the USS directories and files that comprise the CA Spool Java Transformers are replaced by this process. If you have customized any files without changing the names of those files from the original names, save them to a separate directory before running the BQ4JJTAR job. Then copy the customized files back to the target directory after BQ4JJTAR is executed. Customization will be lost if steps are not taken to preserve files that have been changed since the initial install. In most cases, customized files would be parameter files stored in the /tpv/CAI/caspoold2e/xenos/apps directory.</p> <p>2. Update CAIQENVA member in CAI.CEOCPARM to use the latest Java Transformers engine build delivered by this PTF.</p> <p>).</p>

CA Spool Java Transformers 14.0
CA RS 2105 - PTF LU00713 Details

6

Service	Details		
LU00713	<p>LU00713 M.C.S. ENTRIES = ++PTF (LU00713)</p> <p>ADD SUPPORT FOR OUTPUT TRANSFORMATION DESIGNER V20.4</p> <p>PROBLEM DESCRIPTION:</p> <p>In order to take advantage of the latest functionality available for data transformation, the Output Transformation Designer delivered by the CA Spool Java Transformers is upgraded to the latest release of software from OpenText, from V16.5.nn to V20.4.nn.</p> <p>SYMPTOMS:</p> <p>None.</p> <p>IMPACT:</p> <p>CA Spool Java Transformer customers using the Output Transformation Designer are upgraded to the current vendor release.</p> <p>CIRCUMVENTION:</p> <p>None.</p> <p>PRODUCT(S) AFFECTED:</p> <p>CA SPOOL JAVA TRANSFORMERS Version 14.0</p> <p>Related Problem:</p> <p>CSP00L 12864</p> <p>Copyright (C) 2021 CA. All rights reserved. R00043-E0C140-SP1</p> <p>DESC(ADD SUPPORT FOR OUTPUT TRANSFORMATION DESIGNER V20.4) .</p> <p>++VER (Z038)</p> <p>FMID (CE0CE00)</p> <p>SUP (LT00713 S007981 S016250 ST07981 ST16250)</p> <p>++HOLD (LU00713) SYSTEM FMID(CE0CE00)</p> <p>REASON (ACTION) DATE (21097)</p> <p>COMMENT (</p> <table border="1"> <tr> <td>CA SPOOL JAVA TRANSFORMERS</td><td>Version 14.0</td></tr> </table> <p>SEQUENCE After Apply</p> <p>PURPOSE Install new version of the OpenText Output Transformation Designer.</p> <p>USERS Users interested in using the current version of the</p> <p>AFFECTED OpenText Output Transformation Designer.</p> <p>KNOWLEDGE 1. JCL</p> <p>REQUIRED 2. USS</p> <p> 3. FTP</p> <p>ACCESS 1. The CA Spool Java Transformers' target libraries.</p> <p>REQUIRED 2. USS directories where the OpenText Output Transformation Designer will be temporarily stored.</p> <p> </p> <p>*****</p> <p>* STEPS TO PERFORM *</p> <p>*****</p> <p>Follow the instructions in the 'Install Output Transformation Designer' section within the Topic 'Installing the Transformers' in the CA Spool documentation. The CA Spool documentation can be found at</p>	CA SPOOL JAVA TRANSFORMERS	Version 14.0
CA SPOOL JAVA TRANSFORMERS	Version 14.0		

Service	Details
	<p>techdocs.broadcom.com.). ++HOLD (LU00713) SYSTEM FMID(CE0CE00) REASON (DDDEF) DATE (21097) COMMENT (+-----+ CA SPOOL JAVA TRANSFORMERS Version 14.0 +-----+ SEQUENCE Before Receive +-----+ PURPOSE Avoid space abends during the SMP/E Receive and Apply process. +-----+ USERS All users. AFFECTED +-----+ KNOWLEDGE SMP/E and knowledge of file allocation methods. REQUIRED +-----+ ACCESS 1. SMP/E CSI where the Java Transformers are installed. REQUIRED 2. CA Spool Java Transformers target libraries. +-----+ ***** * STEPS TO PERFORM * ***** 1. Update the storage allocation on the DDDEF for SYSUT1 in the global zone to have a primary allocation of 400 cyls and a secondary allocation of 100 cyls. 2. Verify that the hlq.CEOCDATA target file is at least 700 cyls in size.).).</p>

CA Spool Java Transformers 14.0
CA RS 2105 - PTF LU01076 Details

8

Service	Details
LU01076	<p>LU01076 M.C.S. ENTRIES = ++PTF (LU01076)</p> <p>CONTINUOUS DELIVERY LEVEL SET 14.0.02</p> <p>PROBLEM DESCRIPTION:</p> <p>This PTF will apply all maintenance up to the modification level 14.0.02.</p> <p>SYMPTOMS:</p> <p>None.</p> <p>IMPACT:</p> <p>None.</p> <p>CIRCUMVENTION:</p> <p>None.</p> <p>PRODUCT(S) AFFECTED:</p> <p>CA SPOOL JAVA TRANSFORMERS Version 14.0</p> <p>Related Problem:</p> <p>CSP00L 13534</p> <p>Copyright (C) 2021 CA. All rights reserved. R00045-E0C140-SP1</p> <p>DESC(CONTINUOUS DELIVERY LEVEL SET 14.0.02).</p> <p>++VER (Z038)</p> <p>FMID (CFD3E00)</p> <p>PRE (LU00491 S012971 S014048 S014244 S014669 S015684)</p> <p>SUP (LT01076)</p> <p>++IF FMID(CE0CE00) REQ(LU00363 LU00713 S014024 S014736 S015637 S016248 S016250).</p> <p>MCS LU00363 STARTS ON PAGE 0002</p> <p>MCS LU00713 STARTS ON PAGE 0003</p> <p>MCS LU01076 STARTS ON PAGE 0005</p>

CA Spool Java Transformers 14.0
CA RS 2105 Product/Component Listing

9

Product Family	Product	Release
Output Management	CA SPOOL JAVA TRANSFORMERS	14.00.00
	SPOOL DATA TRNSFR OPT OMX2YY-XJ	14.00.00
The CA RS 2105 Product/Component Count for this release is 2		

CA RS Level	Service	FMID
CAR2105	LU01076	CFD3E00
	LU00713	CE0CE00
	LU00363	CE0CE00
CAR2104	LU00491	CFD3E00
CAR2103	S016250	CE0CE00
	S016248	CE0CE00
CAR2101	S015637	CE0CE00
CAR2012	S015684	CFD3E00
	S014736	CE0CE00
	S014669	CFD3E00
CAR2009	S014244	CFD3E00
CAR2008	S014048	CFD3E00
	S014024	CE0CE00
	S013642	CFD3E00
	S013482	CFD3E00
CAR2005	S012971	CFD3E00
	S012597	CFD3E00
	S012579	CFD3E00
	S011212	CFD3E00
CAR2004	S012210	CE0CE00
CAR2001	S010223	CE0CE00
CAR1912	S010414	CFD3E00
CAR1908	S008928	CFD3E00
CAR1907	S008468	CFD3E00
	S008371	CE0CE00
	S007981	CE0CE00
CAR1904	S006931	CE0CE00
	S006660	CFD3E00
CAR1901	S004446	CFD3E00
CAR1809	S004628	CE0CE00
CAR1808	S001484	CFD3E00
	S001483	CFD3E00
	R098702	CE0CE00