

CA Endeavor SCM 18.1
CA RS 2106 Service List

1

Service	Description	Type
LU00249	PERFORMANCE ENHANCEMENT TO ISPF ELEMENT LIST PANEL	PTF
LU00970	GENERIC USERID REQUIRE ACCESS TO AT LEAST ONE ENDEVOR ENV	PTF
LU01062	MISC STABILITY AND PERFORMANCE FIXES FOLLOWING SO12677	PTF
LU01063	MISC STABILITY AND PERFORMANCE FIXES FOLLOWING SO12677	PTF
LU01136	OPTION XFER_COMMENTS IS INCORRECTLY IN EFFECT FOR MOVE	PTF
LU01219	ABEND U400 IN WEBSERVICES STC WHEN ALTID IS NOT SET	PTF
LU01263	WS REPLACES EMPTY LINE WITH SPACE CHARACTER DURING ADD/UPD	PTF
LU01264	WS REPLACES EMPTY LINE WITH SPACE CHARACTER DURING ADD/UPD	PTF
LU01326	Security or Integrity Problem	** PRP **
LU01335	S80A/S878 WHEN BUILDING DESTINATION LIST IN F/G PACKAGE SHIP	PTF
LU01495	(E) DEFERRED FILE CREATION (DFC) INITIALIZATION	PTF
LU01496	(E) DEFERRED FILE CREATION (DFC) INITIALIZATION	PTF
LU01497	(E) DEFERRED FILE CREATION (DFC) INITIALIZATION	PTF
The CA RS 2106 service count for this release is 13		

CA Endeavor SCM
CA RS 2106 Service List for CSIQI10

2

FMID	Service	Description	Type
CSIQI10	LU00249	PERFORMANCE ENHANCEMENT TO ISPF ELEMENT LIST PANEL	PTF
	LU00970	GENERIC USERID REQUIRE ACCESS TO AT LEAST ONE ENDEVOR ENV	PTF
	LU01062	MISC STABILITY AND PERFORMANCE FIXES FOLLOWING S012677	PTF
	LU01136	OPTION XFER_COMMENTS IS INCORRECTLY IN EFFECT FOR MOVE	PTF
	LU01219	ABEND U400 IN WEBSERVICES STC WHEN ALTID IS NOT SET	PTF
	LU01263	WS REPLACES EMPTY LINE WITH SPACE CHARACTER DURING ADD/UPD	PTF
	LU01326	Security or Integrity Problem	** PRP **
	LU01335	S80A/S878 WHEN BUILDING DESTINATION LIST IN F/G PACKAGE SHIP	PTF
	LU01495	(E) DEFERRED FILE CREATION (DFC) INITIALIZATION	PTF
The CA RS 2106 service count for this FMID is 9			

CA Endeavor SCM
CA RS 2106 Service List for CSIQI11

FMID	Service	Description	Type
CSIQI11	LU01063	MISC STABILITY AND PERFORMANCE FIXES FOLLOWING S012677	PTF
	LU01496	(E) DEFERRED FILE CREATION (DFC) INITIALIZATION	PTF
The CA RS 2106 service count for this FMID is 2			

CA Endeavor SCM
CA RS 2106 Service List for CSIQI13

FMID	Service	Description	Type
CSIQI13	LU01264	WS REPLACES EMPTY LINE WITH SPACE CHARACTER DURING ADD/UPD	PTF
	LU01497	(E) DEFERRED FILE CREATION (DFC) INITIALIZATION	PTF
The CA RS 2106 service count for this FMID is 2			

Service	Details
LU00249	LU00249 M.C.S. ENTRIES = ++PTF (LU00249) PERFORMANCE ENHANCEMENT TO ISPF ELEMENT LIST PANEL PROBLEM DESCRIPTION: For a large inventory, building the panel that shows the list of elements takes a long time. The interfaces affected are: - Endeavor classic, all options that call C1SSELSL to build the element selection list panel - QuickEdit, building panel ENDIE250 SYMPTOMS: Wait times of several minutes, the user has to be very patient. IMPACT: Users may get upset with the bad performance. CIRCUMVENTION: Use filtering to display only those elements that are needed. PRODUCT(S) AFFECTED: CA Endeavor SCM Release 18.1 Related Problem: ENDBAS 12811 Copyright (C) 2021 CA. All rights reserved. R00112-SCM181-SP0 DESC (PERFORMANCE ENHANCEMENT TO ISPF ELEMENT LIST PANEL) . ++VER (Z038) FMID (CSIQI10) PRE (LU00538 SO11288 SO14221 SO14513 SO14704 SO15994) SUP (LT00249)

CA Endeavor SCM 18.1
CA RS 2106 - PTF LU00970 Details

6

Service	Details				
LU00970	LU00970 M.C.S. ENTRIES = ++PTF (LU00970) GENERIC USERID REQUIRE ACCESS TO AT LEAST ONE ENDEVOR ENV PROBLEM DESCRIPTION: To run Endeavor webservices requests generic userid (UserId from ENDEVOR.cfg or WS Tomcat owner if UserId parameter is blank) should have read access to at least one Endeavor environment even when STC pooling disabled. SYMPTOMS: - Endeavor API response contains HTTP code 500 and Endeavor RC=8, STC ends with RC=119 IMPACT: Request completes with error even if user have access to environment. CIRCUMVENTION: Permit access to one environment + all environments up the map for a generic userid. PRODUCT(S) AFFECTED: <table> <tr> <td>CA Endeavor SCM</td><td>Version 18.0</td></tr> <tr> <td>CA Endeavor SCM</td><td>Release 18.1</td></tr> </table> Related Problem: ENDBAS 13446 Copyright (C) 2021 CA. All rights reserved. R00132-SCM181-SP0 DESC(GENERIC USERID REQUIRE ACCESS TO AT LEAST ONE ENDEVOR ENV). ++VER (Z038) FMID (CSIQI10) PRE (S014513) SUP (LT00970)	CA Endeavor SCM	Version 18.0	CA Endeavor SCM	Release 18.1
CA Endeavor SCM	Version 18.0				
CA Endeavor SCM	Release 18.1				

Service	Details
LU01062	LU01062 M.C.S. ENTRIES = ++PTF (LU01062) MISC STABILITY AND PERFORMANCE FIXES FOLLOWING S012677 PROBLEM DESCRIPTION: During QA and initial internal deployment some cosmetic or low impact bugs were discovered - these are addressed here. Also, the menu is simplified to avoid confusing the users. SYMPTOMS: Users may be confused IMPACT: Extra calls to level 1 support CIRCUMVENTION: Don't use the Endeavor frontend menu ENDEVORM. PRODUCT(S) AFFECTED: CA Endeavor SCM Release 18.1 Related Problem: ENDBAS 12719 Copyright (C) 2021 CA. All rights reserved. R00137-SCM181-SP0 DESC(MISC STABILITY AND PERFORMANCE FIXES FOLLOWING S012677). ++VER (Z038) FMID (CSIQI10) PRE (S012677) SUP (LT00802 LT01062) ++IF FMID(CSIQI11) REQ(LU01063) . ++HOLD (LU01062) SYSTEM FMID(CSIQI10) REASON (ACTION) DATE (21132) COMMENT (<pre> +-----+ CA Endeavor SCM Release 18.1 +-----+ SEQUENCE Before Apply +-----+ PURPOSE This PTF updates PANELS in the CSIQPENU library. If you have customized the PANEL(S) delivered by this PTF, you must backup your customized version of the PANEL(S) before applying this PTF to avoid losing your changes. +-----+ USERS All Endeavor users. AFFECTED +-----+ KNOWLEDGE 1. SMP/e REQUIRED 2. Endeavor Administration 3. Endeavor PANELS +-----+ ACCESS No special access is required. REQUIRED +-----+ ***** * STEPS TO PERFORM * ***** 1. Backup any customized PANELS in CSIQPENU that this PTF supplies. 2. APPLY this PTF. 3. Re-apply your customizations to the updated PANELS in CSIQPENU. </pre>

Service	Details
	<pre> +-----+ CA Endeavor SCM Release 18.1 +-----+ SEQUENCE Before Apply +-----+ PURPOSE This PTF updates CLISTS in the CSIQCLS0 library. If you have customized the CLIST(S) delivered by this PTF, you must backup your customized version of the CLIST(S) before applying this PTF to avoid losing your changes. +-----+ USERS All Endeavor users. AFFECTED +-----+ KNOWLEDGE 1. SMP/e REQUIRED 2. Endeavor Administration 3. Endeavor CLISTS +-----+ ACCESS No special access is required. REQUIRED +-----+ ***** * STEPS TO PERFORM * ***** 1. Backup any customized CLISTS in CSIQCLS0 that this PTF supplies. 2. APPLY this PTF. 3. Re-apply your customizations to the updated CLISTS in CSIQCLS0.).</pre>

CA Endeavor SCM 18.1
CA RS 2106 - PTF LU01063 Details

9

Service	Details
LU01063	LU01063 M.C.S. ENTRIES = ++PTF (LU01063) MISC STABILITY AND PERFORMANCE FIXES FOLLOWING S012677 PROBLEM DESCRIPTION: During QA and initial internal deployment some cosmetic or low impact bugs were discovered - these are addressed here. Also, the menu is simplified to avoid confusing the users. SYMPTOMS: Users may be confused IMPACT: Extra calls to level 1 support CIRCUMVENTION: Don't use the Endeavor frontend menu ENDEVORM. PRODUCT(S) AFFECTED: CA Endeavor SCM Release 18.1 Related Problem: ENDBAS 12719 Copyright (C) 2021 CA. All rights reserved. R00137-SCM181-SP0 DESC(MISC STABILITY AND PERFORMANCE FIXES FOLLOWING S012677). ++VER (Z038) FMID (CSIQI11) PRE (S015323) SUP (LT00144 LT00803 LT01063) ++IF FMID(CSIQI10) REQ(LU01062) . ++HOLD (LU01063) SYSTEM FMID(CSIQI11) REASON (ACTION) DATE (21132) COMMENT (<pre> +-----+ CA Endeavor SCM Japanese Localization Release 18.1 +-----+-----+ SEQUENCE Before Apply +-----+-----+ PURPOSE This PTF updates PANELS in the CSIQPJPN library. If you have customized the PANEL(S) delivered by this PTF, you must backup your customized version of the PANEL(S) before applying this PTF to avoid losing your changes. +-----+-----+ USERS All Endeavor users. AFFECTED +-----+-----+ KNOWLEDGE 1. SMP/e REQUIRED 2. Endeavor Administration 3. Endeavor PANELS +-----+-----+ ACCESS No special access is required. REQUIRED +-----+-----+ ***** * STEPS TO PERFORM * ***** 1. Backup any customized PANELS in CSIQPJPN that this PTF supplies. 2. APPLY this PTF. </pre>

CA Endeavor SCM 18.1
CA RS 2106 - PTF LU01063 Details

10

Service	Details
	3. Re-apply your customizations to the updated PANELS in CSIQPJPN.).

Service	Details				
LU01136	LU01136 M.C.S. ENTRIES = ++PTF (LU01136) OPTION XFER_COMMENTS IS INCORRECTLY IN EFFECT FOR MOVE PROBLEM DESCRIPTION: The optional feature XFER_COMMENTS that is found in the table ENCOPTBL should affect only the transfer action and not the move action. It produces changes in the current source of an element that should not happen. SYMPTOMS: When XFER_COMMENTS is on and the user does a move statement, the Current Source is changed but it should remind the same. IMPACT: The proupose of XFER_COMMENTS is to change the Current Source when a transfer statement is done, if it affects also in move statement it can be confusing. CIRCUMVENTION: None PRODUCT(S) AFFECTED: <table> <tr> <td>CA Endeavor SCM</td><td>Version 18.1</td></tr> <tr> <td>CA Endeavor SCM</td><td>Version 18.0</td></tr> </table> Related Problem: ENDBAS 7638 Copyright (C) 2021 CA. All rights reserved. R00138-SCM181-SP0 DESC(OPTION XFER_COMMENTS IS INCORRECTLY IN EFFECT FOR MOVE). ++VER (Z038) FMID (CSIQI10) PRE (LU00538 S013583 S016126) SUP (LT01136)	CA Endeavor SCM	Version 18.1	CA Endeavor SCM	Version 18.0
CA Endeavor SCM	Version 18.1				
CA Endeavor SCM	Version 18.0				

CA Endeavor SCM 18.1
CA RS 2106 - PTF LU01219 Details

12

Service	Details
LU01219	LU01219 M.C.S. ENTRIES = ++PTF (LU01219) ABEND U400 IN WEBSERVICES STC WHEN ALTID IS NOT SET PROBLEM DESCRIPTION: Endevor webservices STC ends with ABEND U400 when alternate ID is not enabled. SYMPTOMS: Webservices request not completed, STC ends with ABEND U400 and following error: 0002 BC2PUSEC @ENDEVORACEE not found 00000004 IMPACT: Endevor webservices who not using Alternate ID feature. CIRCUMVENTION: Enable Alternate ID - set RACFUID value in C1DEFLT5. PRODUCT(S) AFFECTED: CA Endeavor SCM Version 18.0 CA Endeavor SCM Release 18.1 Related Problem: ENDBAS 13490 Copyright (C) 2021 CA. All rights reserved. R00140-SCM181-SP0 DESC (ABEND U400 IN WEBSERVICES STC WHEN ALTID IS NOT SET). ++VER (Z038) FMID (CSIQI10) SUP (LT01000 LT01219)

Service	Details
LU01263	LU01263 M.C.S. ENTRIES = ++PTF (LU01263) WS REPLACES EMPTY LINE WITH SPACE CHARACTER DURING ADD/UPD PROBLEM DESCRIPTION: Problem 1: When user adds or updates element with empty lines via Endeavor Webservices, empty lines are replaced with space characters. Problem 2: The old algorithm for generating temporary files could lead to collision and I/O errors in some cases. Temp file generating algorithm was improved in this fix. SYMPTOMS: File contains space characters instead of empty lines. IMPACT: Element content may differ from the original file. CIRCUMVENTION: None. PRODUCT(S) AFFECTED: CA Endeavor SCM Version 18.0 CA Endeavor SCM Release 18.1 Related Problem: ENDBAS 13223 Copyright (C) 2021 CA. All rights reserved. R00141-SCM181-SP0 DESC(WS REPLACES EMPTY LINE WITH SPACE CHARACTER DURING ADD/UPD) . ++VER (Z038) FMID (CSIQI10) SUP (LT01263) ++IF FMID(CSIQI13) REQ(LU01264) .

Service	Details
LU01264	M.C.S. ENTRIES = ++PTF (LU01264) WS REPLACES EMPTY LINE WITH SPACE CHARACTER DURING ADD/UPD PROBLEM DESCRIPTION: Problem 1: When user adds or updates element with empty lines via Endeavor Webservices, empty lines are replaced with space characters. Problem 2: The old algorithm for generating temporary files could lead to collision and I/O errors in some cases. Temp file generating algorithm was improved in this fix. SYMPTOMS: File contains space characters instead of empty lines. IMPACT: Element content may differ from the original file. CIRCUMVENTION: None. PRODUCT(S) AFFECTED: CA Endeavor SCM Version 18.0 CA Endeavor SCM Release 18.1 Related Problem: ENDBAS 13223 Copyright (C) 2021 CA. All rights reserved. R00141-SCM181-SP0 DESC(WS REPLACES EMPTY LINE WITH SPACE CHARACTER DURING ADD/UPD). ++VER (Z038) FMID (CSIQI13) PRE (LU00540 LU00798 S011272 S013582 S013849) SUP (LT00090 LT00234 LT00272 LT00293 LT00384 LT00391 LT00467 LT00606 LT00782 LT00909 LT01264 S012309 S013905 S015234 S015900 S015978 ST12309 ST13559 ST13905 ST15234 ST15773 ST15819 ST15900 ST15978) ++IF FMID(CSIQI10) REQ(LU01263) . ++HOLD (LU01264) SYSTEM FMID(CSIQI13) REASON (ACTION) DATE (21126) COMMENT (+-----+ CA Endeavor SCM for Web Services Release 18.1 +-----+ SEQUENCE After Apply +-----+ PURPOSE This correction updates Endeavor Web Services. To implement this update, you must update the Web Services component of your target Tomcat directory and recycle the Tomcat server. +-----+ USERS AFFECTED All users of Endeavor Web Services. +-----+ KNOWLEDGE 1. SMP/e REQUIRED 2. Endeavor Web Services 3. Tomcat 4. Unix System Services +-----+)

Service	Details
	<pre> ACCESS 1. Update access to USS target and deployment files REQUIRED 2. Ability to stop and start Tomcat +-----+-----+ ***** * STEPS TO PERFORM * ***** 1. Stop Tomcat 2. Verify that the parameters in the ENWSInstallOptions.properties file are set according to your environment. This file resides in the USS directory where this PTF has been installed to (USS install directory). 3. Either: a.In the TSO OMVS environment, change to the directory where the script ENWSUpd.sh resides: cd <USS install directory>/tpv execute the script: sh ENWSUpd.sh or b.Run job WSTOMCCS to update Endeavor Web Services. Steps how to update are included in the WSTOMCCS job. 4. Start Tomcat). BINARY LINK(' ../tpv/tomcat/webapps/EndevorService.war') PARM(PATHMODE(0,7,7,5)) . TEXT LINK(' ../tpv/tomcat/webapps/EndevorService.war.md5 ') PARM(PATHMODE(0,7,7,5)) . </pre>

Service	Details
LU01326	LU01326 M.C.S. ENTRIES = ++PTF (LU01326) Security or Integrity Problem PROBLEM DESCRIPTION: Security or Integrity Problem. SYMPTOMS: N/A IMPACT: Security or Integrity Problem. CIRCUMVENTION: N/A PRODUCT(S) AFFECTED: CA Endeavor SCM Release 18.1 Related Problem: ENDBAS 13612 Copyright (C) 2021 CA. All rights reserved. R00143-SCM181-SP0 DESC(Security or Integrity Problem). ++VER (Z038) FMID (CSIQI10) PRE (S012490 S013177 S013479 S013857 S014847 S015462 S015658) SUP (CC14124 LT01326 S014674 ST14674)

Service	Details				
LU01335	LU01335 M.C.S. ENTRIES = ++PTF (LU01335) S80A/S878 WHEN BUILDING DESTINATION LIST IN F/G PACKAGE SHIP PROBLEM DESCRIPTION: When destination list is built while trying to build a ship package request in foreground, storage related abends S80A/S878 can be recognized. SYMPTOMS: Abend S80A/S878. IMPACT: The user may not be able to ship some packages from foreground. CIRCUMVENTION: Specifying explicit destination reduces the amount of leaked storage and may prevent abends. PRODUCT(S) AFFECTED: <table> <tr> <td>CA Endeavor SCM</td><td>Version 18.0</td></tr> <tr> <td>CA Endeavor SCM</td><td>Version 18.1</td></tr> </table> Related Problem: ENDBAS 7645 Copyright (C) 2021 CA. All rights reserved. R00144-SCM181-SP0 DESC(S80A/S878 WHEN BUILDING DESTINATION LIST IN F/G PACKAGE SHIP). ++VER (Z038) FMID (CSIQI10) PRE (LU00249) SUP (LT01335)	CA Endeavor SCM	Version 18.0	CA Endeavor SCM	Version 18.1
CA Endeavor SCM	Version 18.0				
CA Endeavor SCM	Version 18.1				

Service	Details
LU01495	LU01495 M.C.S. ENTRIES = ++PTF (LU01495) (E) DEFERRED FILE CREATION (DFC) INITIALIZATION ENHANCEMENT DESCRIPTION: (E) Deferred File Creation (DFC) Initialization PRODUCT(S) AFFECTED: CA Endeavor SCM Release 18.1 Related Problem: ENDBAS 12934 Copyright (C) 2021 CA. All rights reserved. R00148-SCM181-SP0 DESC((E) DEFERRED FILE CREATION (DFC) INITIALIZATION). ++VER (Z038) FMID (CSIQI10) PRE (LU00538 LU00593 S010822 S011288 S011495 S012079 S012300 S012441 S012961 S013177 S014221 S014704 S015658 S015778) SUP (LT01145 LT01495 S014420 S015434 ST14420 ST15434) ++IF FMID(CSIQI11) REQ(LU01496) . ++IF FMID(CSIQI13) REQ(LU01497) . ++HOLD (LU01495) SYSTEM FMID(CSIQI10) REASON (ACTION) DATE (21146) COMMENT (<pre> +-----+ CA Endeavor SCM Release 18.1 +-----+-----+ SEQUENCE Before Apply +-----+-----+ PURPOSE This PTF updates PANELS in the CSIQPENU library. If you have customized the PANEL(S) delivered by this PTF, you must backup your customized version of the PANEL(S) before applying this PTF to avoid losing your changes. +-----+-----+ USERS All Endeavor users. AFFECTED +-----+-----+ KNOWLEDGE 1. SMP/e REQUIRED 2. Endeavor Administration 3. Endeavor PANELS +-----+-----+ ACCESS No special access is required. REQUIRED +-----+-----+ ***** * STEPS TO PERFORM * ***** 1. Backup any customized PANELS in CSIQPENU that this PTF supplies. 2. APPLY this PTF. 3. Re-apply your customizations to the updated PANELS in CSIQPENU.).</pre>

Service	Details
LU01496	LU01496 M.C.S. ENTRIES = ++PTF (LU01496) (E) DEFERRED FILE CREATION (DFC) INITIALIZATION ENHANCEMENT DESCRIPTION: (E) Deferred File Creation (DFC) Initialization PRODUCT(S) AFFECTED: CA Endeavor SCM Release 18.1 Related Problem: ENDBAS 12934 Copyright (C) 2021 CA. All rights reserved. R00148-SCM181-SP0 DESC((E) DEFERRED FILE CREATION (DFC) INITIALIZATION). ++VER (Z038) FMID (CSIQI11) PRE (LU00539 LU00594 S011289 S012326 S014705 S015779) SUP (LT01146 LT01496 ST15459) ++IF FMID(CSIQI13) REQ(LU01497) . ++IF FMID(CSIQI10) REQ(LU01495) . ++HOLD (LU01496) SYSTEM FMID(CSIQI11) REASON (ACTION) DATE (21146) COMMENT (<pre> +-----+ CA Endeavor SCM Japanese Localization Release 18.1 +-----+ SEQUENCE Before Apply +-----+ PURPOSE This PTF updates PANELS in the CSIQPJPN library. If you have customized the PANEL(S) delivered by this PTF, you must backup your customized version of the PANEL(S) before applying this PTF to avoid losing your changes. +-----+ USERS All Endeavor users. AFFECTED +-----+ KNOWLEDGE 1. SMP/e REQUIRED 2. Endeavor Administration 3. Endeavor PANELS +-----+ ACCESS No special access is required. REQUIRED +-----+ ***** * STEPS TO PERFORM * ***** 1. Backup any customized PANELS in CSIQPJPN that this PTF supplies. 2. APPLY this PTF. 3. Re-apply your customizations to the updated PANELS in CSIQPJPN.).</pre>

Service	Details		
LU01497	LU01497 M.C.S. ENTRIES = ++PTF (LU01497)		
	(E) DEFERRED FILE CREATION (DFC) INITIALIZATION ENHANCEMENT DESCRIPTION: (E) Deferred File Creation (DFC) Initialization PRODUCT(S) AFFECTED: CA Endeavor SCM Release 18.1 Related Problem: ENDBAS 12934 Copyright (C) 2021 CA. All rights reserved. R00148-SCM181-SP0		
	DESC((E) DEFERRED FILE CREATION (DFC) INITIALIZATION). ++VER (Z038) FMID (CSIQI13) PRE (S012491 S013082) SUP (LT01147 LT01296 LT01497 ST12238) ++IF FMID(CSIQI11) REQ(LU01496) . ++IF FMID(CSIQI10) REQ(LU01495) .		
	MCS	LU00249	STARTS ON PAGE 0002
	MCS	LU00970	STARTS ON PAGE 0003
	MCS	LU01062	STARTS ON PAGE 0003
	MCS	LU01063	STARTS ON PAGE 0005
	MCS	LU01136	STARTS ON PAGE 0007
	MCS	LU01219	STARTS ON PAGE 0007
	MCS	LU01263	STARTS ON PAGE 0008
	MCS	LU01264	STARTS ON PAGE 0009
	MCS	LU01326	STARTS ON PAGE 0011
	MCS	LU01335	STARTS ON PAGE 0011
	MCS	LU01495	STARTS ON PAGE 0012
	MCS	LU01496	STARTS ON PAGE 0014
	MCS	LU01497	STARTS ON PAGE 0015

CA Endeavor SCM 18.1
CA RS 2106 Product/Component Listing

21

Product Family	Product	Release
Application Development	CA ENDEVOR SCM	18.01.00
The CA RS 2106 Product/Component Count for this release is 1		

CA RS Level	Service	FMID
CAR2106	LU01497	CSIQI13
	LU01496	CSIQI11
	LU01495	CSIQI10
	LU01335	CSIQI10
	LU01326	CSIQI10
	LU01264	CSIQI13
	LU01263	CSIQI10
	LU01219	CSIQI10
	LU01136	CSIQI10
	LU01063	CSIQI11
	LU01062	CSIQI10
	LU00970	CSIQI10
	LU00249	CSIQI10
	LU01038	CSIQI10
	LU01012	CSIQI10
CAR2105	LU00808	CSIQI10
	LU00798	CSIQI13
	LU00797	CSIQI10
	LU00774	CSIQI10
	LU00405	CSIQI13
	LU00344	CSIQI10
	LU00086	CSIQI10
	LU00086	CSIQI10
CAR2104	S015436	CSIQI10
	LU00594	CSIQI11
	LU00593	CSIQI10
	LU00540	CSIQI13
	LU00539	CSIQI11
	LU00538	CSIQI10
	LU00352	CSIQI10
	LU00280	CSIQI10
CAR2103	S016209	CSIQI10
	S016126	CSIQI10
CAR2102	S016224	CSIQI10
	S015995	CSIQI11
	S015994	CSIQI10
	S015978	CSIQI13
	S015962	CSIQI10
	S015658	CSIQI10
	S015323	CSIQI11
	S012677	CSIQI10
	LU00109	CSIQI11
	LU00108	CSIQI10
	LU00093	CSIQI10
	LU00093	CSIQI10
	LU00093	CSIQI10
CAR2101	S015900	CSIQI13
	S015878	CSIQI10
	S015818	CSIQI10
	S014767	CSIQI10

CA RS Level	Service	FMID
CAR2012	S015779	CSIQI11
	S015778	CSIQI10
	S015462	CSIQI10
	S015434	CSIQI10
	S015234	CSIQI13
	S015110	CSIQI10
CAR2011	S015251	CSIQI10
	S015219	CSIQI11
	S015218	CSIQI10
	S015125	CSIQI13
	S014748	CSIQI10
	S013905	CSIQI13
	S012172	CSIQI10
CAR2010	S014847	CSIQI10
	S014705	CSIQI11
	S014704	CSIQI10
	S014674	CSIQI10
CAR2009	S014513	CSIQI10
	S014420	CSIQI10
	S014309	CSIQI10
	S014222	CSIQI11
	S014221	CSIQI10
	S014082	CSIQI13
	S014076	CSIQI10
CAR2008	S013857	CSIQI10
	S013849	CSIQI13
	S013321	CSIQI10
	S013082	CSIQI13
	S012441	CSIQI10
CAR2007	S013690	CSIQI11
	S013689	CSIQI10
	S013604	CSIQI11
	S013592	CSIQI10
	S013583	CSIQI10
	S013582	CSIQI13
	S013479	CSIQI10
	S013434	CSIQI10
	S013067	CSIQI10
CAR2006	S013177	CSIQI10
	S013128	CSIQI10
	S013068	CSIQI10
	S012961	CSIQI10
	S012864	CSIQI10
CAR2005	S012574	CSIQI13
	S012546	CSIQI10
	S012498	CSIQI10
	S012495	CSIQI11

CA Endeavor SCM 18.1
All CA RS Levels Service List

CA RS Level	Service	FMID
	S012494	CSIQI10
	S012491	CSIQI13
	S012490	CSIQI10
	S012309	CSIQI13
	S012022	CSIQI10
CAR2004	S012341	CSIQI10
	S012326	CSIQI11
	S012312	CSIQI10
	S012308	CSIQI10
	S012301	CSIQI11
	S012300	CSIQI10
	S012169	CSIQI10
	S011910	CSIQI10
	S011257	CSIQI10
	S011104	CSIQI10
CAR2003	S012079	CSIQI10
	S011879	CSIQI10
	S011289	CSIQI11
	S011288	CSIQI10
CAR2002	S011541	CSIQI10
	S011495	CSIQI10
	S011467	CSIQI13
	S011272	CSIQI13
CAR2001	S011124	CSIQI11
	S011123	CSIQI10
	S010979	CSIQI10
	S010896	CSIQI10
	S010825	CSIQI13
	S010824	CSIQI10
	S010822	CSIQI10