

CA OPS/MVS for JES3 13.5
CA RS 1911 Service List

1

Service	Description	Type
S010262	OPS/MVS BCPII SERVER (CCS HISERV REPLACEMENT)	PTF
S010384	MISSING IMS AFTER INSTALLING DYNMAIC IMS SVC	PTF
S010402	MSF SHOWS INCORRECT VALUE FOR AP SESSION VERSION CODE	PTF
S010413	ABEND 0C4 IN OPSS09+FB0	PTF
S010450	POSSIBLE SYSTEM OUTAGE DUE TO LATCH CONTENTION	*HIP/PRP*
S010453	MISSING SEVERITY ON ADDRESS AP ALERT COMMAND	PTF
S010476	USING ADDRESS HWS SETATTR NOT SETTING CORRECT VALUE.	*HIP/PRP*
S010490	OPS BCPII SERVER SAMPLE RULE ERROR +	PTF
The CA RS 1911 service count for this release is 8		

CA OPS/MVS for JES3
CA RS 1911 Service List for CCLXD50

2

FMID	Service	Description	Type
CCLXD50	S010262	OPS/MVS BCPII SERVER (CCS HISERV REPLACEMENT)	PTF
	S010384	MISSING IMS AFTER INSTALLING DYNMAIC IMS SVC	PTF
	S010402	MSF SHOWS INCORRECT VALUE FOR AP SESSION VERSION CODE	PTF
	S010413	ABEND 0C4 IN OPSS09+FB0	PTF
	S010450	POSSIBLE SYSTEM OUTAGE DUE TO LATCH CONTENTION	*HIP/PRP*
	S010453	MISSING SEVERITY ON ADDRESS AP ALERT COMMAND	PTF
	S010476	USING ADDRESS HWS SETATTR NOT SETTING CORRECT VALUE.	*HIP/PRP*
	S010490	OPS BCPII SERVER SAMPLE RULE ERROR +	PTF
The CA RS 1911 service count for this FMID is 8			

CA OPS/MVS for JES3 13.5
CA RS 1911 - PTF SO10262 Details

3

Service	Details				
S010262	S010262 M.C.S. ENTRIES = ++PTF (S010262) OPS/MVS BCPII SERVER (CCS HISERV REPLACEMENT) ENHANCEMENT DESCRIPTION: This enhancement PTF introduces the CA OPS/MVS BCPII Server. This server replaces the functionality that was previously provided by CCS Hardware Services (HISERV). The CA OPS/MVS BCPII Server communicates with the z/OS BCPII Server, HWIBCPPII, via the BCPII API to interact with the z/OS Hardware Management Console (HMC). Using this new server, users can easily query and set BCPII attributes and issue BCPII commands from the OPS/REXX 'ADDRESS HWS' host environment. CA OPS/MVS Base Release 13.5 Related Problem: OPSMVS 1463 Copyright (C) 2019 CA. All rights reserved. R00188-CLX135-SP0 DESC(OPS/MVS BCPII SERVER (CCS HISERV REPLACEMENT)). ++VER (Z038) FMID (CCLXD50) PRE (S000235 S000476 S000597 S001097 S001320 S001859 S003594 S003905 S004411 S004680 S004989 S005619 S005680 S006166 S006379 S006939 S007289 S008357 S008386 S008474 S008478 S008651 S008829 S008872 S008999 S009160 S009364 S009449 S010050 S010241) SUP (S000393 S000632 S004634 S006109 S006212 S006526 S008339 ST00393 ST00632 ST03905 ST04634 ST06109 ST06212 ST06526 ST08339 ST09396 ST09621 ST10057 ST10110 ST10262) ++HOLD (S010262) SYSTEM FMID(CCLXD50) REASON (ACTION) DATE (19284) COMMENT (<table border="1"> <tr> <td>CA OPS/MVS Base</td><td>Release 13.5</td></tr> </table> SEQUENCE After APPLY PURPOSE Reset ISPF statistics for updated AOF rule(s) USERS Users with AOF rules AFFECTED KNOWLEDGE ISPF REQUIRED ACCESS Product libraries REQUIRED ***** * STEPS TO PERFORM * ***** This PTF installs updated AOF rule(s) into SMP/E Target library CCLXRULS with no ISPF statistics. You will not be able to auto-enable the updated rule(s) until you reset their ISPF statistics. You can use ISPF option 3.5 to manually reset the ISPF statistics for the updated rule(s). You can use ISPF option 3.3 to manually copy the updated rule(s) to your deployed ruleset(s).). ++HOLD (S010262) SYSTEM FMID(CCLXD50) REASON (DEP) DATE (19284) COMMENT (<table border="1"> <tr> <td>CA OPS/MVS Base</td><td>Release 13.5</td></tr> </table>	CA OPS/MVS Base	Release 13.5	CA OPS/MVS Base	Release 13.5
CA OPS/MVS Base	Release 13.5				
CA OPS/MVS Base	Release 13.5				

Service	Details
	<pre> SEQUENCE Before using the OPSBCPII Server. +-----+-----+ PURPOSE Avoid ABEND SDC4 RSN=96052E20 in OPSBCPII Server. +-----+-----+ USERS Users running CA Common Services (CCS) release 14.1 AFFECTED +-----+-----+ KNOWLEDGE - CCS Administration REQUIRED - SMP/E - z/OS Systems Programming +-----+-----+ ACCESS The SMP/E installed CCS libraries. REQUIRED +-----+-----+ ***** * STEPS TO PERFORM * ***** 1. Apply PTF R094074 to CCS 14.1). ++HOLD (SO10262) SYSTEM FMID(CCLXD50) REASON (DYNACT) DATE (19284) COMMENT (+-----+-----+ CA OPS/MVS Base Release 13.5 +-----+-----+ SEQUENCE After APPLY +-----+-----+ PURPOSE To activate load modules updated by this PTF, including load module OPSAEX +-----+-----+ USERS All OPS/MVS users AFFECTED +-----+-----+ KNOWLEDGE Basic z/OS systems programming skills REQUIRED +-----+-----+ ACCESS - Access to OPS/MVS SMP/E Target loadlib CCLXLOAD and any REQUIRED deployed copies - Authority to issue MVS system commands - Authority to stop and start OPS/MVS +-----+-----+ ***** * STEPS TO PERFORM * ***** 1. This PTF updates load module OPSAEX, as well as the other load modules identified by the ++MOD statements contained in this PTF. APPLY of this PTF updates SMP/E Target loadlib CCLXLOAD. 2. Copy the updated load modules from SMP/E Target loadlib CCLXLOAD to any other deployed copies, such as a STEPLIB used by the OPS/MVS main address space, a link listed loadlib, etc. 3. If the system library lookaside (LLA) program is managing any updated loadlib, you must refresh LLA by using MVS system command "F LLA,REFRESH" or some equivalent mechanism. 4. TSO users must get out of OPSVIEW. 5. Stop OPS/MVS. 6. If the system link pack area (LPA) contains any updated load module, you must refresh LPA by using MVS system command "SETPROG LPA" or some equivalent mechanism. 7. Start OPS/MVS. </pre>

Service	Details
	8. TSO users may access OPSVIEW. Depending on how OPSVIEW is accessed, this may require TSO logoff/logon.). ++HOLD (SO10262) SYSTEM FMID(CCLXD50) REASON (ENH) DATE (19284) COMMENT (+-----+ CA OPS/MVS Base Release 13.5 +-----+ SEQUENCE Before using the OPS/MVS BCpii server +-----+ PURPOSE New OPS/MVS BCpii server to replace CCS HISERV +-----+ USERS All users AFFECTED +-----+ KNOWLEDGE Read 'Install and Configure Hardware Services (HWS)' REQUIRED documentation and/or the Migration guide. +-----+ ACCESS N/A REQUIRED +-----+ ***** * STEPS TO PERFORM * ***** 1. Review the documentation, on https://techdocs.broadcom.com 2. Perform installation or migration to OPS/MVS BCpii server).

CA OPS/MVS for JES3 13.5
CA RS 1911 - PTF SO10384 Details

6

Service	Details
S010384	S010384 M.C.S. ENTRIES = ++PTF (S010384) MISSING IMS AFTER INSTALLING DYNMAIC IMS SVC ENHANCEMENT DESCRIPTION: OPS not discovering IMS subsystems when using dynamic SVC. PRODUCT(S) AFFECTED: OPS/MVS 13.0 OPS/MVS 13.5 CA OPS/MVS Base Version 13.0 CA OPS/MVS Base Release 13.5 Related Problem: OPSMVS 1594 Copyright (C) 2019 CA. All rights reserved. R00189-CLX135-SP0 DESC(MISSING IMS AFTER INSTALLING DYNMAIC IMS SVC). ++VER (Z038) FMID (CCLXD50) PRE (S000235 S001320 S001859 S004411 S004680 S006166 S006379 S006939 S008357 S008386 S008474 S008478 S008651 S008829 S009160 S009449 S010050 S010241 S010262) SUP (S003905 S008339 ST03905 ST08339 ST10057 ST10384) ++HOLD (S010384) SYSTEM FMID(CCLXD50) REASON (DOC) DATE (19288) COMMENT (<pre> +-----+ CA OPS/MVS Base Release 13.5 +-----+ ***** * PUBLICATION * ***** After a dynamic IMS SVC install OPS/MVS may not discover associated IMS subsystems. This may be resolved by issuing the following modify command following the imstall of the SVC: F OPSx,ADDIMSSVC where 'x' if the OPS/MVS ssid suffix. The default is OPSS.).</pre>

CA OPS/MVS for JES3 13.5
CA RS 1911 - PTF SO10402 Details

7

Service	Details
S010402	S010402 M.C.S. ENTRIES = ++PTF (S010402) MSF SHOWS INCORRECT VALUE FOR AP SESSION VERSION CODE PROBLEM DESCRIPTION: The ADDRESS OPSCTL "MSF LIST" command shows incorrect version for Automation Point connections. SYMPTOMS: The display from various OPSVIEW panels can give incorrect versions for Automation Point connections. IMPACT: May cause confusion if attempting to verify Automation Point connections. CIRCUMVENTION: NONE. PRODUCT(S) AFFECTED: CA OPS/MVS Base Version 13.0 CA OPS/MVS Base Release 13.5 Related Problem: OPSMVS 1608 Copyright (C) 2019 CA. All rights reserved. R00190-CLX135-SP0 DESC(MSF SHOWS INCORRECT VALUE FOR AP SESSION VERSION CODE). ++VER (Z038) FMID (CCLXD50) SUP (ST10402) ++HOLD (S010402) SYSTEM FMID(CCLXD50) REASON (DYNACT) DATE (19289) COMMENT (<pre> +-----+ CA OPS/MVS Base Release 13.5 +-----+-----+ SEQUENCE After Apply +-----+-----+ PURPOSE To activate the fix. +-----+-----+ USERS All users who connect to automation point machines thru AFFECTED MSF. +-----+-----+ KNOWLEDGE Ability to issue z/OS CONSOLE commands. REQUIRED +-----+-----+ ACCESS Access to issue z/OS CONSOLE command MODIFY (F). REQUIRED +-----+-----+ ***** * STEPS TO PERFORM * ***** 1. Issue the F LLA,REFRESH command 2. Issue the F OPSx,RELOAD(OPMFCCI) command where OPSx is your OPS/MVS subsystem name. OPSS is the default. 3. Issue the F OPSx,restart(MSF) command if you have the MSFRESTARTREXX parameter filled in. If not then the next restart of OPS/MVS will pick up the changes.). </pre>

CA OPS/MVS for JES3 13.5
CA RS 1911 - PTF SO10413 Details

8

Service	Details
S010413	S010413 M.C.S. ENTRIES = ++PTF (S010413) ABEND 0C4 IN OPSS09+FB0 PROBLEM DESCRIPTION: An ABEND S0C4 may occur in OPSS09+FB0 if a product uses the same Command And Response Token (CART) that is normally used by OPS/MVS. SYMPTOMS: An ABEND S0C4 may occur in OPSS09+FB0. IMPACT: An unwanted SVCDUMP may be taken. CIRCUMVENTION: NONE. PRODUCT(S) AFFECTED: CA OPS/MVS Base Version 13.0 CA OPS/MVS Base Release 13.5 Related Problem: OPSMVS 1607 Copyright (C) 2019 CA. All rights reserved. R00191-CLX135-SP0 DESC(ABEND 0C4 IN OPSS09+FB0). ++VER (Z038) FMID (CCLXD50) SUP (S008712 ST08712 ST10413) ++HOLD (S010413) SYSTEM FMID(CCLXD50) REASON (DYNACT) DATE (19288) COMMENT (<pre> +-----+ CA OPS/MVS Base Release 13.5 +-----+-----+ SEQUENCE After Apply +-----+-----+ PURPOSE To activate the fix. +-----+-----+ USERS This fix prevents an SVCDUMP while intercepting messages AFFECTED from the subsystem. All users of the system may experience a slow down while SVCDUMP processing occurs. +-----+-----+ KNOWLEDGE Ability to issue z/OS CONSOLE commands. REQUIRED +-----+-----+ ACCESS Access to issue z/OS CONSOLE command MODIFY (F). REQUIRED +-----+-----+ ***** * STEPS TO PERFORM * ***** 1. Issue the F LLA,REFRESH command 2. Issue the F OPSx,RELOAD(OPSS09) command where OPSx is your OPS/MVS subsystem name. OPSS is the default.). </pre>

CA OPS/MVS for JES3 13.5
CA RS 1911 - PTF SO10450 Details

9

Service	Details		
S010450	S010450 M.C.S. ENTRIES = ++PTF (S010450) POSSIBLE SYSTEM OUTAGE DUE TO LATCH CONTENTION PROBLEM DESCRIPTION: It is possible for a task to go thru EOT when multiple events were in flight simultaneously, resulting in process block cleanup that may miss the fact that one of the processes held a latch. Once the latch is left on it will be held until the address space terminates. If it is a latch used to protect SQL tables, then depending upon automation present, this may cause all automation to cease once all process blocks are held. SYMPTOMS: System may grind to a halt, with no real work being dispatched. IMPACT: May need to IPL. CIRCUMVENTION: NONE. PRODUCT(S) AFFECTED: CA OPS/MVS Base Version 13.0 CA OPS/MVS Base Release 13.5 Related Problem: OPSMVS 1609 Copyright (C) 2019 CA. All rights reserved. R00193-CLX135-SP0 DESC(POSSIBLE SYSTEM OUTAGE DUE TO LATCH CONTENTION). ++VER (Z038) FMID (CCLXD50) PRE (S000476 S004411 S005680 S006939 S009364 S010241) SUP (AS00476 DC01753 S001297 S001752 S005727 ST01297 ST01752 ST05727 ST10450) ++HOLD (S010450) SYSTEM FMID(CCLXD50) REASON (DYNACT) DATE (19291) COMMENT (<table border="1"> <tr> <td>CA OPS/MVS Base</td><td>Release 13.5</td></tr> </table> SEQUENCE After Apply PURPOSE To activate the fix. USERS All users of OPS/MVS. AFFECTED KNOWLEDGE Ability to issue z/OS commands. REQUIRED ACCESS Access to the system to issue z/OS commands. REQUIRED ***** * STEPS TO PERFORM * ***** 1. Issue and F LLA,REFRESH z/OS command. 2. Recycle the OPS/MVS address space in order to activate the fix.).	CA OPS/MVS Base	Release 13.5
CA OPS/MVS Base	Release 13.5		

Service	Details
S010453	S010453 M.C.S. ENTRIES = ++PTF (S010453) MISSING SEVERITY ON ADDRESS AP ALERT COMMAND PROBLEM DESCRIPTION: No alert is created in Automation Point when the SEVERITY keyword is not specified on the ADDRESS AP ALERT command. SYMPTOMS: ADDRESS AP ALERT returns RC=0, but the alert does not appear in Automation Point Alert Manager. IMPACT: NONE CIRCUMVENTION: Specify the SEVERITY keyword. PRODUCT(S) AFFECTED: CA OPS/MVS Base Release 13.5 Related Problem: OPSMVS 1606 Copyright (C) 2019 CA. All rights reserved. R00194-CLX135-SP0 DESC(MISSING SEVERITY ON ADDRESS AP ALERT COMMAND). ++VER (Z038) FMID (CCLXD50) PRE (S008478) SUP (ST10453) ++HOLD (S010453) SYSTEM FMID(CCLXD50) REASON (DOC) DATE (19296) COMMENT (<pre> +-----+ CA OPS/MVS Base Release 13.5 +-----+ ***** * PUBLICATION * ***** 1.The optional SEVERITY keyword in the ADDRESS AP ALERT command defaults to SEVERITY(INFO) if not specified. 2.Updated OPS/MVS 13.5 Techdocs section: Reference Information > Command and Function Reference > Host Environment Commands > ADDRESS AP Commands > AP ALERT -- Alert the Alert Manager URL: https://techdocs.broadcom.com/content/broadcom/techdocs/ us/en/ca-mainframe-software/automation/ ca-ops-mvs-event-management-and-automation/13-5/ reference-information/command-and-function-reference/ host-environment-commands/address-ap-commands.html).</pre>

Service	Details																		
S010476	S010476 M.C.S. ENTRIES = ++PTF (S010476) USING ADDRESS HWS SETATTR NOT SETTING CORRECT VALUE. PROBLEM DESCRIPTION: Using SETATTR with HWSTYPE=OPSBBCP sets the wrong value SYMPTOMS: ADDRESS HWS SETATTR sets the incorrect value when using the new OPSBCP server. Typically it ignores the first 2 bytes of the ATTRVAL specified. IMPACT: Unable to set the correct value for the desired attribute. Affected users are those that installed PTF S010262, and are utilizing the OPSBCP server. Use of the ADDRESS HWS SETATTR should not be done using the OPSBCP server. CIRCUMVENTION: If the HISERV common service is installed, you can revert to it by starting HISERV, and change the parameter HWSTYPE to HISERV, then issue an F OPSS,RESTART(HWS) Then repeat the SETATTR. PRODUCT(S) AFFECTED: CA OPS/MVS Base Release 13.5 Related Problem: OPSMVS 1610 Related Problem: OPSMVS 1610 Copyright (C) 2019 CA. All rights reserved. R00195-CLX135-SP0 DESC(USING ADDRESS HWS SETATTR NOT SETTING CORRECT VALUE.). ++VER (Z038) FMID (CCLXD50) PRE (S010262) SUP (AS10262 ST10476) ++HOLD (S010476) SYSTEM FMID(CCLXD50) REASON (DYNACT) DATE (19303) COMMENT (<table border="1"> <tr> <td>CA OPS/MVS Base</td><td>Release 13.5</td></tr> <tr> <td>SEQUENCE</td><td>After Apply</td></tr> <tr> <td>PURPOSE</td><td>To activate the fix.</td></tr> <tr> <td>USERS</td><td>All users of the new OPSBCP HISERV replacement.</td></tr> <tr> <td>AFFECTED</td><td></td></tr> <tr> <td>KNOWLEDGE</td><td>Ability to issue z/OS commands.</td></tr> <tr> <td>REQUIRED</td><td></td></tr> <tr> <td>ACCESS</td><td>Access to the system to issue z/OS commands.</td></tr> <tr> <td>REQUIRED</td><td></td></tr> </table> ***** * STEPS TO PERFORM * ***** 1. Issue and F LLA,REFRESH z/OS command. 2. Issue the F OPSx,RELOAD(OPRXBCP) command where OPSx is your OPS/MVS subsystem name.).	CA OPS/MVS Base	Release 13.5	SEQUENCE	After Apply	PURPOSE	To activate the fix.	USERS	All users of the new OPSBCP HISERV replacement.	AFFECTED		KNOWLEDGE	Ability to issue z/OS commands.	REQUIRED		ACCESS	Access to the system to issue z/OS commands.	REQUIRED	
CA OPS/MVS Base	Release 13.5																		
SEQUENCE	After Apply																		
PURPOSE	To activate the fix.																		
USERS	All users of the new OPSBCP HISERV replacement.																		
AFFECTED																			
KNOWLEDGE	Ability to issue z/OS commands.																		
REQUIRED																			
ACCESS	Access to the system to issue z/OS commands.																		
REQUIRED																			

Service	Details
S010490	S010490 M.C.S. ENTRIES = ++PTF (S010490) OPS BCPII SERVER SAMPLE RULE ERROR + PROBLEM DESCRIPTION: The APIHWSV sample rule will fail to process the HWSHWMSGD BCpii hardware event by inadvertently taking the path that processes the HWSHWMSG event. SYMPTOMS: The APIHWSV rule fails when checking the API.NEWMSGFLG variable which does not exist for the HWSHWMSGD event. IMPACT: The sample rule fails. CIRCUMVENTION: None. PRODUCT(S) AFFECTED: CA OPS/MVS Base Release 13.5 CA OPS/MVS BCpii Server Release 13.5 Related Problem: OPSMVS 1612 Copyright (C) 2019 CA. All rights reserved. R00196-CLX135-SP0 DESC(OPS BCPII SERVER SAMPLE RULE ERROR +). ++VER (Z038) FMID (CCLXD50) PRE (S010262) SUP (ST10490) ++HOLD (S010490) SYSTEM FMID(CCLXD50) REASON (ACTION) DATE (19295) COMMENT (<pre> +-----+ CA OPS/MVS Base Release 13.5 +-----+ SEQUENCE After APPLY +-----+ PURPOSE Reset ISPF statistics for updated AOF rule(s) +-----+ USERS Users with AOF rules AFFECTED +-----+ KNOWLEDGE ISPF REQUIRED +-----+ ACCESS Product libraries REQUIRED +-----+ ***** * STEPS TO PERFORM * ***** This PTF installs updated AOF rule(s) into SMP/E Target library CCLXRULS with no ISPF statistics. You will not be able to auto-enable the updated rule(s) until you reset their ISPF statistics. You can use ISPF option 3.5 to manually reset the ISPF statistics for the updated rule(s). You can use ISPF option 3.3 to manually copy the updated rule(s) to your deployed ruleset(s).). ++HOLD (S010490) SYSTEM FMID(CCLXD50) REASON (DOC) DATE (19295) COMMENT (+-----+ CA OPS/MVS Base Release 13.5 +-----+ ***** * PUBLICATION * ***** </pre>

Service	Details	
	The APIHWSV sample rule fails when processing HWSHWMSGD hardware events. Apply the PTF then replace and enable the existing rule.).	
MCS	S010262	STARTS ON PAGE 0002
MCS	S010384	STARTS ON PAGE 0011
MCS	S010402	STARTS ON PAGE 0012
MCS	S010413	STARTS ON PAGE 0013
MCS	S010450	STARTS ON PAGE 0014
MCS	S010453	STARTS ON PAGE 0016
MCS	S010476	STARTS ON PAGE 0017
MCS	S010490	STARTS ON PAGE 0018

CA OPS/MVS for JES3 13.5
CA RS 1911 Product/Component Listing

Product Family	Product	Release
Systems Management	CA OPS/MVS BASE	13.05.00
The CA RS 1911 Product/Component Count for this release is 1		

CA OPS/MVS for JES3 13.5
All CA RS Levels Service List

CA RS Level	Service	FMID
CAR1911	S010490	CCLXD50
	S010476	CCLXD50
	S010453	CCLXD50
	S010450	CCLXD50
	S010413	CCLXD50
	S010402	CCLXD50
	S010384	CCLXD50
	S010262	CCLXD50
CAR1910	S010241	CCLXD50
	S010050	CCLXD50
	S010024	CCLXD50
	S009878	CCLXD50
	S009794	CCLXD50
	S009449	CCLXD50
	S008614	CCLXD51
	S008478	CCLXD50
CAR1909	S009846	CCLXD50
	S009840	CCLXD50
	S009667	CCLXD50
	S009544	CCLXD50
	S009387	CCLXD50
	S009094	CCLXD50
CAR1908	S009364	CCLXD50
	S009193	CCLXD50
	S009160	CCLXD50
	S009115	CCLXD50
CAR1907	S009020	CCLXD50
	S009000	CCLXD50
	S008999	CCLXD50
	S008872	CCLXD50
	S008831	CCLXD50
	S008829	CCLXD50
	S008714	CCLXD50
	S008712	CCLXD50
	S008651	CCLXD50
	S008640	CCLXD50
	S008475	CCLXD51
	S008474	CCLXD50
CAR1906	S008647	CCLXD50
	S008645	CCLXD50
	S008583	CCLXD50
	S008572	CCLXD50
	S008535	CCLXD50
	S008471	CCLXD50
	S008386	CCLXD50
	S008367	CCLXD51
	S008357	CCLXD50
	S008339	CCLXD50
	S008299	CCLXD50
	S008241	CCLXD50
	S008166	CCLXD53
	S006836	CCLXD50
CAR1905	S008113	CCLXD50
CAR1904	S007801	CCLXD50
	S007732	CCLXD50

CA RS Level	Service	FMID
	S007650	CCLXD50
	S007596	CCLXD51
	S007510	CCLXD50
CAR1903	S007406	CCLXD50
	S007289	CCLXD50
	S007231	CCLXD51
	S007197	CCLXD50
CAR1902	S007182	CCLXD51
	S007131	CCLXD50
	S006990	CCLXD50
	S006965	CCLXD50
	S006962	CCLXD50
	S006939	CCLXD50
	S006933	CCLXD50
	S006920	CCLXD51
	S006788	CCLXD50
CAR1901	S006555	CCLXD50
	S006527	CCLXD50
	S006526	CCLXD50
	S006167	CCLXD51
	S006166	CCLXD50
CAR1812	S006502	CCLXD50
	S006380	CCLXD51
	S006379	CCLXD50
	S006345	CCLXD50
	S006257	CCLXD50
	S006212	CCLXD50
	S006109	CCLXD50
	S005996	CCLXD51
CAR1811	S006105	CCLXD50
	S006042	CCLXD50
	S005965	CCLXD50
	S005934	CCLXD50
	S005908	CCLXD51
	S005737	CCLXD51
	S005727	CCLXD50
	S005704	CCLXD50
	S005690	CCLXD50
CAR1810	S005680	CCLXD50
	S005674	CCLXD50
	S005661	CCLXD50
	S005638	CCLXD51
	S005619	CCLXD50
	S005593	CCLXD51
	S005592	CCLXD50
	S005541	CCLXD50
	S005320	CCLXD50
	S005285	CCLXD50
	S005275	CCLXD50
CAR1809	S005192	CCLXD51
	S005191	CCLXD50
	S005047	CCLXD50
	S005042	CCLXD50
	S004989	CCLXD50
	S004944	CCLXD50

CA RS Level	Service	FMID
	S004928	CCLXD50
	S004900	CCLXD50
	S004898	CCLXD50
	S004808	CCLXD50
	S004772	CCLXD50
	S004680	CCLXD50
	S004634	CCLXD50
CAR1808	S004649	CCLXD50
	S004626	CCLXD50
	S004490	CCLXD50
	S004412	CCLXD51
	S004411	CCLXD50
	S004296	CCLXD51
CAR1807	S003933	CCLXD50
	S003910	CCLXD50
	S003905	CCLXD50
	S003594	CCLXD50
	S001859	CCLXD50
CAR1806	S003775	CCLXD51
	S003731	CCLXD50
	S003595	CCLXD51
	S001956	CCLXD50
	S001943	CCLXD51
	S001874	CCLXD50
	S001813	CCLXD50
	S001752	CCLXD50
CAR1805	S001580	CCLXD50
	S001320	CCLXD50
	S001297	CCLXD50
	S001270	CCLXD50
	S001221	CCLXD50
CAR1804	S001097	CCLXD50
	S001092	CCLXD50
	S001061	CCLXD50
	S000908	CCLXD50
	S000873	CCLXD51
	S000597	CCLXD50
CAR1803	S000632	CCLXD50
	S000630	CCLXD50
	S000572	CCLXD50
	S000562	CCLXD50
	S000476	CCLXD50
	S000444	CCLXD50
	S000393	CCLXD50
	S000371	CCLXD50
	S000247	CCLXD50
	S000245	CCLXD50
	S000239	CCLXD50
	S000236	CCLXD51
	S000235	CCLXD50