

CA Vantage Storage Resource Manager 14.0
CA RS 1911 Service List

1

Service	Description	Type
S008705	WORKING WITH CA VANTAGE TREND DATA ON ANOTHER LPAR	PTF
S009744	STK VSM - UUI VERSION OBJECTS DO NOT SHOW ANY DATA	PTF
S010499	BMC CONTROL-M/TAPE VOLUMES UNKNOWN TAPES DENSITY	PTF
The CA RS 1911 service count for this release is 3		

CA Vantage Storage Resource Manager
CA RS 1911 Service List for CCTUE00

FMID	Service	Description	Type
CCTUE00	S008705	WORKING WITH CA VANTAGE TREND DATA ON ANOTHER LPAR	PTF
	S009744	STK VSM - UUI VERSION OBJECTS DO NOT SHOW ANY DATA	PTF
	S010499	BMC CONTROL-M/TAPE VOLUMES UNKNOWN TAPES DENSITY	PTF
The CA RS 1911 service count for this FMID is 3			

Service	Details																																													
S008705	S008705 M.C.S. ENTRIES = ++PTF (S008705) WORKING WITH CA VANTAGE TREND DATA ON ANOTHER LPAR ENHANCEMENT DESCRIPTION: This sysmod introduces a new feature that lets you: - Read CA Vantage object log and capture data sets created on different LPARs. - Write to CA Vantage object log and capture data sets that can be read by the CA Vantage host task running on another LPAR. The CA Vantage object log and capture data sets names have the format prefix.Oobjnb.tvSSID.Dyyyyddd.Thhmmss , where "SSID" is the MVS system ID on which the host task is running. This sysmod introduces the following system parameters(VKGPARMS) that can change the SSID that the CA Vantage host uses to read and to create log and capture data sets: * LPARLOGR - Specify the MVS system ID (SID, not the system symbol) to be used in the data set pattern when reading log and capture data sets. * LPARLOGW - Specify the MVS system ID (SID, not the system symbol) to be used when creating log and capture data sets. SYMPTOMS: None. IMPACT: None. CIRCUMVENTION: None. PRODUCT(S) AFFECTED: CA Vantage SRM Release 14.0 CA Vantage GMI Release 14.0 Related Problem: VANT 9856 Copyright (C) 2019 CA. All rights reserved. R00259-CTU140-SP1 DESC(WORKING WITH CA VANTAGE TREND DATA ON ANOTHER LPAR). ++VER (Z038) FMID (CCTUE00) PRE (R084906 R087496 R088960 R095258 R097229 R097637 R098189 S000071 S000868 S003923 S005499 S005989 S006433 S007633 S008404 S008472 S008708) SUP (ST07321 ST08430 ST08433 ST08705) ++HOLD (S008705) SYSTEM FMID(CCTUE00) REASON (ENH) DATE (19297) COMMENT (<table><tr><td colspan="2">CA Vantage SRM and CA Vantage GMI</td><td>Version 14.0</td></tr></table> <table><tr><td>SEQUENCE</td><td>After Apply</td><td></td></tr><tr><td></td><td>Before using "Reading and Writing to CA Vantage</td><td></td></tr><tr><td></td><td>Log and Capture data sets from another LPAR" feature.</td><td></td></tr></table> <table><tr><td>PURPOSE</td><td>Product functionality enhancement.</td><td></td></tr></table> <table><tr><td>USERS</td><td>All users that want to:</td><td></td></tr><tr><td>AFFECTED</td><td>* Read CA Vantage object log and capture data set</td><td></td></tr><tr><td></td><td>created on different LPARs.</td><td></td></tr><tr><td></td><td>* Write to CA Vantage object log and capture data sets</td><td></td></tr><tr><td></td><td>that can be read by the CA Vantage host task running</td><td></td></tr><tr><td></td><td>on another LPAR.</td><td></td></tr><tr><td></td><td></td><td></td></tr></table> <table><tr><td>KNOWLEDGE</td><td>CA Vantage customization.</td><td></td></tr><tr><td>REQUIRED</td><td></td><td></td></tr></table> <table><tr><td>ACCESS</td><td>CA Vantage libraries.</td><td></td></tr></table>	CA Vantage SRM and CA Vantage GMI		Version 14.0	SEQUENCE	After Apply			Before using "Reading and Writing to CA Vantage			Log and Capture data sets from another LPAR" feature.		PURPOSE	Product functionality enhancement.		USERS	All users that want to:		AFFECTED	* Read CA Vantage object log and capture data set			created on different LPARs.			* Write to CA Vantage object log and capture data sets			that can be read by the CA Vantage host task running			on another LPAR.					KNOWLEDGE	CA Vantage customization.		REQUIRED			ACCESS	CA Vantage libraries.	
CA Vantage SRM and CA Vantage GMI		Version 14.0																																												
SEQUENCE	After Apply																																													
	Before using "Reading and Writing to CA Vantage																																													
	Log and Capture data sets from another LPAR" feature.																																													
PURPOSE	Product functionality enhancement.																																													
USERS	All users that want to:																																													
AFFECTED	* Read CA Vantage object log and capture data set																																													
	created on different LPARs.																																													
	* Write to CA Vantage object log and capture data sets																																													
	that can be read by the CA Vantage host task running																																													
	on another LPAR.																																													
KNOWLEDGE	CA Vantage customization.																																													
REQUIRED																																														
ACCESS	CA Vantage libraries.																																													

Service	Details
	<pre> REQUIRED +-----+-----+ ***** * STEPS TO PERFORM * ***** This feature is natively deactivated and its activation requires setting up the new CA Vantage system parameters(VKGPARMS)LPARLOGR and LPARLOGW. CA Vantage system parameters LPARLOGR and LPARLOGW can be used to work with CA Vantage historical data on an LPAR where the CA Vantage object logs (trends) or capture data sets were not originally created, or to create new historical data in the same way that they would be created on another system. CA Vantage log or capture data set names include a part of the MVS system ID (LPAR) on which they were created. For more information how to use this feature see the CA Vantage documentation.).</pre>

Service	Details
S009744	S009744 M.C.S. ENTRIES = ++PTF (S009744) STK VSM - UUI VERSION OBJECTS DO NOT SHOW ANY DATA PROBLEM DESCRIPTION: The following CA Vantage objects, located under Tape Resource Management - Virtual Tape Systems - STK VSM UUI version in CA Vantage object tree, do not show any data when the corresponding systems system scripts STK10060, STK10098 and STK10099 are executed: (OBJ10060) Virtual Tape Volumes Based on SMCUUUI (OBJ10098) Scratch Pool Based on SMCUUUI (OBJ10099) STK Pools and Volumes SYMPTOMS: The following message shows in CA Vantage JESMSG LG part of joblog when the corresponding scripts are executed. VKG0170D No Records Exist OR No Match On Filter Criteria,script_name IMPACT: Related CA Vantage objects do not show any data. CIRCUMVENTION: None. PRODUCT(S) AFFECTED: CA Vantage SRM Release 14.0 CA Vantage GMI Release 14.0 Related Problem: VANT 9947 Copyright (C) 2019 CA. All rights reserved. R00282-CTU140-SP1 DESC(STK VSM - UUI VERSION OBJECTS DO NOT SHOW ANY DATA). ++VER (Z038) FMID (CCTUE00) PRE (R088960 S005955) SUP (ST09744)

Service	Details									
S010499	S010499 M.C.S. ENTRIES = ++PTF (S010499) BMC CONTROL-M/TAPE VOLUMES UNKNOWN TAPES DENSITY PROBLEM DESCRIPTION: CA Vantage object (VANBVOLS) BMC Control-M/Tape volumes, located under Tape Resource Management - Tape Management Systems - BMC Control-M/Tape in the CA Vantage object tree, shows incorrect values in the column "Density" for tape volumes with recording density type x'E3', x'E7', x'E8', x'E9' and x'EA'. With this sysmod, the related density recording formats show as follows: x'E3' = 3480 - BPI38K Cartridge x'E7' = 3490 - BPI38KC Cartridge compacted x'E8' = 3590 - 3590 Cartridge tape x'E9' = 3592 - 3592 Cartridge tape x'EA' = 3592 - 3592 WORM Cartridge SYMPTOMS: Tape volumes with recording density x'E3', x'E7', x'E8', x'E9' and x'EA' have value "-None" or incorrect density value. For example, BPI38KE instead of 3490. The following messages are presented in the CA Vantage MSGE00n log: VAN10096 Unknown density nn IMPACT: CA Vantage shows inaccurate data. CA Vantage MSGE00n overfills with VAN10096 messages. CIRCUMVENTION: None. PRODUCT(S) AFFECTED: CA Vantage SRM Release 14.0 CA Vantage GMI Release 14.0 Related Problem: VANT 9951 Copyright (C) 2019 CA. All rights reserved. R00294-CTU140-SP1 DESC(BMC CONTROL-M/TAPE VOLUMES UNKNOWN TAPES DENSITY). ++VER (Z038) FMID (CCTUE00) PRE (R084906) SUP (ST10073 ST10473 ST10499) <table><tr><td>MCS</td><td>S008705</td><td>STARTS ON PAGE 0002</td></tr><tr><td>MCS</td><td>S009744</td><td>STARTS ON PAGE 0004</td></tr><tr><td>MCS</td><td>S010499</td><td>STARTS ON PAGE 0005</td></tr></table>	MCS	S008705	STARTS ON PAGE 0002	MCS	S009744	STARTS ON PAGE 0004	MCS	S010499	STARTS ON PAGE 0005
MCS	S008705	STARTS ON PAGE 0002								
MCS	S009744	STARTS ON PAGE 0004								
MCS	S010499	STARTS ON PAGE 0005								

CA Vantage Storage Resource Manager 14.0
CA RS 1911 Product/Component Listing

Product Family	Product	Release
Storage	CA VANTAGE SRM AND CA VANTAGE GMI	14.00.00
The CA RS 1911 Product/Component Count for this release is 1		

CA RS Level	Service	FMID
CAR1911	S010499	CCTUE00
	S009744	CCTUE00
	S008705	CCTUE00
CAR1909	S009778	CCTUE00
	S009435	CCTUE00
	S009332	CCTUE00
	S009243	CCTUE00
	S009153	CCTUE00
	S008209	CCTUE00
CAR1908	S009295	CCTUE00
	S009283	CCTUE00
	S008949	CCTUE00
CAR1907	S008708	CCTUE00
	S008404	CCTUE00
CAR1906	S008472	CCTUE00
	S008389	CCTUE00
	S008213	CCTUE00
	S007908	CCTUE00
	S007903	CCTUE00
	S007752	CCTUE00
	S007633	CCTUE00
	S005631	CCTUE00
CAR1902	S006858	CCTUE00
	S006203	CCTUE00
CAR1901	S006758	CCTUE00
	S006433	CCTUE00
	S006079	CCTUE00
	S005955	CCTUE00
CAR1812	S006439	CCTUE00
	S006202	CCTUE00
	S006155	CCTUE00
	S005989	CCTUE00
CAR1811	S005406	CCTUE00
	S005313	CCTUE00
	S005185	CCTUE00
CAR1810	S005499	CCTUE00
	S005217	CCTUE00
	S004438	CCTUE00
CAR1809	S005060	CCTUE00
	S005029	CCTUE00
	S004770	CCTUE00
	S004633	CCTUE00
	S004310	CCTUE00
	S003862	CCTUE00
CAR1808	S004602	CCTUE00
	S004439	CCTUE00
	S004236	CCTUE00
	S004049	CCTUE00
	S003859	CCTUE00
CAR1807	S004124	CCTUE00
	S004038	CCTUE00
	S003923	CCTUE00
	S003710	CCTUE00
	S001683	CCTUE00
CAR1806	S003623	CCTUE00

CA RS Level	Service	FMID
	S001800	CCTUE00
	S001765	CCTUE00
	S001508	CCTUE00
	S001383	CCTUE00
	R099883	CCTUE00
	R099174	CCTUE00
CAR1805	S001503	CCTUE00
	S001478	CCTUE00
	S000950	CCTUE00
	S000868	CCTUE00
	S000655	CCTUE00
CAR1804	S000577	CCTUE00
	S000573	CCTUE00
	S000464	CCTUE00
	S000071	CCTUE00
	R099222	CCTUE00
	R099128	CCTUE00
	R097061	CCTUE00
CAR1802	R099708	CCTUE00
	R099407	CCTUE00
CAR1712	R098578	CCTUE00
CAR1711	R098387	CCTUE00
	R098309	CCTUE00
	R098197	CCTUE00
	R098113	CCTUE00
	R098037	CCTUE00
	R097610	CCTUE00
CAR1710	R098189	CCTUE00
	R097682	CCTUE00
	R097637	CCTUE00
CAR1709	R097572	CCTUE00
	R097384	CCTUE00
	R097383	CCTUE00
	R097229	CCTUE00
	R097212	CCTUE00
	R096735	CCTUE00
	R095510	CCTUE00
	R094392	CCTUE00
CAR1708	R097063	CCTUE00
	R096929	CCTUE00
	R095823	CCTUE00
	R095258	CCTUE00
	R093614	CCTUE00
CAR1706	R096064	CCTUE00
	R095843	CCTUE00
	R095842	CCTUE00
	R095373	CCTUE00
CAR1705	R095664	CCTUE00
	R095390	CCTUE00
	R095228	CCTUE00
	R094643	CCTUE00
	R093383	CCTUE00
CAR1703	R093652	CCTUE00
CAR1702	R093418	CCTUE00
	R093417	CCTUE00

CA RS Level	Service	FMID
	R093349	CCTUE00
	R093344	CCTUE00
	R093221	CCTUE00