

CA IDMS 19.0
CA RS 2005 Service List

1

Service	Description	Type
S009657	DEBUG CHAIN ERROR IN DPX	PTF
S009998	DC301077 WHEN DEADLOCK DETECTION INTERVAL IS SUB-SECOND	PTF
S010291	CAGJSAMP UCFTSOCL UPDATE FOR S008256	PTF
S011961	RHDCNI3S SYSTEM MODULE PROGRAM CHECK	PTF
S012104	ABEND 3964 AT SHUTDOWN IN DATA SHARING ENVIRONMENT	PTF
S012379	MQTRIGGR PTERMS DUPLICATE DISPLAYS	PTF
S012383	DICTIONARY MIGRATOR MOD5 MISSING LINE	PTF
S012628	S01F AT CV SHUTDOWN	PTF
The CA RS 2005 service count for this release is 8		

CA IDMS
CA RS 2005 Service List for CAGJJ00

2

FMID	Service	Description	Type
CAGJJ00	S009657	DEBUG CHAIN ERROR IN DPX	PTF
	S009998	DC301077 WHEN DEADLOCK DETECTION INTERVAL IS SUB-SECOND	PTF
	S010291	CAGJSAMP UCFTSOCL UPDATE FOR S008256	PTF
	S011961	RHDCNI3S SYSTEM MODULE PROGRAM CHECK	PTF
	S012104	ABEND 3964 AT SHUTDOWN IN DATA SHARING ENVIRONMENT	PTF
	S012379	MQTRIGGR PTERMS DUPLICATE DISPLAYS	PTF
	S012383	DICTIONARY MIGRATOR MOD5 MISSING LINE	PTF
	S012628	S01F AT CV SHUTDOWN	PTF
The CA RS 2005 service count for this FMID is 8			

Service	Details				
SO09657	SO09657 M.C.S. ENTRIES = ++PTF (SO09657) DEBUG CHAIN ERROR IN DPX PROBLEM DESCRIPTION: Using DEBUG on a large dialog may abend the DEBUG session. SYMPTOMS: 'DC237002 TASK:DEBUG CHAIN ERROR IN DPX' message appears. IMPACT: DEBUG cannot be used to debug the dialog without abending. CIRCUMVENTION: None. PRODUCTS AFFECTED: <table> <tr> <td>CA IDMS Base Option</td><td>Version 18.5</td></tr> <tr> <td>CA IDMS Base Option</td><td>Version 19.0</td></tr> </table> Related Problem: IDMS 5561 Copyright (C) 2020 CA. All rights reserved. R00568-AGJ190-SP1 DESC(DEBUG CHAIN ERROR IN DPX). ++VER (Z038) FMID (CAGJJ00) SUP (R094911 ST09657 TR94911)	CA IDMS Base Option	Version 18.5	CA IDMS Base Option	Version 19.0
CA IDMS Base Option	Version 18.5				
CA IDMS Base Option	Version 19.0				

CA IDMS 19.0
CA RS 2005 - PTF SO09998 Details

4

Service	Details
SO09998	SO09998 M.C.S. ENTRIES = ++PTF (SO09998) DC301077 WHEN DEADLOCK DETECTION INTERVAL IS SUB-SECOND PROBLEM DESCRIPTION: If OPT00189 is enabled in RHDCOPTF for the SYSGEN DEADLOCK DETECTION interval to be interpreted as milliseconds, when using the SYSGEN compiler warning message DC301077 appears. SYMPTOMS: DC301077 DEADLOCK DETECTION INTERVAL NOT LESS THAN INACTIVE INTERVAL message displays during the compiler session. IMPACT: When OPT00189 is enabled this message is likely inaccurate. CIRCUMVENTION: None. PRODUCT(S) AFFECTED: CA IDMS Base Option Version 19.0 Related Problem: IDMS 5567 Copyright (C) 2020 CA. All rights reserved. R00575-AGJ190-SP1 DESC(DC301077 WHEN DEADLOCK DETECTION INTERVAL IS SUB-SECOND). ++VER (Z038) FMID (CAGJJ00) PRE (SO09820 SO12292) SUP (ST09998)

Service	Details
SO10291	SO10291 M.C.S. ENTRIES = ++PTF (SO10291) CAGJSAMP UCFTSOCL UPDATE FOR S008256 PROBLEM DESCRIPTION: CAGJSAMP member UCFTSOCL does not include an example of using the DFLTSIZ parameter added by the 3270 Dynamic Screen Size Tolerance PTF S008256. SYMPTOMS: 'DFLTSIZ=' parameter usage is not present in the CAGJSAMP member. IMPACT: Not all possible formats of invoking the UCF TSO Interface are in the CAGJSAMP CLIST example. CIRCUMVENTION: Update the CAGJSAMP UCFTSOCL member to include the following: CALL '<YOUR.CAIDMS.CAGJLOAD(RHDCUCFT)>' - 'DFLTSIZ=43X80' <-- DYNAMIC UCF TSO INTERFACE Change the parameter specification to the correct 3270 model type as needed. PRODUCT(S) AFFECTED: CA IDMS Base Option Version 19.0 Related Problem: IDMS 5574 Copyright (C) 2020 CA. All rights reserved. R00581-AGJ190-SP1 DESC(CAGJSAMP UCFTSOCL UPDATE FOR S008256). ++VER (Z038) FMID (CAGJJ00) PRE (S008256 S008699) SUP (ST10291)

Service	Details				
SO11961	SO11961 M.C.S. ENTRIES = ++PTF (SO11961) RHDCNI3S SYSTEM MODULE PROGRAM CHECK PROBLEM DESCRIPTION: RHDCNI3S (within RHDCTD0D) may cause a system module program check. SYMPTOMS: DC027002 SYSTEM MODULE PROGRAM CHECKED NEAR RHDCTD0D AT OFFSET 2664 IMPACT: Affected tasks are aborted. The Central Version continues operation. CIRCUMVENTION: None. PRODUCTS AFFECTED: <table> <tr> <td>CA IDMS Base Option</td><td>Version 19.0</td></tr> <tr> <td>CA IDMS Base Option</td><td>Version 18.5</td></tr> </table> Related Problem: IDMS 5597 Copyright (C) 2020 CA. All rights reserved. R00612-AGJ190-SP1 DESC(RHDCNI3S SYSTEM MODULE PROGRAM CHECK) . ++VER (Z038) FMID (CAGJJ00) PRE (R080760 R094367) SUP (ST11961)	CA IDMS Base Option	Version 19.0	CA IDMS Base Option	Version 18.5
CA IDMS Base Option	Version 19.0				
CA IDMS Base Option	Version 18.5				

Service	Details
SO12104	SO12104 M.C.S. ENTRIES = ++PTF (SO12104) ABEND 3964 AT SHUTDOWN IN DATA SHARING ENVIRONMENT PROBLEM DESCRIPTION: At shutdown in a data sharing environment, if an error occurs disconnecting from the lock structure in the coupling facility, CV will abend with a U3964 and the dump will not contain any lock structure data. This fix will cause a U3937 abend to occur instead and will produce a dump that contains lock structure information. SYMPTOMS: A 3964 abend is encountered instead of a 3937 abend. The DC200160, DC200162 and DC200190 diagnostic error messages are not issued. An SVC dump may be captured, however it does not include the structures from the Coupling Facility. IMPACT: The shutdown completes successfully, but diagnosing the cause of the original problem is made more difficult because data from the Coupling Facility structures may not be available. CIRCUMVENTION: None. PRODUCT(S) AFFECTED: CA IDMS Base Option Version 18.5 CA IDMS Base Option Version 19.0 Related Problem: IDMS 5602 Copyright (C) 2020 CA. All rights reserved. R00616-AGJ190-SP1 DESC (ABEND 3964 AT SHUTDOWN IN DATA SHARING ENVIRONMENT). ++VER (Z038) FMID (CAGJJ00) PRE (R079779 R079996 R087425 R093431 R094431 R096807 S007191 S008855 S010516) SUP (R083481 R083577 R088601 R091297 S007873 ST07873 ST12104 TR83481 TR83577 TR88601 TR91297)

Service	Details
SO12379	SO12379 M.C.S. ENTRIES = ++PTF (SO12379) MQTRIGGR PTERMS DUPLICATE DISPLAYS PROBLEM DESCRIPTION: In IDD, MQTRIGGR pterms will display the 'WITHIN SYSTEM' clause twice. In SYSGEN, a DISPLAY ALL PTERM will show the PTE twice. SYMPTOMS: In IDD, MQTRIGGR pterms will display the 'WITHIN SYSTEM' clause twice. In SYSGEN, a DISPLAY ALL PTERM will show the PTE twice. IMPACT: Information displayed twice. CIRCUMVENTION: None. PRODUCT(S) AFFECTED: CA IDMS Base Option Version 19.0 Related Problem: IDMS 5608 Copyright (C) 2020 CA. All rights reserved. R00624-AGJ190-SP1 DESC(MQTRIGGR PTERMS DUPLICATE DISPLAYS). ++VER (Z038) FMID (CAGJJ00) PRE (S007191 S009645 S009820) SUP (ST12379)

Service	Details				
SO12383	SO12383 M.C.S. ENTRIES = ++PTF (SO12383) DICTIONARY MIGRATOR MOD5 MISSING LINE PROBLEM DESCRIPTION: Using a MOD5 terminal with Dictionary Migrator will cause the specification of an entity exclusion table name to be missing from the screen. SYMPTOMS: The entity exclusion table name specification will be missing from the screen. IMPACT: Cannot specify a non-default entity exclusion table name. CIRCUMVENTION: Use a MOD4 terminal. PRODUCT(S) AFFECTED: <table> <tr> <td>CA IDMS Base Option</td><td>Release 18.5</td></tr> <tr> <td>CA IDMS Base Option</td><td>Version 19.0</td></tr> </table> Related Problem: IDMS 5609 Copyright (C) 2020 CA. All rights reserved. R00625-AGJ190-SP1 DESC(DICTIONARY MIGRATOR MOD5 MISSING LINE). ++VER (Z038) FMID (CAGJJ00) SUP (ST12383)	CA IDMS Base Option	Release 18.5	CA IDMS Base Option	Version 19.0
CA IDMS Base Option	Release 18.5				
CA IDMS Base Option	Version 19.0				

Service	Details
S012628	S012628 M.C.S. ENTRIES = ++PTF (S012628) S01F AT CV SHUTDOWN PROBLEM DESCRIPTION: A S01F-04 abend occurs during CV shutdown. SYMPTOMS: The S01F-04 abend during CV shutdown can occur before or after the message "IDMS DC024000 HEALTH CHECKER: Termination completed" which is followed by several CCSRxxxx messages: CCSR010E RHDCOS00 S01F at 457F93F4 LMOD N/A CSECT N/A +N/A CCSR060I BREAKING EVENT ADDRESS: 00000000 013531F4 CCSR061I PSW: 07040000 80000000 00000000 0130E6E8 CCSR062I ILC: 02 INTERRUPT CODE: 0D CCSR067I COMPLETION CODE S01F REASON CODE 00000004 IMPACT: There is no impact to CV shutdown as all CV files and areas have been closed or shutdown and the IDMS message "IDMS DC200253 V250 T1 Areas closedown completed" was issued. Circumvention: The S01F-04 indicates the z/OS Linkage Stack is not empty at the time of CV shutdown. A probable cause could be a system exit has issued a BAKR instruction and abended before the exit returned by issuing a PR instruction leaving an entry on the Linkage Stack. Check the IDMS log for prior abends related to the exit. PRODUCT(S) AFFECTED: CA IDMS Base Option Version 19.0 Version 18.5 Related Problem: IDMS 5593 Copyright (C) 2020 CA. All rights reserved. R00630-AGJ190-SP1 DESC(S01F AT CV SHUTDOWN). ++VER (Z038) FMID (CAGJJ00) PRE (R080760 R081229 R081872 R083713 R090447 R092366 R095151 R095344 R096807 R098452 R099627 S000198 S004673 S006628 S006651 S006940 S007073 S007191 S008156 S008599 S009600) SUP (AR81229 AS01055 RI82705 R079109 R079685 R082708 R088217 R089987 R091223 R092599 R094476 R094965 R096320 R097235 R098122 SI04932 S001055 S004934 S010951 ST00900 ST01055 ST01058 ST04193 ST04934 ST05719 ST10820 ST10951 ST12628 TR79109 TR79685 TR82708 TR88217 TR89987 TR91223 TR91485 TR92599 TR94476 TR94965 TR96320 TR97235 TR98122) MCS S009657 STARTS ON PAGE 0002 MCS S009998 STARTS ON PAGE 0002 MCS S010291 STARTS ON PAGE 0003 MCS S011961 STARTS ON PAGE 0004 MCS S012104 STARTS ON PAGE 0005 MCS S012379 STARTS ON PAGE 0006 MCS S012383 STARTS ON PAGE 0006 MCS S012628 STARTS ON PAGE 0007

CA IDMS 19.0
CA RS 2005 Product/Component Listing

11

Product Family	Product	Release
Database	CA IDMS BASE OPTION	19.00.00
The CA RS 2005 Product/Component Count for this release is 1		

CA IDMS 19.0
All CA RS Levels Service List

CA RS Level	Service	FMID
CAR2005	S012628	CAGJJ00
	S012383	CAGJJ00
	S012379	CAGJJ00
	S012104	CAGJJ00
	S011961	CAGJJ00
	S010291	CAGJJ00
	S009998	CAGJJ00
	S009657	CAGJJ00
CAR2004	S012434	CAGJJ00
	S012399	CAGJJ00
	S012360	CAGJJ00
	S012292	CAGJJ00
	S012262	CAGJJ00
	S012198	CAGJJ00
	S011908	CAGJJ00
	S011556	CAGJJ00
	S010951	CAGJJ00
	S009336	CAGJJ00
	S004416	CAGJJ00
CAR2003	S011594	CAGJJ00
	S011232	CAGJJ00
	S010839	CAGJJ00
	S010249	CAGJJ00
	S009600	CAGJJ00
	S009362	CAGJJ01
CAR2002	S011517	CAGJJ00
	S011156	CAGJJ00
	S011138	CAGJJ00
	S011091	CAGJJ00
	S010947	CAGJJ00
	S010516	CAGJJ00
	S010031	CAGJJ00
	S009476	CAGJJ00
	S009172	CAGJJ00
CAR2001	S009820	CAGJJ00
	S008599	CAGJJ00
CAR1912	S010889	CAGJJ00
	S010753	CAGJJ00
	S010396	CAGJJ00
	S010358	CAGJJ00
	S010227	CAGJJ00
	S008855	CAGJJ00
	S007433	CAGJJ00
CAR1911	S009501	CAGJJ00
	S009041	CAGJJ00
CAR1910	S010133	CAGJJ00
	S010103	CAGJJ00

CA IDMS 19.0
All CA RS Levels Service List

CA RS Level	Service	FMID
	S009990	CAGJJ00
	S009980	CAGJJ00
	S009947	CAGJJ00
	S009808	CAGJJ00
	S009376	CAGJJ00
	S008919	CAGJJ00
	S008757	CAGJJ00
CAR1909	S009645	CAGJJ00
	S009609	CAGJJ00
	S009579	CAGJJ00
	S009502	CAGJJ00
	S009465	CAGJJ00
	S008527	CAGJJ00
	S008382	CAGJJ00
	S007788	CAGJJ00
	S007579	CAGJJ00
CAR1908	S009453	CAGJJ00
	S009122	CAGJJ00
	S008699	CAGJJ00
	S008620	CAGJJ00
	S008401	CAGJJ00
	S008292	CAGJJ00
	S008257	CAGJJ01
	S008256	CAGJJ00
	S008246	CAGJJ00
	S008199	CAGJJ00
CAR1907	S008436	CAGJJ00
	S008356	CAGJJ00
	S008277	CAGJJ00
	S007873	CAGJJ00
	S006677	CAGJJ00
CAR1906	S008179	CAGJJ00
	S008151	CAGJJ00
	S008100	CAGJJ00
	S008058	CAGJJ00
CAR1905	S008156	CAGJJ00
	S008006	CAGJJ00
	S007995	CAGJJ00
	S007979	CAGJJ00
	S007852	CAGJJ00
	S007829	CAGJJ00
	S007705	CAGJJ00
	S007598	CAGJJ00
	S007073	CAGJJ00
	S006693	CAGJJ00
CAR1904	S007638	CAGJJ01
	S007448	CAGJJ00

CA IDMS 19.0
All CA RS Levels Service List

CA RS Level	Service	FMID
	S007420	CAGJJ00
	S007191	CAGJJ00
	S006940	CAGJJ00
	S006629	CAGJJ01
	S006628	CAGJJ00
	S005933	CAGJJ00
	S005345	CAGJJ00
CAR1903	S007404	CAGJJ00
	S007112	CAGJJ00
	S007092	CAGJJ00
	S006860	CAGJJ00
	S006651	CAGJJ00
CAR1902	S006820	CAGJJ00
	S006346	CAGJJ00
CAR1812	S006075	CAGJJ00
	S005694	CAGJJ00
CAR1811	S005897	CAGJJ00
	S004421	CAGJJ00
CAR1809	S005151	CAGJJ00
	S004972	CAGJJ00
	S004934	CAGJJ00
	S004673	CAGJJ00
	S004635	CAGJJ00
	S004477	CAGJJ00
	S000238	CAGJJ00
	S000198	CAGJJ00
CAR1808	S004083	CAGJJ00
CAR1807	S004177	CAGJJ00
	S004062	CAGJJ00
	S003823	CAGJJ00
	S001912	CAGJJ00
	S001778	CAGJJ00
	S001224	CAGJJ00
CAR1806	S001809	CAGJJ00
	S001578	CAGJJ00
	S000511	CAGJJ00
CAR1805	S001393	CAGJJ00
	S001206	CAGJJ00
	S001076	CAGJJ00
	S000677	CAGJJ00
	S000041	CAGJJ00
	R099709	CAGJJ00
	R098688	CAGJJ00
	R098615	CAGJJ00
CAR1804	S001055	CAGJJ00
	S000802	CAGJJ00
	S000360	CAGJJ00

CA IDMS 19.0
All CA RS Levels Service List

CA RS Level	Service	FMID
	S000341	CAGJJ00
CAR1803	S000266	CAGJJ00
	S000195	CAGJJ00
	S000160	CAGJJ00
	S000145	CAGJJ00
	S000013	CAGJJ00
	R099638	CAGJJ00
	R099580	CAGJJ00
	R099577	CAGJJ00
	R098991	CAGJJ00
CAR1802	R099897	CAGJJ00
	R099627	CAGJJ00
	R099525	CAGJJ00
CAR1801	R099550	CAGJJ00
	R099485	CAGJJ00
	R099380	CAGJJ00
	R099096	CAGJJ00
	R098995	CAGJJ00
	R098831	CAGJJ00
	R098811	CAGJJ00
	R098745	CAGJJ00
	R098703	CAGJJ00
	R098684	CAGJJ00
	R098452	CAGJJ00
	R098122	CAGJJ00
	R098072	CAGJJ00
CAR1711	R098392	CAGJJ00
	R098349	CAGJJ00
	R098318	CAGJJ00
	R098221	CAGJJ00
	R098060	CAGJJ00
	R097807	CAGJJ00
	R097698	CAGJJ00
	R097668	CAGJJ00
	R097631	CAGJJ00
	R097601	CAGJJ00
	R097492	CAGJJ00
	R097235	CAGJJ00
	R096997	CAGJJ00
	R096980	CAGJJ00
CAR1710	R097690	CAGJJ00
	R094655	CAGJJ00
CAR1709	R097401	CAGJJ00
	R097259	CAGJJ00
	R097217	CAGJJ00
	R097195	CAGJJ01
	R097168	CAGJJ00

CA IDMS 19.0
All CA RS Levels Service List

CA RS Level	Service	FMID
	R097151	CAGJJ00
	R097014	CAGJJ00
	R096911	CAGJJ00
	R096889	CAGJJ00
	R096758	CAGJJ00
CAR1708	R097013	CAGJJ00
	R096918	CAGJJ00
	R096807	CAGJJ00
	R096754	CAGJJ00
	R096677	CAGJJ00
	R096339	CAGJJ00
	R096320	CAGJJ00
CAR1707	R096611	CAGJJ00
	R096512	CAGJJ00
	R096408	CAGJJ00
	R096127	CAGJJ00
CAR1706	R095899	CAGJJ00
	R095860	CAGJJ00
	R095661	CAGJJ00
	R095311	CAGJJ00
	R095296	CAGJJ00
	R095270	CAGJJ00
	R095241	CAGJJ00
	R095214	CAGJJ00
	R092219	CAGJJ00
CAR1705	R095411	CAGJJ00
	R095344	CAGJJ00
	R095319	CAGJJ00
	R095151	CAGJJ00
	R095076	CAGJJ00
	R095021	CAGJJ00
	R094965	CAGJJ00
	R094717	CAGJJ00
CAR1704	R094911	CAGJJ00
	R094476	CAGJJ00
	R093224	CAGJJ00
CAR1703	R094540	CAGJJ00
	R094431	CAGJJ00
	R094367	CAGJJ00
	R094240	CAGJJ00
	R094188	CAGJJ00
	R094058	CAGJJ00
	R094036	CAGJJ00
	R093920	CAGJJ01
	R093891	CAGJJ00
	R093849	CAGJJ00
	R093347	CAGJJ00

CA IDMS 19.0
All CA RS Levels Service List

CA RS Level	Service	FMID
CAR1702	R093975	CAGJJ00
	R093872	CAGJJ00
	R093739	CAGJJ00
	R093622	CAGJJ00
	R093389	CAGJJ01
CAR1701	R093431	CAGJJ00
	R093357	CAGJJ00
	R093292	CAGJJ00
	R093266	CAGJJ00
	R093233	CAGJJ00
CAR1612	R093158	CAGJJ00
	R093102	CAGJJ00
	R092992	CAGJJ00
	R092927	CAGJJ00
	R092877	CAGJJ00
	R092672	CAGJJ00
	R092599	CAGJJ00
	R092573	CAGJJ00
	R092524	CAGJJ00
	R092452	CAGJJ00
	R090583	CAGJJ00
CAR1611	R092665	CAGJJ00
	R092643	CAGJJ00
	R092547	CAGJJ00
	R092371	CAGJJ00
	R092366	CAGJJ00
	R092321	CAGJJ00
	R092187	CAGJJ00
	R092185	CAGJJ00
	R092176	CAGJJ00
	R092157	CAGJJ00
	R092114	CAGJJ00
	R092068	CAGJJ00
	R091986	CAGJJ00
	R091960	CAGJJ00
	R091870	CAGJJ00
	R091328	CAGJJ00
	R091223	CAGJJ00
	R090671	CAGJJ00
CAR1610	R091903	CAGJJ00
	R091297	CAGJJ00
	R091251	CAGJJ00
	R091070	CAGJJ00
	R090917	CAGJJ00
CAR1609	R091237	CAGJJ00
	R091229	CAGJJ00
	R091091	CAGJJ00

CA RS Level	Service	FMID
	R091050	CAGJJ00
	R090721	CAGJJ00
	R090707	CAGJJ00