

CA Endeavor SCM 18.1
CA RS 2005 Service List

1

Service	Description	Type
S012022	REPORT 51 FAILS ON ZERO LENGTH SYMBOLIC OVERRIDES VALUES	PTF
S012309	(E) REST API VERSIONING	PTF
S012490	REFACTORING	PTF
S012491	REFACTORING	PTF
S012494	C1SSEL3 PANEL DOESN'T DISPLAY ENDEVOR ACTION MESSAGES	PTF
S012495	C1SSEL3 PANEL DOESN'T DISPLAY ENDEVOR ACTION MESSAGES	PTF
S012498	VARIOUS PROBLEMS WHEN SUPER-USERS ARE DEFINED IN ENCOPTBL	PTF
S012546	API REQUEST WAITS FOR 8 MINUTES WHEN BC1PINIT FAILS	PTF
S012574	(E) ECLIPSE UI: RELEASE 18.1.5	PTF
The CA RS 2005 service count for this release is 9		

CA Endeavor SCM
CA RS 2005 Service List for CSIQI10

2

FMID	Service	Description	Type
CSIQI10	S012022	REPORT 51 FAILS ON ZERO LENGTH SYMBOLIC OVERRIDES VALUES	PTF
	S012490	REFACTORING	PTF
	S012494	C1SSEL3 PANEL DOESN'T DISPLAY ENDEVOR ACTION MESSAGES	PTF
	S012498	VARIOUS PROBLEMS WHEN SUPER-USERS ARE DEFINED IN ENCOPTBL	PTF
	S012546	API REQUEST WAITS FOR 8 MINUTES WHEN BC1PINIT FAILS	PTF
The CA RS 2005 service count for this FMID is 5			

CA Endeavor SCM
CA RS 2005 Service List for CSIQI11

FMID	Service	Description	Type
CSIQI11	S012495	C1SSEL3 PANEL DOESN'T DISPLAY ENDEVOR ACTION MESSAGES	PTF
The CA RS 2005 service count for this FMID is 1			

CA Endeavor SCM
CA RS 2005 Service List for CSIQI13

FMID	Service	Description	Type
CSIQI13	S012309	(E) REST API VERSIONING	PTF
	S012491	REFACTORING	PTF
	S012574	(E) ECLIPSE UI: RELEASE 18.1.5	PTF
The CA RS 2005 service count for this FMID is 3			

Service	Details				
SO12022	<p>SO12022 M.C.S. ENTRIES = ++PTF (SO12022)</p> <p>REPORT 51 FAILS ON ZERO LENGTH SYMBOLIC OVERRIDES VALUES</p> <p>PROBLEM DESCRIPTION:</p> <p>CONRPT51 (Unload system definition profile) may abend when a processor group read from the unload data set contains a symbolic override with a zero length value.</p> <p>SYMPTOMS:</p> <p>IEC130I message is issued and Abend U1001 is recognized.</p> <p>IMPACT:</p> <p>Cannot run report 51 with zero length symbolic overrides values.</p> <p>CIRCUMVENTION:</p> <p>None</p> <p>PRODUCT(S) AFFECTED:</p> <table> <tr> <td>CA Endeavor SCM</td><td>Version 18.0</td></tr> <tr> <td>CA Endeavor SCM</td><td>Version 18.1</td></tr> </table> <p>Related Problem:</p> <p>ENDBAS 7757</p> <p>Copyright (C) 2020 CA. All rights reserved. R00025-SCM181-SP0</p> <p>DESC(REPORT 51 FAILS ON ZERO LENGTH SYMBOLIC OVERRIDES VALUES).</p> <p>++VER (Z038)</p> <p>FMID (CSIQI10)</p> <p>SUP (ST12022)</p>	CA Endeavor SCM	Version 18.0	CA Endeavor SCM	Version 18.1
CA Endeavor SCM	Version 18.0				
CA Endeavor SCM	Version 18.1				

CA Endeavor SCM 18.1
CA RS 2005 - PTF SO12309 Details

6

Service	Details
SO12309	<p>SO12309 M.C.S. ENTRIES = ++PTF (SO12309)</p> <p>(E) REST API VERSIONING</p> <p>ENHANCEMENT DESCRIPTION:</p> <p>Endevor REST API is versioned since this enhancement.</p> <p>Endevor REST API now provides support for 2 versions:</p> <ul style="list-style-type: none"> - Stable version 1.0 <p>Accessible through classic base path /EndevorService/rest or /EndevorService/api/v1</p> <ul style="list-style-type: none"> - Active version 2.0 <p>Accessible through /EndevorService/api/v2</p> <p>Additionally, Endeavor REST API is conformant with ZOWE API Mediation Layer since this enhancement.</p> <p>PRODUCT(S) AFFECTED:</p> <p>CA Endeavor SCM Release 18.1</p> <p>Related Problem:</p> <p>ENDBAS 7772</p> <p>Copyright (C) 2020 CA. All rights reserved. R00032-SCM181-SP0</p> <p>DESC((E) REST API VERSIONING).</p> <p>++VER (Z038)</p> <p>FMID (CSIQI13)</p> <p>PRE (SO11272)</p> <p>SUP (ST12309)</p> <p>++HOLD (SO12309) SYSTEM FMID(CSIQI13)</p> <p>REASON (ACTION) DATE (20071)</p> <p>COMMENT (</p> <pre> +-----+ CA Endeavor SCM for Web Services Release 18.1 +-----+ SEQUENCE After Apply +-----+ PURPOSE This correction updates Endeavor Web Services. To implement this update, you must update the Web Services component of your target Tomcat directory and recycle the Tomcat server. +-----+ USERS AFFECTED All users of Endeavor Web Services. +-----+ KNOWLEDGE 1. SMP/e REQUIRED 2. Endeavor Web Services 3. Tomcat 4. Unix System Services +-----+ ACCESS 1. Update access to USS target and deployment files REQUIRED 2. Ability to stop and start Tomcat +-----+ ***** * STEPS TO PERFORM * ***** 1. Stop Tomcat 2. Verify that the parameters in the ENWSInstallOptions.properties file are set according to your environment. This file resides in </pre>

Service	Details
	<p>the USS directory where this PTF has been installed to (USS install directory).</p> <p>3. Either:</p> <p>a. In the TSO OMVS environment, change to the directory where the script ENWSUpd.sh resides:</p> <pre>cd <USS install directory>/tpv</pre> <p>execute the script:</p> <pre>sh ENWSUpd.sh</pre> <p>or</p> <p>b. Run job WSTOMCCS to update Endevor Web Services. Steps how to update are included in the WSTOMCCS job.</p> <p>4. Start Tomcat</p> <pre>)</pre> <p>BINARY</p> <pre>LINK('../tpv/tomcat/webapps/EndevorService.war')</pre> <pre>PARM(PATHMODE(0,7,7,5)) .</pre> <p>TEXT</p> <pre>LINK('../tpv/tomcat/webapps/EndevorService.war.md5')</pre> <pre>PARM(PATHMODE(0,7,7,5)) .</pre>

CA Endeavor SCM 18.1
CA RS 2005 - PTF SO12490 Details

8

Service	Details
SO12490	<p>SO12490 M.C.S. ENTRIES = ++PTF (SO12490)</p> <p>REFACTORING</p> <p>ENHANCEMENT DESCRIPTION:</p> <p>Refactoring for integrity.</p> <p>PRODUCT(S) AFFECTED:</p> <p>CA Endeavor SCM Release 18.1</p> <p>Related Problem:</p> <p>ENDBAS 7736</p> <p>Copyright (C) 2020 CA. All rights reserved. R00039-SCM181-SP0</p> <p>DESC (REFACTORING) .</p> <p>++VER (Z038)</p> <p>FMID (CSIQI10)</p> <p>PRE (SO11879)</p> <p>SUP (ST12237 ST12476 ST12490)</p> <p>++IF FMID(CSIQI13) REQ(SO12491) .</p>

CA Endeavor SCM 18.1
CA RS 2005 - PTF SO12491 Details

9

Service	Details
SO12491	<p>SO12491 M.C.S. ENTRIES = ++PTF (SO12491)</p> <p>REFACTORING</p> <p>ENHANCEMENT DESCRIPTION:</p> <p>Refactoring for integrity.</p> <p>PRODUCT(S) AFFECTED:</p> <p>CA Endeavor SCM Release 18.1</p> <p>Related Problem:</p> <p>ENDBAS 7736</p> <p>Copyright (C) 2020 CA. All rights reserved. R00039-SCM181-SP0</p> <p>DESC (REFACTORING) .</p> <p>++VER (Z038)</p> <p>FMID (CSIQI13)</p> <p>SUP (ST12238 ST12491)</p> <p>++IF FMID(CSIQI10) REQ(SO12490) .</p>

Service	Details																																																				
SO12494	<p>SO12494 M.C.S. ENTRIES = ++PTF (SO12494)</p> <p>C1SSEL3 PANEL DOESN'T DISPLAY ENDEVOR ACTION MESSAGES</p> <p>PROBLEM DESCRIPTION:</p> <p>When retrieving or transferring an element under the 'Summary of levels' (C1SSEL3) panel in Endeavor Foreground, no message to confirm that the action has succeeded or failed is invoked. In version 17, a message was returned, so the users could see if there was a problem with the performed action or if it ended successfully.</p> <p>SYMPTOMS:</p> <p>The informational message is not displayed in the panel C1SSEL3.</p> <p>IMPACT:</p> <p>The user cannot assess if the element was retrieved or transferred.</p> <p>CIRCUMVENTION:</p> <p>None.</p> <p>PRODUCT AFFECTED:</p> <table> <tr> <td>CA Endeavor SCM</td><td>Version 18.0</td></tr> <tr> <td>CA Endeavor SCM</td><td>Version 18.1</td></tr> </table> <p>Related Problem:</p> <p>ENDBAS 7737</p> <p>Copyright (C) 2020 CA. All rights reserved. R00040-SCM181-SP0</p> <p>DESC(C1SSEL3 PANEL DOESN'T DISPLAY ENDEVOR ACTION MESSAGES).</p> <p>++VER (Z038)</p> <p>FMID (CSIQI10)</p> <p>SUP (ST12494)</p> <p>++IF FMID(CSIQI11) REQ(SO12495) .</p> <p>++HOLD (SO12494) SYSTEM FMID(CSIQI10)</p> <p>REASON (ACTION) DATE (20084)</p> <p>COMMENT (</p> <table> <tr> <td colspan="2">+-----+</td> </tr> <tr> <td> CA Endeavor SCM</td><td>Release 18.1 </td> </tr> <tr> <td colspan="2">+-----+</td> </tr> <tr> <td> SEQUENCE</td><td> Before Apply </td> </tr> <tr> <td colspan="2">+-----+</td> </tr> <tr> <td> PURPOSE</td><td> This PTF updates PANELS in the CSIQPENU library. </td> </tr> <tr> <td> </td><td> If you have customized the PANEL(S) delivered by this PTF, </td> </tr> <tr> <td> </td><td> you must backup your customized version of the PANEL(S) </td> </tr> <tr> <td> </td><td> before applying this PTF to avoid losing your changes. </td> </tr> <tr> <td colspan="2">+-----+</td> </tr> <tr> <td> USERS</td><td> All Endeavor users. </td> </tr> <tr> <td> AFFECTED</td><td> </td> </tr> <tr> <td colspan="2">+-----+</td> </tr> <tr> <td> KNOWLEDGE</td><td> 1. SMP/e </td> </tr> <tr> <td> REQUIRED</td><td> 2. Endeavor Administration </td> </tr> <tr> <td> </td><td> 3. Endeavor PANELS </td> </tr> <tr> <td colspan="2">+-----+</td> </tr> <tr> <td> ACCESS</td><td> No special access is required. </td> </tr> <tr> <td> REQUIRED</td><td> </td> </tr> <tr> <td colspan="2">+-----+</td> </tr> <tr> <td colspan="2">*****</td> </tr> <tr> <td colspan="2">* STEPS TO PERFORM *</td> </tr> <tr> <td colspan="2">*****</td> </tr> <tr> <td colspan="2">1. Backup any customized PANELS in CSIQPENU that this PTF supplies.</td> </tr> </table>	CA Endeavor SCM	Version 18.0	CA Endeavor SCM	Version 18.1	+-----+		CA Endeavor SCM	Release 18.1	+-----+		SEQUENCE	Before Apply	+-----+		PURPOSE	This PTF updates PANELS in the CSIQPENU library.		If you have customized the PANEL(S) delivered by this PTF,		you must backup your customized version of the PANEL(S)		before applying this PTF to avoid losing your changes.	+-----+		USERS	All Endeavor users.	AFFECTED		+-----+		KNOWLEDGE	1. SMP/e	REQUIRED	2. Endeavor Administration		3. Endeavor PANELS	+-----+		ACCESS	No special access is required.	REQUIRED		+-----+		*****		* STEPS TO PERFORM *		*****		1. Backup any customized PANELS in CSIQPENU that this PTF supplies.	
CA Endeavor SCM	Version 18.0																																																				
CA Endeavor SCM	Version 18.1																																																				
+-----+																																																					
CA Endeavor SCM	Release 18.1																																																				
+-----+																																																					
SEQUENCE	Before Apply																																																				
+-----+																																																					
PURPOSE	This PTF updates PANELS in the CSIQPENU library.																																																				
	If you have customized the PANEL(S) delivered by this PTF,																																																				
	you must backup your customized version of the PANEL(S)																																																				
	before applying this PTF to avoid losing your changes.																																																				
+-----+																																																					
USERS	All Endeavor users.																																																				
AFFECTED																																																					
+-----+																																																					
KNOWLEDGE	1. SMP/e																																																				
REQUIRED	2. Endeavor Administration																																																				
	3. Endeavor PANELS																																																				
+-----+																																																					
ACCESS	No special access is required.																																																				
REQUIRED																																																					
+-----+																																																					

* STEPS TO PERFORM *																																																					

1. Backup any customized PANELS in CSIQPENU that this PTF supplies.																																																					

CA Endeavor SCM 18.1
CA RS 2005 - PTF SO12494 Details

Service	Details
	2. APPLY this PTF. 3. Re-apply your customizations to the updated PANELS in CSIQPENU.) .

Service	Details																																																				
SO12495	<p>SO12495 M.C.S. ENTRIES = ++PTF (SO12495)</p> <p>C1SSEL3 PANEL DOESN'T DISPLAY ENDEVOR ACTION MESSAGES</p> <p>PROBLEM DESCRIPTION:</p> <p>When retrieving or transferring an element under the 'Summary of levels' (C1SSEL3) panel in Endeavor Foreground, no message to confirm that the action has succeeded or failed is invoked. In version 17, a message was returned, so the users could see if there was a problem with the performed action or if it ended successfully.</p> <p>SYMPTOMS:</p> <p>The informational message is not displayed in the panel C1SSEL3.</p> <p>IMPACT:</p> <p>The user cannot assess if the element was retrieved or transferred.</p> <p>CIRCUMVENTION:</p> <p>None.</p> <p>PRODUCT AFFECTED:</p> <table> <tr> <td>CA Endeavor SCM</td><td>Version 18.0</td></tr> <tr> <td>CA Endeavor SCM</td><td>Version 18.1</td></tr> </table> <p>Related Problem:</p> <p>ENDBAS 7737</p> <p>Copyright (C) 2020 CA. All rights reserved. R00040-SCM181-SP0</p> <p>DESC(C1SSEL3 PANEL DOESN'T DISPLAY ENDEVOR ACTION MESSAGES).</p> <p>++VER (Z038)</p> <p>FMID (CSIQI11)</p> <p>SUP (ST12495)</p> <p>++IF FMID(CSIQI10) REQ(SO12494) .</p> <p>++HOLD (SO12495) SYSTEM FMID(CSIQI11)</p> <p>REASON (ACTION) DATE (20084)</p> <p>COMMENT (</p> <table> <tr> <td colspan="2">+-----+</td> </tr> <tr> <td> CA Endeavor SCM Japanese Localization</td><td> Release 18.1 </td> </tr> <tr> <td colspan="2">+-----+</td> </tr> <tr> <td> SEQUENCE</td><td> Before Apply </td> </tr> <tr> <td colspan="2">+-----+</td> </tr> <tr> <td> PURPOSE</td><td> This PTF updates PANELS in the CSIQPJPN library. </td> </tr> <tr> <td> </td><td> If you have customized the PANEL(S) delivered by this PTF, </td> </tr> <tr> <td> </td><td> you must backup your customized version of the PANEL(S) </td> </tr> <tr> <td> </td><td> before applying this PTF to avoid losing your changes. </td> </tr> <tr> <td colspan="2">+-----+</td> </tr> <tr> <td> USERS</td><td> All Endeavor users. </td> </tr> <tr> <td> AFFECTED</td><td> </td> </tr> <tr> <td colspan="2">+-----+</td> </tr> <tr> <td> KNOWLEDGE</td><td> 1. SMP/e </td> </tr> <tr> <td> REQUIRED</td><td> 2. Endeavor Administration </td> </tr> <tr> <td> </td><td> 3. Endeavor PANELS </td> </tr> <tr> <td colspan="2">+-----+</td> </tr> <tr> <td> ACCESS</td><td> No special access is required. </td> </tr> <tr> <td> REQUIRED</td><td> </td> </tr> <tr> <td colspan="2">+-----+</td> </tr> <tr> <td colspan="2">*****</td> </tr> <tr> <td colspan="2">* STEPS TO PERFORM *</td> </tr> <tr> <td colspan="2">*****</td> </tr> <tr> <td colspan="2">1. Backup any customized PANELS in CSIQPJPN that this PTF supplies.</td> </tr> </table>	CA Endeavor SCM	Version 18.0	CA Endeavor SCM	Version 18.1	+-----+		CA Endeavor SCM Japanese Localization	Release 18.1	+-----+		SEQUENCE	Before Apply	+-----+		PURPOSE	This PTF updates PANELS in the CSIQPJPN library.		If you have customized the PANEL(S) delivered by this PTF,		you must backup your customized version of the PANEL(S)		before applying this PTF to avoid losing your changes.	+-----+		USERS	All Endeavor users.	AFFECTED		+-----+		KNOWLEDGE	1. SMP/e	REQUIRED	2. Endeavor Administration		3. Endeavor PANELS	+-----+		ACCESS	No special access is required.	REQUIRED		+-----+		*****		* STEPS TO PERFORM *		*****		1. Backup any customized PANELS in CSIQPJPN that this PTF supplies.	
CA Endeavor SCM	Version 18.0																																																				
CA Endeavor SCM	Version 18.1																																																				
+-----+																																																					
CA Endeavor SCM Japanese Localization	Release 18.1																																																				
+-----+																																																					
SEQUENCE	Before Apply																																																				
+-----+																																																					
PURPOSE	This PTF updates PANELS in the CSIQPJPN library.																																																				
	If you have customized the PANEL(S) delivered by this PTF,																																																				
	you must backup your customized version of the PANEL(S)																																																				
	before applying this PTF to avoid losing your changes.																																																				
+-----+																																																					
USERS	All Endeavor users.																																																				
AFFECTED																																																					
+-----+																																																					
KNOWLEDGE	1. SMP/e																																																				
REQUIRED	2. Endeavor Administration																																																				
	3. Endeavor PANELS																																																				
+-----+																																																					
ACCESS	No special access is required.																																																				
REQUIRED																																																					
+-----+																																																					

* STEPS TO PERFORM *																																																					

1. Backup any customized PANELS in CSIQPJPN that this PTF supplies.																																																					

Service	Details
	2. APPLY this PTF. 3. Re-apply your customizations to the updated PANELS in CSIQJPN.) .

Service	Details
SO12498	<p>SO12498 M.C.S. ENTRIES = ++PTF (SO12498)</p> <p>VARIOUS PROBLEMS WHEN SUPER-USERS ARE DEFINED IN ENCOPTBL</p> <p>PROBLEM DESCRIPTION:</p> <p>When super-users are defined in the Optional Features Table (ENCOPTBL), one of the following two problems occurs:</p> <p>1) SOC4 abend in BC1PINIT+1456 is recognized.</p> <p>2) Multi-Factor Authentication (MFA) does not work even if it is turned on in the C1DEFLT5 table.</p> <p>SYMPTOMS:</p> <p>Abend during CA Endevor SCM initialization, or MFA support does not work.</p> <p>IMPACT:</p> <p>MFA cannot be activated. In case of abend, CA Endevor SCM cannot be used at all.</p> <p>CIRCUMVENTION:</p> <p>None.</p> <p>PRODUCTS AFFECTED:</p> <p>CA Endevor Software Change Manager, Version 18.0</p> <p>CA Endevor Software Change Manager, Release 18.1</p> <p>Related Problem:</p> <p>ENDBAS 7762</p> <p>Copyright (C) 2020 CA. All rights reserved. R00041-SCM181-SP0</p> <p>DESC(VARIOUS PROBLEMS WHEN SUPER-USERS ARE DEFINED IN ENCOPTBL).</p> <p>++VER (Z038)</p> <p>FMID (CSIQI10)</p> <p>PRE (SO11495 SO11879)</p> <p>SUP (ST12498)</p>

Service	Details				
SO12546	<p>SO12546 M.C.S. ENTRIES = ++PTF (SO12546)</p> <p>API REQUEST WAITS FOR 8 MINUTES WHEN BC1PINIT FAILS</p> <p>PROBLEM DESCRIPTION:</p> <p>When there is an error coming from BC1PINIT and an API call has been requested, the BC1PAPI program will make the user wait for 8 minutes for a response that will never come. Therefore, the program is hanging during 8 minutes when the call should have finished immediately after the initial error from BC1PINIT occurred.</p> <p>SYMPTOMS:</p> <p>An error message indicating that \$PWAIT has failed is invoked after 8 minutes since the error message that points to the root cause of the issue was received.</p> <p>IMPACT:</p> <p>Customer has to wait 8 minutes extra for completion of the task. The delay is very large and unnecessary.</p> <p>CIRCUMVENTION:</p> <p>Correct the original issue indicated by the error from BC1PINIT.</p> <p>PRODUCT(S) AFFECTED:</p> <table> <tr> <td>CA Endeavor SCM</td><td>Version 18.0</td></tr> <tr> <td>CA Endeavor SCM</td><td>Version 18.1</td></tr> </table> <p>Related Problem:</p> <p>ENDBAS 7769</p> <p>Copyright (C) 2020 CA. All rights reserved. R00042-SCM181-SP0</p> <p>DESC (API REQUEST WAITS FOR 8 MINUTES WHEN BC1PINIT FAILS) .</p> <p>++VER (Z038)</p> <p>FMID (CSIQI10)</p> <p>SUP (SO11104 ST11104 ST12445 ST12546)</p>	CA Endeavor SCM	Version 18.0	CA Endeavor SCM	Version 18.1
CA Endeavor SCM	Version 18.0				
CA Endeavor SCM	Version 18.1				

Service	Details
SO12574	<p>SO12574 M.C.S. ENTRIES = ++PTF (SO12574)</p> <p>(E) ECLIPSE UI: RELEASE 18.1.5</p> <p>ENHANCEMENT DESCRIPTION:</p> <p>Release Notes:</p> <p>Eclipse Merge Improvements -</p> <p>Extended merge capability in the Endeavor Eclipse plugin.</p> <p>Endeavor System Explorer view -</p> <p>New System explorer view that uses Endeavor REST API List directory request. User should be able to start Add to Project action from the member/file context menu.</p> <p>PRODUCT(S) AFFECTED:</p> <p>CA Endeavor SCM Eclipse UI Release 18.1.5</p> <p>Related Problem:</p> <p>ENDBAS 7780</p> <p>Copyright (C) 2020 CA. All rights reserved. R00043-SCM181-SP0</p> <p>DESC((E) ECLIPSE UI: RELEASE 18.1.5).</p> <p>++VER (Z038)</p> <p>FMID (CSIQI13)</p> <p>SUP (SO10825 ST10825 ST12574)</p> <p>++HOLD (SO12574) SYSTEM FMID(CSIQI13)</p> <p>REASON (ACTION) DATE (20091)</p> <p>COMMENT (</p> <pre> +-----+-----+ SEQUENCE After Apply +-----+-----+ PURPOSE This correction delivers an updated Endeavor Eclipse plug-in. To implement this update, you must DEPLOY or UPDATE the Eclipse-BasedUI to the target Tomcat directory and then recycle the Tomcat server for this update to be available for Eclipse users. +-----+-----+ USERS All Endeavor Eclipse Plug-in users. AFFECTED +-----+-----+ KNOWLEDGE 1. SMP/e REQUIRED 2. Endeavor Web Services 3. Tomcat 4. Unix System Services +-----+-----+ ACCESS 1. Update access to USS target and deployment files REQUIRED 2. Ability to stop and start Tomcat +-----+-----+ ***** * STEPS TO PERFORM * ***** 1. Stop Tomcat 2. Verify that the parameters in the ENWSInstallOptions.properties file are set according to your environment. This file resides in the USS directory where this PTF has been installed to (USS install directory). 3. In the TSO OMVS environment, change to the directory where the script EclipseIns.sh resides: </pre>

Service	Details	
	cd <USS install directory>/tpv execute the script: sh EclipseIns.sh 4. Start Tomcat 5. Inform users that an update is available and they should "Check for new Software" in Eclipse to update the version of the Endeavor plug-in installed on their machine.). BINARY LINK(' ../tpv/tomcat/webapps/endeavor_eclipse_plugin .zip') PARM(PATHMODE(0,7,7,5)) .	
	MCS	S012022 STARTS ON PAGE 0002
	MCS	S012309 STARTS ON PAGE 0002
	MCS	S012490 STARTS ON PAGE 0004
	MCS	S012491 STARTS ON PAGE 0005
	MCS	S012494 STARTS ON PAGE 0006
	MCS	S012495 STARTS ON PAGE 0007
	MCS	S012498 STARTS ON PAGE 0009
	MCS	S012546 STARTS ON PAGE 0009
	MCS	S012574 STARTS ON PAGE 0010

CA Endevor SCM 18.1
CA RS 2005 Product/Component Listing

18

Product Family	Product	Release
Application Development	CA ENDEVOR SCM	18.01.00
The CA RS 2005 Product/Component Count for this release is 1		

CA RS Level	Service	FMID
CAR2005	S012574	CSIQI13
	S012546	CSIQI10
	S012498	CSIQI10
	S012495	CSIQI11
	S012494	CSIQI10
	S012491	CSIQI13
	S012490	CSIQI10
	S012309	CSIQI13
	S012022	CSIQI10
CAR2004	S012341	CSIQI10
	S012326	CSIQI11
	S012312	CSIQI10
	S012308	CSIQI10
	S012301	CSIQI11
	S012300	CSIQI10
	S012169	CSIQI10
	S011910	CSIQI10
	S011257	CSIQI10
	S011104	CSIQI10
CAR2003	S012079	CSIQI10
	S011879	CSIQI10
	S011289	CSIQI11
	S011288	CSIQI10
CAR2002	S011541	CSIQI10
	S011495	CSIQI10
	S011467	CSIQI13
	S011272	CSIQI13
CAR2001	S011124	CSIQI11
	S011123	CSIQI10
	S010979	CSIQI10
	S010896	CSIQI10
	S010825	CSIQI13
	S010824	CSIQI10
	S010822	CSIQI10