

CA Dispatch 11.7
CA RS 2006 Service List

1

Service	Description	Type
S012180	ADD NEW VTAM SIGNON PASSWORD PHRASE SUPPORT	PTF
S012181	ADD NEW VTAM SIGNON PASSWORD PHRASE SUPPORT	PTF
S012470	IMPROVE RPI AND MSG TASK STORAGE UTILIZATION	PTF
The CA RS 2006 service count for this release is 3		

CA Dispatch
CA RS 2006 Service List for CADSB70

2

FMID	Service	Description	Type
CADSB70	SO12180	ADD NEW VTAM SIGNON PASSWORD PHRASE SUPPORT	PTF
	SO12470	IMPROVE RPI AND MSG TASK STORAGE UTILIZATION	PTF
The CA RS 2006 service count for this FMID is 2			

CA Dispatch
CA RS 2006 Service List for CADSB71

FMID	Service	Description	Type
CADSB71	S012181	ADD NEW VTAM SIGNON PASSWORD PHRASE SUPPORT	PTF
The CA RS 2006 service count for this FMID is 1			

Service	Details
SO12180	SO12180 M.C.S. ENTRIES = ++PTF (SO12180) ADD NEW VTAM SIGNON PASSWORD PHRASE SUPPORT PROBLEM DESCRIPTION: CA Dispatch now supports VTAM password phrase logon in addition to traditional eight character password support. Users, who utilize external security and access CA Dispatch through the VTAM interface, can implement either password or password phrase logons. Password phrases can provide a stronger level of security when accessing the product. A password phrase can be from 9 to 100 characters long and can include mixed-case letters, numbers, and special characters including blanks. Note: VTAM Password phrase support does not affect TSO, ISPF or CICS secure point logons. Accessing CA Dispatch from these secure access points does not require re-authenticating passwords. Note: If you access CA Dispatch directly via a VTAM APPLID, you can pass logon password phrase data via the DATA sub parameter. The total logon data passed to CA Dispatch is limited to a maximum of 44 bytes. If the logon data passed to CA Dispatch exceeds the 44 byte maximum limit, the user will be prompted to enter a password or password phrase (maximum of 100 bytes). LOGON APPLID(DISPATCH) DATA('HI userid password phrase') Note: If you access CA Dispatch via CA TPX Session manager, you can pass logon password phrase data by using the &PWPH symbolic. The total logon session data passed to CA Dispatch is limited to a maximum of 44 bytes. If the logon session data passed to CA Dispatch exceeds the 44 byte maximum limit, the user will be prompted to enter a password or password phrase (maximum of 100 bytes). Session Data: HI &USERID &PWPH SYMPTOMS: New functionality. IMPACT: Users, accessing via VTAM, will now be able specify an optional password phrase to signon to the CA Dispatch online screens. CIRCUMVENTION: None. PRODUCT(S) AFFECTED: CA Dispatch r11.7 Related Problem: DISPAT 2173 Copyright (C) 2020 CA. All rights reserved. R00179-ADS117-SP1 DESC(ADD NEW VTAM SIGNON PASSWORD PHRASE SUPPORT). ++VER (Z038) FMID (CADSB70) SUP (ST11305 ST12180) ++IF FMID(CADSB71) REQ(SO12181) .

Service	Details
SO12181	SO12181 M.C.S. ENTRIES = ++PTF (SO12181) ADD NEW VTAM SIGNON PASSWORD PHRASE SUPPORT PROBLEM DESCRIPTION: CA Dispatch now supports VTAM password phrase logon in addition to traditional eight character password support. Users, who utilize external security and access CA Dispatch through the VTAM interface, can implement either password or password phrase logons. Password phrases can provide a stronger level of security when accessing the product. A password phrase can be from 9 to 100 characters long and can include mixed-case letters, numbers, and special characters including blanks. Note: VTAM Password phrase support does not affect TSO, ISPF or CICS secure point logons. Accessing CA Dispatch from these secure access points does not require re-authenticating passwords. Note: If you access CA Dispatch directly via a VTAM APPLID, you can pass logon password phrase data via the DATA sub parameter. The total logon data passed to CA Dispatch is limited to a maximum of 44 bytes. If the logon data passed to CA Dispatch exceeds the 44 byte maximum limit, the user will be prompted to enter a password or password phrase (maximum of 100 bytes). LOGON APPLID(DISPATCH) DATA('HI userid password phrase') Note: If you access CA Dispatch via CA TPX Session manager, you can pass logon password phrase data by using the &PWPH symbolic. The total logon session data passed to CA Dispatch is limited to a maximum of 44 bytes. If the logon session data passed to CA Dispatch exceeds the 44 byte maximum limit, the user will be prompted to enter a password or password phrase (maximum of 100 bytes). Session Data: HI &USERID &PWPH SYMPTOMS: New functionality. IMPACT: Users, accessing via VTAM, will now be able specify an optional password phrase to signon to the CA Dispatch online screens. CIRCUMVENTION: None. PRODUCT(S) AFFECTED: CA Dispatch r11.7 Related Problem: DISPAT 2173 Copyright (C) 2020 CA. All rights reserved. R00179-ADS117-SP1 DESC(ADD NEW VTAM SIGNON PASSWORD PHRASE SUPPORT). ++VER (Z038) FMID (CADSB71) SUP (ST11306 ST12181) ++IF FMID(CADSB70) REQ(SO12180) .

CA Dispatch 11.7
CA RS 2006 - PTF SO12470 Details

6

Service	Details									
SO12470	SO12470 M.C.S. ENTRIES = ++PTF (SO12470) IMPROVE RPI AND MSG TASK STORAGE UTILIZATION PROBLEM DESCRIPTION: Improve RPI and MSG Task Storage Utilization and Performance. Internal enhancement to increase storage utilization and performance within RPI (REPORT) and MSG (Msgclass) processing tasks when storing large reports and or Msgclass into Online Viewing. SYMPTOMS: Possible U1310 Abend or other storage related Abends or errors in the RPI or MSG Tasks. IMPACT: Users, processing large reports or Msgclass into Online Viewing could experience U1310 Abend or other storage related Abends or errors in the RPI or MSG Tasks. CIRCUMVENTION: None. PRODUCT(S) AFFECTED: CA Dispatch r11.7 Related Problem: DISPAT 2177 Copyright (C) 2020 CA. All rights reserved. R00181-ADS117-SP1 DESC(IMPROVE RPI AND MSG TASK STORAGE UTILIZATION). ++VER (Z038) FMID (CADSB70) PRE (R052473 R055879) SUP (S004344 ST04344 ST12470) <table><tr><td>MCS</td><td>SO12180</td><td>STARTS ON PAGE 0002</td></tr><tr><td>MCS</td><td>SO12181</td><td>STARTS ON PAGE 0003</td></tr><tr><td>MCS</td><td>SO12470</td><td>STARTS ON PAGE 0004</td></tr></table>	MCS	SO12180	STARTS ON PAGE 0002	MCS	SO12181	STARTS ON PAGE 0003	MCS	SO12470	STARTS ON PAGE 0004
MCS	SO12180	STARTS ON PAGE 0002								
MCS	SO12181	STARTS ON PAGE 0003								
MCS	SO12470	STARTS ON PAGE 0004								

CA Dispatch 11.7
CA RS 2006 Product/Component Listing

7

Product Family	Product	Release
Output Management	CA DISPATCH R11.7	11.70.00
The CA RS 2006 Product/Component Count for this release is 1		

CA Dispatch 11.7
All CA RS Levels Service List

CA RS Level	Service	FMID
CAR2006	S012470	CADSB70
	S012181	CADSB71
	S012180	CADSB70
CAR2004	S012343	CADSB70
CAR2001	S010941	CADSB72
CAR1912	S010900	CADSB72
CAR1911	S010530	CADSB70
	S010501	CADSB70
CAR1910	S010088	CADSB70
	S010087	CADSB72
CAR1906	S008595	CADSB70
	S007120	CADSB70
CAR1902	S006882	CADSB70
CAR1812	S004344	CADSB70
CAR1808	S004094	CADSB70
CAR1806	S001315	CADSB70
	S001103	CADSB70
	R097482	CADSB70
CAR1805	S001190	CADSB70
	R090396	CADSB70
CAR1804	S000970	CADSB72
	S000682	CADSB72
	R056455	CADSB70
CAR1802	R099495	CADSB70
CAR1710	R096284	CADSB70
	R096283	CADSB72
CAR1706	R095820	CADSB71
	R095819	CADSB70
CAR1705	R094809	CADSB70
CAR1703	R094428	CADSB70
	R093249	CADSB72
	R089753	CADSB70
CAR1702	R093365	CADSB70
	R092116	CADSB72
CAR1612	R093117	CADSB70
CAR1611	R092419	CBY3B70
CAR1610	R092051	CBY3B70
	R092045	CBY3B70
CAR1608	R090895	CBY3B70
	R090373	CBY3B70
CAR1606	R089609	CBY3B70
	R086862	CBY3B70
CAR1604	R088691	CADSB70
	R088375	CBY3B71
CAR1603	R087898	CADSB70
	R087829	CBY3B71
	R087708	CBY3B71

CA Dispatch 11.7
All CA RS Levels Service List

CA RS Level	Service	FMID
	R087205	CADSB70
	R084179	CADSB70
CAR1512	R086547	CADSB70
	R086358	CADSB70
CAR1509	R083346	CADSB70
	R083222	CADSB72
	R082789	CADSB70
	R079611	CADSB72
CAR1508	R082689	CADSB70
	R082687	CADSB70
CAR1507	R081633	CADSB72
	R079236	CADSB70
CAR1506	R081288	CADSB70
	R080672	CADSB70
CAR1505	R080101	CADSB70
CAR1504	R077307	CBY3B70
	R077286	CBY3B70
CAR1503	R077841	CADSB70
	R077702	CADSB70
	R075545	CADSB70
	R075120	CADSB70
CAR1501	R074031	CADSB70
CAR1412	R075402	CADSB70
	R074705	CADSB70
	R074693	CADSB70
	R074407	CADSB70
	R073602	CADSB70
CAR1411	R073981	CADSB70
CAR1410	R073480	CADSB70
	R073139	CADSB72
	R072990	CADSB72
	R072904	CADSB70
	R072521	CADSB70
	R066955	CADSB70
	R060121	CBY3B70
CAR1408	R071200	CADSB70
	R070840	CADSB72
CAR1407	R069108	CADSB72
	R067299	CADSB70
CAR1406	R069275	CBY3B70
	R069139	CADSB70
	R067254	CADSB72
	R059793	CBY3B70
CAR1405	R065587	CBY3B71
CAR1403	R064888	CADSB72
	R063443	CADSB72
	R062952	CBY3B71

CA Dispatch 11.7
All CA RS Levels Service List

CA RS Level	Service	FMID
	R062951	CADSB70
	R062421	CADSB70
	R061523	CADSB70
	R060083	CADSB70
	R056464	CADSB70
CAR1312	R061343	CADSB72
	R061342	CADSB70
	R060651	CADSB70
	R060649	CADSB70
	R060210	CADSB70
	R059609	CADSB70
	R058875	CADSB70
CAR1310	R054465	CADSB72
CAR1309	R059128	CADSB70
	R059058	CADSB70
	R058186	CADSB70
	R058090	CADSB70
	R057705	CADSB70
	R057496	CADSB70
	R057049	CADSB70
	R056253	CADSB70
	R054850	CBY3B70
CAR1306	R056397	CADSB70
	R056358	CADSB70
	R055879	CADSB70
	R055328	CADSB70
	R055216	CADSB72
	R054761	CBY3B70
	R054329	CADSB70
	R053492	CADSB70
	R053491	CADSB70
	R053490	CADSB70
	R052906	CBY3B71
	R052901	CADSB70
	R052898	CADSB70
	R052786	CADSB70
CAR1305	R057005	CADSB70
	R056987	CADSB70
CAR1303	R052785	CADSB70
	R052654	CADSB70
	R052652	CADSB72
	R052650	CADSB70
	R052647	CADSB70
	R052644	CADSB72
	R052604	CADSB70
	R052532	CADSB70
	R052473	CADSB70

CA Dispatch 11.7
All CA RS Levels Service List

CA RS Level	Service	FMID
	R052202	CADSB70
	R052109	CADSB70
	R052108	CADSB70
	R052105	CADSB72
	R051112	CADSB70
	R051110	CADSB72
	R050403	CADSB72
	R050228	CBY3B70
	R049407	CADSB70
	R048710	CBY3B70
	R046197	CBY3B71
	R046192	CADSB70
	R043553	CADSB70
CAR1212	R049501	CADSB70
	R049351	CADSB70
	R047524	CADSB70
	R047273	CADSB70
	R047051	CADSB72
	R043998	CADSB70
CAR1210	R046196	CADSB70
	R045871	CBY3B70
	R045530	CADSB70
	R044742	CADSB70
	R044101	CADSB70
	R043996	CADSB70
	R043829	CADSB70
	R043825	CADSB70
	R043817	CADSB70
	R043815	CADSB72
CAR1207	R041319	CBY3B70
	R040492	CADSB70
	R039059	CADSB72
	R038524	CADSB70
	R038080	CADSB70
CAR1204	R037853	CADSB70