

CA OPS/MVS for JES2 13.5
CA RS 2006 Service List

Service	Description	Type
S012245	SUPPORT FOR JES3PLUS	PTF
S013070	ADD PARM TO CONTROL SSMGAV2 ENHANCEMENT.	PTF
S013347	OPSBCEPII TEMPCAP COMMAND FAILS. RC=16 RSN=101 COMMERR=5.	PTF
The CA RS 2006 service count for this release is 3		

CA OPS/MVS for JES2
CA RS 2006 Service List for CCLXD50

2

FMID	Service	Description	Type
CCLXD50	S012245	SUPPORT FOR JES3PLUS	PTF
	S013070	ADD PARM TO CONTROL SSMGAV2 ENHANCEMENT.	PTF
	S013347	OPSBBCPII TEMPCAP COMMAND FAILS. RC=16 RSN=101 COMMERR=5.	PTF
The CA RS 2006 service count for this FMID is 3			

Service	Details		
SO12245	SO12245 M.C.S. ENTRIES = ++PTF (SO12245) SUPPORT FOR JES3PLUS PROBLEM DESCRIPTION: Add support for JES3plus V1 from Phoenix Software. SYMPTOMS: OPS0064E JES3 SVT LEVEL JES3 UNSUPPORTED message and SOC4 abend in OPINJS +153C. IMPACT: OPS/MVS ends with above error messages. CIRCUMVENTION: NONE. PRODUCT(S) AFFECTED: CA OPS/MVS Base Version 13.0 CA OPS/MVS Base Release 13.5 Related Problem: OPSMVS 1659 Copyright (C) 2020 CA. All rights reserved. R00249-CLX135-SP1 DESC(SUPPORT FOR JES3PLUS). ++VER (Z038) FMID (CCLXD50) PRE (S000476 S006939) SUP (S004900 S005592 S011954 ST04900 ST05592 ST11954 ST12245) ++HOLD (SO12245) SYSTEM FMID(CCLXD50) REASON (DYNACT) DATE (20125) COMMENT (<table border="1"> <tr> <td>CA OPS/MVS Base</td><td>Release 13.5</td></tr> </table> SEQUENCE After APPLY PURPOSE To activate load modules updated by this PTF, including load module OPSAEX USERS All OPS/MVS users AFFECTED KNOWLEDGE Basic z/OS systems programming skills REQUIRED ACCESS - Access to OPS/MVS SMP/E Target loadlib CCLXLOAD and any REQUIRED deployed copies - Authority to issue MVS system commands - Authority to stop and start OPS/MVS ***** * STEPS TO PERFORM * ***** 1. This PTF updates load module OPSAEX, as well as the other load modules identified by the ++MOD statements contained in this PTF. APPLY of this PTF updates SMP/E Target loadlib CCLXLOAD.	CA OPS/MVS Base	Release 13.5
CA OPS/MVS Base	Release 13.5		

Service	Details
	2. Copy the updated load modules from SMP/E Target loadlib CCLXLOAD to any other deployed copies, such as a STEPLIB used by the OPS/MVS main address space, a link listed loadlib, etc. 3. If the system library lookaside (LLA) program is managing any updated loadlib, you must refresh LLA by using MVS system command "F LLA,REFRESH" or some equivalent mechanism. 4. TSO users must get out of OPSVIEW. 5. Stop OPS/MVS. 6. If the system link pack area (LPA) contains any updated load module, you must refresh LPA by using MVS system command "SETPROG LPA" or some equivalent mechanism. 7. Start OPS/MVS. 8. TSO users may access OPSVIEW. Depending on how OPSVIEW is accessed, this may require TSO logoff/logon.).

Service	Details	
SO13070	SO13070 M.C.S. ENTRIES = ++PTF (SO13070)	
	ADD PARM TO CONTROL SSMGAV2 ENHANCEMENT.	
	PROBLEM DESCRIPTION:	
	The SSMGAV2 enhancement introduced with PTF S008386 had a restriction where it had to be applied to all copies of OPS/MVS participating in the SSMPLEX. This PTF adds a new parameter (SSMGAV2PSYS) to control the enablement of the feature for compatibility with older releases.	
	SYMPTOMS:	
	Failures in the SSMGAV2 application referencing SYSplex variables.	
	IMPACT:	
	The SSMGAV2 application will fail if all copies of OPS/MVS in the SSMPLEX do not have the new enhancement installed.	
	CIRCUMVENTION:	
	None.	
	PRODUCT(S) AFFECTED:	
	CA OPS/MVS Base	Version 13.5
	Related Problem:	
	OPSMVS 1677	
	Copyright (C) 2020 CA. All rights reserved. R00266-CLX135-SP1	
	DESC(ADD PARM TO CONTROL SSMGAV2 ENHANCEMENT.).	
	++VER (Z038)	
	FMID (CCLXD50)	
	PRE (S000235 S001061 S001859 S003594 S004411 S004490	
	S004649 S004898 S004989 S005042 S005191 S005275	
	S005320 S005619 S005674 S006042 S006526 S008386	
	S009094 S009160 S009667 S010241 S010262 S011092	
	S011100 S011144)	
	SUP (S000239 S000562 S001092 S001580 S001813 S005704	
	S006212 S006527 S006555 S006933 S007197 S007510	
	S008583 S008640 S009878 ST00239 ST00562 ST01092	
	ST01580 ST01813 ST05704 ST06212 ST06527 ST06555	
	ST06933 ST07197 ST07510 ST08583 ST08640 ST09878	
	ST13070)	
	++HOLD (SO13070) SYSTEM FMID(CCLXD50)	
	REASON (ACTION) DATE (20132)	
	COMMENT (	
	+-----+	
	CA OPS/MVS Base	Release 13.5
	+-----+	
	SEQUENCE	After Apply
	+-----+	
	PURPOSE	Add the SSMGAV2PSYS parameter to enable/disable the
		support for same named moveable resources in an SSMPLEX
		added with PTF S008386
	+-----+	
	USERS	Users of SSMGAV2 application
	AFFECTED	
	+-----+	
	KNOWLEDGE	OPSMVS, STATEMAN and SSMGAV2
	REQUIRED	
	+-----+	
	ACCESS	OPSMVS facilities

Service	Details
	<pre> REQUIRED +-----+ ***** * STEPS TO PERFORM * ***** Refer to the migration steps for 'Changes to SSMGAV2 application to support same named moveable resources' in the Release Notes under chapter ' Migration from r13.0 to r13.5' Refer to the Parameter Guide for information on the new SSMGAV2PSYS parameter. +-----+ CA OPS/MVS Base Release 13.5 +-----+ SEQUENCE After APPLY +-----+ PURPOSE Reset ISPF statistics for updated AOF rule(s) +-----+ USERS Users with AOF rules AFFECTED +-----+ KNOWLEDGE ISPF REQUIRED +-----+ ACCESS Product libraries REQUIRED +-----+ ***** * STEPS TO PERFORM * ***** This PTF installs updated AOF rule(s) into SMP/E Target library CCLXRULM with no ISPF statistics. You will not be able to auto-enable the updated rule(s) until you reset their ISPF statistics. You can use ISPF option 3.5 to manually reset the ISPF statistics for the updated rule(s). You can use ISPF option 3.3 to manually copy the updated rule(s) to your deployed ruleset(s).). ++HOLD (SO13070) SYSTEM FMID(CCLXD50) REASON (DYNACT) DATE (20132) COMMENT (+-----+ CA OPS/MVS Base Release 13.5 +-----+ SEQUENCE After APPLY +-----+ PURPOSE To activate load modules updated by this PTF, including load module OPSAEX +-----+ USERS All OPS/MVS users AFFECTED +-----+ KNOWLEDGE Basic z/OS systems programming skills REQUIRED +-----+ ACCESS - Access to OPS/MVS SMP/E Target loadlib CCLXLOAD and any </pre>

Service	Details
	<pre> REQUIRED deployed copies - Authority to issue MVS system commands - Authority to stop and start OPS/MVS +-----+-----+ ***** * STEPS TO PERFORM * ***** 1. This PTF updates load module OPSAEX, as well as the other load modules identified by the ++MOD statements contained in this PTF. APPLY of this PTF updates SMP/E Target loadlib CCLXLOAD. 2. Copy the updated load modules from SMP/E Target loadlib CCLXLOAD to any other deployed copies, such as a STEPLIB used by the OPS/MVS main address space, a link listed loadlib, etc. 3. If the system library lookaside (LLA) program is managing any updated loadlib, you must refresh LLA by using MVS system command "F LLA,REFRESH" or some equivalent mechanism. 4. TSO users must get out of OPSVIEW. 5. Stop OPS/MVS. 6. If the system link pack area (LPA) contains any updated load module, you must refresh LPA by using MVS system command "SETPROG LPA" or some equivalent mechanism. 7. Start OPS/MVS. 8. TSO users may access OPSVIEW. Depending on how OPSVIEW is accessed, this may require TSO logoff/logon.).</pre>

Service	Details
S013347	S013347 M.C.S. ENTRIES = ++PTF (S013347) OPSBBCPII TEMPCAP COMMAND FAILS. RC=16 RSN=101 COMMERR=5. PROBLEM DESCRIPTION: The OPS/MVS OPSBBCPII Server may fail when issuing the TEMPCAP command to add capacity to a processor via ADDRESS HWS. SYMPTOMS: The TEMPCAP command fails with RC=16 RSN=101. IMPACT: Unable to add capacity to a processor using the OPSBBCPII Server. CIRCUMVENTION: None. PRODUCT(S) AFFECTED: CA OPS/MVS Base Release 13.5 Related Problem: OPSMVS 1680 Copyright (C) 2020 CA. All rights reserved. R00267-CLX135-SP1 DESC(OPSBBCPII TEMPCAP COMMAND FAILS. RC=16 RSN=101 COMMERR=5.). ++VER (Z038) FMID (CCLXD50) PRE (S010262 S011203 S011260 S011445 S011812) SUP (ST13347) ++HOLD (S013347) SYSTEM FMID(CCLXD50) REASON (ACTION) DATE (20149) COMMENT (<pre> +-----+ CA OPS/MVS Base Release 13.5 +-----+-----+ SEQUENCE Before issuing the BCPii TEMPCAP command. +-----+-----+ PURPOSE To correct errors when issuing the TEMPCAP command via the OPSBBCPII Server. +-----+-----+ USERS All users of the OPSBBCPII Server. AFFECTED +-----+-----+ KNOWLEDGE Basic z/OS programming skills. REQUIRED +-----+-----+ ACCESS Authority to stop and start OPS/MVS. REQUIRED +-----+-----+ ***** * STEPS TO PERFORM * ***** 1. After applying the PTF, restart OPSBBCPII Server by issuing the following command: "F OPSx RESTASRT(HWS)" - where OPSx is the OPS/MVS subsystem id). MCS S012245 STARTS ON PAGE 0002 MCS S013070 STARTS ON PAGE 0003 MCS S013347 STARTS ON PAGE 0007 </pre>

CA OPS/MVS for JES2 13.5
CA RS 2006 Product/Component Listing

Product Family	Product	Release
Systems Management	CA OPS/MVS BASE	13.05.00
The CA RS 2006 Product/Component Count for this release is 1		

CA OPS/MVS for JES2 13.5
All CA RS Levels Service List

CA RS Level	Service	FMID
CAR2006	S013347	CCLXD50
	S013070	CCLXD50
	S012245	CCLXD50
CAR2005	S012733	CCLXD50
	S012722	CCLXD50
	S012676	CCLXD50
	S012673	CCLXD50
	S012658	CCLXD50
	S012630	CCLXD50
	S012622	CCLXD50
	S012418	CCLXD50
	S012591	CCLXD50
CAR2004	S012414	CCLXD50
	S012403	CCLXD50
	S012373	CCLXD51
	S012139	CCLXD50
CAR2003	S012138	CCLXD50
	S012101	CCLXD50
	S012096	CCLXD50
	S012060	CCLXD50
	S012013	CCLXD50
	S011954	CCLXD50
	S011953	CCLXD50
	S011878	CCLXD50
	S011877	CCLXD51
	S011812	CCLXD50
CAR2002	S011652	CCLXD50
	S011596	CCLXD51
	S011591	CCLXD50
	S011514	CCLXD50
	S011508	CCLXD50
	S011488	CCLXD51
	S011487	CCLXD50
	S011445	CCLXD50
	S011438	CCLXD51
	S011437	CCLXD50
	S011434	CCLXD50
	S011428	CCLXD50
	S011347	CCLXD50
	S011214	CCLXD50
	S006491	CCLXD50
CAR2001	S011260	CCLXD50
	S011241	CCLXD50
	S011213	CCLXD50
	S011203	CCLXD50
	S011188	CCLXD51
	S011144	CCLXD50

CA OPS/MVS for JES2 13.5
All CA RS Levels Service List

CA RS Level	Service	FMID
	S011125	CCLXD50
	S011100	CCLXD50
	S011092	CCLXD50
	S010733	CCLXD51
CAR1912	S010914	CCLXD50
	S010765	CCLXD50
	S010764	CCLXD50
	S010726	CCLXD50
	S010719	CCLXD50
	S010672	CCLXD50
	S010613	CCLXD50
	S010552	CCLXD50
CAR1911	S010490	CCLXD50
	S010476	CCLXD50
	S010453	CCLXD50
	S010450	CCLXD50
	S010413	CCLXD50
	S010402	CCLXD50
	S010384	CCLXD50
	S010262	CCLXD50
CAR1910	S010241	CCLXD50
	S010050	CCLXD50
	S010024	CCLXD50
	S009878	CCLXD50
	S009794	CCLXD50
	S009449	CCLXD50
	S008614	CCLXD51
	S008478	CCLXD50
CAR1909	S009846	CCLXD50
	S009840	CCLXD50
	S009667	CCLXD50
	S009544	CCLXD50
	S009387	CCLXD50
	S009094	CCLXD50
CAR1908	S009364	CCLXD50
	S009193	CCLXD50
	S009160	CCLXD50
	S009115	CCLXD50
CAR1907	S009020	CCLXD50
	S009000	CCLXD50
	S008999	CCLXD50
	S008872	CCLXD50
	S008831	CCLXD50
	S008829	CCLXD50
	S008714	CCLXD50
	S008712	CCLXD50
	S008651	CCLXD50

CA OPS/MVS for JES2 13.5
All CA RS Levels Service List

CA RS Level	Service	FMID
	S008640	CCLXD50
	S008475	CCLXD51
	S008474	CCLXD50
CAR1906	S008647	CCLXD50
	S008645	CCLXD50
	S008583	CCLXD50
	S008572	CCLXD50
	S008535	CCLXD50
	S008471	CCLXD50
	S008386	CCLXD50
	S008367	CCLXD51
	S008357	CCLXD50
	S008339	CCLXD50
	S008299	CCLXD50
	S008241	CCLXD50
	S008166	CCLXD53
	S006836	CCLXD50
CAR1905	S008113	CCLXD50
CAR1904	S007801	CCLXD50
	S007732	CCLXD50
	S007650	CCLXD50
	S007596	CCLXD51
	S007510	CCLXD50
CAR1903	S007406	CCLXD50
	S007289	CCLXD50
	S007231	CCLXD51
	S007197	CCLXD50
CAR1902	S007182	CCLXD51
	S007131	CCLXD50
	S006990	CCLXD50
	S006965	CCLXD50
	S006962	CCLXD50
	S006939	CCLXD50
	S006933	CCLXD50
	S006920	CCLXD51
	S006788	CCLXD50
CAR1901	S006555	CCLXD50
	S006527	CCLXD50
	S006526	CCLXD50
	S006167	CCLXD51
	S006166	CCLXD50
CAR1812	S006502	CCLXD50
	S006380	CCLXD51
	S006379	CCLXD50
	S006345	CCLXD50
	S006257	CCLXD50
	S006212	CCLXD50

CA OPS/MVS for JES2 13.5
All CA RS Levels Service List

CA RS Level	Service	FMID
	S006109	CCLXD50
	S005996	CCLXD51
CAR1811	S006105	CCLXD50
	S006042	CCLXD50
	S005965	CCLXD50
	S005934	CCLXD50
	S005908	CCLXD51
	S005737	CCLXD51
	S005727	CCLXD50
	S005704	CCLXD50
	S005690	CCLXD50
CAR1810	S005680	CCLXD50
	S005674	CCLXD50
	S005661	CCLXD50
	S005638	CCLXD51
	S005619	CCLXD50
	S005593	CCLXD51
	S005592	CCLXD50
	S005541	CCLXD50
	S005320	CCLXD50
	S005285	CCLXD50
	S005275	CCLXD50
CAR1809	S005192	CCLXD51
	S005191	CCLXD50
	S005047	CCLXD50
	S005042	CCLXD50
	S004989	CCLXD50
	S004944	CCLXD50
	S004928	CCLXD50
	S004900	CCLXD50
	S004898	CCLXD50
	S004808	CCLXD50
	S004772	CCLXD50
	S004680	CCLXD50
	S004634	CCLXD50
CAR1808	S004649	CCLXD50
	S004626	CCLXD50
	S004490	CCLXD50
	S004412	CCLXD51
	S004411	CCLXD50
	S004296	CCLXD51
CAR1807	S003933	CCLXD50
	S003910	CCLXD50
	S003905	CCLXD50
	S003594	CCLXD50
	S001859	CCLXD50
CAR1806	S003775	CCLXD51

CA OPS/MVS for JES2 13.5
All CA RS Levels Service List

CA RS Level	Service	FMID
	S003731	CCLXD50
	S003595	CCLXD51
	S001956	CCLXD50
	S001943	CCLXD51
	S001874	CCLXD50
	S001813	CCLXD50
	S001752	CCLXD50
CAR1805	S001580	CCLXD50
	S001320	CCLXD50
	S001297	CCLXD50
	S001270	CCLXD50
	S001221	CCLXD50
CAR1804	S001097	CCLXD50
	S001092	CCLXD50
	S001061	CCLXD50
	S000908	CCLXD50
	S000873	CCLXD51
	S000597	CCLXD50
CAR1803	S000632	CCLXD50
	S000630	CCLXD50
	S000572	CCLXD50
	S000562	CCLXD50
	S000476	CCLXD50
	S000444	CCLXD50
	S000393	CCLXD50
	S000371	CCLXD50
	S000247	CCLXD50
	S000245	CCLXD50
	S000239	CCLXD50
	S000236	CCLXD51
	S000235	CCLXD50