

CA OPS/MVS for JES3 13.0
CA RS 2007 Service List

1

Service	Description	Type
S013296	OPSTATUS RETURNS AN INCORRECT COUNT OF ACTIVE IMS'S	PTF
S013442	PREVENT EMERGENCY PRODUCT SHUTDOWN	**HIPER**
S013446	OPS34450 AUTO SWITCH FROM BACKUP OPSLOG TO PRIMARY OPSLOG	PTF
S013471	SSMGA RESOURCE DELETED FROM TABLE BY SSMBEGIN	PTF
S013673	POSSIBLE PROCESSINUSE VALUE BECOMING NEGATIVE	PTF
The CA RS 2007 service count for this release is 5		

CA OPS/MVS for JES3
CA RS 2007 Service List for CCLXD00

2

FMID	Service	Description	Type
CCLXD00	S013296	OPSTATUS RETURNS AN INCORRECT COUNT OF ACTIVE IMS'S	PTF
	S013442	PREVENT EMERGENCY PRODUCT SHUTDOWN	**HIPER**
	S013446	OPS34450 AUTO SWITCH FROM BACKUP OPSLOG TO PRIMARY OPSLOG	PTF
	S013471	SSMGA RESOURCE DELETED FROM TABLE BY SSMBEGIN	PTF
	S013673	POSSIBLE PROCESSINUSE VALUE BECOMING NEGATIVE	PTF
The CA RS 2007 service count for this FMID is 5			

Service	Details																
SO13296	SO13296 M.C.S. ENTRIES = ++PTF (SO13296) OPSTATUS RETURNS AN INCORRECT COUNT OF ACTIVE IMS'S PROBLEM DESCRIPTION: The OPS/REXX OPSTATUS function returns an inaccurate count of active IMS subsystems when the IMSxINSTALLEXTS parameter is set to YES and the exit install process fails. SYMPTOMS: Issuing OPSTATUS('I','A','*') returns an inaccurate count of active IMS subsystems. IMPACT: Unable to determine the number of active IMS subsystems using the OPSTATUS function. CIRCUMVENTION: None. PRODUCT(S) AFFECTED: CA OPS/MVS Base Version 13.0 CA OPS/MVS Base Release 13.5 Related Problem: OPSMVS 1679 Copyright (C) 2020 CA. All rights reserved. R00245-CLX130-SP1 DESC(OPSTATUS RETURNS AN INCORRECT COUNT OF ACTIVE IMS'S). ++VER (Z038) FMID (CCLXD00) PRE (R094359) SUP (AR94613 R094837 ST13296 TR94837) ++HOLD (SO13296) SYSTEM FMID(CCLXD00) REASON (ACTION) DATE (20181) COMMENT (<table border="1"> <tr> <td>CA OPS/MVS Base</td><td>Version 13.0</td></tr> </table> SEQUENCE After Apply <table border="1"> <tr> <td>PURPOSE</td><td>Correct OPSTATUS error reporting number of active IMS regions.</td></tr> </table> <table border="1"> <tr> <td>USERS</td><td>All users of the IMS option of the OPSTATUS function.</td></tr> </table> <table border="1"> <tr> <td>AFFECTED</td><td></td></tr> </table> <table border="1"> <tr> <td>KNOWLEDGE</td><td>Basic z/OS system programming skills.</td></tr> </table> <table border="1"> <tr> <td>REQUIRED</td><td></td></tr> </table> <table border="1"> <tr> <td>ACCESS</td><td>Authority to stop and start the OPS/MVS.</td></tr> </table> <table border="1"> <tr> <td>REQUIRED</td><td></td></tr> </table> ***** * STEPS TO PERFORM * ***** 1. After applying the PTF, restart OPS/MVS. 2. TSO users must logoff and back on before executing the OPS/REXX OPSTATUS function.).	CA OPS/MVS Base	Version 13.0	PURPOSE	Correct OPSTATUS error reporting number of active IMS regions.	USERS	All users of the IMS option of the OPSTATUS function.	AFFECTED		KNOWLEDGE	Basic z/OS system programming skills.	REQUIRED		ACCESS	Authority to stop and start the OPS/MVS.	REQUIRED	
CA OPS/MVS Base	Version 13.0																
PURPOSE	Correct OPSTATUS error reporting number of active IMS regions.																
USERS	All users of the IMS option of the OPSTATUS function.																
AFFECTED																	
KNOWLEDGE	Basic z/OS system programming skills.																
REQUIRED																	
ACCESS	Authority to stop and start the OPS/MVS.																
REQUIRED																	

Service	Details
	<pre> ++HOLD (SO13296) SYSTEM FMID(CCLXD00) REASON (DYNACT) DATE (20181) COMMENT (+-----+ CA OPS/MVS Base Version 13.0 +-----+ SEQUENCE After APPLY +-----+ PURPOSE To activate load modules updated by this PTF, including load module OPSAEX +-----+ USERS All OPS/MVS users AFFECTED +-----+ KNOWLEDGE Basic z/OS systems programming skills REQUIRED +-----+ ACCESS - Access to OPS/MVS SMP/E Target loadlib CCLXLOAD and any REQUIRED deployed copies - Authority to issue MVS system commands - Authority to stop and start OPS/MVS +-----+ ***** * STEPS TO PERFORM * ***** 1. This PTF updates load module OPSAEX, as well as the other load modules identified by the ++MOD statements contained in this PTF. APPLY of this PTF updates SMP/E Target loadlib CCLXLOAD. 2. Copy the updated load modules from SMP/E Target loadlib CCLXLOAD to any other deployed copies, such as a STEPLIB used by the OPS/MVS main address space, a link listed loadlib, etc. 3. If the system library lookaside (LLA) program is managing any updated loadlib, you must refresh LLA by using MVS system command "F LLA,REFRESH" or some equivalent mechanism. 4. TSO users must get out of OPSVIEW. 5. Stop OPS/MVS. 6. If the system link pack area (LPA) contains any updated load module, you must refresh LPA by using MVS system command "SETPROG LPA" or some equivalent mechanism. 7. Start OPS/MVS. 8. TSO users may access OPSVIEW. Depending on how OPSVIEW is accessed, this may require TSO logoff/logon.).</pre>

Service	Details		
SO13442	SO13442 M.C.S. ENTRIES = ++PTF (SO13442) PREVENT EMERGENCY PRODUCT SHUTDOWN PROBLEM DESCRIPTION: Emergency product shutdown may occur due to recursive abends attempting to issue an error message within an OSF server or TSO address space when a DCB becomes unusable. IEC020I messages are typically issued indicating a S001 abend has occurred. SYMPTOMS: The product shuts down because of recursive abends, which should just be allowed to percolate, terminating the task in question. IMPACT: Automation is stopped and the product shuts down. CIRCUMVENTION: None. PRODUCT(S) AFFECTED: CA OPS/MVS Base Version 13.0 CA OPS/MVS Base Release 13.5 Related Problem: OPSMVS 1681 Copyright (C) 2020 CA. All rights reserved. R00246-CLX130-SP1 DESC(PREVENT EMERGENCY PRODUCT SHUTDOWN). ++VER (Z038) FMID (CCLXD00) PRE (R099262 S000647 S005676 S006934) SUP (FC94493 S003746 S005501 ST03746 ST05501 ST13442) ++HOLD (SO13442) SYSTEM FMID(CCLXD00) REASON (DYNACT) DATE (20154) COMMENT (<table border="1"> <tr> <td>CA OPS/MVS Base</td><td>Version 13.0</td></tr> </table> SEQUENCE After APPLY PURPOSE To activate load modules updated by this PTF, including load module OPSAEX USERS All OPS/MVS users AFFECTED KNOWLEDGE Basic z/OS systems programming skills REQUIRED ACCESS - Access to OPS/MVS SMP/E Target loadlib CCLXLOAD and any REQUIRED deployed copies - Authority to issue MVS system commands - Authority to stop and start OPS/MVS ***** * STEPS TO PERFORM * ***** 1. This PTF updates load module OPSAEX, as well as the other load modules identified by the ++MOD statements contained	CA OPS/MVS Base	Version 13.0
CA OPS/MVS Base	Version 13.0		

Service	Details
	in this PTF. APPLY of this PTF updates SMP/E Target loadlib CCLXLOAD. 2. Copy the updated load modules from SMP/E Target loadlib CCLXLOAD to any other deployed copies, such as a STEPLIB used by the OPS/MVS main address space, a link listed loadlib, etc. 3. If the system library lookaside (LLA) program is managing any updated loadlib, you must refresh LLA by using MVS system command "F LLA,REFRESH" or some equivalent mechanism. 4. TSO users must get out of OPSVIEW. 5. Stop OPS/MVS. 6. If the system link pack area (LPA) contains any updated load module, you must refresh LPA by using MVS system command "SETPROG LPA" or some equivalent mechanism. 7. Start OPS/MVS. 8. TSO users may access OPSVIEW. Depending on how OPSVIEW is accessed, this may require TSO logoff/logon.).

Service	Details
SO13446	SO13446 M.C.S. ENTRIES = ++PTF (SO13446) OPS34450 AUTO SWITCH FROM BACKUP OPSLOG TO PRIMARY OPSLOG PROBLEM DESCRIPTION: OPS34450 REXX program lacks the logic to automatically switch from the backup OPSLOG to the primary OPSLOG when users fail to do so before the AOF rule OPS34450 is fired for the live backup OPSLOG. This fix will prevent the backup OPSLOG message number from reaching the 2 billion limit and requiring the reallocation of OPSLOG data sets and recycling of OPS/MVS. SYMPTOMS: The primary OPSLOG cannot be set to Live, and this message may be observed: OPS4605E ADDRESS OPSTCL OPSLOG command lock for SETLIVE failed:'OPSLOG'. IMPACT: No events can be recorded by OPSLOG. CIRCUMVENTION: NONE. PRODUCT(S) AFFECTED: CA OPS/MVS Base Version 13.0 CA OPS/MVS Base Release 13.5 Related Problem: OPSMVS 1682 Copyright (C) 2020 CA. All rights reserved. R00248-CLX130-SP1 DESC(OPS34450 AUTO SWITCH FROM BACKUP OPSLOG TO PRIMARY OPSLOG) . ++VER (Z038) FMID (CCLXD00) PRE (SO08133) SUP (ST13443 ST13446)

Service	Details		
SO13471	SO13471 M.C.S. ENTRIES = ++PTF (SO13471) SSMGA RESOURCE DELETED FROM TABLE BY SSMBEGIN PROBLEM DESCRIPTION: Code in SSMBEGIN that managed SSMGAV2 resources was not checking if the resources were being managed by the SSMGA application. SYMPTOMS: Duplicate resource entries with an ACTMODE of INACTIVE were being deleted by SSMBEGIN. IMPACT: Duplicate resource entries needed by SSMGA were deleted which would cause move failures. CIRCUMVENTION: NONE. PRODUCT(S) AFFECTED: CA OPS/MVS Base Version 13.0 CA OPS/MVS Base Release 13.5 Related Problem: OPSMVS 1684 Copyright (C) 2020 CA. All rights reserved. R00249-CLX130-SP1 DESC(SSMGA RESOURCE DELETED FROM TABLE BY SSMBEGIN). ++VER (Z038) FMID (CCLXD00) PRE (R098964 R099161 S000309 S010838 S011111) SUP (S004902 S005268 ST04902 ST05268 ST13471) ++HOLD (SO13471) SYSTEM FMID(CCLXD00) REASON (ACTION) DATE (20155) COMMENT (<table border="1"> <tr> <td>CA OPS/MVS Base</td><td>Version 13.0</td></tr> </table> SEQUENCE After APPLY PURPOSE Reset ISPF statistics for updated AOF rule(s) USERS Users with AOF rules AFFECTED KNOWLEDGE ISPF REQUIRED ACCESS Product libraries REQUIRED ***** * STEPS TO PERFORM * ***** This PTF installs updated AOF rule(s) into SMP/E Target library CCLXRULM with no ISPF statistics. You will not be able to auto-enable the updated rule(s) until you reset their ISPF statistics. You can use ISPF option 3.5 to manually reset the ISPF statistics for the updated rule(s). You can use ISPF option 3.3 to manually copy the updated	CA OPS/MVS Base	Version 13.0
CA OPS/MVS Base	Version 13.0		

Service	Details
	rule(s) to your deployed ruleset(s).).

Service	Details																						
SO13673	SO13673 M.C.S. ENTRIES = ++PTF (SO13673) POSSIBLE PROCESSINUSE VALUE BECOMING NEGATIVE PROBLEM DESCRIPTION: It is possible for the PROCESSINUSE parameter to become negative, causing a healthcheck for OPSMVS_PARM_PROCBK@OPSMVS to surface. SYMPTOMS: The health check firing is the only symptom of this defect. IMPACT: none. CIRCUMVENTION: The health check may be disabled to avoid the erroneous messages. PRODUCT(S) AFFECTED: CA OPS/MVS Base Version 13.0 CA OPS/MVS Base Release 13.5 Related Problem: OPSMVS 1591 Copyright (C) 2020 CA. All rights reserved. R00250-CLX130-SP1 DESC(POSSIBLE PROCESSINUSE VALUE BECOMING NEGATIVE). ++VER (Z038) FMID (CCLXD00) PRE (R094880 R096478 R099262 S000647 S005676 S006683 S006934 S008049 S010458) SUP (AR99262 FC94493 S001318 S001748 S003746 S005501 S005726 S013442 ST01318 ST01748 ST03746 ST05501 ST05726 ST10077 ST10454 ST13442 ST13673) ++HOLD (SO13673) SYSTEM FMID(CCLXD00) REASON (DYNACT) DATE (20177) COMMENT (<table border="1"> <tr> <td>CA OPS/MVS Base</td><td>Version 13.0</td></tr> </table> SEQUENCE After APPLY <table border="1"> <tr> <td>PURPOSE</td><td>To activate load modules updated by this PTF, including</td></tr> <tr> <td></td><td>load module OPSAEX</td></tr> </table> <table border="1"> <tr> <td>USERS</td><td>All OPS/MVS users</td></tr> </table> <table border="1"> <tr> <td>AFFECTED</td><td></td></tr> </table> <table border="1"> <tr> <td>KNOWLEDGE</td><td>Basic z/OS systems programming skills</td></tr> </table> <table border="1"> <tr> <td>REQUIRED</td><td></td></tr> </table> <table border="1"> <tr> <td>ACCESS</td><td>- Access to OPS/MVS SMP/E Target loadlib CCLXLOAD and any</td></tr> <tr> <td>REQUIRED</td><td>deployed copies</td></tr> <tr> <td></td><td>- Authority to issue MVS system commands</td></tr> <tr> <td></td><td>- Authority to stop and start OPS/MVS</td></tr> </table> ***** * STEPS TO PERFORM * ***** 1. This PTF updates load module OPSAEX, as well as the other load modules identified by the ++MOD statements contained	CA OPS/MVS Base	Version 13.0	PURPOSE	To activate load modules updated by this PTF, including		load module OPSAEX	USERS	All OPS/MVS users	AFFECTED		KNOWLEDGE	Basic z/OS systems programming skills	REQUIRED		ACCESS	- Access to OPS/MVS SMP/E Target loadlib CCLXLOAD and any	REQUIRED	deployed copies		- Authority to issue MVS system commands		- Authority to stop and start OPS/MVS
CA OPS/MVS Base	Version 13.0																						
PURPOSE	To activate load modules updated by this PTF, including																						
	load module OPSAEX																						
USERS	All OPS/MVS users																						
AFFECTED																							
KNOWLEDGE	Basic z/OS systems programming skills																						
REQUIRED																							
ACCESS	- Access to OPS/MVS SMP/E Target loadlib CCLXLOAD and any																						
REQUIRED	deployed copies																						
	- Authority to issue MVS system commands																						
	- Authority to stop and start OPS/MVS																						

Service	Details	
	in this PTF. APPLY of this PTF updates SMP/E Target loadlib CCLXLOAD. 2. Copy the updated load modules from SMP/E Target loadlib CCLXLOAD to any other deployed copies, such as a STEPLIB used by the OPS/MVS main address space, a link listed loadlib, etc. 3. If the system library lookaside (LLA) program is managing any updated loadlib, you must refresh LLA by using MVS system command "F LLA,REFRESH" or some equivalent mechanism. 4. TSO users must get out of OPSVIEW. 5. Stop OPS/MVS. 6. If the system link pack area (LPA) contains any updated load module, you must refresh LPA by using MVS system command "SETPROG LPA" or some equivalent mechanism. 7. Start OPS/MVS. 8. TSO users may access OPSVIEW. Depending on how OPSVIEW is accessed, this may require TSO logoff/logon.).	
MCS	SO13296	STARTS ON PAGE 0002
MCS	SO13442	STARTS ON PAGE 0004
MCS	SO13446	STARTS ON PAGE 0006
MCS	SO13471	STARTS ON PAGE 0007
MCS	SO13673	STARTS ON PAGE 0008

CA OPS/MVS for JES3 13.0
CA RS 2007 Product/Component Listing

12

Product Family	Product	Release
Systems Management	CA OPS/MVS BASE	13.00.00
The CA RS 2007 Product/Component Count for this release is 1		

CA RS Level	Service	FMID
CAR2007	S013673	CCLXD00
	S013471	CCLXD00
	S013446	CCLXD00
	S013442	CCLXD00
	S013296	CCLXD00
CAR2006	S013061	CCLXD00
CAR2005	S012827	CCLXD00
	S012671	CCLXD00
	S012660	CCLXD00
	S012626	CCLXD00
	S012596	CCLXD00
	S012493	CCLXD00
CAR2004	S012593	CCLXD00
	S012410	CCLXD00
CAR2003	S012095	CCLXD00
	S011956	CCLXD00
CAR2002	S011788	CCLXD00
	S011482	CCLXD00
CAR2001	S011245	CCLXD00
	S011111	CCLXD00
	S010838	CCLXD00
CAR1912	S010842	CCLXD00
CAR1911	S010591	CCLXD00
	S010458	CCLXD00
	S010420	CCLXD00
	S010407	CCLXD00
CAR1910	S010025	CCLXD00
	S009879	CCLXD00
	S009795	CCLXD00
	S009773	CCLXD00
	S008049	CCLXD00
CAR1909	S009842	CCLXD00
	S009697	CCLXD00
	S009638	CCLXD00
	S009490	CCLXD00
CAR1908	S009264	CCLXD00
	S009159	CCLXD00
CAR1907	S009018	CCLXD00
	S008875	CCLXD00
	S008824	CCLXD00
	S008718	CCLXD00
	S008711	CCLXD00
	S008252	CCLXD03
CAR1906	S008641	CCLXD00
	S008587	CCLXD00
	S008573	CCLXD00
	S008476	CCLXD00

CA RS Level	Service	FMID
	S008413	CCLXD00
	S008340	CCLXD00
	S008298	CCLXD00
	S008242	CCLXD00
CAR1905	S008133	CCLXD00
CAR1904	S007772	CCLXD00
	S007720	CCLXD00
	S007653	CCLXD00
CAR1903	S007229	CCLXD01
	S007074	CCLXD00
CAR1902	S007183	CCLXD01
	S007123	CCLXD00
	S006934	CCLXD00
	S006932	CCLXD00
	S006787	CCLXD00
CAR1901	S006683	CCLXD00
	S006578	CCLXD00
	S006538	CCLXD00
	S006488	CCLXD00
CAR1812	S006389	CCLXD00
	S006327	CCLXD01
	S006307	CCLXD00
	S006258	CCLXD00
	S006156	CCLXD00
	S005994	CCLXD01
CAR1811	S006103	CCLXD00
	S005982	CCLXD00
	S005726	CCLXD00
	S005709	CCLXD00
	S005692	CCLXD00
	S005657	CCLXD01
CAR1810	S005676	CCLXD00
	S005672	CCLXD00
	S005636	CCLXD01
	S005589	CCLXD00
	S005529	CCLXD01
	S005501	CCLXD00
	S005460	CCLXD00
	S005340	CCLXD00
	S005284	CCLXD00
	S005268	CCLXD00
CAR1809	S005193	CCLXD00
	S005089	CCLXD00
	S005046	CCLXD00
	S004984	CCLXD00
	S004937	CCLXD00
	S004902	CCLXD00

CA RS Level	Service	FMID
	S004899	CCLXD00
	S004780	CCLXD00
	S004605	CCLXD00
	S004137	CCLXD00
CAR1808	S004636	CCLXD00
	S004624	CCLXD00
	S004478	CCLXD00
	S004295	CCLXD01
CAR1807	S003936	CCLXD00
	S003909	CCLXD00
CAR1806	S003746	CCLXD00
	S003736	CCLXD00
	S003721	CCLXD01
	S003660	CCLXD00
	S003629	CCLXD00
	S001957	CCLXD00
	S001878	CCLXD00
	S001810	CCLXD00
	S001805	CCLXD00
	S001748	CCLXD00
CAR1805	S001582	CCLXD00
	S001318	CCLXD00
	S001269	CCLXD00
	S000892	CCLXD00
CAR1804	S001096	CCLXD00
	S001095	CCLXD00
	S001082	CCLXD01
	S000907	CCLXD00
	S000647	CCLXD00
	S000309	CCLXD00
CAR1803	S000659	CCLXD00
	S000639	CCLXD00
	S000534	CCLXD00
	S000407	CCLXD00
	S000392	CCLXD00
	S000300	CCLXD00
	R099262	CCLXD00
CAR1802	S000182	CCLXD00
	S000165	CCLXD00
	S000008	CCLXD00
	S000002	CCLXD00
	R099930	CCLXD00
CAR1801	R099603	CCLXD00
	R099549	CCLXD00
	R099351	CCLXD00
	R099017	CCLXD00
CAR1712	R099183	CCLXD00

CA RS Level	Service	FMID
	R099161	CCLXD00
	R099146	CCLXD00
	R099083	CCLXD00
	R099076	CCLXD00
	R098964	CCLXD00
CAR1711	R098820	CCLXD00
	R098697	CCLXD00
	R098686	CCLXD00
	R098596	CCLXD00
	R098522	CCLXD00
	R098459	CCLXD00
	R098339	CCLXD00
	R098292	CCLXD00
	R097912	CCLXD01
	R096479	CCLXD01
	R096478	CCLXD00
CAR1710	R098139	CCLXD00
	R097889	CCLXD00
	R097835	CCLXD00
CAR1709	R097665	CCLXD00
	R097620	CCLXD00
	R097559	CCLXD00
	R097551	CCLXD00
	R097465	CCLXD00
	R097449	CCLXD00
	R097420	CCLXD00
CAR1708	R097040	CCLXD00
	R097011	CCLXD00
	R097008	CCLXD00
	R097000	CCLXD01
	R096971	CCLXD00
	R096959	CCLXD00
	R096643	CCLXD00
CAR1707	R096446	CCLXD00
CAR1706	R096115	CCLXD00
	R095980	CCLXD00
	R095953	CCLXD00
	R095890	CCLXD00
	R095212	CCLXD00
CAR1705	R095660	CCLXD00
	R095391	CCLXD00
CAR1704	R095348	CCLXD00
	R095285	CCLXD00
	R095251	CCLXD00
	R095204	CCLXD00
	R095154	CCLXD00
	R095028	CCLXD00

CA RS Level	Service	FMID
	R094989	CCLXD00
	R094880	CCLXD00
	R094837	CCLXD00
	R094774	CCLXD00
	R094507	CCLXD00
	R094245	CCLXD00
CAR1703	R094721	CCLXD00
	R094704	CCLXD00
	R094652	CCLXD04
	R094625	CCLXD00
	R094613	CCLXD00
	R094603	CCLXD00
	R094474	CCLXD00
	R094359	CCLXD00
	R094323	CCLXD00
CAR1702	R094192	CCLXD03
	R094184	CCLXD00
	R094116	CCLXD00
	R094104	CCLXD00
	R094084	CCLXD03
	R094069	CCLXD00
	R094062	CCLXD00
	R093997	CCLXD00
	R093945	CCLXD00
	R093939	CCLXD00
	R093749	CCLXD00
CAR1701	R093685	CCLXD00
	R093591	CCLXD00
	R093549	CCLXD00
	R093524	CCLXD00