

CA MOI S390X (Z/LINUX) 2.0
CA RS 2008 Service List

1

Service	Description	Type
S012813	SUPPORT BULK LOADING OF HISTORICAL SMF DATA	PTF
S013564	MOI SMALL ENHANCEMENTS AND MAINTENANCE FIXES	PTF
S013565	MOI SMALL ENHANCEMENTS AND MAINTENANCE FIXES	PTF
S013628	LDAPS SUPPORT	PTF
The CA RS 2008 service count for this release is 4		

CA MOI S390X (Z/LINUX)
CA RS 2008 Service List for CFGE200

2

FMID	Service	Description	Type
CFGE200	SO12813	SUPPORT BULK LOADING OF HISTORICAL SMF DATA	PTF
	SO13564	MOI SMALL ENHANCEMENTS AND MAINTENANCE FIXES	PTF
	SO13628	LDAPS SUPPORT	PTF
The CA RS 2008 service count for this FMID is 3			

CA MOI S390X (Z/LINUX)
CA RS 2008 Service List for CFGE201

3

FMID	Service	Description	Type
CFGE201	SO13565	MOI SMALL ENHANCEMENTS AND MAINTENANCE FIXES	PTF
The CA RS 2008 service count for this FMID is 1			

Service	Details
SO12813	SO12813 M.C.S. ENTRIES = ++PTF (SO12813) SUPPORT BULK LOADING OF HISTORICAL SMF DATA PROBLEM DESCRIPTION: Customers require a streamlined mechanism for batch loading select, historical SMF time series data into MOI for faster time to value. ENHANCEMENT DESCRIPTION: Sample JCL (CAALS2ST, CAAEX2ST) and scripts (e.g.CAAESFTP) provide a streamlined process for extracting and filtering select SMF data and then transferring the data to the MOI appliance for ingestion. These scripts and JCL must be used with Release 2.0.06 or higher appliance images. See the Release 2.0.06 product documentation for further details. PRODUCTS AFFECTED: MF Operational Intelligence Platform (Base) Version 2.0 Related Problem: Z2L 104 Copyright (C) 2020 CA. All rights reserved. R00031-Z2L020-SP1 DESC(SUPPORT BULK LOADING OF HISTORICAL SMF DATA). ++VER (Z038) FMID (CFGE200) SUP (ST12791 ST12813) BINARY LINK('../oi-smf-transfer.jar') PARM(PATHMODE(0,7,7,5)) .

Service	Details
SO13564	SO13564 M.C.S. ENTRIES = ++PTF (SO13564) MOI SMALL ENHANCEMENTS AND MAINTENANCE FIXES ENHANCEMENT DESCRIPTION: Support for Dynamic Host Configuration Protocol (DHCP) has been added as an option when configuring your TCP/IP network on the ISPF panels. ENHANCEMENT DESCRIPTION: Alert configuration for automation by CA OPS/MVS event management and automation is auto-discovered by existence of entries in the notifier configuration file. Enabling/disabling the option 'OPS/MVS' on the 'Enable Integration for Products' ISPF panel is no longer required. The 'OPS/MVS' selection has been removed for this ISPF panel. PROBLEM DESCRIPTION(S): This PTF includes maintenance fixes for the following problems: - From CAAE manage option 9.12.1, the deploy.sh script gets 'FSUM7351 NOT FOUND' error. - No error being shown in boot.log when a package fails to install. - TLS certification issue with database microservice. - Missing argument creating mkkeys.sh ISPF interface > 1 Install > 5 Keys > 1 Generate SSH Keys. - JCL error when hostname exceeds supported length of cp command. - Clean up defaults in emailrules.csv and notifier configuration files. - Delete from MLSS Hosts panel (CAAEHOST) does not delete underlying USS files. - During an upgrade, 'ca_moi_scripts' rpm requires a reboot. Reboot should occur automatically. PRODUCT(S) AFFECTED: Z2L MF Operational Intelligence Platform Release 2.0 Related Problem: Z2L 105 Copyright (C) 2020 CA. All rights reserved. R00034-Z2L020-SP1 DESC(MOI SMALL ENHANCEMENTS AND MAINTENANCE FIXES). ++VER (Z038) FMID (CFGE200) PRE (R097969 R099140 S000516 S001908 S009250) SUP (S007343 S007514 S008524 ST05794 ST07343 ST07514 ST08524 ST12944 ST13564 TR97938) ++IF FMID(CFGE201) REQ(S013565) . ++IF FMID(CFGE202) REQ(S013566) . ++HOLD (S013564) SYSTEM FMID(CFGE200) REASON (ACTION) DATE (20195) COMMENT (<pre> +-----+ MF Operational Intelligence Platform (Base) Version 2.0 +-----+-----+ SEQUENCE Before Accept +-----+-----+ PURPOSE Apply this PTF as a prerequisite to installation of the MOI / MLSS 2.0.06 Appliance Images. 2.0.06 Appliance Images are available on CSO under CA Mainframe Operational Intelligence (MOI) or your MLSS entitled product download page. </pre>

Service	Details	
	<pre> +-----+-----+ USERS AFFECTED All users +-----+-----+ KNOWLEDGE REQUIRED Product Administration +-----+-----+ ACCESS REQUIRED N/A +-----+-----+ ***** * STEPS TO PERFORM * ***** 1. Install PTF 2. Install MOI / MLSS 2.0.06 Appliance Images 3. Reboot the MOI appliance). ++HOLD (SO13564) SYSTEM FMID(CFGE200) REASON (ENH) DATE (20195) COMMENT (+-----+-----+ MF Operational Intelligence Platform (Base) Version 2.0 +-----+-----+ SEQUENCE Before Accept +-----+-----+ PURPOSE Apply this PTF as a prerequisite to installation of the MOI / MLSS 2.0.06 Appliance Images. 2.0.06 Appliance Images are available on CSO under CA Mainframe Operational Intelligence (MOI) or your MLSS entitled product download page. +-----+-----+ USERS AFFECTED All users. +-----+-----+ KNOWLEDGE REQUIRED Product Administration +-----+-----+ ACCESS REQUIRED N/A +-----+-----+ ***** * STEPS TO PERFORM * ***** 1. Install PTF 2. Install MOI / MLSS 2.0.06 Appliance Images 3. Reboot the MOI appliance). </pre>	

Service	Details
	TEXT LINK('..mkkeys.sh') PARM(PATHMODE(0,7,7,5)) . TEXT LINK('..rmdir.sh') PARM(PATHMODE(0,7,7,5)) .

Service	Details
SO13565	SO13565 M.C.S. ENTRIES = ++PTF (SO13565) MOI SMALL ENHANCEMENTS AND MAINTENANCE FIXES ENHANCEMENT DESCRIPTION: Support for Dynamic Host Configuration Protocol (DHCP) has been added as an option when configuring your TCP/IP network on the ISPF panels. ENHANCEMENT DESCRIPTION: Alert configuration for automation by CA OPS/MVS event management and automation is auto-discovered by existence of entries in the notifier configuration file. Enabling/disabling the option 'OPS/MVS' on the 'Enable Integration for Products' ISPF panel is no longer required. The 'OPS/MVS' selection has been removed for this ISPF panel. PROBLEM DESCRIPTION(S): This PTF includes maintenance fixes for the following problems: - From CAAE manage option 9.12.1, the deploy.sh script gets 'FSUM7351 NOT FOUND' error. - No error being shown in boot.log when a package fails to install. - TLS certification issue with database microservice. - Missing argument creating mkkeys.sh ISPF interface > 1 Install > 5 Keys > 1 Generate SSH Keys. - JCL error when hostname exceeds supported length of cp command. - Clean up defaults in emailrules.csv and notifier configuration files. - Delete from MLSS Hosts panel (CAAEHOST) does not delete underlying USS files. - During an upgrade, 'ca_moi_scripts' rpm requires a reboot. Reboot should occur automatically. PRODUCT(S) AFFECTED: Z2L MF Operational Intelligence Platform Release 2.0 Related Problem: Z2L 105 Copyright (C) 2020 CA. All rights reserved. R00034-Z2L020-SP1 DESC(MOI SMALL ENHANCEMENTS AND MAINTENANCE FIXES). ++VER (Z038) FMID (CFGE201) PRE (R098717 R099141 S000517 S006135 S012747 S013466) SUP (R097855 ST03807 ST05968 ST12997 ST13565 TR97855) ++IF FMID(CFGE202) REQ(S013566) . ++IF FMID(CFGE200) REQ(S013564) . ++HOLD (S013565) SYSTEM FMID(CFGE201) REASON (ACTION) DATE (20195) COMMENT (<pre> +-----+ MF Operational Intelligence Platform (S390 Linux) Version 2.0 +-----+ SEQUENCE Before Accept +-----+ PURPOSE Apply this PTF as a prerequisite to installation of the MOI / MLSS 2.0.06 Appliance Images. 2.0.06 Appliance Images are available on CSO under CA Mainframe Operational Intelligence (MOI) or your MLSS entitled product download page. </pre>

Service	Details
	<pre> +-----+-----+ USERS AFFECTED All users +-----+-----+ KNOWLEDGE REQUIRED Product Administration +-----+-----+ ACCESS REQUIRED N/A +-----+-----+ ***** * STEPS TO PERFORM * ***** 1. Install PTF 2. Install MOI / MLSS 2.0.06 Appliance Images 3. Reboot the MOI appliance). ++HOLD (SO13565) SYSTEM FMID(CFGE201) REASON (ENH) DATE (20195) COMMENT (+-----+-----+ MF Operational Intelligence Platform (S390 Linux) Version 2.0 +-----+-----+ SEQUENCE Before Accept +-----+-----+ PURPOSE Apply this PTF as a prerequisite to installation of the MOI / MLSS 2.0.06 Appliance Images. 2.0.06 Appliance Images are available on CSO under CA Mainframe Operational Intelligence (MOI) or your MLSS entitled product download page. +-----+-----+ USERS AFFECTED All users. +-----+-----+ KNOWLEDGE REQUIRED Product Administration +-----+-----+ ACCESS REQUIRED N/A +-----+-----+ ***** * STEPS TO PERFORM * ***** 1. Install PTF 2. Install MOI / MLSS 2.0.06 Appliance Images 3. Reboot the MOI appliance </pre>

CA MOI S390X (Z/LINUX) 2.0
CA RS 2008 - PTF SO13565 Details

10

Service	Details
	<pre>) . BINARY LINK('.. /apps.s390x.iso') PARM(PATHMODE(0,7,7,5)) .</pre>

Service	Details	
SO13628	SO13628 M.C.S. ENTRIES = ++PTF (SO13628)	
	LDAPS SUPPORT	
	PROBLEM: MOI Admin requires ability to connect MOI to LDAP using a secure LDAP protocol (LDAPS) so the communication is protected against possible attacks.	
	ENHANCEMENT DESCRIPTION:	
	MOI Admin can configure LDAPS for MOI using ISPF panels.	
	PRODUCT(S) AFFECTED:	
	Z2L Mainframe Operational Intelligence	
	Related Problem:	
	Z2L 103	
	Copyright (C) 2020 CA. All rights reserved. R00035-Z2L020-SP1	
	DESC(LDAPS SUPPORT) .	
	++VER (Z038)	
	FMID (CFGE200)	
	PRE (R099140 S001908 S004142 S009250 S013564)	
	SUP (S007514 S010464 ST07514 ST10464 ST12688 ST13628)	
	BINARY	
	LINK('../oi-common-security-keygen.jar')	
	PARM(PATHMODE(0,7,7,5)) .	
	MCS	S012813 STARTS ON PAGE 0002
	MCS	S013564 STARTS ON PAGE 0002
	MCS	S013565 STARTS ON PAGE 0005
	MCS	S013628 STARTS ON PAGE 0007

CA MOI S390X (Z/LINUX) 2.0
CA RS 2008 Product/Component Listing

12

Product Family	Product	Release
Systems Management	MF OPERATIONAL INTELLIGENCE PLATFORM (BASE)	02.00.00
The CA RS 2008 Product/Component Count for this release is 1		

CA RS Level	Service	FMID
CAR2008	S013628	CFGE200
	S013565	CFGE201
	S013564	CFGE200
	S012813	CFGE200
CAR2007	S013466	CFGE201
	S013465	CFGE200
CAR2005	S012747	CFGE201
	S012746	CFGE200
CAR2002	S011709	CFGE200
CAR1911	S010464	CFGE200
CAR1908	S009250	CFGE200
CAR1906	S008524	CFGE200
	S007343	CFGE200
CAR1904	S006991	CFGE200
CAR1903	S007514	CFGE200
CAR1812	S006135	CFGE201
	S006134	CFGE200
CAR1807	S004142	CFGE200
	S001908	CFGE200
CAR1803	S000516	CFGE200
	R099141	CFGE201
	R099140	CFGE200
	R098717	CFGE201