

CA Spool 14.0
CA RS 2008 Service List

Service	Description	Type
S013495	ADD ONLINE PRINTER CONFIGURATION SUPPORT (NEW FEATURE)	PTF
S013859	ADD ONLINE PRINTER CONFIGURATION SUPPORT (NEW FEATURE)	PTF
S014049	CONTINUOUS DELIVERY LEVEL SET 14.0.01	PTF
The CA RS 2008 service count for this release is 3		

CA Spool
CA RS 2008 Service List for CBQ4E00

2

FMID	Service	Description	Type
CBQ4E00	SO13495	ADD ONLINE PRINTER CONFIGURATION SUPPORT (NEW FEATURE)	PTF
	SO14049	CONTINUOUS DELIVERY LEVEL SET 14.0.01	PTF
The CA RS 2008 service count for this FMID is 2			

CA Spool
CA RS 2008 Service List for CCSRE00

3

FMID	Service	Description	Type
CCSRE00	SO13859	ADD ONLINE PRINTER CONFIGURATION SUPPORT (NEW FEATURE)	PTF
The CA RS 2008 service count for this FMID is 1			

Service	Details
SO13495	<p>SO13495 M.C.S. ENTRIES = ++PTF (SO13495)</p> <p>The following items are included in this solution:</p> <ol style="list-style-type: none"> 1. ADD ONLINE PRINTER CONFIGURATION SUPPORT (NEW FEATURE) 2. LEVEL SET MODULE INFO ADDED TO ESF809 AND MENU 3. ADD UNUSED PRINTER CLEANUP SUPPORT (NEW FEATURE) <p>=====</p> <p>ADD ONLINE PRINTER CONFIGURATION SUPPORT (NEW FEATURE)</p> <p>ENHANCEMENT DESCRIPTION:</p> <p>The new Online Printer Configuration feature adds support for adding, deleting and modifying printers online using native CA Spool commands, the CA Spool Menu system, or the CA Spool Web Interface.</p> <p>Online Printer Configuration provides support for adding, deleting and modifying online printers online using:</p> <ul style="list-style-type: none"> - Native CA Spool commands: PRTADD, PRTDEL and PRTMOD. <p>All command interfaces are supported including Zowe CLI.</p> <ul style="list-style-type: none"> - CA Spool Menu system Online Printer Configuration panel. - CA Spool Web Interface Online Printer Configuration tab. - Decentralized printer configuration support. Select users may be assigned authorization to add, delete and modify printers within their own network group. - Includes full parallel sysplex support to automatically promote printer configuration changes to all members in a MAS/EMAS complex. <p>PRODUCT(S) AFFECTED:</p> <p>CA Spool Version 14.0</p> <p>Related Problem:</p> <p>CSPPOOL 2182</p> <p>=====</p> <p>LEVEL SET MODULE INFO ADDED TO ESF809 AND MENU</p> <p>ENHANCEMENT DESCRIPTION:</p> <p>As part of the Continuous Delivery strategy, CA Spool will now report the current Level Set on the ESF809 message and in the Menu interface instead of static release information.</p> <p>ESF809 is issued in response to the DS - Display Status command.</p> <p>The OPS/MVS interface will also include the Level information.</p> <p>PRODUCT(S) AFFECTED:</p> <p>CA Spool Version 14.0</p> <p>Related Problem:</p> <p>CSPPOOL 2179</p> <p>=====</p> <p>ADD UNUSED PRINTER CLEANUP SUPPORT (NEW FEATURE)</p> <p>ENHANCEMENT DESCRIPTION:</p> <p>To help cleaning up unused printers, a new printer NODE LASTUSED=yyyymmdd parameter has been added.</p> <p>Every time a printer is used, the printer's LASTUSED=yyyymmdd parameter will be updated. When CA Spool is being shutdown, the current value of the LASTUSED=yyyymmdd parameter will be updated for all printers in the ESFNODE printer node configuration dataset.</p> <p>The new printer NODE LASTUSED=yyyymmdd parameter has been added to the Printer panel and to the Printer Configuration panel in the CA Spool Menu system and in the CA Spool Web Interface.</p> <p>The new printer NODE LASTUSED=yyyymmdd parameter supports filtering and sorting. This makes it easier to determine which printers have not been used recently, making them candidates to be removed.</p>

CA Spool 14.0
CA RS 2008 - PTF SO13495 Details

5

Service	Details
	<p>PRODUCT(S) AFFECTED:</p> <p>CA Spool Version 14.0</p> <p>Related Problem:</p> <p>CSPPOOL 2184</p> <p>Copyright (C) 2020 CA. All rights reserved. R00025-SPL140-SP1</p> <p>DESC(ADD ONLINE PRINTER CONFIGURATION SUPPORT (NEW FEATURE)).</p> <p>++VER (Z038)</p> <p>FMID (CBQ4E00)</p> <p>PRE (S006328 S006713 S007854 S009823 S011269 S012826 S012959)</p> <p>SUP (S013272 ST13272 ST13495)</p> <p>++IF FMID(CCSRE00) REQ(S013859) .</p> <p>ASSEM(ESFHPARM) .</p> <p>ASSEM(ESFHPARM) .</p> <p>ASSEM(ESFHPARM) .</p> <p>ASSEM(ESFHPARM) .</p> <p>ASSEM(ESFHPARM) .</p> <p>ASSEM(ESFHPARM) .</p> <p>ASSEM(ESFHPARM) .</p> <p>ASSEM(ESFHPARM) .</p> <p>ASSEM(ESFHTEXT) .</p> <p>ASSEM(ESFHTEXT) .</p> <p>ASSEM(ESFHTEXT) .</p> <p>ASSEM(ESFHTEXT) .</p> <p>ASSEM(ESFHTEXT) .</p> <p>ASSEM(ESFHTEXT) .</p> <p>DISTMOD (ABQ4MOD) .</p> <p>DISTMOD (ABQ4MOD) .</p> <p>DISTMOD (ABQ4MOD) .</p>

Service	Details
SO13859	<p>SO13859 M.C.S. ENTRIES = ++PTF (SO13859)</p> <p>The following items are included in this solution:</p> <ol style="list-style-type: none"> 1. ADD ONLINE PRINTER CONFIGURATION SUPPORT (NEW FEATURE) 2. LEVEL SET MODULE INFO ADDED TO ESF809 AND MENU 3. ADD UNUSED PRINTER CLEANUP SUPPORT (NEW FEATURE) <p>=====</p> <p>ADD ONLINE PRINTER CONFIGURATION SUPPORT (NEW FEATURE)</p> <p>ENHANCEMENT DESCRIPTION:</p> <p>The new Online Printer Configuration feature adds support for adding, deleting and modifying printers online using native CA Spool commands, the CA Spool Menu system, or the CA Spool Web Interface.</p> <p>Online Printer Configuration provides support for adding, deleting and modifying online printers online using:</p> <ul style="list-style-type: none"> - Native CA Spool commands: PRTADD, PRTDEL and PRTMOD. <p>All command interfaces are supported including Zowe CLI.</p> <ul style="list-style-type: none"> - CA Spool Menu system Online Printer Configuration panel. - CA Spool Web Interface Online Printer Configuration tab. - Decentralized printer configuration support. Select users may be assigned authorization to add, delete and modify printers within their own network group. - Includes full parallel sysplex support to automatically promote printer configuration changes to all members in a MAS/EMAS complex. <p>PRODUCT(S) AFFECTED:</p> <p>CA Spool Version 14.0</p> <p>Related Problem:</p> <p>CSPPOOL 2182</p> <p>=====</p> <p>LEVEL SET MODULE INFO ADDED TO ESF809 AND MENU</p> <p>ENHANCEMENT DESCRIPTION:</p> <p>As part of the Continuous Delivery strategy, CA Spool will now report the current Level Set on the ESF809 message and in the Menu interface instead of static release information.</p> <p>ESF809 is issued in response to the DS - Display Status command.</p> <p>The OPS/MVS interface will also include the Level information.</p> <p>PRODUCT(S) AFFECTED:</p> <p>CA Spool Version 14.0</p> <p>Related Problem:</p> <p>CSPPOOL 2179</p> <p>=====</p> <p>ADD UNUSED PRINTER CLEANUP SUPPORT (NEW FEATURE)</p> <p>ENHANCEMENT DESCRIPTION:</p> <p>To help cleaning up unused printers, a new printer NODE LASTUSED=yyyymmdd parameter has been added.</p> <p>Every time a printer is used, the printer's LASTUSED=yyyymmdd parameter will be updated. When CA Spool is being shutdown, the current value of the LASTUSED=yyyymmdd parameter will be updated for all printers in the ESFNODE printer node configuration dataset.</p> <p>The new printer NODE LASTUSED=yyyymmdd parameter has been added to the Printer panel and to the Printer Configuration panel in the CA Spool Menu system and in the CA Spool Web Interface.</p> <p>The new printer NODE LASTUSED=yyyymmdd parameter supports filtering and sorting. This makes it easier to determine which printers have not been used recently, making them candidates to be removed.</p>

CA Spool 14.0
CA RS 2008 - PTF SO13859 Details

7

Service	Details
	<p>PRODUCT(S) AFFECTED:</p> <p>CA Spool Version 14.0</p> <p>Related Problem:</p> <p>CSPPOOL 2184</p> <p>Copyright (C) 2020 CA. All rights reserved. R00025-SPL140-SP1</p> <p>DESC(ADD ONLINE PRINTER CONFIGURATION SUPPORT (NEW FEATURE)).</p> <p>++VER (Z038)</p> <p>FMID (CCSRE00)</p> <p>PRE (S009824)</p> <p>SUP (ST13859)</p> <p>++IF FMID(CBQ4E00) REQ(S012959 S013495) .</p>

CA Spool 14.0
CA RS 2008 - PTF SO14049 Details

8

Service	Details
SO14049	<p>SO14049 M.C.S. ENTRIES = ++PTF (SO14049)</p> <p>CONTINUOUS DELIVERY LEVEL SET 14.0.01</p> <p>PROBLEM DESCRIPTION:</p> <p>This PTF will apply all maintenance up to the modification level 14.0.01.</p> <p>SYMPTOMS:</p> <p>None.</p> <p>IMPACT:</p> <p>None.</p> <p>CIRCUMVENTION:</p> <p>None.</p> <p>PRODUCT(S) AFFECTED:</p> <p>CA Spool Version 14.0</p> <p>Related Problem:</p> <p>CSPPOOL 2189</p> <p>Copyright (C) 2020 CA. All rights reserved. R00028-SPL140-SP1</p> <p>DESC(CONTINUOUS DELIVERY LEVEL SET 14.0.01).</p> <p>++VER (Z038)</p> <p>FMID (CBQ4E00)</p> <p>PRE (S006328 S006713 S007854 S009491 S009823 S010386 S010837 S011204 S011269 S011343 S011900 S012826 S012959 S013272 S013495)</p> <p>SUP (ST14049)</p> <p>++IF FMID(CCSRE00) REQ(S008517 S009824 S011270 S012015 S013859) .</p> <p>MCS S013495 STARTS ON PAGE 0002</p> <p>MCS S013859 STARTS ON PAGE 0005</p> <p>MCS S014049 STARTS ON PAGE 0007</p>

CA Spool 14.0
CA RS 2008 Product/Component Listing

Product Family	Product	Release
Output Management	CA SPOOL	14.00.00
	LPD INTERFACE	14.00.00
The CA RS 2008 Product/Component Count for this release is 2		

CA Spool 14.0
All CA RS Levels Service List

CA RS Level	Service	FMID
CAR2008	S014049	CBQ4E00
	S013859	CCSRE00
	S013495	CBQ4E00
CAR2006	S013272	CBQ4E00
CAR2005	S012959	CBQ4E00
	S012826	CBQ4E00
CAR2004	S012015	CCSRE00
	S011900	CBQ4E00
	S011343	CBQ4E00
CAR2002	S011270	CCSRE00
	S011269	CBQ4E00
CAR2001	S011204	CBQ4E00
	S010837	CBQ4E00
CAR1912	S010386	CBQ4E00
CAR1910	S009824	CCSRE00
	S009823	CBQ4E00
CAR1909	S009491	CBQ4E00
CAR1907	S008517	CCSRE00
	S007854	CBQ4E00
CAR1904	S006713	CBQ4E00
	S006328	CBQ4E00