

CA LDAP 15.1
CA RS 2009 Service List

1

Service	Description	Type
S012661	LDAP PAM PASSWORD MODIFY FALSE FAILURE	PTF
S013109	RACF BACKEND FLAG DISABLE_USERID_DETAILS NOT WORKING	PTF
S013353	CA LDAP SERVER SUPPORT FOR MFA,USER CSDATA AND NETVIEW	PTF
The CA RS 2009 service count for this release is 3		

CA LDAP
CA RS 2009 Service List for CDT9F10

2

FMID	Service	Description	Type
CDT9F10	SO12661	LDAP PAM PASSWORD MODIFY FALSE FAILURE	PTF
	SO13109	RACF BACKEND FLAG DISABLE_USERID_DETAILS NOT WORKING	PTF
	SO13353	CA LDAP SERVER SUPPORT FOR MFA,USER CSDATA AND NETVIEW	PTF
The CA RS 2009 service count for this FMID is 3			

CA LDAP 15.1
CA RS 2009 - PTF SO12661 Details

3

Service	Details																								
SO12661	SO12661 M.C.S. ENTRIES = ++PTF (SO12661) LDAP PAM PASSWORD MODIFY FALSE FAILURE PROBLEM DESCRIPTION: CA PAM returned LDP2406E error when modifying a password. This occurs when TSS returns information message TSS7030I. SYMPTOMS: LDAP Returns LDP2406E error, however password is modified. IMPACT: Invalid message is returned from LDAP. CIRCUMVENTION: N/A PRODUCT(S) AFFECTED: CA LDAP SERVER FOR Z/OS AND OS/390 Release 15.1 Related Problem: LDAPDV 302 Copyright (C) 2020 CA. All rights reserved. R00144-LDP151-SP1 DESC(LDAP PAM PASSWORD MODIFY FALSE FAILURE). ++VER (Z038) FMID (CDT9F10) PRE (R056879 R058276 R083625 R086240 R089211 S001738 S007162 S010105) SUP (AC93300 R059079 R062247 R063341 R063735 R064316 R067510 R070487 R070599 R073506 R074208 R080291 R080373 R087963 R092196 R093183 R095345 R097387 S001824 S003944 S006682 S007513 S008309 S010651 ST01824 ST03944 ST06682 ST07513 ST08309 ST10651 ST12661 TR59079 TR62247 TR63341 TR63735 TR64316 TR67510 TR70487 TR70599 TR73506 TR74208 TR80291 TR80373 TR87963 TR92196 TR93183 TR95345 TR97387) ++HOLD (SO12661) SYSTEM FMID(CDT9F10) REASON (DYNACT) DATE (20224) COMMENT (<table border="1"> <tr> <td>CA LDAP SERVER FOR Z/OS AND OS/390</td><td>Release 15.1</td></tr> <tr> <td>SEQUENCE</td><td>After Apply. prior to LDAP restart.</td></tr> <tr> <td>PURPOSE</td><td>Implement PTF in LDAP.</td></tr> <tr> <td>USERS</td><td>All Users.</td></tr> <tr> <td>AFFECTED</td><td></td></tr> <tr> <td>KNOWLEDGE</td><td>SMP/E.</td></tr> <tr> <td>REQUIRED</td><td>Product Installation.</td></tr> <tr> <td></td><td>Product Deployment.</td></tr> <tr> <td></td><td>USS Commands.</td></tr> <tr> <td>ACCESS</td><td>Access to the CDT9JCL dataset.</td></tr> <tr> <td>REQUIRED</td><td>Access to the USS directory where LDAP is installed.</td></tr> <tr> <td></td><td>Permissions to make changes on the USS directory.</td></tr> </table> *****	CA LDAP SERVER FOR Z/OS AND OS/390	Release 15.1	SEQUENCE	After Apply. prior to LDAP restart.	PURPOSE	Implement PTF in LDAP.	USERS	All Users.	AFFECTED		KNOWLEDGE	SMP/E.	REQUIRED	Product Installation.		Product Deployment.		USS Commands.	ACCESS	Access to the CDT9JCL dataset.	REQUIRED	Access to the USS directory where LDAP is installed.		Permissions to make changes on the USS directory.
CA LDAP SERVER FOR Z/OS AND OS/390	Release 15.1																								
SEQUENCE	After Apply. prior to LDAP restart.																								
PURPOSE	Implement PTF in LDAP.																								
USERS	All Users.																								
AFFECTED																									
KNOWLEDGE	SMP/E.																								
REQUIRED	Product Installation.																								
	Product Deployment.																								
	USS Commands.																								
ACCESS	Access to the CDT9JCL dataset.																								
REQUIRED	Access to the USS directory where LDAP is installed.																								
	Permissions to make changes on the USS directory.																								

CA LDAP 15.1
CA RS 2009 - PTF SO12661 Details

Service	Details
	<pre>* STEPS TO PERFORM * ***** 1. Restart LDAP). BINARY LINK(' ../back_catss_utf.dll') PARM(PATHMODE(0,7,5,5),APF,PROGCTL,NOSHAREAS) .</pre>

Service	Details																								
SO13109	SO13109 M.C.S. ENTRIES = ++PTF (SO13109) RACF BACKEND FLAG DISABLE_USERID_DETAILS NOT WORKING PROBLEM DESCRIPTION: The RACF backend does not return any users for groups when the disable_userid_details flag is turned on. The user details should be disabled, not the users names themselves. SYMPTOMS: Set the disable_userid_details flag for a racf backend in the slapd.conf. Do a search of groups and you will not get any user information for the group. IMPACT: Customers will not get the users associated with the groups if the disable_userid_details flag was turned on. This flag is used to limit the user data returned to improve performance in some limited use cases. CIRCUMVENTION: Do not set the disable_userid_details flag for RACF backends. PRODUCT(S) AFFECTED: CA LDAP SERVER FOR Z/OS AND OS/390 Release 15.1 Related Problem: LDAPDV 303 Copyright (C) 2020 CA. All rights reserved. R00145-LDP151-SP1 DESC(RACF BACKEND FLAG DISABLE_USERID_DETAILS NOT WORKING) . ++VER (Z038) FMID (CDT9F10) PRE (R089211 R097850 R097917 S001738 S006974 S007162) SUP (R061352 R081425 R082097 R086744 R090540 R091475 R092260 R094472 R094895 R097881 S005385 ST05385 ST13109 TR61352 TR81387 TR81425 TR82097 TR86744 TR90540 TR91475 TR92260 TR94472 TR94895 TR97881) ++HOLD (SO13109) SYSTEM FMID(CDT9F10) REASON (DYNACT) DATE (20224) COMMENT (<table border="1"> <tr> <td>CA LDAP SERVER FOR Z/OS AND OS/390</td><td>Release 15.1</td></tr> <tr> <td>SEQUENCE</td><td>After Apply. prior to LDAP restart.</td></tr> <tr> <td>PURPOSE</td><td>Implement PTF in LDAP.</td></tr> <tr> <td>USERS</td><td>All Users.</td></tr> <tr> <td>AFFECTED</td><td></td></tr> <tr> <td>KNOWLEDGE</td><td>SMP/E.</td></tr> <tr> <td>REQUIRED</td><td>Product Installation.</td></tr> <tr> <td></td><td>Product Deployment.</td></tr> <tr> <td></td><td>USS Commands.</td></tr> <tr> <td>ACCESS</td><td>Access to the CDT9JCL dataset.</td></tr> <tr> <td>REQUIRED</td><td>Access to the USS directory where LDAP is installed.</td></tr> <tr> <td></td><td>Permissions to make changes on the USS directory.</td></tr> </table>	CA LDAP SERVER FOR Z/OS AND OS/390	Release 15.1	SEQUENCE	After Apply. prior to LDAP restart.	PURPOSE	Implement PTF in LDAP.	USERS	All Users.	AFFECTED		KNOWLEDGE	SMP/E.	REQUIRED	Product Installation.		Product Deployment.		USS Commands.	ACCESS	Access to the CDT9JCL dataset.	REQUIRED	Access to the USS directory where LDAP is installed.		Permissions to make changes on the USS directory.
CA LDAP SERVER FOR Z/OS AND OS/390	Release 15.1																								
SEQUENCE	After Apply. prior to LDAP restart.																								
PURPOSE	Implement PTF in LDAP.																								
USERS	All Users.																								
AFFECTED																									
KNOWLEDGE	SMP/E.																								
REQUIRED	Product Installation.																								
	Product Deployment.																								
	USS Commands.																								
ACCESS	Access to the CDT9JCL dataset.																								
REQUIRED	Access to the USS directory where LDAP is installed.																								
	Permissions to make changes on the USS directory.																								

Service	Details
	<pre> ***** * STEPS TO PERFORM * ***** 1. Restart LDAP). BINARY LINK(' ../back_racf_utf.dll') PARM(PATHMODE(0,7,5,5),APF,PROGCTL,NOSHAREAS) . </pre>

Service	Details
SO13353	SO13353 M.C.S. ENTRIES = ++PTF (SO13353) LDAP SUPPORT FOR MFA,CSDATA AND NETVIEW PROBLEM DESCRIPTION: This maintenance addresses the following: - Provide CA LDAP Server support for the following IBM RACF Segments - MFA, User CSDATA, and NETVIEW. - Provide CA LDAP Server support for CA Top Secret MFA Segment. SYMPTOMS: - CA LDAP Server does not have support for the following IBM RACF Segments - MFA, User CSDATA, and NETVIEW. - CA LDAP Server does not have support for CA Top Secret MFA Segment. IMPACT: - CA LDAP Server customers running IBM RACF can now manage MFA, User CSDATA, and NETVIEW functionality. - CA LDAP Server customers running CA Top Secret can now manage MFA functionality. CIRCUMVENTION: None PRODUCT(S) AFFECTED: CA LDAP SERVER FOR Z/OS AND OS/390Release 15.1 Related Problem: LDAPDV 304 Copyright (C) 2020 CA. All rights reserved. R00146-LDP151-SP1 DESC(CA LDAP SERVER SUPPORT FOR MFA,USER CSDATA AND NETVIEW). ++VER (Z038) FMID (CDT9F10) PRE (R056879 R058276 R083625 R086240 R089211 R097850 R097917 S001738 S006974 S007162 S010105) SUP (AC93300 R059079 R061352 R062247 R063341 R063735 R064316 R067510 R070487 R070599 R073506 R074208 R080291 R080373 R081425 R082097 R086744 R087963 R090540 R091475 R092196 R092260 R093183 R094472 R094895 R095345 R097387 R097881 S001824 S003944 S005385 S006682 S007513 S008309 S010651 S012661 S013109 ST01824 ST03944 ST05385 ST06682 ST07513 ST08309 ST10651 ST12661 ST13109 ST13353 TR59079 TR61352 TR62247 TR63341 TR63735 TR64316 TR67510 TR70487 TR70599 TR73506 TR74208 TR80291 TR80373 TR81387 TR81425 TR82097 TR86744 TR87963 TR90540 TR91475 TR92196 TR92260 TR93183 TR94472 TR94895 TR95345 TR97387 TR97881) ++HOLD (SO13353) SYSTEM FMID(CDT9F10) REASON (DYNACT) DATE (20224) COMMENT (+-----+ CA LDAP SERVER FOR Z/OS AND OS/390 Release 15.1 +-----+-----+-----+ SEQUENCE After Apply. prior to LDAP restart. +-----+-----+-----+ PURPOSE Implement PTF in LDAP. +-----+-----+-----+ USERS All Users. +-----+-----+-----+

Service	Details
	<pre> AFFECTED +-----+-----+ KNOWLEDGE SMP/E. REQUIRED Product Installation. Product Deployment. USS Commands. +-----+-----+ ACCESS Access to the CDT9JCL dataset. REQUIRED Access to the USS directory where LDAP is installed. Permissions to make changes on the USS directory. +-----+-----+ ***** * STEPS TO PERFORM * ***** 1. Restart LDAP). BINARY LINK(' ../back_racf_utf.dll') PARM(PATHMODE(0,7,5,5),APF,PROGCTL,NOSHAREAS) . BINARY LINK(' ../back_catss_utf.dll') PARM(PATHMODE(0,7,5,5),APF,PROGCTL,NOSHAREAS) . MCS SO12661 STARTS ON PAGE 0002 MCS SO13109 STARTS ON PAGE 0003 MCS SO13353 STARTS ON PAGE 0004 </pre>

CA LDAP 15.1
CA RS 2009 Product/Component Listing

Product Family	Product	Release
Database	CA LDAP	15.01.00
The CA RS 2009 Product/Component Count for this release is 1		

CA LDAP 15.1
All CA RS Levels Service List

CA RS Level	Service	FMID
CAR2009	S013353	CDT9F10
	S013109	CDT9F10
	S012661	CDT9F10
CAR2008	S010651	CDT9F10
CAR2005	S011651	CDT9F10
	S011230	CDT9F10
CAR2002	S010503	CDT9F10
CAR2001	S010105	CDT9F10
	S008309	CDT9F10
	S007513	CDT9F10
CAR1908	S009237	CDT9F10
	S008477	CDT9F10
	S008028	CDT9F10
CAR1906	S007162	CDT9F10
CAR1905	S006974	CDT9F10
	S006682	CDT9F10
CAR1904	S005385	CDT9F10
	S004959	CDT9F10
	S003944	CDT9F10
CAR1902	S006218	CDT9F10
CAR1807	S001824	CDT9F10
	S001738	CDT9F10
	S001044	CDT9F10
CAR1806	R097917	CDT9F10
	R097881	CDT9F10
	R097850	CDT9F10
	R097475	CDT9F10
CAR1801	R097387	CDT9F10
	R095345	CDT9F10
CAR1710	R094895	CDT9F10
	R094472	CDT9F10
CAR1708	R097015	CDT9F10
	R096130	CDT9F10
	R095524	CDT9F10
	R095167	CDT9F10
CAR1707	R095855	CDT9F10
CAR1705	R095353	CDT9F10
CAR1704	R093541	CDT9F10
	R091570	CDT9F10
CAR1703	R094082	CDT9F10
	R093571	CDT9F10
	R093474	CDT9F10
	R092885	CDT9F10
	R092260	CDT9F10
	R091475	CDT9F10
	R090916	CDT9F10
CAR1702	R090540	CDT9F10

CA LDAP 15.1
All CA RS Levels Service List

CA RS Level	Service	FMID
CAR1612	R093183	CDT9F10
	R092196	CDT9F10
CAR1611	R092487	CDT9F10
	R091698	CDT9F10
CAR1607	R090218	CDT9F10
CAR1606	R089655	CDT9F10
	R089211	CDT9F10
	R088673	CDT9F10
	R088061	CDT9F10
CAR1604	R087963	CDT9F10
	R086744	CDT9F10
CAR1603	R087019	CDT9F10
CAR1512	R086240	CDT9F10
	R083907	CDT9F10
	R083625	CDT9F10
	R082097	CDT9F10
	R081425	CDT9F10
	R080373	CDT9F10
	R079448	CDT9F10
CAR1508	R083278	CDT9F10
	R082496	CDT9F10
	R082415	CDT9F10
	R082372	CDT9F10
	R080291	CDT9F10
CAR1504	R078843	CDT9F10
CAR1503	R078299	CDT9F10
	R077928	CDT9F10
CAR1502	R074785	CDT9F10
CAR1501	R076692	CDT9F10
	R076607	CDT9F10
	R076489	CDT9F10
	R076195	CDT9F10
	R076160	CDT9F10
	R075556	CDT9F10
	R074208	CDT9F10
	R073506	CDT9F10
	R067577	CDT9F10
CAR1411	R069613	CDT9F10
CAR1410	R073337	CDT9F10
CAR1407	R070599	CDT9F10
	R070487	CDT9F10
CAR1406	R068380	CDT9F10
	R067510	CDT9F10
	R066794	CDT9F10
	R066341	CDT9F10
CAR1405	R067695	CDT9F10
	R067187	CDT9F10

CA LDAP 15.1
All CA RS Levels Service List

CA RS Level	Service	FMID
CAR1403	R065216	CDT9F10
	R064316	CDT9F10
	R063735	CDT9F10
	R063341	CDT9F10
	R062917	CDT9F10
	R062247	CDT9F10
CAR1312	R062265	CDT9F10
	R062112	CDT9F10
	R061825	CDT9F10
	R061354	CDT9F10
	R061352	CDT9F10
	R060406	CDT9F10
	R060309	CDT9F10
	R059856	CDT9F10
	R059547	CDT9F10
CAR1310	R062493	CDT9F10
CAR1309	R060097	CDT9F10