

CA Endeavor SCM 18.1  
CA RS 2009 Service List

Service	Description	Type
S014076	MOVE ACTION STARTS FROM SCRATCH DURING PACKAGE RE-EXECUTION	PTF
S014082	(E) ECLIPSE UI: RELEASE 18.1.6	PTF
S014221	PROMPT AFTER EDIT WHEN BATCH QUEUE IS ON	PTF
S014222	PROMPT AFTER EDIT WHEN BATCH QUEUE IS ON	PTF
S014309	WRONG RETURN CODE IN E2E LOGGING	PTF
S014420	ALLOC=COND FAILS ON 1ST STEPLIB DSN	PTF
S014513	API/CSV LIST ELEMENT SLOWER WITH FILE EXTENSION INFO	PTF
The CA RS 2009 service count for this release is 7		

CA Endeavor SCM  
CA RS 2009 Service List for CSIQI10

2

FMID	Service	Description	Type
CSIQI10	SO14076	MOVE ACTION STARTS FROM SCRATCH DURING PACKAGE RE-EXECUTION	PTF
	SO14221	PROMPT AFTER EDIT WHEN BATCH QUEUE IS ON	PTF
	SO14309	WRONG RETURN CODE IN E2E LOGGING	PTF
	SO14420	ALLOC=COND FAILS ON 1ST STEPLIB DSN	PTF
	SO14513	API/CSV LIST ELEMENT SLOWER WITH FILE EXTENSION INFO	PTF
The CA RS 2009 service count for this FMID is 5			

CA Endeavor SCM  
CA RS 2009 Service List for CSIQI11

FMID	Service	Description	Type
CSIQI11	S014222	PROMPT AFTER EDIT WHEN BATCH QUEUE IS ON	PTF
The CA RS 2009 service count for this FMID is 1			

CA Endeavor SCM  
CA RS 2009 Service List for CSIQI13

FMID	Service	Description	Type
CSIQI13	S014082	(E) ECLIPSE UI: RELEASE 18.1.6	PTF
The CA RS 2009 service count for this FMID is 1			

Service	Details
SO14076	<p>SO14076 M.C.S. ENTRIES = ++PTF (SO14076)</p> <p>MOVE ACTION STARTS FROM SCRATCH DURING PACKAGE RE-EXECUTION</p> <p>PROBLEM DESCRIPTION:</p> <p>The problem occurs when package execution with move action fails on delete processor and package re-execution is performed. The problem is that package re-execution restarts all the move action parts even though some of them were completed during the first package execution.</p> <p>This is incorrect because restarted move action should skip the parts that were successful and start from the failed part.</p> <p>SYMPTOMS:</p> <p>Package re-execution after failed delete processor on move action restarts the whole move action instead of starting from the failed part. Re-executing the move processor can fail if the failed delete processor already deleted some outputs.</p> <p>IMPACT:</p> <p>This problem can cause an inability to successfully restart a package.</p> <p>CIRCUMVENTION:</p> <p>None</p> <p>PRODUCT(S) AFFECTED:</p> <p>CA Endevor Software Change Manager, Version 18.0</p> <p>CA Endevor Software Change Manager, Version 18.1</p> <p>Related Problem:</p> <p>ENDBAS 7799</p> <p>Copyright (C) 2020 CA. All rights reserved. R00067-SCM181-SP0</p> <p>DESC(MOVE ACTION STARTS FROM SCRATCH DURING PACKAGE RE-EXECUTION) .</p> <p>++VER (Z038)</p> <p>FMID (CSIQI10)</p> <p>SUP ( ST14076 )</p>

Service	Details
S014082	<p>S014082 M.C.S. ENTRIES = ++PTF (S014082)</p> <p>(E) ECLIPSE UI: RELEASE 18.1.6</p> <p>Release Notes:</p> <p>Add multiple elements from local file system -</p> <p>Ability to add multiple elements at a time to Endeavor via Eclipse</p> <p>Type/Processor group combos should be alphabetically ordered -</p> <p>Endeavor types drop down list are now in alphabetical order so it's easier to find the right type. This applies also for the related processor groups.</p> <p>Add Action should have option for pre-filled member/element name -</p> <p>When adding an element from local file the file the name is now pre filled in the element name field.</p> <p>ENHANCEMENT DESCRIPTION:</p> <p>PRODUCT(S) AFFECTED:</p> <p>CA Endeavor SCM Eclipse UI <span style="float: right;">Release 18.1.6</span></p> <p>Related Problem:</p> <p>ENDBAS 7803</p> <p>Copyright (C) 2020 CA. All rights reserved. R00068-SCM181-SP0</p> <p>DESC((E) ECLIPSE UI: RELEASE 18.1.6).</p> <p>++VER (Z038)</p> <p>FMID (CSIQI13)</p> <p>SUP ( S010825 S012574 ST10825 ST12574 ST14082 )</p> <p>++HOLD (S014082) SYSTEM FMID(CSIQI13)</p> <p>REASON (ACTION ) DATE (20204)</p> <p>COMMENT (</p> <pre> +-----+        CA Endeavor SCM for Web Services      Release 18.1        +-----+  SEQUENCE   After Apply  +-----+  PURPOSE    This correction delivers an updated Endeavor Eclipse                     plug-in. To implement this update, you must DEPLOY or                     UPDATE the Eclipse-BasedUI to the target Tomcat directory                and then recycle the Tomcat server for this update to be                 available for Eclipse users.                                 +-----+  USERS       All Endeavor Eclipse Plug-in users.                         AFFECTED   +-----+  KNOWLEDGE   1. SMP/e   REQUIRED    2. Endeavor Web Services   3. Tomcat   4. Unix System Services                                      +-----+  ACCESS      1. Update access to USS target and deployment files           REQUIRED    2. Ability to stop and start Tomcat                          +-----+ ***** * STEPS    TO    PERFORM * ***** 1. Stop Tomcat 2. Verify that the parameters in the ENWSInstallOptions.properties </pre>

Service	Details
	<p>file are set according to your environment. This file resides in the USS directory where this PTF has been installed to (USS install directory).</p> <p>3. In the TSO OMVS environment, change to the directory where the script EclipseIns.sh resides:</p> <pre>cd &lt;USS install directory&gt;/tpv</pre> <p>execute the script:</p> <pre>sh EclipseIns.sh</pre> <p>4. Start Tomcat</p> <p>5. Inform users that an update is available and they should "Check for new Software" in Eclipse to update the version of the Endeavor plug-in installed on their machine.</p> <p>).</p> <p>BINARY</p> <p>LINK('../tpv/tomcat/webapps/endeavor_eclipse_plugin.zip')</p> <p>PARM(PATHMODE(0,7,7,5)) .</p>

Service	Details
S014221	<div>M.C.S. ENTRIES = ++PTF (S014221)</div> <div>PROMPT AFTER EDIT WHEN BATCH QUEUE IS ON</div> <div>ENHANCEMENT DESCRIPTION: The problem is that users who use the QE BATCH QUEUE feature forget to submit the job after editing an element. To solve this problem, Batch Submit panel should appear after the element Edit/Create action.</div> <div>PRODUCT(S) AFFECTED: CA Endeavor SCM<span style="float:right">Release 18.1</span></div> <div>Related Problem: ENDBAS 7807</div> <div>Copyright (C) 2020 CA. All rights reserved. R00069-SCM181-SP0</div> <div>DESC(PROMPT AFTER EDIT WHEN BATCH QUEUE IS ON).</div> <div>++VER (Z038)</div> <div>FMID (CSIQI10)</div> <div>PRE ( S011288 S011495 S012079 S013689 )</div> <div>SUP ( S012308 ST12308 ST14221 )</div> <div>++IF FMID(CSIQI11) REQ(S014222 ) .</div> <div>++HOLD (S014221) SYSTEM FMID(CSIQI10)</div> <div>REASON (ACTION ) DATE (20224)</div> <div>COMMENT (<div>+-----+   CA Endeavor SCM Release 18.1   +-----+  SEQUENCE   Before Apply   +-----+  PURPOSE   This PTF updates an Endeavor TABLE in the CSIQSRC library.     If you have customized the TABLE delivered by this PTF,     you must backup your customized version of the TABLE     before applying this PTF to avoid losing your changes.   +-----+  USERS   All Endeavor users.    AFFECTED     +-----+  KNOWLEDGE   1. SMP/e    REQUIRED   2. Endeavor Administration     3. Endeavor TABLES   +-----+  ACCESS   Update access to the CSIQAUTU library.    REQUIRED     +-----+ ***** * STEPS TO PERFORM * ***** 1. Backup any customized TABLES in CSIQSRC that this PTF supplies. 2. APPLY this PTF. 3. Re-apply your customizations to the updated TABLES in CSIQSRC. 4. Assemble and Link the updated TABLE to the CSIQAUTU library. +-----+   CA Endeavor SCM Release 18.1   +-----+  SEQUENCE   Before Apply  </div>)</div>



Service	Details
	<pre> +-----+-----+  PURPOSE   This PTF updates PANELS in the CSIQPENU library.               If you have customized the PANEL(S) delivered by this PTF,              you must backup your customized version of the PANEL(S)               before applying this PTF to avoid losing your changes.   +-----+-----+  USERS      All Endeavor users.    AFFECTED     +-----+-----+  KNOWLEDGE  1. SMP/e    REQUIRED   2. Endeavor Administration               3. Endeavor PANELS   +-----+-----+  ACCESS     No special access is required.    REQUIRED     +-----+-----+ ***** * STEPS   TO   PERFORM * ***** 1. Backup any customized PANELS in CSIQPENU that this PTF supplies. 2. APPLY this PTF. 3. Re-apply your customizations to the updated PANELS in CSIQPENU. ). </pre>

Service	Details
SO14222	<p>SO14222 M.C.S. ENTRIES = ++PTF (SO14222)</p> <p>PROMPT AFTER EDIT WHEN BATCH QUEUE IS ON</p> <p>ENHANCEMENT DESCRIPTION:</p> <p>The problem is that users who use the QE BATCH QUEUE feature forget to submit the job after editing an element. To solve this problem, Batch Submit panel should appear after the element Edit/Create action.</p> <p>PRODUCT(S) AFFECTED:</p> <p>CA Endeavor SCM Release 18.1</p> <p>Related Problem:</p> <p>ENDBAS 7807</p> <p>Copyright (C) 2020 CA. All rights reserved. R00069-SCM181-SP0</p> <p>DESC(PROMPT AFTER EDIT WHEN BATCH QUEUE IS ON).</p> <p>++VER (Z038)</p> <p>FMID (CSIQI11)</p> <p>PRE ( SO11289 SO12326 )</p> <p>SUP ( ST14222 )</p> <p>++IF FMID(CSIQI10) REQ(SO14221 ) .</p> <p>++HOLD (SO14222) SYSTEM FMID(CSIQI11)</p> <p>REASON (ACTION ) DATE (20224)</p> <p>COMMENT (</p> <pre> +-----+        CA Endeavor SCM Japanese Localization      Release 18.1        +-----+-----+  SEQUENCE   Before Apply                                       +-----+-----+  PURPOSE    This PTF updates PANELS in the CSIQPJPN library.                         If you have customized the PANEL(S) delivered by this PTF,               you must backup your customized version of the PANEL(S)                 before applying this PTF to avoid losing your changes.     +-----+-----+  USERS      All Endeavor users.  AFFECTED   +-----+-----+  KNOWLEDGE  1. SMP/e   REQUIRED   2. Endeavor Administration  3. Endeavor PANELS   +-----+-----+  ACCESS     No special access is required.                               REQUIRED   +-----+-----+ ***** * STEPS   TO     PERFORM * ***** 1. Backup any customized PANELS in CSIQPJPN that this PTF supplies. 2. APPLY this PTF. 3. Re-apply your customizations to the updated PANELS in CSIQPJPN. ).</pre>

Service	Details				
SO14309	<p>SO14309 M.C.S. ENTRIES = ++PTF (SO14309)</p> <p>WRONG RETURN CODE IN E2E LOGGING</p> <p>PROBLEM DESCRIPTION:</p> <p>Under certain circumstances, the wrong Return Code is used for E2E logging.</p> <p>SYMPTOMS:</p> <p>When an action fails due to a signout check, for example when an action is performed on an Element that is signed out to another user and the override signout option is not specified, the wrong return code may be logged for end to end logging.</p> <p>IMPACT:</p> <p>Misleading information is logged.</p> <p>CIRCUMVENTION:</p> <p>None.</p> <p>PRODUCT(S) AFFECTED:</p> <table> <tr> <td>CA Endeavor SCM</td><td>Version 18.0</td></tr> <tr> <td>CA Endeavor SCM</td><td>Release 18.1</td></tr> </table> <p>Related Problem:</p> <p>ENDBAS 7797</p> <p>Copyright (C) 2020 CA. All rights reserved. R00070-SCM181-SP0</p> <p>DESC(WRONG RETURN CODE IN E2E LOGGING) .</p> <p>++VER (Z038)</p> <p>FMID (CSIQI10)</p> <p>PRE ( SO11288 SO11495 )</p> <p>SUP ( ST14309 )</p>	CA Endeavor SCM	Version 18.0	CA Endeavor SCM	Release 18.1
CA Endeavor SCM	Version 18.0				
CA Endeavor SCM	Release 18.1				

Service	Details				
SO14420	<p>SO14420 M.C.S. ENTRIES = ++PTF (SO14420)</p> <p>ALLOC=COND FAILS ON 1ST STEPLIB DSN</p> <p>PROBLEM DESCRIPTION:</p> <p>The ALLOC=COND processor parameter fails when the first data set in a processor steplib concatenation is not allocated.</p> <p>SYMPTOMS:</p> <p>When the first data set in a processor step STEPLIB concatenation is not allocated and the ALLOC=COND parameter is specified for that DD statement, the STEPLIB data set(s) are not allocated to STEPLIB.</p> <p>IMPACT:</p> <p>An 806 ABEND may occur.</p> <p>CIRCUMVENTION:</p> <p>Ensure that the first data set in the STEPLIB concatenation is allocated.</p> <p>PRODUCT(S) AFFECTED:</p> <table> <tr> <td>CA Endeavor SCM</td><td>Version 18.0</td></tr> <tr> <td>CA Endeavor SCM</td><td>Release 18.1</td></tr> </table> <p>Related Problem:</p> <p>ENDBAS 7811</p> <p>Copyright (C) 2020 CA. All rights reserved. R00071-SCM181-SP0</p> <p>DESC(ALLOC=COND FAILS ON 1ST STEPLIB DSN).</p> <p>++VER (Z038)</p> <p>FMID (CSIQI10)</p> <p>PRE ( SO12441 )</p> <p>SUP ( ST14420 )</p>	CA Endeavor SCM	Version 18.0	CA Endeavor SCM	Release 18.1
CA Endeavor SCM	Version 18.0				
CA Endeavor SCM	Release 18.1				

Service	Details																					
SO14513	<p>SO14513 M.C.S. ENTRIES = ++PTF (SO14513)</p> <p>API/CSV LIST ELEMENT SLOWER WITH FILE EXTENSION INFO</p> <p>PROBLEM DESCRIPTION:</p> <p>API/CSV list element action can be slower after the new field "file extension" has been added to the API response block and CSV output. The solution for this problem improves the performance to a level very close to the original performance as it was before the "file extension" enhancement was introduced.</p> <p>SYMPTOMS:</p> <p>Worse performance of API/CSV list element action. The performance drop varies depending on the wildcarding of the element and location specified in the API request, the inventory structure and elements returned. In the best case it is not noticeable. In the worst case the elapsed time can increase around three times, CPU time around 4 times and EXCPs even up to 50 times.</p> <p>IMPACT:</p> <p>API/CSV list element action takes more time to finish with more resources consumed.</p> <p>CIRCUMVENTION:</p> <p>None.</p> <p>PRODUCTS AFFECTED:</p> <p>CA Endeavor, Version 18.0</p> <p>CA Endeavor, Release 18.1</p> <p>Related Problem:</p> <p>ENDBAS 7756</p> <p>Copyright (C) 2020 CA. All rights reserved. R00074-SCM181-SP0</p> <p>DESC(API/CSV LIST ELEMENT SLOWER WITH FILE EXTENSION INFO) .</p> <p>++VER (Z038)</p> <p>FMID (CSIQI10)</p> <p>PRE ( SO11495 SO11879 SO12441 SO12546 SO12961 SO13128 )</p> <p>SUP ( SO12169 SO12498 ST12169 ST12498 ST14513 )</p> <p>++IF FMID(CSIQI13) REQ(SO13582) .</p> <table><tr><td>MCS</td><td>SO14076</td><td>STARTS ON PAGE 0002</td></tr><tr><td>MCS</td><td>SO14082</td><td>STARTS ON PAGE 0002</td></tr><tr><td>MCS</td><td>SO14221</td><td>STARTS ON PAGE 0004</td></tr><tr><td>MCS</td><td>SO14222</td><td>STARTS ON PAGE 0006</td></tr><tr><td>MCS</td><td>SO14309</td><td>STARTS ON PAGE 0007</td></tr><tr><td>MCS</td><td>SO14420</td><td>STARTS ON PAGE 0008</td></tr><tr><td>MCS</td><td>SO14513</td><td>STARTS ON PAGE 0009</td></tr></table>	MCS	SO14076	STARTS ON PAGE 0002	MCS	SO14082	STARTS ON PAGE 0002	MCS	SO14221	STARTS ON PAGE 0004	MCS	SO14222	STARTS ON PAGE 0006	MCS	SO14309	STARTS ON PAGE 0007	MCS	SO14420	STARTS ON PAGE 0008	MCS	SO14513	STARTS ON PAGE 0009
MCS	SO14076	STARTS ON PAGE 0002																				
MCS	SO14082	STARTS ON PAGE 0002																				
MCS	SO14221	STARTS ON PAGE 0004																				
MCS	SO14222	STARTS ON PAGE 0006																				
MCS	SO14309	STARTS ON PAGE 0007																				
MCS	SO14420	STARTS ON PAGE 0008																				
MCS	SO14513	STARTS ON PAGE 0009																				

CA Endevor SCM 18.1  
CA RS 2009 Product/Component Listing

14

Product Family	Product	Release
Application Development	CA ENDEVOR SCM	18.01.00
The CA RS 2009 Product/Component Count for this release is 1		

CA RS Level	Service	FMID
CAR2009	S014513	CSIQI10
	S014420	CSIQI10
	S014309	CSIQI10
	S014222	CSIQI11
	S014221	CSIQI10
	S014082	CSIQI13
	S014076	CSIQI10
CAR2008	S013857	CSIQI10
	S013849	CSIQI13
	S013321	CSIQI10
	S013082	CSIQI13
	S012441	CSIQI10
CAR2007	S013690	CSIQI11
	S013689	CSIQI10
	S013604	CSIQI11
	S013592	CSIQI10
	S013583	CSIQI10
	S013582	CSIQI13
	S013479	CSIQI10
	S013434	CSIQI10
	S013067	CSIQI10
CAR2006	S013177	CSIQI10
	S013128	CSIQI10
	S013068	CSIQI10
	S012961	CSIQI10
	S012864	CSIQI10
CAR2005	S012574	CSIQI13
	S012546	CSIQI10
	S012498	CSIQI10
	S012495	CSIQI11
	S012494	CSIQI10
	S012491	CSIQI13
	S012490	CSIQI10
	S012309	CSIQI13
	S012022	CSIQI10
CAR2004	S012341	CSIQI10
	S012326	CSIQI11
	S012312	CSIQI10
	S012308	CSIQI10
	S012301	CSIQI11
	S012300	CSIQI10
	S012169	CSIQI10
	S011910	CSIQI10
	S011257	CSIQI10
	S011104	CSIQI10
CAR2003	S012079	CSIQI10
	S011879	CSIQI10

CA RS Level	Service	FMID
	S011289	CSIQI11
	S011288	CSIQI10
CAR2002	S011541	CSIQI10
	S011495	CSIQI10
	S011467	CSIQI13
	S011272	CSIQI13
CAR2001	S011124	CSIQI11
	S011123	CSIQI10
	S010979	CSIQI10
	S010896	CSIQI10
	S010825	CSIQI13
	S010824	CSIQI10
	S010822	CSIQI10