

CA OPS/MVS for JES2 13.5
CA RS 2010 Service List

1

Service	Description	Type
S014390	USS SYSLOG DAEMON RECORDS MISSING AFTER DAEMON IS RECYCLED	PTF
S014645	ADDRESS TSO COMMANDS TRUNCATED	PTF
S014933	DEFAULT VALUE OF SSMRESTXTUPD PARM IS INCORRECT	PTF
S014972	OPSBCEPII GENERATES INCORRECT MTNUML VALUE FOR HARDWARE EVENT	PTF
S014997	Z/OSMF CONFIGURATION WORKFLOW CORRECTIONS	PTF
S015017	OPS7150E SQL ERROR IN REXX SSMSHUT	PTF
The CA RS 2010 service count for this release is 6		

CA OPS/MVS for JES2
CA RS 2010 Service List for CCLXD50

2

FMID	Service	Description	Type
CCLXD50	S014390	USS SYSLOG DAEMON RECORDS MISSING AFTER DAEMON IS RECYCLED	PTF
	S014645	ADDRESS TSO COMMANDS TRUNCATED	PTF
	S014933	DEFAULT VALUE OF SSMRESTXTUPD PARM IS INCORRECT	PTF
	S014972	OPSBCEPII GENERATES INCORRECT MTNUML VALUE FOR HARDWARE EVENT	PTF
	S014997	Z/OSMF CONFIGURATION WORKFLOW CORRECTIONS	PTF
	S015017	OPS7150E SQL ERROR IN REXX SSMESHUT	PTF
The CA RS 2010 service count for this FMID is 6			

Service	Details		
SO14390	SO14390 M.C.S. ENTRIES = ++PTF (SO14390) USS SYSLOG DAEMON RECORDS MISSING AFTER DAEMON IS RECYCLED PROBLEM DESCRIPTION: The OPS/MVS Syslogd Server may stop processing USS Syslog Daemon log records after the Syslog Daemon is recycled using the KILL SIGHUP command. SYMPTOMS: The OPS/MVS Syslogd Server may stop processing USS Syslogd records. IMPACT Potential missing USS Syslogd records in the OPSLOG. CIRCUMVENTION: None. PRODUCT(S) AFFECTED: CA OPS/MVS Base Release 13.5 CA OPS/MVS Base Version 14.0 Related Problem: OPSMVS 1695 Copyright (C) 2020 CA. All rights reserved. R00288-CLX135-SP1 DESC (USS SYSLOG DAEMON RECORDS MISSING AFTER DAEMON IS RECYCLED). ++VER (Z038) FMID (CCLXD50) PRE (S001859 S013046) SUP (ST14390) ++HOLD (SO14390) SYSTEM FMID(CCLXD50) REASON (ACTION) DATE (20260) COMMENT (<table border="1"> <tr> <td>CA OPS/MVS Base</td><td>Release 13.5</td></tr> </table> SEQUENCE Before starting the OPS/MVS Syslogd Server. PURPOSE To prevent USS Syslogd records from missing in the OPSLOG after the USS SYSLOG Daemon if recycled. USERS All users of the OPS/MVS Syslogd Server. AFFECTED KNOWLEDGE Basic z/OS system programming skills. REQUIRED ACCESS Authority to stop and start the OPS/MVS Syslogd Server. REQUIRED ***** * STEPS TO PERFORM * ***** 1. After applying this PTF, copy the updated module OPUSSLG1 to the USS directory specified by the PATH environment variable for the OPS/MVS Syslogd Server. Batch JCL to copy the module is in member OPINSTSL of the installed hlq.CCLXCNTL dataset. This JCL was run during installation and configuration of the CA OPS/MVS Syslogd Server. You can re-run that same JCL.	CA OPS/MVS Base	Release 13.5
CA OPS/MVS Base	Release 13.5		

CA OPS/MVS for JES2 13.5
CA RS 2010 - PTF SO14390 Details

Service	Details
	2. After copying OPUSSSLG1 to the USS directory, use the OPSVIEW 4.1.1 panel to toggle the value of the SYSLOGDMIN parameter from 1 to 0 to stop the server.).

Service	Details																																												
SO14645	SO14645 M.C.S. ENTRIES = ++PTF (SO14645) ADDRESS TSO COMMANDS TRUNCATED PROBLEM DESCRIPTION: ADDRESS TSO commands are truncated at 384 characters before being executed which can cause unpredictable results. This fix will prevent the truncated command from being issued and the ADDRESS TSO command will return a RC=44. The OPS4342E message will also be issued. SYMPTOMS: Syntax errors, incomplete commands issued, and/or SOC3 or SOC4 abends in the command processor may be encountered. IMPACT: Unpredictable results issuing an ADDRESS TSO command greater than 384 characters. CIRCUMVENTION: None. PRODUCT(S) AFFECTED: <table> <tr> <td>CA OPS/MVS Base</td><td>Release 13.0</td></tr> <tr> <td>CA OPS/MVS Base</td><td>Release 13.5</td></tr> <tr> <td>CA OPS/MVS Base</td><td>Release 14.0</td></tr> </table> Related Problem: OPSMVS 1703 Copyright (C) 2020 CA. All rights reserved. R00291-CLX135-SP1 DESC(ADDRESS TSO COMMANDS TRUNCATED). ++VER (Z038) FMID (CCLXD50) PRE (SO11508) SUP (ST14645) ++HOLD (SO14645) SYSTEM FMID(CCLXD50) REASON (DYNACT) DATE (20254) COMMENT (<table> <tr> <td colspan="2">+-----+</td></tr> <tr> <td> CA OPS/MVS Base</td><td>Release 13.5 </td></tr> <tr> <td colspan="2">+-----+</td></tr> <tr> <td> SEQUENCE After APPLY</td><td> </td></tr> <tr> <td colspan="2">+-----+</td></tr> <tr> <td> PURPOSE To activate load modules updated by this PTF, including</td><td> </td></tr> <tr> <td> load module OPSAEX</td><td> </td></tr> <tr> <td colspan="2">+-----+</td></tr> <tr> <td> USERS All OPS/MVS users</td><td> </td></tr> <tr> <td> AFFECTED </td><td> </td></tr> <tr> <td colspan="2">+-----+</td></tr> <tr> <td> KNOWLEDGE Basic z/OS systems programming skills</td><td> </td></tr> <tr> <td> REQUIRED </td><td> </td></tr> <tr> <td colspan="2">+-----+</td></tr> <tr> <td> ACCESS - Access to OPS/MVS SMP/E Target loadlib CCLXLOAD and any</td><td> </td></tr> <tr> <td> REQUIRED deployed copies</td><td> </td></tr> <tr> <td> - Authority to issue MVS system commands</td><td> </td></tr> <tr> <td> - Authority to stop and start OPS/MVS</td><td> </td></tr> <tr> <td colspan="2">+-----+</td></tr> </table> ***** * STEPS TO PERFORM * *****	CA OPS/MVS Base	Release 13.0	CA OPS/MVS Base	Release 13.5	CA OPS/MVS Base	Release 14.0	+-----+		CA OPS/MVS Base	Release 13.5	+-----+		SEQUENCE After APPLY		+-----+		PURPOSE To activate load modules updated by this PTF, including		load module OPSAEX		+-----+		USERS All OPS/MVS users		AFFECTED		+-----+		KNOWLEDGE Basic z/OS systems programming skills		REQUIRED		+-----+		ACCESS - Access to OPS/MVS SMP/E Target loadlib CCLXLOAD and any		REQUIRED deployed copies		- Authority to issue MVS system commands		- Authority to stop and start OPS/MVS		+-----+	
CA OPS/MVS Base	Release 13.0																																												
CA OPS/MVS Base	Release 13.5																																												
CA OPS/MVS Base	Release 14.0																																												
+-----+																																													
CA OPS/MVS Base	Release 13.5																																												
+-----+																																													
SEQUENCE After APPLY																																													
+-----+																																													
PURPOSE To activate load modules updated by this PTF, including																																													
load module OPSAEX																																													
+-----+																																													
USERS All OPS/MVS users																																													
AFFECTED																																													
+-----+																																													
KNOWLEDGE Basic z/OS systems programming skills																																													
REQUIRED																																													
+-----+																																													
ACCESS - Access to OPS/MVS SMP/E Target loadlib CCLXLOAD and any																																													
REQUIRED deployed copies																																													
- Authority to issue MVS system commands																																													
- Authority to stop and start OPS/MVS																																													
+-----+																																													

Service	Details
	1. This PTF updates load module OPSAEX, as well as the other load modules identified by the ++MOD statements contained in this PTF. APPLY of this PTF updates SMP/E Target loadlib CCLXLOAD. 2. Copy the updated load modules from SMP/E Target loadlib CCLXLOAD to any other deployed copies, such as a STEPLIB used by the OPS/MVS main address space, a link listed loadlib, etc. 3. If the system library lookaside (LLA) program is managing any updated loadlib, you must refresh LLA by using MVS system command "F LLA,REFRESH" or some equivalent mechanism. 4. TSO users must get out of OPSVIEW. 5. Stop OPS/MVS. 6. If the system link pack area (LPA) contains any updated load module, you must refresh LPA by using MVS system command "SETPROG LPA" or some equivalent mechanism. 7. Start OPS/MVS. 8. TSO users may access OPSVIEW. Depending on how OPSVIEW is accessed, this may require TSO logoff/logon.).

Service	Details																				
SO14933	SO14933 M.C.S. ENTRIES = ++PTF (SO14933) DEFAULT VALUE OF SSMRESTXTUPD PARM IS INCORRECT PROBLEM DESCRIPTION: The SSMRESTXTUPD parameter was not set to the default value of YES during initialization. SYMPTOMS: Parameter SSMRESTXTUPD unexpectedly set to NO. IMPACT: The RESOURCE_TEXT column of an SSM resource table may not be updated. CIRCUMVENTION: None. PRODUCT(S) AFFECTED: CA OPS/MVS Base Version 14.0 CA OPS/MVS Base Version 13.5 Related Problem: OPSMVS 1710 Copyright (C) 2020 CA. All rights reserved. R00293-CLX135-SP1 DESC(DEFAULT VALUE OF SSMRESTXTUPD PARM IS INCORRECT). ++VER (Z038) FMID (CCLXD50) PRE (S001859 S004411 S004989 S010262 S013070) SUP (S009160 ST09160 ST14933) ++HOLD (SO14933) SYSTEM FMID(CCLXD50) REASON (DYNACT) DATE (20265) COMMENT (<table border="1"> <tr> <td>CA OPS/MVS Base</td><td>Release 13.5</td></tr> <tr> <td>SEQUENCE</td><td>After APPLY</td></tr> <tr> <td>PURPOSE</td><td>To activate load modules updated by this PTF, including load module OPSAEX</td></tr> <tr> <td>USERS</td><td>All OPS/MVS users</td></tr> <tr> <td>AFFECTED</td><td></td></tr> <tr> <td>KNOWLEDGE</td><td>Basic z/OS systems programming skills</td></tr> <tr> <td>REQUIRED</td><td></td></tr> <tr> <td>ACCESS</td><td>- Access to OPS/MVS SMP/E Target loadlib CCLXLOAD and any deployed copies</td></tr> <tr> <td>REQUIRED</td><td>- Authority to issue MVS system commands</td></tr> <tr> <td></td><td>- Authority to stop and start OPS/MVS</td></tr> </table> ***** * STEPS TO PERFORM * ***** 1. This PTF updates load module OPSAEX, as well as the other load modules identified by the ++MOD statements contained in this PTF. APPLY of this PTF updates SMP/E Target loadlib CCLXLOAD. 2. Copy the updated load modules from SMP/E Target loadlib	CA OPS/MVS Base	Release 13.5	SEQUENCE	After APPLY	PURPOSE	To activate load modules updated by this PTF, including load module OPSAEX	USERS	All OPS/MVS users	AFFECTED		KNOWLEDGE	Basic z/OS systems programming skills	REQUIRED		ACCESS	- Access to OPS/MVS SMP/E Target loadlib CCLXLOAD and any deployed copies	REQUIRED	- Authority to issue MVS system commands		- Authority to stop and start OPS/MVS
CA OPS/MVS Base	Release 13.5																				
SEQUENCE	After APPLY																				
PURPOSE	To activate load modules updated by this PTF, including load module OPSAEX																				
USERS	All OPS/MVS users																				
AFFECTED																					
KNOWLEDGE	Basic z/OS systems programming skills																				
REQUIRED																					
ACCESS	- Access to OPS/MVS SMP/E Target loadlib CCLXLOAD and any deployed copies																				
REQUIRED	- Authority to issue MVS system commands																				
	- Authority to stop and start OPS/MVS																				

Service	Details
	CCLXLOAD to any other deployed copies, such as a STEPLIB used by the OPS/MVS main address space, a link listed loadlib, etc. 3. If the system library lookaside (LLA) program is managing any updated loadlib, you must refresh LLA by using MVS system command "F LLA,REFRESH" or some equivalent mechanism. 4. TSO users must get out of OPSVIEW. 5. Stop OPS/MVS. 6. If the system link pack area (LPA) contains any updated load module, you must refresh LPA by using MVS system command "SETPROG LPA" or some equivalent mechanism. 7. Start OPS/MVS. 8. TSO users may access OPSVIEW. Depending on how OPSVIEW is accessed, this may require TSO logoff/logon.).

Service	Details
S014972	S014972 M.C.S. ENTRIES = ++PTF (S014972) OPSBBCPII GENERATES INCORRECT MTNUML VALUE FOR HARDWARE EVENT PROBLEM DESCRIPTION: The OPS/MVS OPSBBCPII Hardware Event Exit incorrectly computes the API.MTNUML value for hardware events that pass API.TEXT or API.MSGTEXT values to the following API rules: HWSHWSMSG, HWSHWSMGD, HWSOSMSG, HWSSECUR. SYMPTOMS: Incorrect API.MTNUML values passed to API rules. IMPACT: API rules using the API.MTNUML variable to process message text may produce erroneous results. CIRCUMVENTION: None PRODUCT(S) AFFECTED: CA OPS/MVS Base Release 13.5 CA OPS/MVS Base Version 14.0 Related Problem: OPSMVS 1708 Copyright (C) 2020 CA. All rights reserved. R00294-CLX135-SP1 DESC(OPSBBCPII GENERATES INCORRECT MTNUML VALUE FOR HARDWARE EVENT). ++VER (Z038) FMID (CCLXD50) PRE (S010262 S010764 S011347) SUP (ST14972) ++HOLD (S014972) SYSTEM FMID(CCLXD50) REASON (ACTION) DATE (20269) COMMENT (<pre> +-----+ CA OPS/MVS Base Release 13.5 +-----+-----+ SEQUENCE Before using the API.MTNUML variable when processing Hardware Event API rules. +-----+-----+ PURPOSE To correct the API.MTNUML value. +-----+-----+ USERS All users of the OPSBBCPII Server. AFFECTED +-----+-----+ KNOWLEDGE Basic z/OS system programming skills. REQUIRED +-----+-----+ ACCESS Authority to stop and start the OPS/MVS. REQUIRED +-----+-----+ ***** * STEPS TO PERFORM * ***** 1. After applying the PTF, restart OPSBBCPII Server by issuing the Command: "F OPSx RESTART(HWS)" where OPSx is the OPS/MVS subsystem id.).</pre>

Service	Details
SO14997	SO14997 M.C.S. ENTRIES = ++PTF (SO14997) Z/OSMF CONFIGURATION WORKFLOW CORRECTIONS PROBLEM DESCRIPTION: The following issues may be observed when using z/OSMF for product configuration: 1. JCL error in Step 5 (Create OPSxZCnn Member) due to line length exceeding 80 chars. 2. Default values not set for variables GLOBALREBUILD, OSFRECYCLE, and REXXMAXSECONDS. 3. Missing 'Default: NO' in abstract for parameter BROWSEUSS. 4. Missing configuration for parameters SSMVERSION and INITCOF. SYMPTOMS: Issues listed above during OPS/MVS configuration via z/OSMF. IMPACT: Unable to fully configure OPS/MVS instance using z/OSMF. CIRCUMVENTION: Configure CA OPS/MVS manually or using CA CSM. PRODUCT(S) AFFECTED: CA OPS/MVS Base Release 13.5 Related Problem: OPSMVS 1713 Copyright (C) 2020 CA. All rights reserved. R00295-CLX135-SP1 DESC(Z/OSMF CONFIGURATION WORKFLOW CORRECTIONS). ++VER (Z038) FMID (CCLXD50) SUP (SO12679 ST12679 ST14997)

Service	Details																			
SO15017	SO15017 M.C.S. ENTRIES = ++PTF (SO15017) OPS7150E SQL ERROR IN REXX SSMSHUT PROBLEM DESCRIPTION: The code to ignore SSMGA moveable resources running on remote systems creates an invalid SQL statement when a table is in an INACTIVE or PASSIVE mode. SYMPTOMS: The following message can be observed when running REXX SSMSHUT: "OPS7185E ERROR NEAR 'CURRENT_STATE='DOWN' AND NOT (SSM#MOV' UNKNOWN EXPRESSION IN WHERE CLAUSE" IMPACT: The SSMSHUT REXX will fail. CIRCUMVENTION: None. PRODUCT(S) AFFECTED: CA OPS/MVS Base Version 14.0 CA OPS/MVS Base Version 13.5 Related Problem: OPSMVS 1714 Copyright (C) 2020 CA. All rights reserved. R00296-CLX135-SP1 DESC(OPS7150E SQL ERROR IN REXX SSMSHUT). ++VER (Z038) FMID (CCLXD50) SUP (ST15017) <table> <tr> <td>MCS</td><td>SO14390</td><td>STARTS ON PAGE 0002</td></tr> <tr> <td>MCS</td><td>SO14645</td><td>STARTS ON PAGE 0003</td></tr> <tr> <td>MCS</td><td>SO14933</td><td>STARTS ON PAGE 0005</td></tr> <tr> <td>MCS</td><td>SO14972</td><td>STARTS ON PAGE 0007</td></tr> <tr> <td>MCS</td><td>SO14997</td><td>STARTS ON PAGE 0008</td></tr> <tr> <td>MCS</td><td>SO15017</td><td>STARTS ON PAGE 0009</td></tr> </table>		MCS	SO14390	STARTS ON PAGE 0002	MCS	SO14645	STARTS ON PAGE 0003	MCS	SO14933	STARTS ON PAGE 0005	MCS	SO14972	STARTS ON PAGE 0007	MCS	SO14997	STARTS ON PAGE 0008	MCS	SO15017	STARTS ON PAGE 0009
MCS	SO14390	STARTS ON PAGE 0002																		
MCS	SO14645	STARTS ON PAGE 0003																		
MCS	SO14933	STARTS ON PAGE 0005																		
MCS	SO14972	STARTS ON PAGE 0007																		
MCS	SO14997	STARTS ON PAGE 0008																		
MCS	SO15017	STARTS ON PAGE 0009																		

CA OPS/MVS for JES2 13.5
CA RS 2010 Product/Component Listing

12

Product Family	Product	Release
Systems Management	CA OPS/MVS BASE	13.05.00
The CA RS 2010 Product/Component Count for this release is 1		

CA RS Level	Service	FMID
CAR2010	S015017	CCLXD50
	S014997	CCLXD50
	S014972	CCLXD50
	S014933	CCLXD50
	S014645	CCLXD50
	S014390	CCLXD50
CAR2009	S014532	CCLXD50
	S014418	CCLXD51
	S014302	CCLXD50
	S014192	CCLXD50
	S012679	CCLXD50
CAR2008	S014096	CCLXD50
	S013923	CCLXD50
	S013046	CCLXD50
CAR2007	S013791	CCLXD50
	S013681	CCLXD50
	S013680	CCLXD50
	S013643	CCLXD50
	S013638	CCLXD50
	S013481	CCLXD50
	S013470	CCLXD50
	S013447	CCLXD50
	S013422	CCLXD50
CAR2006	S013347	CCLXD50
	S013070	CCLXD50
	S012245	CCLXD50
CAR2005	S012733	CCLXD50
	S012722	CCLXD50
	S012676	CCLXD50
	S012673	CCLXD50
	S012658	CCLXD50
	S012630	CCLXD50
	S012622	CCLXD50
	S012418	CCLXD50
CAR2004	S012591	CCLXD50
	S012414	CCLXD50
	S012403	CCLXD50
	S012373	CCLXD51
CAR2003	S012139	CCLXD50
	S012138	CCLXD50
	S012101	CCLXD50
	S012096	CCLXD50
	S012060	CCLXD50
	S012013	CCLXD50
	S011954	CCLXD50
	S011953	CCLXD50
	S011878	CCLXD50

CA OPS/MVS for JES2 13.5
All CA RS Levels Service List

CA RS Level	Service	FMID
	S011877	CCLXD51
	S011812	CCLXD50
CAR2002	S011652	CCLXD50
	S011596	CCLXD51
	S011591	CCLXD50
	S011514	CCLXD50
	S011508	CCLXD50
	S011488	CCLXD51
	S011487	CCLXD50
	S011445	CCLXD50
	S011438	CCLXD51
	S011437	CCLXD50
	S011434	CCLXD50
	S011428	CCLXD50
	S011347	CCLXD50
	S011214	CCLXD50
	S006491	CCLXD50
CAR2001	S011260	CCLXD50
	S011241	CCLXD50
	S011213	CCLXD50
	S011203	CCLXD50
	S011188	CCLXD51
	S011144	CCLXD50
	S011125	CCLXD50
	S011100	CCLXD50
	S011092	CCLXD50
	S010733	CCLXD51
CAR1912	S010914	CCLXD50
	S010765	CCLXD50
	S010764	CCLXD50
	S010726	CCLXD50
	S010719	CCLXD50
	S010672	CCLXD50
	S010613	CCLXD50
	S010552	CCLXD50
CAR1911	S010490	CCLXD50
	S010476	CCLXD50
	S010453	CCLXD50
	S010450	CCLXD50
	S010413	CCLXD50
	S010402	CCLXD50
	S010384	CCLXD50
	S010262	CCLXD50
CAR1910	S010241	CCLXD50
	S010050	CCLXD50
	S010024	CCLXD50
	S009878	CCLXD50

CA RS Level	Service	FMID
	S009794	CCLXD50
	S009449	CCLXD50
	S008614	CCLXD51
	S008478	CCLXD50
CAR1909	S009846	CCLXD50
	S009840	CCLXD50
	S009667	CCLXD50
	S009544	CCLXD50
	S009387	CCLXD50
	S009094	CCLXD50
CAR1908	S009364	CCLXD50
	S009193	CCLXD50
	S009160	CCLXD50
	S009115	CCLXD50
CAR1907	S009020	CCLXD50
	S009000	CCLXD50
	S008999	CCLXD50
	S008872	CCLXD50
	S008831	CCLXD50
	S008829	CCLXD50
	S008714	CCLXD50
	S008712	CCLXD50
	S008651	CCLXD50
	S008640	CCLXD50
	S008475	CCLXD51
	S008474	CCLXD50
CAR1906	S008647	CCLXD50
	S008645	CCLXD50
	S008583	CCLXD50
	S008572	CCLXD50
	S008535	CCLXD50
	S008471	CCLXD50
	S008386	CCLXD50
	S008367	CCLXD51
	S008357	CCLXD50
	S008339	CCLXD50
	S008299	CCLXD50
	S008241	CCLXD50
	S008166	CCLXD53
	S006836	CCLXD50
CAR1905	S008113	CCLXD50
CAR1904	S007801	CCLXD50
	S007732	CCLXD50
	S007650	CCLXD50
	S007596	CCLXD51
	S007510	CCLXD50
CAR1903	S007406	CCLXD50

CA RS Level	Service	FMID
	S007289	CCLXD50
	S007231	CCLXD51
	S007197	CCLXD50
CAR1902	S007182	CCLXD51
	S007131	CCLXD50
	S006990	CCLXD50
	S006965	CCLXD50
	S006962	CCLXD50
	S006939	CCLXD50
	S006933	CCLXD50
	S006920	CCLXD51
	S006788	CCLXD50
CAR1901	S006555	CCLXD50
	S006527	CCLXD50
	S006526	CCLXD50
	S006167	CCLXD51
	S006166	CCLXD50
CAR1812	S006502	CCLXD50
	S006380	CCLXD51
	S006379	CCLXD50
	S006345	CCLXD50
	S006257	CCLXD50
	S006212	CCLXD50
	S006109	CCLXD50
	S005996	CCLXD51
CAR1811	S006105	CCLXD50
	S006042	CCLXD50
	S005965	CCLXD50
	S005934	CCLXD50
	S005908	CCLXD51
	S005737	CCLXD51
	S005727	CCLXD50
	S005704	CCLXD50
	S005690	CCLXD50
CAR1810	S005680	CCLXD50
	S005674	CCLXD50
	S005661	CCLXD50
	S005638	CCLXD51
	S005619	CCLXD50
	S005593	CCLXD51
	S005592	CCLXD50
	S005541	CCLXD50
	S005320	CCLXD50
	S005285	CCLXD50
	S005275	CCLXD50
CAR1809	S005192	CCLXD51
	S005191	CCLXD50

CA OPS/MVS for JES2 13.5
All CA RS Levels Service List

CA RS Level	Service	FMID
	S005047	CCLXD50
	S005042	CCLXD50
	S004989	CCLXD50
	S004944	CCLXD50
	S004928	CCLXD50
	S004900	CCLXD50
	S004898	CCLXD50
	S004808	CCLXD50
	S004772	CCLXD50
	S004680	CCLXD50
	S004634	CCLXD50
CAR1808	S004649	CCLXD50
	S004626	CCLXD50
	S004490	CCLXD50
	S004412	CCLXD51
	S004411	CCLXD50
	S004296	CCLXD51
CAR1807	S003933	CCLXD50
	S003910	CCLXD50
	S003905	CCLXD50
	S003594	CCLXD50
	S001859	CCLXD50
CAR1806	S003775	CCLXD51
	S003731	CCLXD50
	S003595	CCLXD51
	S001956	CCLXD50
	S001943	CCLXD51
	S001874	CCLXD50
	S001813	CCLXD50
	S001752	CCLXD50
CAR1805	S001580	CCLXD50
	S001320	CCLXD50
	S001297	CCLXD50
	S001270	CCLXD50
	S001221	CCLXD50
CAR1804	S001097	CCLXD50
	S001092	CCLXD50
	S001061	CCLXD50
	S000908	CCLXD50
	S000873	CCLXD51
	S000597	CCLXD50
CAR1803	S000632	CCLXD50
	S000630	CCLXD50
	S000572	CCLXD50
	S000562	CCLXD50
	S000476	CCLXD50
	S000444	CCLXD50

CA RS Level	Service	FMID
	S000393	CCLXD50
	S000371	CCLXD50
	S000247	CCLXD50
	S000245	CCLXD50
	S000239	CCLXD50
	S000236	CCLXD51
	S000235	CCLXD50