

CA Endeavor SCM 18.1
CA RS 2011 Service List

1

Service	Description	Type
S012172	BC1PAPI ABEND AFTER FAILED PASSTICKET GENERATION	PTF
S013905	REST API MULTIPLE ADD/UPD/RETRIEVE FIXES	PTF
S014748	INVALID \$ENVDS \$XPARMDS VALUES DURING PACKAGE CAST/INSPECT	PTF
S015125	(E) ECLIPSE UI: RELEASE 18.1.7	PTF
S015218	MISC STABILITY AND PERFORMANCE FIXES	PTF
S015219	MISC STABILITY AND PERFORMANCE FIXES	PTF
S015251	SQ EDIT ERROR WITH PRE-ALLOC TEMP FILE	PTF
The CA RS 2011 service count for this release is 7		

CA Endeavor SCM
CA RS 2011 Service List for CSIQI10

2

FMID	Service	Description	Type
CSIQI10	S012172	BC1PAPI ABEND AFTER FAILED PASSTICKET GENERATION	PTF
	S014748	INVALID \$ENVDS \$XPAMD\$ VALUES DURING PACKAGE CAST/INSPECT	PTF
	S015218	MISC STABILITY AND PERFORMANCE FIXES	PTF
	S015251	SQ EDIT ERROR WITH PRE-ALLOC TEMP FILE	PTF
The CA RS 2011 service count for this FMID is 4			

CA Endeavor SCM
CA RS 2011 Service List for CSIQI11

FMID	Service	Description	Type
CSIQI11	S015219	MISC STABILITY AND PERFORMANCE FIXES	PTF
The CA RS 2011 service count for this FMID is 1			

CA Endeavor SCM
CA RS 2011 Service List for CSIQI13

FMID	Service	Description	Type
CSIQI13	S013905	REST API MULTIPLE ADD/UPD/RETRIEVE FIXES	PTF
	S015125	(E) ECLIPSE UI: RELEASE 18.1.7	PTF
The CA RS 2011 service count for this FMID is 2			

Service	Details
SO12172	SO12172 M.C.S. ENTRIES = ++PTF (SO12172) BC1PAPI ABEND AFTER FAILED PASSTICKET GENERATION PROBLEM DESCRIPTION: When the Endeavor API call behind the REST api /auth endpoint calls the installed security product (RACF/TopSecret/ACF2) to generate a passticket for validated user credentials and it refuses to generate one, the Endeavor API abends with U0101 SYMPTOMS: Endeavor web services started task abends with U0101, reason code 00180000 when rest api request for a JWT token is received, credentials are valid, mfa support is turned on in c1deflts, but the security product refuses to generate a passticket for this user for the APPL set in C1DEFLTS parm MFAAPPL IMPACT: When a user requests JWT token via web services under the conditions described above, an STC servicing the web service requests will abend, which in case of STC pooling being enabled can reduce throughput for the web service CIRCUMVENTION: Ensure passticket generation will be successful for all users or Turn off MFA support in C1DEFLTS if not needed PRODUCT(S) AFFECTED: CA Endeavor SCM Version 18.0 CA Endeavor SCM Release 18.1 Related Problem: ENDBAS 7766 Copyright (C) 2020 CA. All rights reserved. R00028-SCM181-SP0 DESC(BC1PAPI ABEND AFTER FAILED PASSTICKET GENERATION) . ++VER (Z038) FMID (CSIQI10) PRE (SO12546) SUP (SO11104 ST11104 ST12172)

Service	Details
SO13905	SO13905 M.C.S. ENTRIES = ++PTF (SO13905) REST API MULTIPLE ADD/UPD/RETRIEVE FIXES PROBLEM DESCRIPTION: 1) When using REST API to add or update elements whose type is only defined in the second stage of an environment the request will fail. 2) REST API type caching not applied when type in url is mixed case. 3) Retrieve element will not return application/octet-stream when the retrieve succeeded with some specific warnings. SYMPTOMS: 1) Following error messages appear in the response EWS1100E Errors were detected during the Type identification API0000W WARNING(S) DETECTED, PROCESSING COMPLETE API0000W WARNING -- NO RECORDS FOUND TO MATCH CRITERIA 2)Response times for such requests don't improve when type caching is active 3)Attempt to retrieve an element that has (for example) been backed out will result in the standard json response with messages instead of element content IMPACT: REST api cannot be used to add, update or retrieve elements in the specific cases described above. CIRCUMVENTION: Use another Endeavor interface to work with the elements. PRODUCT(S) AFFECTED: CA Endeavor SCM Release 18.1 Related Problem: ENDBAS 7806 Copyright (C) 2020 CA. All rights reserved. R00066-SCM181-SP0 DESC(REST API MULTIPLE ADD/UPD/RETRIEVE FIXES) . ++VER (Z038) FMID (CSIQI13) PRE (SO11272 SO13582 SO13849) SUP (SO12309 ST12309 ST13559 ST13905) ++HOLD (SO13905) SYSTEM FMID(CSIQI13) REASON (ACTION) DATE (20226) COMMENT (CA Endeavor SCM for Web Services Release 18.1 SEQUENCE After Apply PURPOSE This correction updates Endeavor Web Services. To implement this update, you must update the Web Services component of your target Tomcat directory and recycle the Tomcat server. USERS AFFECTED All users of Endeavor Web Services. KNOWLEDGE 1. SMP/e REQUIRED 2. Endeavor Web Services 3. Tomcat 4. Unix System Services

Service	Details
	<pre> ACCESS 1. Update access to USS target and deployment files REQUIRED 2. Ability to stop and start Tomcat +-----+-----+ ***** * STEPS TO PERFORM * ***** 1. Stop Tomcat 2. Verify that the parameters in the ENWSInstallOptions.properties file are set according to your environment. This file resides in the USS directory where this PTF has been installed to (USS install directory). 3. Either: a.In the TSO OMVS environment, change to the directory where the script ENWSUpd.sh resides: cd <USS install directory>/tpv execute the script: sh ENWSUpd.sh or b.Run job WSTOMCCS to update Endeavor Web Services. Steps how to update are included in the WSTOMCCS job. 4. Start Tomcat). BINARY LINK(' ../tpv/tomcat/webapps/EndeavorService.war') PARM(PATHMODE(0,7,7,5)) . TEXT LINK(' ../tpv/tomcat/webapps/EndeavorService.war.md5 ') PARM(PATHMODE(0,7,7,5)) . </pre>

Service	Details
SO14748	SO14748 M.C.S. ENTRIES = ++PTF (SO14748) INVALID \$ENVDS \$XPARMDS VALUES DURING PACKAGE CAST/INSPECT PROBLEM DESCRIPTION: If user have a package with 2 subsequent GENERATE NOSOURCE actions when for 1st action no element exist at target stage and for 2nd action element exist on target stage there is may be incorrect values in \$ENVDS and \$XPARMDS control blocks during package CAST/INSPECT. The problem occurs during package cast when optional parameter CAST_INSPECT_EXIT02 in ENCOPTBL turned on. SYMPTOMS: Incorrect values in \$ENVDS and \$XPARMDS control blocks. IMPACT: Customers who have custom EXIT2 for PACKAGE CAST may encounter a problem when Endeavor returns incorrect values for target location in \$ENVDS and \$XPARMDS control blocks. CIRCUMVENTION: None. PRODUCT(S) AFFECTED: CA Endeavor SCM Version 18.0 CA Endeavor SCM Release 18.1 Related Problem: ENDBAS 7814 Copyright (C) 2020 CA. All rights reserved. R00077-SCM181-SP0 DESC(INVALID \$ENVDS \$XPARMDS VALUES DURING PACKAGE CAST/INSPECT). ++VER (Z038) FMID (CSIQI10) SUP (SO10979 ST10979 ST14748)

Service	Details
SO15125	SO15125 M.C.S. ENTRIES = ++PTF (SO15125) (E) ECLIPSE UI: RELEASE 18.1.7 ENHANCEMENT DESCRIPTION: Quick Edit - Using this new feature, users can edit elements without creating a project. This editing can be done using the Repository search upon a repository containing the desired element. Meaningful content in Add/Retrieve from/to location - When Adding from, or Retrieving to location, there is now a meaningful value in the location field saying where the file/element came from. PRODUCT(S) AFFECTED: CA Endeavor SCM Release 18.1 Related Problem: ENDBAS 7823 Copyright (C) 2020 CA. All rights reserved. R00083-SCM181-SP0 DESC((E) ECLIPSE UI: RELEASE 18.1.7). ++VER (Z038) FMID (CSIQI13) SUP (SO10825 SO12574 SO14082 ST10825 ST12574 ST14082 ST15125) ++HOLD (SO15125) SYSTEM FMID(CSIQI13) REASON (ACTION) DATE (20282) COMMENT (<pre> +-----+ CA Endeavor SCM for Web Services Release 18.1 +-----+ SEQUENCE After Apply +-----+ PURPOSE This correction delivers an updated Endeavor Eclipse plug-in. To implement this update, you must DEPLOY or UPDATE the Eclipse-BasedUI to the target Tomcat directory and then recycle the Tomcat server for this update to be available for Eclipse users. +-----+ USERS All Endeavor Eclipse Plug-in users. AFFECTED +-----+ KNOWLEDGE 1. SMP/e REQUIRED 2. Endeavor Web Services 3. Tomcat 4. Unix System Services +-----+ ACCESS 1. Update access to USS target and deployment files REQUIRED 2. Ability to stop and start Tomcat +-----+ ***** * STEPS TO PERFORM * ***** 1. Stop Tomcat 2. Verify that the parameters in the ENWSInstallOptions.properties file are set according to your environment. This file resides in the USS directory where this PTF has been installed to </pre>

Service	Details
	(USS install directory). 3. In the TSO OMVS environment, change to the directory where the script EclipseIns.sh resides: cd <USS install directory>/tpv execute the script: sh EclipseIns.sh 4. Start Tomcat 5. Inform users that an update is available and they should "Check for new Software" in Eclipse to update the version of the Endeavor plug-in installed on their machine.). BINARY LINK(' ../tpv/tomcat/webapps/endeavor_eclipse_plugin.zip') PARM(PATHMODE(0,7,7,5)) .

Service	Details																										
SO15218	SO15218 M.C.S. ENTRIES = ++PTF (SO15218) MISC STABILITY AND PERFORMANCE FIXES PROBLEM DESCRIPTION: Early feedback from the Quick Edit User Extension feature users identified the following minor issues: - Help on the new feature was hard to find - Highlighting in the DiffTool was compromised - Some of the DiffTool options (EDIFopt) were invalid with the default temporary datasets used for the compare (refcm or Lrecl) - Occasionally the DU or DP commands would generate error messages or select the wrong versions for compare. - Using the ALter command to blank out the signout ID failed with a parsing error. SYMPTOMS: INCORRECT OUTPUT IMPACT: QuickEdit Users may need to tailor sample routines to operate successfully or perform the equivalent operations in Batch. CIRCUMVENTION: PRODUCT(S) AFFECTED: CA Endeavor SCM Release 18.1 Related Problem: ENDBAS 7819 Copyright (C) 2020 CA. All rights reserved. R00086-SCM181-SP0 DESC(MISC STABILITY AND PERFORMANCE FIXES). ++VER (Z038) FMID (CSIQI10) PRE (SO11288 SO14704) SUP (ST15218) ++IF FMID(CSIQI11) REQ(SO15219) . ++HOLD (SO15218) SYSTEM FMID(CSIQI10) REASON (ACTION) DATE (20290) COMMENT (<table border="1"> <tr> <td>CA Endeavor SCM</td><td>Release 18.1</td></tr> <tr> <td>SEQUENCE</td><td>Before Apply</td></tr> <tr> <td>PURPOSE</td><td>This PTF updates PANELS in the CSIQPENU library.</td></tr> <tr> <td></td><td>If you have customized the PANEL(S) delivered by this PTF,</td></tr> <tr> <td></td><td>you must backup your customized version of the PANEL(S)</td></tr> <tr> <td></td><td>before applying this PTF to avoid losing your changes.</td></tr> <tr> <td>USERS</td><td>All Endeavor users.</td></tr> <tr> <td>AFFECTED</td><td></td></tr> <tr> <td>KNOWLEDGE</td><td>1. SMP/e</td></tr> <tr> <td>REQUIRED</td><td>2. Endeavor Administration</td></tr> <tr> <td></td><td>3. Endeavor PANELS</td></tr> <tr> <td>ACCESS</td><td>No special access is required.</td></tr> <tr> <td>REQUIRED</td><td></td></tr> </table>	CA Endeavor SCM	Release 18.1	SEQUENCE	Before Apply	PURPOSE	This PTF updates PANELS in the CSIQPENU library.		If you have customized the PANEL(S) delivered by this PTF,		you must backup your customized version of the PANEL(S)		before applying this PTF to avoid losing your changes.	USERS	All Endeavor users.	AFFECTED		KNOWLEDGE	1. SMP/e	REQUIRED	2. Endeavor Administration		3. Endeavor PANELS	ACCESS	No special access is required.	REQUIRED	
CA Endeavor SCM	Release 18.1																										
SEQUENCE	Before Apply																										
PURPOSE	This PTF updates PANELS in the CSIQPENU library.																										
	If you have customized the PANEL(S) delivered by this PTF,																										
	you must backup your customized version of the PANEL(S)																										
	before applying this PTF to avoid losing your changes.																										
USERS	All Endeavor users.																										
AFFECTED																											
KNOWLEDGE	1. SMP/e																										
REQUIRED	2. Endeavor Administration																										
	3. Endeavor PANELS																										
ACCESS	No special access is required.																										
REQUIRED																											

Service	Details
	<pre>+-----+-----+ ***** * STEPS TO PERFORM * ***** 1. Backup any customized PANELS in CSIQPENU that this PTF supplies. 2. APPLY this PTF. 3. Re-apply your customizations to the updated PANELS in CSIQPENU.).</pre>

Service	Details	
SO15219	SO15219 M.C.S. ENTRIES = ++PTF (SO15219)	
	MISC STABILITY AND PERFORMANCE FIXES	
	PROBLEM DESCRIPTION:	
	Early feedback from the Quick Edit User Extension feature users identified the following minor issues:	
	- Help on the new feature was hard to find	
	- Hilighting in the DiffTool was compromised	
	- Some of the DiffTool options (EDIFopt) were invalid with the default temporary datasets used for the compare (refcm or Lrecl)	
	- Occasionally the DU or DP commands would generate error messages or select the wrong versions for compare.	
	- Using the ALter command to blank out the signout ID failed with a parsing error.	
	SYMPTOMS:	
	INCORRECT OUTPUT	
	IMPACT:	
	QuickEdit Users may need to tailor sample routines to operate successfully or perform the equivalent operations in Batch.	
	CIRCUMVENTION:	
	PRODUCT(S) AFFECTED:	
	CA Endeavor SCM	Release 18.1
	Related Problem:	
	ENDBAS 7819	
	Copyright (C) 2020 CA. All rights reserved. R00086-SCM181-SP0	
	DESC(MISC STABILITY AND PERFORMANCE FIXES).	
	++VER (Z038)	
	FMID (CSIQI11)	
	PRE (SO11289 SO12326 SO14705)	
	SUP (ST15219)	
	++IF FMID(CSIQI10) REQ(SO15218) .	
	++HOLD (SO15219) SYSTEM FMID(CSIQI11)	
	REASON (ACTION) DATE (20290)	
	COMMENT (	
	+-----+-----+	
	CA Endeavor SCM Japanese Localization	Release 18.1
	+-----+-----+	
	SEQUENCE	Before Apply
	+-----+-----+	
	PURPOSE	This PTF updates PANELS in the CSIQPJPN library.
		If you have customized the PANEL(S) delivered by this PTF,
		you must backup your customized version of the PANEL(S)
		before applying this PTF to avoid losing your changes.
	+-----+-----+	
	USERS	All Endeavor users.
	AFFECTED	
	+-----+-----+	
	KNOWLEDGE	1. SMP/e
	REQUIRED	2. Endeavor Administration
		3. Endeavor PANELS
	+-----+-----+	
	ACCESS	No special access is required.
	REQUIRED	

Service	Details
	<pre> +-----+-----+ ***** * STEPS TO PERFORM * ***** 1. Backup any customized PANELS in CSIQPJPN that this PTF supplies. 2. APPLY this PTF. 3. Re-apply your customizations to the updated PANELS in CSIQPJPN.).</pre>

Service	Details																					
SO15251	SO15251 M.C.S. ENTRIES = ++PTF (SO15251) SQ EDIT ERROR WITH PRE-ALLOC TEMP FILE PROBLEM DESCRIPTION: If the ISPF TEMP CNTL files are pre-allocated, without a name, then attempting to edit them using the ZTEMPF file name will fail. e.g "ALLOC F(SPFCTLn) space(10000,15000) block(32720) dsorg(PS) recfm(f,b) lrecl(80) UNIT(SYSDA) NEW REUSE" Where n is a digit, 0-n corresponding to the split screen number. SYMPTOMS: Quick Edit users may get errors when they attempt to Edit JCL using "SQ EJ" command. The error indicates that a system dataset is not catalogued. IMPACT: Quick Edit users experiencing this problem will be dumped out of the ISPF Application and will have to rebuild their SCL requests. CIRCUMVENTION: You can avoid the problem by either not pre-allocating SPFCCTLx datasets or by pre-allocating them with a dataset name using a logon exec with a snippet like below; say " allocating temp ispftemp D/S: to *SYSDA." sdsn = user'.'smfid'.spftemp' if sysdsn("'"sdsn"0.CNTL'") = OK then "delete '"sdsn"*.CNTL' MASK" do suff = 0 to 3 "alloc f(ispctl"suff") space(10000,15000) block(32720)", "ds("'"sdsn suff".CNTL') DELETE ", "dsorg(PS) recfm(f,b) lrecl(80) UNIT(SYSDA) NEW REUSE" end PRODUCT(S) AFFECTED: CA Endeavor SCM Related Problem: ENDBAS 7825 Copyright (C) 2020 CA. All rights reserved. R00088-SCM181-SP0 DESC(SQ EDIT ERROR WITH PRE-ALLOC TEMP FILE). ++VER (Z038) FMID (CSIQI10) PRE (SO11288 SO12079 SO14704) SUP (ST15251) <table><tr><td>MCS</td><td>SO12172</td><td>STARTS ON PAGE 0002</td></tr><tr><td>MCS</td><td>SO13905</td><td>STARTS ON PAGE 0002</td></tr><tr><td>MCS</td><td>SO14748</td><td>STARTS ON PAGE 0004</td></tr><tr><td>MCS</td><td>SO15125</td><td>STARTS ON PAGE 0005</td></tr><tr><td>MCS</td><td>SO15218</td><td>STARTS ON PAGE 0007</td></tr><tr><td>MCS</td><td>SO15219</td><td>STARTS ON PAGE 0008</td></tr><tr><td>MCS</td><td>SO15251</td><td>STARTS ON PAGE 0010</td></tr></table>	MCS	SO12172	STARTS ON PAGE 0002	MCS	SO13905	STARTS ON PAGE 0002	MCS	SO14748	STARTS ON PAGE 0004	MCS	SO15125	STARTS ON PAGE 0005	MCS	SO15218	STARTS ON PAGE 0007	MCS	SO15219	STARTS ON PAGE 0008	MCS	SO15251	STARTS ON PAGE 0010
MCS	SO12172	STARTS ON PAGE 0002																				
MCS	SO13905	STARTS ON PAGE 0002																				
MCS	SO14748	STARTS ON PAGE 0004																				
MCS	SO15125	STARTS ON PAGE 0005																				
MCS	SO15218	STARTS ON PAGE 0007																				
MCS	SO15219	STARTS ON PAGE 0008																				
MCS	SO15251	STARTS ON PAGE 0010																				

Release 18.1

CA Endevor SCM 18.1
CA RS 2011 Product/Component Listing

16

Product Family	Product	Release
Application Development	CA ENDEVOR SCM	18.01.00
The CA RS 2011 Product/Component Count for this release is 1		

CA RS Level	Service	FMID
CAR2011	S015251	CSIQI10
	S015219	CSIQI11
	S015218	CSIQI10
	S015125	CSIQI13
	S014748	CSIQI10
	S013905	CSIQI13
	S012172	CSIQI10
CAR2010	S014847	CSIQI10
	S014705	CSIQI11
	S014704	CSIQI10
	S014674	CSIQI10
CAR2009	S014513	CSIQI10
	S014420	CSIQI10
	S014309	CSIQI10
	S014222	CSIQI11
	S014221	CSIQI10
	S014082	CSIQI13
	S014076	CSIQI10
CAR2008	S013857	CSIQI10
	S013849	CSIQI13
	S013321	CSIQI10
	S013082	CSIQI13
	S012441	CSIQI10
CAR2007	S013690	CSIQI11
	S013689	CSIQI10
	S013604	CSIQI11
	S013592	CSIQI10
	S013583	CSIQI10
	S013582	CSIQI13
	S013479	CSIQI10
	S013434	CSIQI10
	S013067	CSIQI10
CAR2006	S013177	CSIQI10
	S013128	CSIQI10
	S013068	CSIQI10
	S012961	CSIQI10
	S012864	CSIQI10
CAR2005	S012574	CSIQI13
	S012546	CSIQI10
	S012498	CSIQI10
	S012495	CSIQI11
	S012494	CSIQI10
	S012491	CSIQI13
	S012490	CSIQI10
	S012309	CSIQI13
	S012022	CSIQI10
CAR2004	S012341	CSIQI10

CA RS Level	Service	FMID
	S012326	CSIQI11
	S012312	CSIQI10
	S012308	CSIQI10
	S012301	CSIQI11
	S012300	CSIQI10
	S012169	CSIQI10
	S011910	CSIQI10
	S011257	CSIQI10
	S011104	CSIQI10
CAR2003	S012079	CSIQI10
	S011879	CSIQI10
	S011289	CSIQI11
	S011288	CSIQI10
CAR2002	S011541	CSIQI10
	S011495	CSIQI10
	S011467	CSIQI13
	S011272	CSIQI13
CAR2001	S011124	CSIQI11
	S011123	CSIQI10
	S010979	CSIQI10
	S010896	CSIQI10
	S010825	CSIQI13
	S010824	CSIQI10
	S010822	CSIQI10