

CA InterTest/SymDump Batch/CICS 11.0
CA RS 2012 Service List

1

Service	Description	Type
S014311	OC4 IN IN25XL0D	PTF
S015050	BREAKPOINT MALFUNCTION IN SUBPROGRAMS + COB 5.1+DYN CALLS	PTF
S015051	BREAKPOINT MALFUNCTION IN SUBPROGRAMS + COB 5.1+DYN CALLS	PTF
S015567	CAPC098E INTERNAL ERROR - SOC7 ABEND IN CAODMAIN	PTF
The CA RS 2012 service count for this release is 4		

CA InterTest/SymDump Batch/CICS
CA RS 2012 Service List for CABAB00

2

FMID	Service	Description	Type
CABAB00	SO15050	BREAKPOINT MALFUNCTION IN SUBPROGRAMS + COB 5.1+DYN CALLS	PTF
The CA RS 2012 service count for this FMID is 1			

CA InterTest/SymDump Batch/CICS
CA RS 2012 Service List for CARXB00

3

FMID	Service	Description	Type
CARXB00	S015567	CAPC098E INTERNAL ERROR - SOC7 ABEND IN CAODMAIN	PTF
The CA RS 2012 service count for this FMID is 1			

CA InterTest/SymDump Batch/CICS
CA RS 2012 Service List for CAVHB00

4

FMID	Service	Description	Type
CAVHB00	S014311	0C4 IN IN25XLOD	PTF
The CA RS 2012 service count for this FMID is 1			

CA InterTest/SymDump Batch/CICS
CA RS 2012 Service List for CCSAB00

5

FMID	Service	Description	Type
CCSAB00	SO15051	BREAKPOINT MALFUNCTION IN SUBPROGRAMS + COB 5.1+DYN CALLS	PTF
The CA RS 2012 service count for this FMID is 1			

Service	Details
SO14311	SO14311 M.C.S. ENTRIES = ++PTF (SO14311) OC4 IN IN25XLOD PROBLEM DESCRIPTION: OC4 abend in IN25XLOD or INXXSGET when the in25opts option symbolic is not set to PROTSYM. SYMPTOMS: OC4 abend in IN25XLOD. IMPACT: The CICS abended and the function will be broken. CIRCUMVENTION: None. PRODUCT(S) AFFECTED: Common Symbolic Component Version 11.0 Related Problem: TFMSYM 476 Copyright (C) 2020 CA. All rights reserved. R00139-AVH110-SP1 DESC(OC4 IN IN25XLOD). ++VER (Z038) FMID (CAVHB00) PRE (S004585) SUP (ST14311)

Service	Details
SO15050	SO15050 M.C.S. ENTRIES = ++PTF (SO15050) BREAKPOINT MALFUNCTION IN SUBPROGRAMS + COB 5.1+DYN CALLS PROBLEM DESCRIPTION: Breakpoints in subprograms of COBOL 5.1 and above with dynamic calls may not showup beacuse of change in CICS LE runtime. SYMPTOMS: Breakpoints in subprograms of COBOL 5.1 and above with dynamic calls may not showup. IMPACT: Breakpoints in subprograms may not work. CIRCUMVENTION: n/a PRODUCT(S) AFFECTED: Common CICS Component Version 11.0 Common CICS Component Version 10.0 Related Problem: INTERT 1114 Copyright (C) 2020 CA. All rights reserved. R00151-AVH110-SP1 DESC(BREAKPOINT MALFUNCTION IN SUBPROGRAMS + COB 5.1+DYN CALLS). ++VER (Z038) FMID (CABAB00) PRE (R097425 R099718 S004582 S005170 S006249 S007315 S013489) SUP (S014678 ST14678 ST15050) ++IF FMID(CCSAB00) REQ(S015051) .

Service	Details		
SO15051	SO15051 M.C.S. ENTRIES = ++PTF (SO15051) BREAKPOINT MALFUNCTION IN SUBPROGRAMS + COB 5.1+DYN CALLS PROBLEM DESCRIPTION: Breakpoints in subprograms of COBOL 5.1 and above with dynamic calls may not showup beacuse of change in CICS LE runtime. SYMPTOMS: Breakpoints in subprograms of COBOL 5.1 and above with dynamic calls may not showup. IMPACT: Breakpoints in subprograms may not work. CIRCUMVENTION: n/a PRODUCT(S) AFFECTED: Common CICS Component Version 11.0 Common CICS Component Version 10.0 Related Problem: INTERT 1114 Copyright (C) 2020 CA. All rights reserved. R00151-AVH110-SP1 DESC(BREAKPOINT MALFUNCTION IN SUBPROGRAMS + COB 5.1+DYN CALLS). ++VER (Z038) FMID (CCSAB00) PRE (R097433 R099725 S004586 S005172 S006137 S006273 S007319 S013493) SUP (S014145 ST14145 ST14647 ST15051) ++IF FMID(CABAB00) REQ(SO15050) . ++HOLD (SO15051) SYSTEM FMID(CCSAB00) REASON (ACTION) DATE (20295) COMMENT (<table border="1"> <tr> <td>InterTest CICS Component</td><td>Version 11.0</td></tr> </table> SEQUENCE After Apply PURPOSE Update the CICS resource definitons. USERS All AFFECTED KNOWLEDGE JCL REQUIRED ACCESS N/A REQUIRED ***** * STEPS TO PERFORM * ***** 1. Reload the CICS resource definitons by running member CSDINT in the CAVHJCL product library, specifying the CSDINTnn member for your version of CICS.). ++HOLD (SO15051) SYSTEM FMID(CCSAB00)	InterTest CICS Component	Version 11.0
InterTest CICS Component	Version 11.0		

Service	Details
	<pre> REASON (RESTART) DATE (20295) COMMENT (+-----+-----+ InterTest CICS Component Version 11.0 +-----+-----+ SEQUENCE After Apply +-----+-----+ PURPOSE Restart Intertest CICS after applying the fix. +-----+-----+ USERS ALL AFFECTED +-----+-----+ KNOWLEDGE N/A REQUIRED +-----+-----+ ACCESS N/A REQUIRED +-----+-----+ ***** * STEPS TO PERFORM * ***** 1. End Intertest properly by running the transaction CNTL=END. 2. New copy IN%%HOOK,IN%%SERS,IN%%GLU1,IN%%VRPT. 3. Restart Intertest.).</pre>

Service	Details
SO15567	SO15567 M.C.S. ENTRIES = ++PTF (SO15567) CAPC098E INTERNAL ERROR - SOC7 ABEND IN CAODMAIN PROBLEM DESCRIPTION: CAPC098E internal error message due to SOC7 abend in CAODMAIN, it was caused by bad date of a user's load module. SYMPTOMS: CAPC098E INTERNAL ERROR. ABEND REPORTER IN CONTROL. IMPACT: N/A CIRCUMVENTION: N/A PRODUCT(S) AFFECTED: CA-SYMDUMP BATCH Version 11.0 Related Problem: SYMBAT 209 Copyright (C) 2020 CA. All rights reserved. R00157-AVH110-SP1 DESC(CAPC098E INTERNAL ERROR - SOC7 ABEND IN CAODMAIN). ++VER (Z038) FMID (CARXB00) PRE (R097429 R099721) SUP (S009037 ST08948 ST09037 ST13762 ST15567) MCS SO14311 STARTS ON PAGE 0002 MCS SO15050 STARTS ON PAGE 0002 MCS SO15051 STARTS ON PAGE 0003 MCS SO15567 STARTS ON PAGE 0007

Product Family	Product	Release
Application Development	COMMON CICS COMPONENT	10.00.00
	COMMON SYMBOLIC COMPONENT	10.00.00
	INTERTEST BATCH COMPONENT	10.00.00
	INTERTEST CICS COMPONENT	10.00.00
	SYMDUMP BATCH COMPONENT	10.00.00
	SYMDUMP CICS COMPONENT	10.00.00
The CA RS 2012 Product/Component Count for this release is 6		

CA RS Level	Service	FMID
CAR2012	S015567	CARXB00
	S015051	CCSAB00
	S015050	CABAB00
	S014311	CAVHB00
CAR2010	S014872	CABAB00
	S014678	CABAB00
	S014628	CABAB00
	S014481	CARXB00
	S014145	CCSAB00
	S014073	CABQB00
	S013613	CABAB00
CAR2009	S014488	CAMRB00
	S014193	CABAB00
CAR2008	S013998	CABAB00
	S013957	CAMRB00
	S013956	CABAB00
	S013239	CABQB00
	S012832	CAVHB01
	S012831	CABAB00
CAR2007	S013589	CAMRB00
	S013578	CAVHB01
	S013493	CCSAB00
	S013492	CAVHB00
	S013491	CABQB00
	S013490	CABAB01
	S013489	CABAB00
	S013478	CARXB00
	S013232	CABAB00
	S013168	CABQB00
	S013167	CABAB00
	S012785	CAVHB00
	S012784	CABAB00
	S012587	CAVHB01
CAR2005	S012637	CABAB00
	S012635	CARXB00
	S012569	CAVHB00
	S012568	CARXB00
	S012567	CAMRB00
	S012566	CABQB00
	S012565	CABAB00
	S012564	CABAB00
	S012158	CAMRB00
	S012157	CABAB00
	S011518	CABAB00
CAR2004	S012299	CCSAB00
	S012298	CABAB00
	S012297	CAVHB00

CA RS Level	Service	FMID
	S012093	CABAB00
	S012010	CAVHB01
	S011944	CAMRB00
	S011525	CARXB00
	S011524	CARXB00
	S011523	CARXB00
CAR2003	S012027	CAMRB00
	S011522	CABAB00
	S011126	CAVHB01
	S008355	CAVHB00
CAR2001	S011118	CARXB01
CAR1912	S010784	CAVHB00
	S010783	CARXB00
	S010782	CAMRB00
	S010781	CABAB00
	S010256	CAMRB00
CAR1911	S009639	CABAB00
CAR1910	S009940	CAVHB00
	S009939	CAVHB00
	S009938	CAVHB00
CAR1909	S009257	CARXB00
	S009096	CAVHB00
	S007755	CAVHB00
CAR1908	S009037	CARXB00
	S008956	CAMRB00
	S008679	CABAB00
CAR1907	S008888	CAVHB00
	S008887	CARXB00
	S008886	CAMRB00
	S008885	CABQB00
	S008884	CABAB01
	S008883	CABAB00
	S008391	CAMRB00
	S008369	CABAB00
	S008214	CAMRB00
CAR1906	S008019	CABAB00
	S007771	CARXB00
	S007740	CAMRB00
CAR1905	S007685	CAVHB00
	S007651	CABQB00
CAR1904	S007716	CABAB01
CAR1903	S007319	CCSAB00
	S007318	CAVHB00
	S007317	CABQB00
	S007316	CABAB01
	S007315	CABAB00
	S007174	CABAB00

CA RS Level	Service	FMID
	S007035	CAMRB00
CAR1902	S006723	CARXB00
	S006722	CABAB01
	S006542	CABAB00
	S006471	CABAB00
	S006273	CCSAB00
	S006272	CAVHB01
	S006271	CAVHB00
	S006270	CAMRB00
	S006269	CABAB00
	S006062	CABAB00
CAR1901	S006376	CABQB00
	S006375	CABAB00
	S005951	CCSAB00
	S005950	CABQB00
CAR1812	S006251	CCSAB00
	S006250	CAVHB00
	S006249	CABAB00
	S006137	CCSAB00
CAR1811	S005960	CABAB00
	S005599	CABQB00
	S005598	CABAB01
	S005294	CABAB00
	S005172	CCSAB00
	S005171	CAVHB00
	S005170	CABAB00
CAR1809	S004973	CAVHB01
	S004586	CCSAB00
	S004585	CAVHB00
	S004584	CABQB00
	S004583	CABAB01
	S004582	CABAB00
	S004181	CAVHB00
CAR1808	S004528	CAVHB00
	S004409	CABAB00
	S004149	CABAB00
	S004114	CABAB00
	S001960	CABQB00
CAR1807	S004113	CCSAB00
	S004112	CAVHB01
	S004111	CAVHB00
	S004110	CABAB00
CAR1806	S001931	CCSAB00
	S001930	CAVHB01
	S001929	CAVHB00
	S001928	CARXB00
	S001927	CAMRB00

CA RS Level	Service	FMID
	S001926	CABQB00
	S001925	CABAB00
	S001485	CABAB00
CAR1805	S001266	CABAB00
	S001144	CAMRB00
	S001062	CAVHB00
CAR1804	S001052	CAMRB00
	S000798	CAVHB00
	S000797	CAMRB00
	S000796	CABAB00
	S000698	CAVHB01
	S000505	CAVHB00
	S000477	CAMRB00
CAR1802	S000117	CAMRB00
	S000115	CAVHB01
	S000114	CAVHB00
	S000113	CABQB00
	S000112	CABAB00
	R099880	CABAB00
CAR1801	R099725	CCSAB00
	R099724	CAVHB01
	R099723	CAVHB00
	R099722	CARXB01
	R099721	CARXB00
	R099720	CAMRB00
	R099719	CABQB00
	R099718	CABAB00
	R099041	CAVHB00
	R098271	CARXB00
CAR1711	R098579	CAVHB00
CAR1709	R097433	CCSAB00
	R097432	CAVHB01
	R097431	CAVHB00
	R097430	CARXB01
	R097429	CARXB00
	R097428	CAMRB00
	R097427	CABQB00
	R097426	CABAB01
	R097425	CABAB00