

CA Endeavor SCM 18.1
CA RS 2012 Service List

1

Service	Description	Type
S015110	UNEXPECTED CATALOG & STACK TRACE MSGS	PTF
S015234	ENDEVOR API HEADER ENCODING MISMATCH WITH STC CONFIGURATION	PTF
S015434	WRONG MEMBERS FOOTPRINTED AFTER CONRELE IN A PRIOR ACTION	PTF
S015462	WEB SERVICES SUPPORT PASSPHRASE WITH RACF OPT NOMIXEDCASE	PTF
S015778	(E) DEFERRED FILE CREATION FOR ELIBS	PTF
S015779	(E) DEFERRED FILE CREATION FOR ELIBS	PTF
The CA RS 2012 service count for this release is 6		

CA Endeavor SCM
CA RS 2012 Service List for CSIQI10

2

FMID	Service	Description	Type
CSIQI10	S015110	UNEXPECTED CATALOG & STACK TRACE MSGS	PTF
	S015434	WRONG MEMBERS FOOTPRINTED AFTER CONRELE IN A PRIOR ACTION	PTF
	S015462	WEB SERVICES SUPPORT PASSPHRASE WITH RACF OPT NOMIXEDCASE	PTF
	S015778	(E) DEFERRED FILE CREATION FOR ELIBS	PTF
The CA RS 2012 service count for this FMID is 4			

CA Endeavor SCM
CA RS 2012 Service List for CSIQI11

FMID	Service	Description	Type
CSIQI11	S015779	(E) DEFERRED FILE CREATION FOR ELIBS	PTF
The CA RS 2012 service count for this FMID is 1			

CA Endeavor SCM
CA RS 2012 Service List for CSIQI13

FMID	Service	Description	Type
CSIQI13	SO15234	ENDEVOR API HEADER ENCODING MISMATCH WITH STC CONFIGURATION	PTF
The CA RS 2012 service count for this FMID is 1			

Service	Details
SO15110	SO15110 M.C.S. ENTRIES = ++PTF (SO15110) UNEXPECTED CATALOG & STACK TRACE MSGS PROBLEM DESCRIPTION: Quick Edit users may receive unexpected WTO Messages and stack trace during startup. SYMPTOMS: After upgrading to 18.1 users may notice unexpected (red) messages when they attempt to start Quick Edit and need to press ENTER to continue. IMPACT: Inconvenience - user must press Enter to dismiss messages. CIRCUMVENTION: Issuing TSO PROFILE NOWRTPMSG may reduce the impact by disabling message delivery. PRODUCT(S) AFFECTED: CA Endeavor SCM Release 18.1 Related Problem: ENDBAS 7824 Copyright (C) 2020 CA. All rights reserved. R00082-SCM181-SP0 DESC(UNEXPECTED CATALOG & STACK TRACE MSGS). ++VER (Z038) FMID (CSIQI10) SUP (ST15110)

Service	Details		
SO15234	SO15234 M.C.S. ENTRIES = ++PTF (SO15234) ENDEVOR API HEADER ENCODING MISMATCH WITH STC CONFIGURATION PROBLEM DESCRIPTION: When Endeavor REST API receives CSV from Endeavor API, it stores file in ascii encoding (iso-8859-1) and the problem occurs when different CharSet STC configuration parameter used. SYMPTOMS: Following error message appears in the Tomcat log: ŸInternal error" Read output file of list type : Unrecognized field "TYPE # ID" IMPACT: REST api cannot be used to retrieve elements in some encodings. CIRCUMVENTION: Use another encoding in the STC configuration. PRODUCT(S) AFFECTED: CA Endeavor SCM Version 18.0 CA Endeavor SCM Release 18.1 Related Problem: ENDBAS 7812 Copyright (C) 2020 CA. All rights reserved. R00087-SCM181-SP0 DESC(ENDEVOR API HEADER ENCODING MISMATCH WITH STC CONFIGURATION). ++VER (Z038) FMID (CSIQI13) PRE (S011272 S013582 S013849) SUP (S012309 S013905 ST12309 ST13559 ST13905 ST15234) ++HOLD (SO15234) SYSTEM FMID(CSIQI13) REASON (ACTION) DATE (20290) COMMENT (<table border="1"> <tr> <td>CA Endeavor SCM for Web Services</td><td>Release 18.1</td></tr> </table> SEQUENCE After Apply PURPOSE This correction updates Endeavor Web Services. To implement this update, you must update the Web Services component of your target Tomcat directory and recycle the Tomcat server. USERS AFFECTED All users of Endeavor Web Services. KNOWLEDGE 1. SMP/e REQUIRED 2. Endeavor Web Services 3. Tomcat 4. Unix System Services ACCESS 1. Update access to USS target and deployment files REQUIRED 2. Ability to stop and start Tomcat ***** * STEPS TO PERFORM * *****	CA Endeavor SCM for Web Services	Release 18.1
CA Endeavor SCM for Web Services	Release 18.1		

Service	Details
	1. Stop Tomcat 2. Verify that the parameters in the ENWSInstallOptions.properties file are set according to your environment. This file resides in the USS directory where this PTF has been installed to (USS install directory). 3. Either: a. In the TSO OMVS environment, change to the directory where the script ENWSUpd.sh resides: cd <USS install directory>/tpv execute the script: sh ENWSUpd.sh or b. Run job WSTOMCCS to update Endeavor Web Services. Steps how to update are included in the WSTOMCCS job. 4. Start Tomcat). BINARY LINK('.. /tpv/tomcat/webapps/EndevorService.war') PARM(PATHMODE(0,7,7,5)) . TEXT LINK('.. /tpv/tomcat/webapps/EndevorService.war.md5') PARM(PATHMODE(0,7,7,5)) .

Service	Details
SO15434	SO15434 M.C.S. ENTRIES = ++PTF (SO15434) WRONG MEMBERS FOOTPRINTED AFTER CONRELE IN A PRIOR ACTION PROBLEM DESCRIPTION: When a processor runs the CONRELE utility, the subsequent element action executing the same processor may footprint an incorrect member. This happens only if the DD statement in the processor has FOOTPRNT=CREATE coded without MONITOR=COMPONENTS. SYMPTOMS: CA Endeavor attempts to footprint an incorrect member. In case the member does not exist, the following error message is issued: C1G0256E MEMBER mbrname NOT FOUND IN LIBRARY SPECIFIED IMPACT: An incorrect member is footprinted, or, less commonly, the action fails. CIRCUMVENTION: If the action failed, restart the action. PRODUCTS AFFECTED: CA Endeavor, Version 18.0 CA Endeavor, Release 18.1 Related Problem: ENDBAS 7822 Copyright (C) 2020 CA. All rights reserved. R00089-SCM181-SP0 DESC(WRONG MEMBERS FOOTPRINTED AFTER CONRELE IN A PRIOR ACTION). ++VER (Z038) FMID (CSIQI10) PRE (SO13177) SUP (ST15434)

Service	Details				
SO15462	SO15462 M.C.S. ENTRIES = ++PTF (SO15462) WEB SERVICES SUPPORT PASSPHRASE WITH RACF OPT NOMIXEDCASE PROBLEM DESCRIPTION: Web services passphrase verification fails when RACF opt NOMIXEDCASE is set SYMPTOMS: When using Endeavor web services, 1-8 character passwords work, but passphrases are rejected as invalid, resulting in message API0034S INVALID USERID OR PASSWORD DETECTED unless the passphrase is all uppercase. IMPACT: Passphrases cannot be used to access Endeavor web services CIRCUMVENTION: Set the RACF option to MIXEDCASE, or use uppercase-only passphrases. PRODUCT(S) AFFECTED: <table> <tr> <td>CA Endeavor SCM</td><td>Version 18.0</td></tr> <tr> <td>CA Endeavor SCM</td><td>Release 18.1</td></tr> </table> Related Problem: ENDBAS 7830 Copyright (C) 2020 CA. All rights reserved. R00091-SCM181-SP0 DESC(WEB SERVICES SUPPORT PASSPHRASE WITH RACF OPT NOMIXEDCASE). ++VER (Z038) FMID (CSIQI10) PRE (SO12172 SO12490 SO12546 SO13177 SO13479 SO13857 SO14674 SO14847) SUP (SO11104 ST11104 ST15462)	CA Endeavor SCM	Version 18.0	CA Endeavor SCM	Release 18.1
CA Endeavor SCM	Version 18.0				
CA Endeavor SCM	Release 18.1				

Service	Details
SO15778	SO15778 M.C.S. ENTRIES = ++PTF (SO15778) (E) DEFERRED FILE CREATION FOR ELIBS ENHANCEMENT DESCRIPTION: DEFERRED FILE CREATION FOR ELIBS This enhancement provides the capability of using the Deferred File Creation feature to allocate and initialize VSAM or BDAM ELIBS as Base, Delta or Listing libraries. PRODUCT(S) AFFECTED: CA Endeavor SCM Release 18.1 Related Problem: ENDBAS 7810 Copyright (C) 2020 CA. All rights reserved. R00094-SCM181-SP0 DESC((E) DEFERRED FILE CREATION FOR ELIBS). ++VER (Z038) FMID (CSIQI10) PRE (SO10822 SO11288 SO11495 SO12300 SO12441 SO12490 SO12961 SO13128 SO13177 SO14704 SO14847) SUP (SO14420 ST14420 ST15190 ST15778) ++IF FMID(CSIQI11) REQ(SO15779) . ++HOLD (SO15778) SYSTEM FMID(CSIQI10) REASON (ACTION) DATE (20335) COMMENT (<pre> +-----+ CA Endeavor SCM Release 18.1 +-----+-----+ SEQUENCE Before Apply +-----+-----+ PURPOSE This PTF updates an Endeavor TABLE in the CSIQSRC library. If you have customized the TABLE delivered by this PTF, you must backup your customized version of the TABLE before applying this PTF to avoid losing your changes. +-----+-----+ USERS All Endeavor users. AFFECTED +-----+-----+ KNOWLEDGE 1. SMP/e REQUIRED 2. Endeavor Administration 3. Endeavor TABLES +-----+-----+ ACCESS Update access to the CSIQAUTU library. REQUIRED +-----+-----+ ***** * STEPS TO PERFORM * ***** 1. Backup any customized TABLES in CSIQSRC that this PTF supplies. 2. APPLY this PTF. 3. Re-apply your customizations to the updated TABLES in CSIQSRC. 4. Assemble and Link the updated TABLE to the CSIQAUTU library. +-----+-----+ CA Endeavor SCM Release 18.1 +-----+-----+ </pre> CA Endeavor SCM Release 18.1

Service	Details		
	SEQUENCE	Before Apply	
	+-----+-----+-----+		
	PURPOSE	This PTF updates PANELS in the CSIQPENU library.	
		If you have customized the PANEL(S) delivered by this PTF,	
		you must backup your customized version of the PANEL(S)	
		before applying this PTF to avoid losing your changes.	
	+-----+-----+-----+		
	USERS	All Endeavor users.	
	AFFECTED		
	+-----+-----+-----+		
	KNOWLEDGE	1. SMP/e	
	REQUIRED	2. Endeavor Administration	
		3. Endeavor PANELS	
	+-----+-----+-----+		
	ACCESS	No special access is required.	
	REQUIRED		
	+-----+-----+-----+		

	* STEPS TO PERFORM *		

	1. Backup any customized PANELS in CSIQPENU that this PTF supplies.		
	2. APPLY this PTF.		
	3. Re-apply your customizations to the updated PANELS in CSIQPENU.		
	).		

Service	Details
SO15779	SO15779 M.C.S. ENTRIES = ++PTF (SO15779) (E) DEFERRED FILE CREATION FOR ELIBS ENHANCEMENT DESCRIPTION: DEFERRED FILE CREATION FOR ELIBS This enhancement provides the capability of using the Deferred File Creation feature to allocate and initialize VSAM or BDAM ELIBS as Base, Delta or Listing libraries. PRODUCT(S) AFFECTED: CA Endeavor SCM Release 18.1 Related Problem: ENDBAS 7810 Copyright (C) 2020 CA. All rights reserved. R00094-SCM181-SP0 DESC((E) DEFERRED FILE CREATION FOR ELIBS). ++VER (Z038) FMID (CSIQI11) PRE (SO11289 SO12326 SO14705) SUP (ST15459 ST15779) ++IF FMID(CSIQI10) REQ(SO15778) . ++HOLD (SO15779) SYSTEM FMID(CSIQI11) REASON (ACTION) DATE (20335) COMMENT (<pre> +-----+ CA Endeavor SCM Japanese Localization Release 18.1 +-----+-----+ SEQUENCE Before Apply +-----+-----+ PURPOSE This PTF updates PANELS in the CSIQPJPN library. If you have customized the PANEL(S) delivered by this PTF, you must backup your customized version of the PANEL(S) before applying this PTF to avoid losing your changes. +-----+-----+ USERS All Endeavor users. AFFECTED +-----+-----+ KNOWLEDGE 1. SMP/e REQUIRED 2. Endeavor Administration 3. Endeavor PANELS +-----+-----+ ACCESS No special access is required. REQUIRED +-----+-----+ ***** * STEPS TO PERFORM * ***** 1. Backup any customized PANELS in CSIQPJPN that this PTF supplies. 2. APPLY this PTF. 3. Re-apply your customizations to the updated PANELS in CSIQPJPN.). MCS SO15110 STARTS ON PAGE 0002 MCS SO15234 STARTS ON PAGE 0002 MCS SO15434 STARTS ON PAGE 0004 MCS SO15462 STARTS ON PAGE 0005 </pre>

CA Endeavor SCM 18.1
CA RS 2012 - PTF SO15779 Details

13

Service	Details		
	MCS	SO15778	STARTS ON PAGE 0006
	MCS	SO15779	STARTS ON PAGE 0009

CA Endeavor SCM 18.1
CA RS 2012 Product/Component Listing

14

Product Family	Product	Release
Application Development	CA ENDEVOR SCM	18.01.00
The CA RS 2012 Product/Component Count for this release is 1		

CA RS Level	Service	FMID
CAR2012	S015779	CSIQI11
	S015778	CSIQI10
	S015462	CSIQI10
	S015434	CSIQI10
	S015234	CSIQI13
	S015110	CSIQI10
CAR2011	S015251	CSIQI10
	S015219	CSIQI11
	S015218	CSIQI10
	S015125	CSIQI13
	S014748	CSIQI10
	S013905	CSIQI13
	S012172	CSIQI10
CAR2010	S014847	CSIQI10
	S014705	CSIQI11
	S014704	CSIQI10
	S014674	CSIQI10
CAR2009	S014513	CSIQI10
	S014420	CSIQI10
	S014309	CSIQI10
	S014222	CSIQI11
	S014221	CSIQI10
	S014082	CSIQI13
	S014076	CSIQI10
CAR2008	S013857	CSIQI10
	S013849	CSIQI13
	S013321	CSIQI10
	S013082	CSIQI13
	S012441	CSIQI10
CAR2007	S013690	CSIQI11
	S013689	CSIQI10
	S013604	CSIQI11
	S013592	CSIQI10
	S013583	CSIQI10
	S013582	CSIQI13
	S013479	CSIQI10
	S013434	CSIQI10
	S013067	CSIQI10
CAR2006	S013177	CSIQI10
	S013128	CSIQI10
	S013068	CSIQI10
	S012961	CSIQI10
	S012864	CSIQI10
CAR2005	S012574	CSIQI13
	S012546	CSIQI10
	S012498	CSIQI10
	S012495	CSIQI11

CA RS Level	Service	FMID
	S012494	CSIQI10
	S012491	CSIQI13
	S012490	CSIQI10
	S012309	CSIQI13
	S012022	CSIQI10
CAR2004	S012341	CSIQI10
	S012326	CSIQI11
	S012312	CSIQI10
	S012308	CSIQI10
	S012301	CSIQI11
	S012300	CSIQI10
	S012169	CSIQI10
	S011910	CSIQI10
	S011257	CSIQI10
	S011104	CSIQI10
CAR2003	S012079	CSIQI10
	S011879	CSIQI10
	S011289	CSIQI11
	S011288	CSIQI10
CAR2002	S011541	CSIQI10
	S011495	CSIQI10
	S011467	CSIQI13
	S011272	CSIQI13
CAR2001	S011124	CSIQI11
	S011123	CSIQI10
	S010979	CSIQI10
	S010896	CSIQI10
	S010825	CSIQI13
	S010824	CSIQI10
	S010822	CSIQI10