

CA OPS/MVS for JES3 13.0
CA RS 2012 Service List

1

Service	Description	Type
S015472	OPSSMTBL NOT CREATING TABLE COLUMNS ACCORDING TO SSMVERSION	PTF
S015524	ABEND SOC4 IN OPER COMMAND OPOCCM +B40	PTF
S015582	SSMV3 EOM RULE SETS STATE TO FAILED WHEN RESOURCE INACTIVE	PTF
S015615	UNABLE TO SET IPLSTATE IN SSMV3 PANELS	PTF
S015763	INCORRECT OSF ACCESS LEVELS FOR COMMANDS	PTF
The CA RS 2012 service count for this release is 5		

CA OPS/MVS for JES3
CA RS 2012 Service List for CCLXD00

2

FMID	Service	Description	Type
CCLXD00	SO15472	OPSSMTBL NOT CREATING TABLE COLUMNS ACCORDING TO SSMVERSION	PTF
	SO15524	ABEND S0C4 IN OPER COMMAND OPOCCM +B40	PTF
	SO15582	SSMV3 EOM RULE SETS STATE TO FAILED WHEN RESOURCE INACTIVE	PTF
	SO15615	UNABLE TO SET IPLSTATE IN SSMV3 PANELS	PTF
	SO15763	INCORRECT OSF ACCESS LEVELS FOR COMMANDS	PTF
The CA RS 2012 service count for this FMID is 5			

Service	Details												
SO15472	SO15472 M.C.S. ENTRIES = ++PTF (SO15472) OPSSMTBL NOT CREATING TABLE COLUMNS ACCORDING TO SSMVERSION PROBLEM DESCRIPTION: The OPSSMTBL POI command processor and OPS/REXX function does not honor the value of the SSMVERSION parameter when creating a System State Manager (SSM) resource table. It always creates an SSM Version 2 table, regardless of the setting of the SSMVERSION parameter. SYMPTOMS: AOF rules, OPS/REXX programs and OPSVIEW itself will get an error if they attempt to reference SSM Version 3 columns in an SSM Version 2 resource table that was created using OPSSMTBL. IMPACT: When running with parameter SSMVERSION set to 3, the LOAD command of the OPSVIEW option 4.11.P.R - SSM Resource Policy Manager fails when attempting to load SSM resource definitions into an SSM resource table that was created by OPSSMTBL. CIRCUMVENTION: Create SSM Version 3 resource tables using the OPSVIEW option 2.6 - RDF Table Editor. Use the I command to insert a new table, then specify the option "SSM STC resource table" on the following panel. PRODUCT(S) AFFECTED: <table> <tr> <td>CA OPS/MVS Base</td><td>Version 13.0</td></tr> <tr> <td>CA OPS/MVS Base</td><td>Release 13.5</td></tr> <tr> <td>CA OPS/MVS Base</td><td>Version 14.0</td></tr> </table> Related Problem: OPSMVS 1727 Copyright (C) 2020 CA. All rights reserved. R00257-CLX130-SP1 DESC(OPSSMTBL NOT CREATING TABLE COLUMNS ACCORDING TO SSMVERSION). ++VER (Z038) FMID (CCLXD00) PRE (R098697 R099262 S004780) SUP (R098522 S000165 ST00165 ST15472 TR98522) ++HOLD (SO15472) SYSTEM FMID(CCLXD00) REASON (DOC) DATE (20314) COMMENT (<table> <tr> <td colspan="2">+-----+</td></tr> <tr> <td> CA OPS/MVS Base</td><td>Version 13.0 </td></tr> <tr> <td colspan="2">+-----+</td></tr> </table> ***** * PUBLICATION * ***** See the PTF Cover Letter for a description of this PTF. See the description for the "CREATE" keyword of OPSSMTBL Command Processor in the CA OPS/MVS documentation set at http://techdocs.broadcom.com , CA Mainframe Software > Automation > CA OPS/MVS.). ++HOLD (SO15472) SYSTEM FMID(CCLXD00)	CA OPS/MVS Base	Version 13.0	CA OPS/MVS Base	Release 13.5	CA OPS/MVS Base	Version 14.0	+-----+		CA OPS/MVS Base	Version 13.0	+-----+	
CA OPS/MVS Base	Version 13.0												
CA OPS/MVS Base	Release 13.5												
CA OPS/MVS Base	Version 14.0												
+-----+													
CA OPS/MVS Base	Version 13.0												
+-----+													

Service	Details
	REASON (DYNACT) DATE (20314)
	COMMENT (
	+-----+ CA OPS/MVS Base Version 13.0 +-----+
	SEQUENCE After APPLY +-----+
	PURPOSE To activate load modules updated by this PTF, including load module OPSAEX +-----+
	USERS All OPS/MVS users AFFECTED +-----+
	KNOWLEDGE Basic z/OS systems programming skills REQUIRED +-----+
	ACCESS - Access to OPS/MVS SMP/E Target loadlib CCLXLOAD and any REQUIRED deployed copies - Authority to issue MVS system commands - Authority to stop and start OPS/MVS +-----+
	***** * STEPS TO PERFORM * *****
	1. This PTF updates load module OPSAEX, as well as the other load modules identified by the ++MOD statements contained in this PTF. APPLY of this PTF updates SMP/E Target loadlib CCLXLOAD.
	2. Copy the updated load modules from SMP/E Target loadlib CCLXLOAD to any other deployed copies, such as a STEPLIB used by the OPS/MVS main address space, a link listed loadlib, etc.
	3. If the system library lookaside (LLA) program is managing any updated loadlib, you must refresh LLA by using MVS system command "F LLA,REFRESH" or some equivalent mechanism.
	4. TSO users must get out of OPSVIEW.
	5. Stop OPS/MVS.
	6. If the system link pack area (LPA) contains any updated load module, you must refresh LPA by using MVS system command "SETPROG LPA" or some equivalent mechanism.
	7. Start OPS/MVS.
	8. TSO users may access OPSVIEW. Depending on how OPSVIEW is accessed, this may require TSO logoff/logon.) .

Service	Details
SO15524	SO15524 M.C.S. ENTRIES = ++PTF (SO15524) ABEND SOC4 IN OPER COMMAND OPOCCM +B40 PROBLEM DESCRIPTION: If an ADDRESS OPER command has a syntax error, the errors are reported but the command will also cause an SOC4 abend in module OPOCCM. SYMPTOMS: ABEND SOC4 IN OPER COMMAND OPOCCM +B40 IMPACT: Module OPOCCM abends rather than just issuing an error message. CIRCUMVENTION: None. PRODUCT(S) AFFECTED: CA OPS/MVS Base Version 13.0 CA OPS/MVS Base Release 13.5 CA OPS/MVS Base Version 14.0 Related Problem: OPSMVS 1728 Copyright (C) 2020 CA. All rights reserved. R00258-CLX130-SP1 DESC(ABEND SOC4 IN OPER COMMAND OPOCCM +B40). ++VER (Z038) FMID (CCLXD00) SUP (ST15524) ++HOLD (SO15524) SYSTEM FMID(CCLXD00) REASON (DYNACT) DATE (20311) COMMENT (<pre> +-----+ CA OPS/MVS Base Version 13.0 +-----+-----+ SEQUENCE After APPLY +-----+-----+ PURPOSE To activate load modules updated by this PTF, including load module OPSAEX +-----+-----+ USERS All OPS/MVS users AFFECTED +-----+-----+ KNOWLEDGE Basic z/OS systems programming skills REQUIRED +-----+-----+ ACCESS - Access to OPS/MVS SMP/E Target loadlib CCLXLOAD and any REQUIRED deployed copies - Authority to issue MVS system commands - Authority to stop and start OPS/MVS +-----+-----+ ***** * STEPS TO PERFORM * ***** 1. This PTF updates load module OPSAEX, as well as the other load modules identified by the ++MOD statements contained in this PTF. APPLY of this PTF updates SMP/E Target loadlib CCLXLOAD. 2. Copy the updated load modules from SMP/E Target loadlib </pre>

Service	Details
	CCLXLOAD to any other deployed copies, such as a STEPLIB used by the OPS/MVS main address space, a link listed loadlib, etc. 3. If the system library lookaside (LLA) program is managing any updated loadlib, you must refresh LLA by using MVS system command "F LLA,REFRESH" or some equivalent mechanism. 4. TSO users must get out of OPSVIEW. 5. Stop OPS/MVS. 6. If the system link pack area (LPA) contains any updated load module, you must refresh LPA by using MVS system command "SETPROG LPA" or some equivalent mechanism. 7. Start OPS/MVS. 8. TSO users may access OPSVIEW. Depending on how OPSVIEW is accessed, this may require TSO logoff/logon.).

Service	Details	
SO15582	SO15582 M.C.S. ENTRIES = ++PTF (SO15582)	
	SSMV3 EOM RULE SETS STATE TO FAILED WHEN RESOURCE INACTIVE	
	PROBLEM DESCRIPTION:	
	The SSMV3 dynamic EOM rule does not check for INACTIVE resources.	
	SYMPTOMS:	
	CURRENT_STATE of an INACTIVE resource is set to FAILED when the resource is shutdown.	
	IMPACT:	
	CURRENT_STATE of an INACTIVE resource is set to FAILED.	
	CIRCUMVENTION:	
	None.	
	PRODUCT(S) AFFECTED:	
	CA OPS/MVS Base	Version 13.0
	CA OPS/MVS Base	Version 13.5
	CA OPS/MVS Base	Version 14.0
	Related Problem:	
	OPSMVS 1730	
	Copyright (C) 2020 CA. All rights reserved. R00259-CLX130-SP1	
	DESC(SSMV3 EOM RULE SETS STATE TO FAILED WHEN RESOURCE INACTIVE).	
	++VER (Z038)	
	FMID (CCLXD00)	
	PRE (R093591 R095154 R095285 R096115 R097465 R097835	
	R098139 R098339 R098964 R099161 R099603 S000002	
	S000309 S000534 S001095 S001805 S004478 S004636	
	S005089 S005193 S005709 S005982 S006307 S006578	
	S007074 S009697 S009879 S010838 S011111)	
	SUP (R097559 R098292 S001582 S004902 S005268 S006538	
	S006932 S007720 S008587 S013471 S015170 ST01582	
ST04902 ST05268 ST06538 ST06932 ST07720 ST08587		
ST13471 ST15170 ST15582 TR97559 TR98292)		
++HOLD (SO15582) SYSTEM FMID(CCLXD00)		
REASON (ACTION) DATE (20316)		
COMMENT (		
+-----+-----+		
	CA OPS/MVS Base	Version 13.0
+-----+-----+		
SEQUENCE	After APPLY	
+-----+-----+		
PURPOSE	Reset ISPF statistics for updated AOF rule(s)	
+-----+-----+		
USERS	Users with AOF rules	
AFFECTED		
+-----+-----+		
KNOWLEDGE	ISPF	
REQUIRED		
+-----+-----+		
ACCESS	Product libraries	
REQUIRED		
+-----+-----+		

* STEPS TO PERFORM *		

Service	Details
	This PTF installs updated AOF rule(s) into SMP/E Target library CCLXRULM with no ISPF statistics. You will not be able to auto-enable the updated rule(s) until you reset their ISPF statistics. You can use ISPF option 3.5 to manually reset the ISPF statistics for the updated rule(s). You can use ISPF option 3.3 to manually copy the updated rule(s) to your deployed ruleset(s).).

Service	Details						
S015615	S015615 M.C.S. ENTRIES = ++PTF (S015615) UNABLE TO SET IPLSTATE IN SSMV3 PANELS PROBLEM DESCRIPTION: The IPLSTATE field on the SSMV3 ACTIVATION panel did not support changes to a resource table's UP_STATE and DOWN_STATE. SYMPTOMS: ISPF error indicating that IPLSTATE must be set to UP, DOWN, IPL or UNKNOWN. IMPACT: Unable to set IPLSTATE if the UP_STATE and DOWN_STATE of the resource table is not UP and DOWN respectively. CIRCUMVENTION: None. PRODUCT(S) AFFECTED: <table> <tr> <td>CA OPS/MVS Base</td><td>Version 13.0</td></tr> <tr> <td>CA OPS/MVS Base</td><td>Version 13.5</td></tr> <tr> <td>CA OPS/MVS Base</td><td>Version 14.0</td></tr> </table> Related Problem: OPSMVS 1731 Copyright (C) 2020 CA. All rights reserved. R00260-CLX130-SP1 DESC(UNABLE TO SET IPLSTATE IN SSMV3 PANELS). ++VER (Z038) FMID (CCLXD00) PRE (R093591 R095154 R095285 R096115 R097465 R097835 R098139 R098339 R098964 R099161 R099603 S000002 S000309 S000534 S001095 S001582 S001805 S004478 S004636 S005089 S005193 S005709 S005982 S006307 S006578 S007074 S007720 S008587 S009697 S009879 S011111 S015170 S015582) SUP (R097559 R098292 S006538 S006932 ST06538 ST06932 ST15615 TR97559 TR98292)	CA OPS/MVS Base	Version 13.0	CA OPS/MVS Base	Version 13.5	CA OPS/MVS Base	Version 14.0
CA OPS/MVS Base	Version 13.0						
CA OPS/MVS Base	Version 13.5						
CA OPS/MVS Base	Version 14.0						

Service	Details																																								
S015763	S015763 M.C.S. ENTRIES = ++PTF (S015763) INCORRECT OSF ACCESS LEVELS FOR COMMANDS PROBLEM DESCRIPTION: This PTF corrects the following two problems when executing commands sent to an OSF server: 1) A command sent to an OSF server using the z/OS command prefix set by the OSFCHAR parameter does not have console authority set in the PSCB (Protected Step Control Block). 2) A command sent to an OSF server using ADDRESS OSF may not use the correct authority level, which is that of the TSO user who issued the command. SYMPTOMS: Various authorization errors may occur when attempting to access defined security entities using the OSF environment, depending upon the accessed entity. IMPACT: Commands that access defined security entities may fail when executing in an OSF server environment as compared to other environments such as a TSO session or batch TMP. CIRCUMVENTION: None. PRODUCT(S) AFFECTED: <table> <tr> <td>CA OPS/MVS Base</td><td>Version 13.0</td></tr> <tr> <td>CA OPS/MVS Base</td><td>Release 13.5</td></tr> <tr> <td>CA OPS/MVS Base</td><td>Version 14.0</td></tr> </table> Related Problem: OPSMVS 1709 Copyright (C) 2020 CA. All rights reserved. R00262-CLX130-SP1 DESC(INCORRECT OSF ACCESS LEVELS FOR COMMANDS). ++VER (Z038) FMID (CCLXD00) PRE (R094507 R095980 R096478 S000300 S009264) SUP (S007772 ST05889 ST07772 ST15756 ST15763) ++HOLD (S015763) SYSTEM FMID(CCLXD00) REASON (ACTION) DATE (20330) COMMENT (<table> <tr> <td colspan="2">+-----+</td> </tr> <tr> <td> CA OPS/MVS Base</td><td>Version 13.0 </td> </tr> <tr> <td colspan="2">+-----+</td> </tr> <tr> <td> SEQUENCE</td><td> After Apply </td> </tr> <tr> <td colspan="2">+-----+</td> </tr> <tr> <td> PURPOSE</td><td> Recycle the OPSOSF address spaces to pick up the code </td> </tr> <tr> <td> </td><td> change. </td> </tr> <tr> <td colspan="2">+-----+</td> </tr> <tr> <td> USERS</td><td> All OPS/MVS users </td> </tr> <tr> <td> AFFECTED</td><td> </td> </tr> <tr> <td colspan="2">+-----+</td> </tr> <tr> <td> KNOWLEDGE</td><td> OPS/MVS Product Administration </td> </tr> <tr> <td> REQUIRED</td><td> </td> </tr> <tr> <td colspan="2">+-----+</td> </tr> <tr> <td> ACCESS</td><td> Access to OPSVIEW option 4.3 to recycle OSF address spaces </td> </tr> <tr> <td> REQUIRED</td><td> </td> </tr> <tr> <td colspan="2">+-----+</td> </tr> </table>	CA OPS/MVS Base	Version 13.0	CA OPS/MVS Base	Release 13.5	CA OPS/MVS Base	Version 14.0	+-----+		CA OPS/MVS Base	Version 13.0	+-----+		SEQUENCE	After Apply	+-----+		PURPOSE	Recycle the OPSOSF address spaces to pick up the code		change.	+-----+		USERS	All OPS/MVS users	AFFECTED		+-----+		KNOWLEDGE	OPS/MVS Product Administration	REQUIRED		+-----+		ACCESS	Access to OPSVIEW option 4.3 to recycle OSF address spaces	REQUIRED		+-----+	
CA OPS/MVS Base	Version 13.0																																								
CA OPS/MVS Base	Release 13.5																																								
CA OPS/MVS Base	Version 14.0																																								
+-----+																																									
CA OPS/MVS Base	Version 13.0																																								
+-----+																																									
SEQUENCE	After Apply																																								
+-----+																																									
PURPOSE	Recycle the OPSOSF address spaces to pick up the code																																								
	change.																																								
+-----+																																									
USERS	All OPS/MVS users																																								
AFFECTED																																									
+-----+																																									
KNOWLEDGE	OPS/MVS Product Administration																																								
REQUIRED																																									
+-----+																																									
ACCESS	Access to OPSVIEW option 4.3 to recycle OSF address spaces																																								
REQUIRED																																									
+-----+																																									

Service	Details
	<pre> ***** * STEPS TO PERFORM * ***** 1. Access OPSVIEW option 4.3 2. Issue the 'T' terminate line command for each OSF asid). ++HOLD (SO15763) SYSTEM FMID(CCLXD00) REASON (DYNACT) DATE (20330) COMMENT (+-----+ CA OPS/MVS Base Version 13.0 +-----+ SEQUENCE After APPLY +-----+ PURPOSE To activate load modules updated by this PTF, including load module OPSAEX +-----+ USERS All OPS/MVS users AFFECTED +-----+ KNOWLEDGE Basic z/OS systems programming skills REQUIRED +-----+ ACCESS - Access to OPS/MVS SMP/E Target loadlib CCLXLOAD and any REQUIRED deployed copies - Authority to issue MVS system commands - Authority to stop and start OPS/MVS +-----+ ***** * STEPS TO PERFORM * ***** 1. This PTF updates load module OPSAEX, as well as the other load modules identified by the ++MOD statements contained in this PTF. APPLY of this PTF updates SMP/E Target loadlib CCLXLOAD. 2. Copy the updated load modules from SMP/E Target loadlib CCLXLOAD to any other deployed copies, such as a STEPLIB used by the OPS/MVS main address space, a link listed loadlib, etc. 3. If the system library lookaside (LLA) program is managing any updated loadlib, you must refresh LLA by using MVS system command "F LLA,REFRESH" or some equivalent mechanism. 4. TSO users must get out of OPSVIEW. 5. Stop OPS/MVS. 6. If the system link pack area (LPA) contains any updated load module, you must refresh LPA by using MVS system command "SETPROG LPA" or some equivalent mechanism. 7. Start OPS/MVS. 8. TSO users may access OPSVIEW. Depending on how OPSVIEW is accessed, this may require TSO logoff/logon.). MCS SO15472 STARTS ON PAGE 0002 MCS SO15524 STARTS ON PAGE 0004 </pre>

CA OPS/MVS for JES3 13.0
CA RS 2012 - PTF SO15763 Details

12

Service	Details		
	MCS	SO15582	STARTS ON PAGE 0006
	MCS	SO15615	STARTS ON PAGE 0007
	MCS	SO15763	STARTS ON PAGE 0008

CA OPS/MVS for JES3 13.0
CA RS 2012 Product/Component Listing

13

Product Family	Product	Release
Systems Management	CA OPS/MVS BASE	13.00.00
The CA RS 2012 Product/Component Count for this release is 1		

CA RS Level	Service	FMID
CAR2012	S015763	CCLXD00
	S015615	CCLXD00
	S015582	CCLXD00
	S015524	CCLXD00
	S015472	CCLXD00
CAR2011	S015170	CCLXD00
	S015150	CCLXD01
CAR2009	S014536	CCLXD00
CAR2008	S014104	CCLXD00
	S013924	CCLXD00
CAR2007	S013673	CCLXD00
	S013471	CCLXD00
	S013446	CCLXD00
	S013442	CCLXD00
	S013296	CCLXD00
CAR2006	S013061	CCLXD00
CAR2005	S012827	CCLXD00
	S012671	CCLXD00
	S012660	CCLXD00
	S012626	CCLXD00
	S012596	CCLXD00
	S012493	CCLXD00
CAR2004	S012593	CCLXD00
	S012410	CCLXD00
CAR2003	S012095	CCLXD00
	S011956	CCLXD00
CAR2002	S011788	CCLXD00
	S011482	CCLXD00
CAR2001	S011245	CCLXD00
	S011111	CCLXD00
	S010838	CCLXD00
CAR1912	S010842	CCLXD00
CAR1911	S010591	CCLXD00
	S010458	CCLXD00
	S010420	CCLXD00
	S010407	CCLXD00
CAR1910	S010025	CCLXD00
	S009879	CCLXD00
	S009795	CCLXD00
	S009773	CCLXD00
	S008049	CCLXD00
CAR1909	S009842	CCLXD00
	S009697	CCLXD00
	S009638	CCLXD00
	S009490	CCLXD00
CAR1908	S009264	CCLXD00
	S009159	CCLXD00

CA RS Level	Service	FMID
CAR1907	S009018	CCLXD00
	S008875	CCLXD00
	S008824	CCLXD00
	S008718	CCLXD00
	S008711	CCLXD00
	S008252	CCLXD03
CAR1906	S008641	CCLXD00
	S008587	CCLXD00
	S008573	CCLXD00
	S008476	CCLXD00
	S008413	CCLXD00
	S008340	CCLXD00
	S008298	CCLXD00
	S008242	CCLXD00
CAR1905	S008133	CCLXD00
CAR1904	S007772	CCLXD00
	S007720	CCLXD00
	S007653	CCLXD00
CAR1903	S007229	CCLXD01
	S007074	CCLXD00
CAR1902	S007183	CCLXD01
	S007123	CCLXD00
	S006934	CCLXD00
	S006932	CCLXD00
	S006787	CCLXD00
CAR1901	S006683	CCLXD00
	S006578	CCLXD00
	S006538	CCLXD00
	S006488	CCLXD00
CAR1812	S006389	CCLXD00
	S006327	CCLXD01
	S006307	CCLXD00
	S006258	CCLXD00
	S006156	CCLXD00
	S005994	CCLXD01
CAR1811	S006103	CCLXD00
	S005982	CCLXD00
	S005726	CCLXD00
	S005709	CCLXD00
	S005692	CCLXD00
	S005657	CCLXD01
CAR1810	S005676	CCLXD00
	S005672	CCLXD00
	S005636	CCLXD01
	S005589	CCLXD00
	S005529	CCLXD01
	S005501	CCLXD00

CA RS Level	Service	FMID
	S005460	CCLXD00
	S005340	CCLXD00
	S005284	CCLXD00
	S005268	CCLXD00
CAR1809	S005193	CCLXD00
	S005089	CCLXD00
	S005046	CCLXD00
	S004984	CCLXD00
	S004937	CCLXD00
	S004902	CCLXD00
	S004899	CCLXD00
	S004780	CCLXD00
	S004605	CCLXD00
	S004137	CCLXD00
CAR1808	S004636	CCLXD00
	S004624	CCLXD00
	S004478	CCLXD00
	S004295	CCLXD01
CAR1807	S003936	CCLXD00
	S003909	CCLXD00
CAR1806	S003746	CCLXD00
	S003736	CCLXD00
	S003721	CCLXD01
	S003660	CCLXD00
	S003629	CCLXD00
	S001957	CCLXD00
	S001878	CCLXD00
	S001810	CCLXD00
	S001805	CCLXD00
	S001748	CCLXD00
CAR1805	S001582	CCLXD00
	S001318	CCLXD00
	S001269	CCLXD00
	S000892	CCLXD00
CAR1804	S001096	CCLXD00
	S001095	CCLXD00
	S001082	CCLXD01
	S000907	CCLXD00
	S000647	CCLXD00
	S000309	CCLXD00
CAR1803	S000659	CCLXD00
	S000639	CCLXD00
	S000534	CCLXD00
	S000407	CCLXD00
	S000392	CCLXD00
	S000300	CCLXD00
	R099262	CCLXD00

CA RS Level	Service	FMID
CAR1802	S000182	CCLXD00
	S000165	CCLXD00
	S000008	CCLXD00
	S000002	CCLXD00
	R099930	CCLXD00
CAR1801	R099603	CCLXD00
	R099549	CCLXD00
	R099351	CCLXD00
	R099017	CCLXD00
CAR1712	R099183	CCLXD00
	R099161	CCLXD00
	R099146	CCLXD00
	R099083	CCLXD00
	R099076	CCLXD00
	R098964	CCLXD00
CAR1711	R098820	CCLXD00
	R098697	CCLXD00
	R098686	CCLXD00
	R098596	CCLXD00
	R098522	CCLXD00
	R098459	CCLXD00
	R098339	CCLXD00
	R098292	CCLXD00
	R097912	CCLXD01
	R096479	CCLXD01
	R096478	CCLXD00
CAR1710	R098139	CCLXD00
	R097889	CCLXD00
	R097835	CCLXD00
CAR1709	R097665	CCLXD00
	R097620	CCLXD00
	R097559	CCLXD00
	R097551	CCLXD00
	R097465	CCLXD00
	R097449	CCLXD00
	R097420	CCLXD00
CAR1708	R097040	CCLXD00
	R097011	CCLXD00
	R097008	CCLXD00
	R097000	CCLXD01
	R096971	CCLXD00
	R096959	CCLXD00
	R096643	CCLXD00
CAR1707	R096446	CCLXD00
CAR1706	R096115	CCLXD00
	R095980	CCLXD00
	R095953	CCLXD00

CA RS Level	Service	FMID
	R095890	CCLXD00
	R095212	CCLXD00
CAR1705	R095660	CCLXD00
	R095391	CCLXD00
CAR1704	R095348	CCLXD00
	R095285	CCLXD00
	R095251	CCLXD00
	R095204	CCLXD00
	R095154	CCLXD00
	R095028	CCLXD00
	R094989	CCLXD00
	R094880	CCLXD00
	R094837	CCLXD00
	R094774	CCLXD00
	R094507	CCLXD00
	R094245	CCLXD00
CAR1703	R094721	CCLXD00
	R094704	CCLXD00
	R094652	CCLXD04
	R094625	CCLXD00
	R094613	CCLXD00
	R094603	CCLXD00
	R094474	CCLXD00
	R094359	CCLXD00
	R094323	CCLXD00
CAR1702	R094192	CCLXD03
	R094184	CCLXD00
	R094116	CCLXD00
	R094104	CCLXD00
	R094084	CCLXD03
	R094069	CCLXD00
	R094062	CCLXD00
	R093997	CCLXD00
	R093945	CCLXD00
	R093939	CCLXD00
	R093749	CCLXD00
CAR1701	R093685	CCLXD00
	R093591	CCLXD00
	R093549	CCLXD00
	R093524	CCLXD00