

CA Endeavor SCM 18.1
CA RS 2101 Service List

1

Service	Description	Type
S014767	C1EUDATA NOT RESOLVED ON TRANSFER RESTART	PTF
S015818	TSO PROFILE CHANGED TO NOINTERCOM AFTER SUBMITTING A JOB	PTF
S015878	E2E LOGGING WILDCARDED ENVIRONMENT	PTF
S015900	MAKE FROM LOCATION CUSTOMIZABLE WHEN ADDING VIA REST API	PTF
The CA RS 2101 service count for this release is 4		

CA Endevor SCM
CA RS 2101 Service List for CSIQI10

FMID	Service	Description	Type
CSIQI10	S014767	C1EUDATA NOT RESOLVED ON TRANSFER RESTART	PTF
	S015818	TSO PROFILE CHANGED TO NOINTERCOM AFTER SUBMITTING A JOB	PTF
	S015878	E2E LOGGING WILDCARDED ENVIRONMENT	PTF
The CA RS 2101 service count for this FMID is 3			

CA Endevor SCM
CA RS 2101 Service List for CSIQI13

FMID	Service	Description	Type
CSIQI13	S015900	MAKE FROM LOCATION CUSTOMIZABLE WHEN ADDING VIA REST API	PTF
The CA RS 2101 service count for this FMID is 1			

Service	Details
SO14767	SO14767 M.C.S. ENTRIES = ++PTF (SO14767) C1EUDATA NOT RESOLVED ON TRANSFER RESTART If optional feature BYPASS_C1G0334W=ON is NOT applied and a TRANSFER is restarted, then the processor Symbol &C1EUDATA is not resolved (is set to nulls), which could cause unexpected results in the DELETE processor. PROBLEM DESCRIPTION: In situations where a batch transfer delete processor fails, then a restart of the transfer action will detect that source management has already been performed and continue with the delete action. However, the processor symbolic &C1EUDATA is not set and can cause unexpected results in the DELETE processor. This was resolved by P7710 (S008402), but regressed by P7692 in 18.1 This FIX will float the 18.0 fix to 18.1 under P7818. SYMPTOMS: &C1EUDATA is resolved as NULLS after C1G0334W is received. IMPACT: Processors that depend on the userdata will not be able to operate correctly. The actual impact will vary according to site use of this data and the frequency (low) of transfer fail and restart. CIRCUMVENTION: Enable Optional feature BYPASS_C1G0334W=ON PRODUCT(S) AFFECTED: CA Endeavor SCM Version 18.1 Related Problem: ENDBAS 7818 Copyright (C) 2020 CA. All rights reserved. R00078-SCM181-SP0 DESC(C1EUDATA NOT RESOLVED ON TRANSFER RESTART). ++VER (Z038) FMID (CSIQI10) SUP (ST14767)

Service	Details
SO15818	SO15818 M.C.S. ENTRIES = ++PTF (SO15818) TSO PROFILE CHANGED TO NOINTERCOM AFTER SUBMITTING A JOB PROBLEM DESCRIPTION: If the user's TSO PROFILE settings are NOMSGID and INTERCOM and the user submits a batch job from an Endeavor ISPF interface, the settings will change to NOINTERCOM. SYMPTOMS: Endeavor users may stop receiving SEND messages, for example, job completion status messages. IMPACT: Endeavor users may miss messages until they issue "TSO PROFILE INTERCOM" command. CIRCUMVENTION: Issue command "TSO PROFILE MSGID". The problem does not occur with this setting. PRODUCTS AFFECTED: CA Endeavor, Release 18.1 Related Problem: ENDBAS 7835 Copyright (C) 2020 CA. All rights reserved. R00095-SCM181-SP0 DESC(TSO PROFILE CHANGED TO NOINTERCOM AFTER SUBMITTING A JOB). ++VER (Z038) FMID (CSIQI10) PRE (S011288 S014704) SUP (ST15818) ++HOLD (SO15818) SYSTEM FMID(CSIQI10) REASON (ACTION) DATE (20346) COMMENT (<pre> +-----+ CA Endeavor SCM Release 18.1 +-----+-----+ SEQUENCE Before Apply +-----+-----+ PURPOSE This PTF updates CLISTS in the CSIQCLS0 library. If you have customized the CLIST(S) delivered by this PTF, you must backup your customized version of the CLIST(S) before applying this PTF to avoid losing your changes. +-----+-----+ USERS All Endeavor users. AFFECTED +-----+-----+ KNOWLEDGE 1. SMP/e REQUIRED 2. Endeavor Administration 3. Endeavor CLISTS +-----+-----+ ACCESS No special access is required. REQUIRED +-----+-----+ ***** * STEPS TO PERFORM * ***** 1. Backup any customized CLISTS in CSIQCLS0 that this PTF supplies. </pre>

CA Endeavor SCM 18.1
CA RS 2101 - PTF SO15818 Details

Service	Details
	2. APPLY this PTF. 3. Re-apply your customizations to the updated CLISTS in CSIQCLS0.).

CA Endeavor SCM 18.1
CA RS 2101 - PTF SO15878 Details

7

Service	Details
SO15878	SO15878 M.C.S. ENTRIES = ++PTF (SO15878) E2E LOGGING WILDCARDED ENVIRONMENT ENHANCEMENT DESCRIPTION: This enhancement adds the ability to specify a partially or fully wildcarded Environment in the End-to-End logging member for Element activity logging. Previously, the Environment specification was required to be explicit. Note that a "FROM ENVIRONMENT" statement is still required. PRODUCT(S) AFFECTED: CA Endeavor SCM Release 18.1 Related Problem: ENDBAS 7837 Copyright (C) 2020 CA. All rights reserved. R00097-SCM181-SP0 DESC (E2E LOGGING WILDCARDED ENVIRONMENT) . ++VER (Z038) FMID (CSIQI10) PRE (SO11288 SO11495) SUP (SO14309 ST14309 ST15878)

Service	Details
SO15900	SO15900 M.C.S. ENTRIES = ++PTF (SO15900) MAKE FROM LOCATION CUSTOMIZABLE WHEN ADDING VIA REST API ENHANCEMENT DESCRIPTION: Adds new parameters to the REST API Add, Update and Retrieve element actions: Add/Update - new parameter "fromFileDescription", used together with fromFile, specifies a string that will be used as the "from location" associated with the action. Retrieve - new parameter "toFileDescription", used when retrieving source directly in the response body, specifies a string that will be used as the "to location" associated with the action. PRODUCT(S) AFFECTED: CA Endeavor SCM Release 18.1 Related Problem: ENDBAS 7804 Copyright (C) 2020 CA. All rights reserved. R00098-SCM181-SP0 DESC(MAKE FROM LOCATION CUSTOMIZABLE WHEN ADDING VIA REST API). ++VER (Z038) FMID (CSIQI13) PRE (SO11272 SO13582 SO13849) SUP (SO12309 SO13905 SO15234 ST12309 ST13559 ST13905 ST15234 ST15819 ST15900) ++HOLD (SO15900) SYSTEM FMID(CSIQI13) REASON (ACTION) DATE (20344) COMMENT (<pre> +-----+ CA Endeavor SCM for Web Services Release 18.1 +-----+ SEQUENCE After Apply +-----+ PURPOSE This correction updates Endeavor Web Services. To implement this update, you must update the Web Services component of your target Tomcat directory and recycle the Tomcat server. +-----+ USERS AFFECTED All users of Endeavor Web Services. +-----+ KNOWLEDGE 1. SMP/e REQUIRED 2. Endeavor Web Services 3. Tomcat 4. Unix System Services +-----+ ACCESS 1. Update access to USS target and deployment files REQUIRED 2. Ability to stop and start Tomcat +-----+ ***** * STEPS TO PERFORM * ***** 1. Stop Tomcat 2. Verify that the parameters in the ENWSInstallOptions.properties file are set according to your environment. This file resides in </pre>

Service	Details												
	the USS directory where this PTF has been installed to (USS install directory). 3. Either: a. In the TSO OMVS environment, change to the directory where the script ENWSUpd.sh resides: <pre>cd <USS install directory>/tpv</pre> execute the script: <pre>sh ENWSUpd.sh</pre> or b. Run job WSTOMCCS to update Endeavor Web Services. Steps how to update are included in the WSTOMCCS job. 4. Start Tomcat <pre>)</pre> BINARY <pre>LINK(' ../tpv/tomcat/webapps/EndevorService.war')</pre> <pre>PARM(PATHMODE(0,7,7,5)) .</pre> TEXT <pre>LINK(' ../tpv/tomcat/webapps/EndevorService.war.md5')</pre> <pre>PARM(PATHMODE(0,7,7,5)) .</pre> <table><tr><td>MCS</td><td>SO14767</td><td>STARTS ON PAGE 0002</td></tr><tr><td>MCS</td><td>SO15818</td><td>STARTS ON PAGE 0002</td></tr><tr><td>MCS</td><td>SO15878</td><td>STARTS ON PAGE 0004</td></tr><tr><td>MCS</td><td>SO15900</td><td>STARTS ON PAGE 0004</td></tr></table>	MCS	SO14767	STARTS ON PAGE 0002	MCS	SO15818	STARTS ON PAGE 0002	MCS	SO15878	STARTS ON PAGE 0004	MCS	SO15900	STARTS ON PAGE 0004
MCS	SO14767	STARTS ON PAGE 0002											
MCS	SO15818	STARTS ON PAGE 0002											
MCS	SO15878	STARTS ON PAGE 0004											
MCS	SO15900	STARTS ON PAGE 0004											

CA Endeavor SCM 18.1
CA RS 2101 Product/Component Listing

10

Product Family	Product	Release
Application Development	CA ENDEVOR SCM	18.01.00
The CA RS 2101 Product/Component Count for this release is 1		

CA RS Level	Service	FMID
CAR2101	S015900	CSIQI13
	S015878	CSIQI10
	S015818	CSIQI10
	S014767	CSIQI10
CAR2012	S015779	CSIQI11
	S015778	CSIQI10
	S015462	CSIQI10
	S015434	CSIQI10
	S015234	CSIQI13
	S015110	CSIQI10
CAR2011	S015251	CSIQI10
	S015219	CSIQI11
	S015218	CSIQI10
	S015125	CSIQI13
	S014748	CSIQI10
	S013905	CSIQI13
	S012172	CSIQI10
CAR2010	S014847	CSIQI10
	S014705	CSIQI11
	S014704	CSIQI10
	S014674	CSIQI10
CAR2009	S014513	CSIQI10
	S014420	CSIQI10
	S014309	CSIQI10
	S014222	CSIQI11
	S014221	CSIQI10
	S014082	CSIQI13
	S014076	CSIQI10
CAR2008	S013857	CSIQI10
	S013849	CSIQI13
	S013321	CSIQI10
	S013082	CSIQI13
	S012441	CSIQI10
CAR2007	S013690	CSIQI11
	S013689	CSIQI10
	S013604	CSIQI11
	S013592	CSIQI10
	S013583	CSIQI10
	S013582	CSIQI13
	S013479	CSIQI10
	S013434	CSIQI10
	S013067	CSIQI10
CAR2006	S013177	CSIQI10
	S013128	CSIQI10
	S013068	CSIQI10
	S012961	CSIQI10
	S012864	CSIQI10

CA RS Level	Service	FMID
CAR2005	S012574	CSIQI13
	S012546	CSIQI10
	S012498	CSIQI10
	S012495	CSIQI11
	S012494	CSIQI10
	S012491	CSIQI13
	S012490	CSIQI10
	S012309	CSIQI13
	S012022	CSIQI10
CAR2004	S012341	CSIQI10
	S012326	CSIQI11
	S012312	CSIQI10
	S012308	CSIQI10
	S012301	CSIQI11
	S012300	CSIQI10
	S012169	CSIQI10
	S011910	CSIQI10
	S011257	CSIQI10
	S011104	CSIQI10
CAR2003	S012079	CSIQI10
	S011879	CSIQI10
	S011289	CSIQI11
	S011288	CSIQI10
CAR2002	S011541	CSIQI10
	S011495	CSIQI10
	S011467	CSIQI13
	S011272	CSIQI13
CAR2001	S011124	CSIQI11
	S011123	CSIQI10
	S010979	CSIQI10
	S010896	CSIQI10
	S010825	CSIQI13
	S010824	CSIQI10
	S010822	CSIQI10