

CA View/Deliver/DRAS 14.0
CA RS 2101 Service List

1

| Service | Description | Type |
|--|--|-----------|
| S015584 | NEW FEATURE - WIDE SCREEN SUPPORT FOR CA DELIVER | PTF |
| S015706 | REMOUNTING THE SAME TAPE DURING BACKUP | *HIP/PRP* |
| S015769 | ROSCOE BECOMES THE HIGH-LEVEL QUALIFIER OF DATA SET NAME | PTF |
| S015842 | SORT PREFERENCE NOT DISPLAYED WHEN USING SHORTENED PANEL | PTF |
| S015886 | WEB VIEWER:USER HAS ACCESS TO REPORT IN 14.0 BUT NOT IN 12.1 | PTF |
| The CA RS 2101 service count for this release is 5 | | |

CA View/Deliver/DRAS
CA RS 2101 Service List for CBRME00

| FMID | Service | Description | Type |
|---|---------|--|-----------|
| CBRME00 | S015706 | REMOUNTING THE SAME TAPE DURING BACKUP | *HIP/PRP* |
| | S015769 | ROSCOE BECOMES THE HIGH-LEVEL QUALIFIER OF DATA SET NAME | PTF |
| | S015842 | SORT PREFERENCE NOT DISPLAYED WHEN USING SHORTENED PANEL | PTF |
| The CA RS 2101 service count for this FMID is 3 | | | |

CA View/Deliver/DRAS
CA RS 2101 Service List for CBRNE00

| FMID | Service | Description | Type |
|---|---------|--|------|
| CBRNE00 | S015584 | NEW FEATURE - WIDE SCREEN SUPPORT FOR CA DELIVER | PTF |
| The CA RS 2101 service count for this FMID is 1 | | | |

CA View/Deliver/DRAS
CA RS 2101 Service List for CCAFE00

| FMID | Service | Description | Type |
|---|---------|--|------|
| CCAFE00 | S015886 | WEB VIEWER:USER HAS ACCESS TO REPORT IN 14.0 BUT NOT IN 12.1 | PTF |
| The CA RS 2101 service count for this FMID is 1 | | | |

| Service | Details | | | | | | |
|---------|---|------|---------|-----|---|---------|---|
| SO15584 | <p>SO15584 M.C.S. ENTRIES = ++PTF (SO15584)</p> <p>NEW FEATURE - WIDE SCREEN SUPPORT FOR CA DELIVER</p> <p>ENHANCEMENT DESCRIPTION:</p> <p>This enhancement will provide support for 132-character and 160-character panel displays for selective online panels which include the Job Selection List, Report Selection List, Distribution Selection List, Bundle Selection List, Active Report List, Active Bundle List, and more. A new LANGUAGE initialization parameter will designate the default language and panel preference setting. The wide screen displays are implemented as a panel preference code of "W". When wide screen displays have been designated, the 3270 emulator screen width will determine the display format. CA Deliver will display 80-character panels for screen widths of 80 to 131, 132-character panels for screen widths of 132 to 159, and 160-character panels for screen widths of 160 or higher.</p> <p>The wide screen support is only available for CA Deliver database that have been versioned to 14.0. This APAR includes a large number of new and updated online panels. These panels will have to be loaded to the CA Deliver database. If you have any customized online panels, you should review those panels to determine if they were changed by this APAR.</p> <p>A new LANGUAGE initialization parameter identifies a two character code that represents the system default language and panel preference code to be used when displaying online panels and messages. The syntax of the parameter is as follows:</p> <p>LANGUAGE=xx</p> <p>The default is R.</p> <p>Valid values are:</p> <p>R blank for English standard display panels.</p> <p>RW for English wide screen panels.</p> <p>Example:</p> <p>LANGUAGE=RW indicates English wide screen displays as default</p> <p>A new online LANGUAGE command, which can be abbreviated as LANG or L, has also been added to allow setting of the desired language and panel preference for display of panels in the online session. This command is entered on the Primary Selection Menu. The syntax of the LANGUAGE command is as follows:</p> <p>LANGUAGE language-code</p> <p>LANGUAGE DEFAULT</p> <p>On the LANGUAGE command you may specify a language code or DEFAULT. The language code is a one or two character code that designates the specific language and/or panel preference. Alternatively, DEFAULT may be specified to default to the LANGUAGE initialization parameter setting. The language-code may be specified as follows:</p> <table> <tr> <td>Code</td><td>Setting</td></tr> <tr> <td>R E</td><td>English panels with standard screen display</td></tr> <tr> <td>RW EW W</td><td>English panels with wide screen display</td></tr> </table> <p>If language-code nor DEFAULT is specified on the LANGUAGE command, a Language and Panel Preference display will be presented to allow selection of the desired language and panel preference. The Language and Panel Preference display is as follows:</p> <pre> CA Deliver ----- Language and Panel Preference ----- Command ==> Select language and panel preference by entering any character to the left </pre> | Code | Setting | R E | English panels with standard screen display | RW EW W | English panels with wide screen display |
| Code | Setting | | | | | | |
| R E | English panels with standard screen display | | | | | | |
| RW EW W | English panels with wide screen display | | | | | | |

| Service | Details | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-------------|--|----------|------------------|-----------|-----------------------|-------------|--|---------|--|------------|--------------|---------|--|----------|-------------|---------|--|---------|--|--|---|--|---|--|---|--|-------------------|--|--|--|--|--|--|--|---|--|--|--|---|
| | <p> of the desired setting: </p> <p> </p> <table> <tr> <td>Language</td><td>Panel Preference</td></tr> <tr> <td>/ Default</td><td>_ Wide screen display</td></tr> <tr> <td>_ English *</td><td></td></tr> </table> <p> </p> <p> Enter END command to save language and panel preference setting. </p> <p> Enter CANCEL command to ignore changes. </p> <p> </p> <p>The display contains columns for the language setting and panel preference setting. You can make a selection by typing any character to the left of the desired setting or remove a setting by blanking it out. Designations will be indicated as a slash (/) character. You can only make one selection from each column. Panel preference is optional and if not specified defaults to standard 80-character displays. For wide screen preferences, 80, 132, or 160-character displays are dependent on screen width. The Default setting may be selected to use the language and panel preference designated by the LANGUAGE initialization parameter. Those LANGUAGE initialization parameter default settings are indicated by an asterisk (*) to the right of the language and panel preference.</p> <p>To activate the settings, exit the display by pressing the END PF key or by entering the END command. You can ignore changes to language and panel preference settings by entering the CANCEL command.</p> <p>PRODUCT(S) AFFECTED:</p> <p>CA-Deliver Version 14.0</p> <p>Related Problem:</p> <p>DLVR 847</p> <p>Copyright (C) 2020 CA. All rights reserved. R00196-BRM140-SP1</p> <p>DESC(NEW FEATURE - WIDE SCREEN SUPPORT FOR CA DELIVER).</p> <p>++VER (Z038)</p> <p>FMID (CBRNE00)</p> <p>PRE (S007935 S008353 S009496 S013136)</p> <p>SUP (S008565 ST08565 ST15584)</p> <p>++IF FMID(CBROE00) REQ(S014543) .</p> <p>++HOLD (S015584) SYSTEM FMID(CBRNE00)</p> <p>REASON (ACTION) DATE (20349)</p> <p>COMMENT (</p> <table> <tr> <td colspan="2">+-----+</td></tr> <tr> <td> CA-Deliver</td><td> Version 14.0 </td></tr> <tr> <td colspan="2">+-----+</td></tr> <tr> <td> SEQUENCE</td><td> After Apply </td></tr> <tr> <td colspan="2">+-----+</td></tr> <tr> <td> PURPOSE</td><td> This APAR includes many new and changes online panels. </td></tr> <tr> <td> </td><td> These panels are only available for Deliver databases </td></tr> <tr> <td> </td><td> that are versioned to release 14.0. Load these panels </td></tr> <tr> <td> </td><td> to your Deliver databases with the RMODBASE OLOAD </td></tr> <tr> <td> </td><td> utility function. </td></tr> <tr> <td> </td><td> </td></tr> <tr> <td> </td><td> The online panels that are included are: </td></tr> <tr> <td> </td><td> </td></tr> <tr> <td> </td><td> RMOPT1, RMOPT1G, RMOPT1G1, RMOPT1G2, RMOPT10, </td></tr> <tr> <td> </td><td> RMOPT2, RMOPT4, RMOPT4A, RMOPT4B, RMOPT4X, </td></tr> <tr> <td> </td><td> RMOPT4XF, RMOPT5, RMOPT5A, RMOPT5B, RMOPT7, </td></tr> </table> | Language | Panel Preference | / Default | _ Wide screen display | _ English * | | +-----+ | | CA-Deliver | Version 14.0 | +-----+ | | SEQUENCE | After Apply | +-----+ | | PURPOSE | This APAR includes many new and changes online panels. | | These panels are only available for Deliver databases | | that are versioned to release 14.0. Load these panels | | to your Deliver databases with the RMODBASE OLOAD | | utility function. | | | | The online panels that are included are: | | | | RMOPT1, RMOPT1G, RMOPT1G1, RMOPT1G2, RMOPT10, | | RMOPT2, RMOPT4, RMOPT4A, RMOPT4B, RMOPT4X, | | RMOPT4XF, RMOPT5, RMOPT5A, RMOPT5B, RMOPT7, |
| Language | Panel Preference | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| / Default | _ Wide screen display | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| _ English * | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| +-----+ | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| CA-Deliver | Version 14.0 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| +-----+ | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| SEQUENCE | After Apply | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| +-----+ | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| PURPOSE | This APAR includes many new and changes online panels. | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | These panels are only available for Deliver databases | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | that are versioned to release 14.0. Load these panels | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | to your Deliver databases with the RMODBASE OLOAD | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | utility function. | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | The online panels that are included are: | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | RMOPT1, RMOPT1G, RMOPT1G1, RMOPT1G2, RMOPT10, | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | RMOPT2, RMOPT4, RMOPT4A, RMOPT4B, RMOPT4X, | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | RMOPT4XF, RMOPT5, RMOPT5A, RMOPT5B, RMOPT7, | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |

| Service | Details |
|---------|--|
| | RMOP1G, RMOWT10A, RMOWT2A, RMOWT4AA, RMOWT4AB, RMOWT4BA, RMOWT4BB, RMOWT4SA, RMOWT4XA, RMOWT5A, RMOWT5LA, RMOWT5TA, RMOWT6L2, RMOWT7A, RMOWT7B, RMOWT8D1, RMOWT8T6, RMOWT8V4, RMOW101, RMOW2RD1, RMOW21, RMOW4A1, RMOW4A2, RMOW4B1, RMOW4B2, RMOW4C1, RMOW4C2, RMOW4X1, RMOW41, RMOW5LR1, RMOW5L1, RMOW5TR1, RMOW5T1, RMOW51, RMOW6LR1, RMOW6L1, RMOW71, RMOW72, RMOW8D1, RMOW8T, RMOW8V1, RMOW8V2, RMOXT4AA, RMOXT4BA, RMOX4A1, RMOX4B1, RMOX4C1, RMO01 +-----+ USERS Product Administrator. AFFECTED +-----+ KNOWLEDGE Product Administrator. REQUIRED +-----+ ACCESS Deliver database authority to load panels. REQUIRED +-----+ ***** * STEPS TO PERFORM * ***** 1. IMPORTANT NOTE: Be aware that this APAR will replace the indicated panels and your panel customizations may be lost. ACTION: Backup your previous customized panels, and make the necessary customization to the affected panels after installing the APAR, but before doing OLOAD. 2. Apply APAR. 3. Run RMODBASE OLOAD to load all panels or load the individual panels indicated above. 4. Optionally refresh LLA if load library is in the link list. 5. Optionally add LANGUAGE parameter to the initialization parameter settings for the Deliver started task. 6. Restart Deliver started task. 7. Restart Deliver online activity.). |

| Service | Details |
|---------|---|
| SO15706 | <p>SO15706 M.C.S. ENTRIES = ++PTF (SO15706)</p> <p>REMounting THE SAME TAPE DURING BACKUP</p> <p>PROBLEM DESCRIPTION:</p> <p>After applying PTF SO15321 which allows to use new retention parameters with the Expanded Retention Option (ERO), the same tapes are ummounted and mounted again during the backup cycle, which slows down the backup significantly.</p> <p>SYMPTOMS:</p> <p>In VIEW log can be seen following repeated messages, which are normal when they occur with different tape numbers, but they occur newly with the same tape numbers:</p> <pre> STCnnnnnn IEF234E K 584C,D96276,PVT,CAVIEWMI,CAVIEWMI STCnnnnnn TMS014 IEF234E K 584C,D96276,PVT,CAVIEWMI,CAVIEWMI STCnnnnnn IEF233D M 584C,D96276,,CAVIEWMI,CAVIEWMI, 780 780 xxxx.xxxxxxx.xx.SARTAPE.T0000005, 780 OR RESPOND TO IEF455D MESSAGE STCnnnnnn IEF234E K 584C,D96276,PVT,CAVIEWMI,CAVIEWMI STCnnnnnn TMS014 IEF234E K 584C,D96276,PVT,CAVIEWMI,CAVIEWMI STCnnnnnn IEF233D M 584A,D96276,,CAVIEWMI,CAVIEWMI, 841 841 xxxx.xxxxxxx.xx.SARTAPE.T0000005, 841 OR RESPOND TO IEF455D MESSAGE </pre> <p>IMPACT:</p> <p>Unmounting and remounting the same tapes slows down the backup process significantly.</p> <p>CIRCUMVENTION:</p> <p>Restore PTF SO15321 if applied.</p> <p>PRODUCT(S) AFFECTED:</p> <p>CA-View Version 14.0</p> <p>Related Problem:</p> <p>VIEW 2120</p> <p>Copyright (C) 2020 CA. All rights reserved. R00198-BRM140-SP1</p> <p>DESC(REMounting THE SAME TAPE DURING BACKUP).</p> <p>++VER (Z038)</p> <p>FMID (CBRME00)</p> <p>PRE (SO00445 SO10155 SO13541)</p> <p>SUP (AS15321 SO15321 ST15321 ST15706)</p> |

| Service | Details |
|---------|--|
| SO15769 | <p>SO15769 M.C.S. ENTRIES = ++PTF (SO15769)</p> <p>ROSCOE BECOMES THE HIGH-LEVEL QUALIFIER OF DATA SET NAME</p> <p>PROBLEM DESCRIPTION:</p> <p>When the user prints the Sysout/Report/Job to a new data set using print to data set feature via ROSCOE interface, the high-level qualifier of the data set name becomes 'ROSCOE' if the data set name is not enclosed in single quotes.</p> <p>SYMPTOMS:</p> <p>'ROSCOE' being a high-level qualifier of the data set created by print to data set feature via ROSCOE interface.</p> <p>IMPACT:</p> <p>Data set created by print to data set feature has a different high-level qualifier than the user anticipated.</p> <p>CIRCUMVENTION:</p> <p>Enclose the data set name in single quotes.</p> <p>PRODUCT(S) AFFECTED:</p> <p>CA-View Version 14.0</p> <p>Related Problem:</p> <p>VIEW 2121</p> <p>Copyright (C) 2020 CA. All rights reserved. R00199-BRM140-SP1</p> <p>DESC(ROSCOE BECOMES THE HIGH-LEVEL QUALIFIER OF DATA SET NAME).</p> <p>++VER (Z038)</p> <p>FMID (CBRME00)</p> <p>PRE (SO08295 SO10330)</p> <p>SUP (ST15769)</p> |

| Service | Details | | |
|---------|---|---------|--------------|
| SO15842 | <p>SO15842 M.C.S. ENTRIES = ++PTF (SO15842)</p> <p>SORT PREFERENCE NOT DISPLAYED WHEN USING SHORTENED PANEL</p> <p>PROBLEM DESCRIPTION:</p> <p>When the user uses the Shortened Identifier Names panel setting and tries to save the sort preference using the Sort Save command on the Sysout/Report/Job Selection List, the preference is saved but not displayed on the Primary Selection panel.</p> <p>SYMPTOMS:</p> <p>Saved sort preference is not displayed on the Primary Selection Panel when Shortened Identifier Names panel setting is used.</p> <p>IMPACT:</p> <p>User can't see what preference they saved for sorting for the Sysout/Report/Job Selection List when Shortened Identifier Names panel setting is used.</p> <p>CIRCUMVENTION:</p> <p>Use other panel setting.</p> <p>PRODUCT(S) AFFECTED:</p> <p>CA-View Version 14.0</p> <p>Related Problem:</p> <p>VIEW 2122</p> <p>Copyright (C) 2020 CA. All rights reserved. R00200-BRM140-SP1</p> <p>DESC(SORT PREFERENCE NOT DISPLAYED WHEN USING SHORTENED PANEL).</p> <p>++VER (Z038)</p> <p>FMID (CBRME00)</p> <p>PRE (SO14846)</p> <p>SUP (ST15842)</p> <p>++HOLD (SO15842) SYSTEM FMID(CBRME00)</p> <p>REASON (ACTION) DATE (20339)</p> <p>COMMENT (</p> <table border="1"> <tr> <td>CA-View</td><td>Version 14.0</td></tr> </table> <p>SEQUENCE After Apply</p> <p>PURPOSE This APAR includes many panel members for each of the supported online languages. These panels are required by the problem to function. Load the appropriate language panels to your View databases with the SARDBASE OLOAD utility function.</p> <p>The online panels included are:</p> <p>English:</p> <p>SARS1, SARS1A, SARS1AA, SARS1B, SARS1BA, SARS1C, SARS1D</p> <p>Canadian-French:</p> <p>SACS1, SACS1A, SACS1AA, SACS1B, SACS1BA, SACS1C, SACS1D</p> <p>Danish:</p> <p>SADS1, SADS1A, SADS1AA, SADS1B, SADS1BA, SADS1C, SADS1D</p> <p>German:</p> | CA-View | Version 14.0 |
| CA-View | Version 14.0 | | |

| Service | Details |
|---------|--|
| | <pre> SAGS1, SAGS1A, SAGS1AA, SAGS1B, SAGS1BA, SAGS1C, SAGS1D +-----+-----+ USERS Product Administrator. AFFECTED +-----+-----+ KNOWLEDGE Product Administrator. REQUIRED +-----+-----+ ACCESS View database authority to load panels. REQUIRED +-----+-----+ ***** * STEPS TO PERFORM * ***** 1. IMPORTANT NOTE: Be aware installing following PTF will replace the panels affected by the fix and your customization will be lost, although they will not be replaced in the database until OLOAD is performed for the database. ACTION: Backup your previous customized panels, and make the necessary customization in the affected panels after installing the fix, but before doing OLOAD. 2. Apply APAR. 3. Run SARDBASE OLOAD to load all panels or load the individual panels indicated above. 4. Optionally refresh LLA if load library is in the link list. 5. Optionally restart View online activity.).</pre> |

| Service | Details |
|---------|---|
| SO15886 | <div>SO15886 M.C.S. ENTRIES = ++PTF (SO15886)</div> <div>WEB VIEWER:USER HAS ACCESS TO REPORT IN 14.0 BUT NOT IN 12.1</div> <div>PROBLEM DESCRIPTION:</div> <div>The user from the mainframe online or Web Viewer v12.1 is prohibited from accessing all pages of a report based on external security rules but allowed to access the same report in Web Viewer v14.0.</div> <div>(or)in other words,Users are allowed access to all pages of a report even if the RAPS resource type is set to prohibit access in v14.0.</div> <div>SYMPTOMS:</div> <div>Users are allowed to access the report in Web Viewer v14.0 but the same report is prohibited from the mainframe online or v12.1 Web Viewer.</div> <div>IMPACT:</div> <div>Users are allowed to access the reports from the v14.0 Web Viewer even though users don't have proper authorization to access the report.</div> <div>CIRCUMVENTION:</div> <div>None.</div> <div>PRODUCT(S) AFFECTED:</div> <div>Web Viewer<div>Version 14.0</div></div> <div>Related Problem:</div> <div>DVWEB 658</div> <div>Copyright (C) 2020 CA. All rights reserved. R00202-BRM140-SP1</div> <div>DESC(WEB VIEWER:USER HAS ACCESS TO REPORT IN 14.0 BUT NOT IN 12.1).</div> <div>++VER (Z038)</div> <div>FMID (CCAFE00)</div> <div>PRE (R095796 R098743 S000833 S004736 S009293)</div> <div>SUP (ST15883 ST15886)</div> <div><div>MCS</div><div>SO15584</div><div>STARTS ON PAGE 0002</div></div> <div><div>MCS</div><div>SO15706</div><div>STARTS ON PAGE 0010</div></div> <div><div>MCS</div><div>SO15769</div><div>STARTS ON PAGE 0011</div></div> <div><div>MCS</div><div>SO15842</div><div>STARTS ON PAGE 0012</div></div> <div><div>MCS</div><div>SO15886</div><div>STARTS ON PAGE 0014</div></div> |

CA View/Deliver/DRAS 14.0
CA RS 2101 Product/Component Listing

13

| Product Family | Product | Release |
|--|--------------------------------------|----------|
| Output Management | CA OUTPUT MANAGEMENT WEB VIEWER | 14.00.00 |
| | CA-DELIVER | 14.00.00 |
| | CA-EBC OM COMMON DBASE DRIVER | 14.00.00 |
| | CA-OM DATA REPOSITORY AGENT SERVICES | 14.00.00 |
| | CA-VIEW | 14.00.00 |
| The CA RS 2101 Product/Component Count for this release is 5 | | |

| CA RS Level | Service | FMID |
|-------------|---------|---------|
| CAR2101 | S015886 | CCAFE00 |
| | S015842 | CBRME00 |
| | S015769 | CBRME00 |
| | S015706 | CBRME00 |
| | S015584 | CBRNE00 |
| CAR2012 | S015559 | CCAFE00 |
| | S015476 | CBRME00 |
| | S015458 | CCAFE00 |
| | S015321 | CBRME00 |
| CAR2011 | S015318 | CCAFE00 |
| | S015258 | CBROE00 |
| | S015240 | CCAFE00 |
| | S015198 | CBRNE00 |
| | S015197 | CBROE00 |
| | S015196 | CCAFE00 |
| | S015195 | CBY3E02 |
| | S015194 | CBRME00 |
| | S015112 | CBROE00 |
| | S015007 | CBRME00 |
| | S015006 | CCAFE00 |
| | S014943 | CBRME00 |
| | S014806 | CBRNE00 |
| | S014553 | CBY3E02 |
| | S013632 | CBRME00 |
| | S014846 | CBRME00 |
| | S014733 | CCAFE00 |
| CAR2009 | S014579 | CBRME00 |
| | S014543 | CBROE00 |
| | S014497 | CBRME00 |
| | S014380 | CCAFE00 |
| | S014379 | CBRME00 |
| CAR2008 | S014063 | CBRNE00 |
| | S014058 | CBRNE00 |
| | S013818 | CCAFE00 |
| | S013817 | CBRME00 |
| | S013174 | CBROE00 |
| CAR2007 | S013705 | CCAFE00 |
| | S013548 | CBY3E00 |
| | S013541 | CBRME00 |
| | S013301 | CBROE00 |
| | S013266 | CBRME00 |
| CAR2006 | S013261 | CCAFE00 |
| | S013136 | CBRNE00 |
| | S013131 | CBRME00 |
| | S013065 | CBRNE00 |
| | S012768 | CCAFE00 |
| | S012767 | CBRME00 |

| CA RS Level | Service | FMID |
|-------------|---------|---------|
| CAR2005 | S012642 | CCAFE00 |
| | S012572 | CBROE00 |
| CAR2004 | S012394 | CBRME00 |
| | S012369 | CBRME00 |
| | S012307 | CBRME00 |
| | S011986 | CBRME00 |
| | S011800 | CBRME00 |
| CAR2003 | S012040 | CBY3E00 |
| | S011353 | CBROE00 |
| CAR2002 | S011763 | CCAFE00 |
| | S011582 | CBRNE00 |
| | S011540 | CBRME00 |
| | S011531 | CBRNE00 |
| | S011526 | CBRNE00 |
| | S011483 | CBRME00 |
| | S011441 | CCAFE00 |
| | S011242 | CBRME00 |
| | | |
| CAR2001 | S011304 | CBRNE00 |
| | S011199 | CCAFE00 |
| | S011025 | CCAFE00 |
| | S010882 | CBRME00 |
| CAR1912 | S010648 | CBRME00 |
| CAR1911 | S010445 | CBRME00 |
| | S010330 | CBRME00 |
| | S010327 | CCAFE00 |
| | S010287 | CCAFE00 |
| | S010240 | CCAFE00 |
| | S010226 | CBRNE00 |
| | S010155 | CBRME00 |
| | S009503 | CBRME00 |
| CAR1910 | S010219 | CCAFE00 |
| | S010218 | CBRME00 |
| | S010164 | CCAFE00 |
| | S010154 | CCAFE00 |
| | S010153 | CBRME00 |
| | S009293 | CCAFE00 |
| | S009292 | CBRME00 |
| | | |
| CAR1909 | S009678 | CCAFE00 |
| | S009518 | CBY3E02 |
| | S009517 | CBROE00 |
| | S009516 | CBRNE00 |
| | S009515 | CBRME00 |
| | S009512 | CBY3E00 |
| | S009498 | CBY3E02 |
| | S009497 | CBROE00 |
| | S009496 | CBRNE00 |
| | S009495 | CBRME00 |

| CA RS Level | Service | FMID |
|-------------|---------|---------|
| | S009492 | CBY3E00 |
| | S009485 | CCAFE00 |
| CAR1908 | S009263 | CBY3E02 |
| | S009223 | CBRME00 |
| | S009174 | CBRME00 |
| | S009163 | CBRME00 |
| | S009161 | CBRME00 |
| CAR1907 | S008748 | CCAFE00 |
| | S008747 | CBRME00 |
| | S008441 | CCAFE00 |
| CAR1906 | S008565 | CBRNE00 |
| | S008520 | CCAFE00 |
| | S008519 | CBY3E02 |
| | S008518 | CBRME00 |
| | S008353 | CBRNE00 |
| | S008350 | CBRME00 |
| | S008295 | CBRME00 |
| | S008227 | CCAFE00 |
| | S008226 | CBRME00 |
| | S007939 | CBRME00 |
| | S006106 | CBRME00 |
| CAR1905 | S007935 | CBRNE00 |
| | S007649 | CCAFE00 |
| | S007648 | CBY3E02 |
| | S007647 | CBRME00 |
| | S007350 | CBRME00 |
| | S007338 | CBRME00 |
| | S007142 | CBROE00 |
| CAR1904 | S007827 | CBRME00 |
| | S007763 | CBRME00 |
| | S007584 | CBRME00 |
| | S007570 | CCAFE00 |
| | S007569 | CBRME00 |
| CAR1903 | S007415 | CBY3E02 |
| CAR1902 | S007090 | CBROE00 |
| | S007036 | CBY3E00 |
| | S007029 | CBY3E00 |
| | S007025 | CBRME00 |
| CAR1901 | S006480 | CBRME00 |
| | S006424 | CBRNE00 |
| CAR1812 | S005405 | CBROE00 |
| CAR1811 | S000283 | CBY3E02 |
| CAR1810 | S005604 | CCAFE00 |
| CAR1809 | S005158 | CBRME00 |
| | S005125 | CCAFE00 |
| | S004831 | CBRNE00 |
| | S004736 | CCAFE00 |

| CA RS Level | Service | FMID |
|-------------|---------|---------|
| | S004735 | CBRME00 |
| CAR1808 | S004622 | CCAFE00 |
| | S004621 | CBRME00 |
| | S004545 | CBRME00 |
| | S004387 | CBRME00 |
| | S004100 | CBRME00 |
| CAR1807 | S003819 | CBRME00 |
| CAR1806 | S003752 | CBROE00 |
| | S003665 | CBY3E00 |
| | S001796 | CBY3E00 |
| CAR1805 | S001591 | CBY3E00 |
| | S000972 | CBRNE00 |
| CAR1804 | S001043 | CBY3E02 |
| | S000833 | CCAFE00 |
| | S000832 | CBRME00 |
| | S000567 | CBY3E02 |
| | S000445 | CBRME00 |
| | S000440 | CBRME00 |
| CAR1803 | S000663 | CBY3E00 |
| | S000536 | CBY3E00 |
| | S000524 | CBY3E00 |
| | S000381 | CBRME00 |
| | R099491 | CCAFE00 |
| CAR1802 | S000216 | CBY3E00 |
| | S000181 | CBRME00 |
| | S000172 | CBRME00 |
| | S000116 | CBY3E00 |
| | R099656 | CCAFE00 |
| CAR1801 | R098898 | CBRNE00 |
| | R097820 | CBRME00 |
| CAR1712 | R099154 | CBRME00 |
| | R099032 | CBRME00 |
| | R098965 | CBRME00 |
| | R098857 | CBROE00 |
| | R098823 | CBROE00 |
| | R098776 | CBRME00 |
| | R098743 | CCAFE00 |
| | R098742 | CBY3E02 |
| | R098741 | CBRME00 |
| | R097958 | CBY3E02 |
| CAR1711 | R098753 | CBRME00 |
| | R097016 | CBRNE00 |
| CAR1710 | R098010 | CBRNE00 |
| | R098009 | CBRME00 |
| CAR1709 | R097685 | CBRME00 |
| | R097459 | CBRME00 |
| | R097347 | CBRME00 |

| CA RS Level | Service | FMID |
|-------------|---------|---------|
| | R097299 | CCAFE00 |
| | R097250 | CBRME00 |
| | R096138 | CBRME00 |
| CAR1708 | R097058 | CBRME00 |
| | R096744 | CBRME00 |
| | R096727 | CBRME00 |
| | R096256 | CBRME00 |
| CAR1707 | R096731 | CBROE00 |
| | R096730 | CBRME00 |
| | R096563 | CBY3E00 |
| | R096445 | CBRME00 |
| | R094301 | CBRME00 |
| | R093519 | CBRME00 |
| CAR1706 | R095796 | CCAFE00 |
| | R095795 | CBRME00 |
| | R095792 | CBY3E02 |
| | R095791 | CBROE00 |
| | R095790 | CBRNE00 |
| | R095789 | CBRME00 |
| | R095520 | CBY3E00 |
| | R094234 | CBRME00 |
| | R094102 | CBRME00 |
| | R094021 | CBRME00 |