

CA Endeavor SCM 18.1  
CA RS 2102 Service List

Service	Description	Type
LU00093	B37 ABEND IN WEB SERVICES DYNAMICALLY ALLOCATED NDVROPTS	PTF
LU00108	COPYELM/COMPELM BEHAVIOUR INCONSISTENT	PTF
LU00109	COPYELM/COMPELM BEHAVIOUR INCONSISTENT	PTF
S012677	ENDEVOR START-UP CLISTS DO NOT SUPPORT SPLIT SCREEN	PTF
S015323	ENDEVOR START-UP CLISTS DO NOT SUPPORT SPLIT SCREEN	PTF
S015658	TSO SESSION HANGS IN FOREGROUND ACTION	PTF
S015962	SOC4 BSTPPARS CONRELE	PTF
S015978	PRINT BACKED OUT ELEMENT RETURNS NO ELEMENT	PTF
S015994	CCID/COMMENT DETAILS IN QE SUMMARY LIST	PTF
S015995	CCID/COMMENT DETAILS IN QE SUMMARY LIST	PTF
S016224	ABEND4C6-OC FOR PACKAGE ACTION VIA EINE	PTF
The CA RS 2102 service count for this release is 11		

CA Endeavor SCM  
CA RS 2102 Service List for CSIQI10

FMID	Service	Description	Type
CSIQI10	LU00093	B37 ABEND IN WEB SERVICES DYNAMICALLY ALLOCATED NDVROPTS	PTF
	LU00108	COPYELM/COMPELM BEHAVIOUR INCONSISTENT	PTF
	S012677	ENDEVOR START-UP CLISTS DO NOT SUPPORT SPLIT SCREEN	PTF
	S015658	TSO SESSION HANGS IN FOREGROUND ACTION	PTF
	S015962	S0C4 BSTPPARS CONRELE	PTF
	S015994	CCID/COMMENT DETAILS IN QE SUMMARY LIST	PTF
	S016224	ABEND4C6-0C FOR PACKAGE ACTION VIA EINE	PTF
The CA RS 2102 service count for this FMID is 7			

CA Endeavor SCM  
CA RS 2102 Service List for CSIQI11

FMID	Service	Description	Type
CSIQI11	LU00109	COPYELM/COMPELM BEHAVIOUR INCONSISTENT	PTF
	S015323	ENDEVOR START-UP CLISTS DO NOT SUPPORT SPLIT SCREEN	PTF
	S015995	CCID/COMMENT DETAILS IN QE SUMMARY LIST	PTF
The CA RS 2102 service count for this FMID is 3			

CA Endeavor SCM  
CA RS 2102 Service List for CSIQI13

FMID	Service	Description	Type
CSIQI13	S015978	PRINT BACKED OUT ELEMENT RETURNS NO ELEMENT	PTF
The CA RS 2102 service count for this FMID is 1			

CA Endeavor SCM 18.1  
CA RS 2102 - PTF LU00093 Details

5

Service	Details
LU00093	<p>LU00093 M.C.S. ENTRIES = ++PTF (LU00093)</p> <p>B37 ABEND IN WEB SERVICES DYNAMICALLY ALLOCATED NDVROPTS</p> <p>PROBLEM DESCRIPTION:</p> <p>A B37-04 Abend can occur in the dynamically allocated temporary file for DDNAME NDVROPTS during Web Services startup.</p> <p>SYMPTOMS:</p> <p>Web Services abends with a B37-04, pointing to a temporary data set and DDNAME NDVROPTS.</p> <p>IMPACT:</p> <p>Web Services will not start.</p> <p>CIRCUMVENTION:</p> <p>The circumvention is to add a DD statement for NDVROPTS to the Web Services server JCL, for instance:</p> <pre>//NDVROPTS DD DCB=(DSORG=PS,RECFM=FBA,LRECL=133), //          UNIT=SYSDA,SPACE=(CYL,(2,1))</pre> <p>See member EAPISVR in the CSIQJCL data set.</p> <p>PRODUCT(S) AFFECTED:</p> <p>CA Endeavor SCM <span style="float: right;">Release 18.1</span></p> <p>Related Problem:</p> <p>ENDBAS 12699</p> <p>Copyright (C) 2021 CA. All rights reserved. R00108-SCM181-SP0</p> <p>DESC(B37 ABEND IN WEB SERVICES DYNAMICALLY ALLOCATED NDVROPTS).</p> <p>++VER (Z038)</p> <p>FMID (CSIQI10)</p> <p>SUP ( LT00093 )</p>

Service	Details
LU00108	<p>LU00108 M.C.S. ENTRIES = ++PTF (LU00108)</p> <p>COPYELM/COMPELM BEHAVIOUR INCONSISTENT</p> <p>PROBLEM DESCRIPTION:</p> <p>Quick Edit users reported that there was some strange/inconsistent behaviour when invoking COPYELM/COMPELM commands.</p> <p>Under some circumstances, but not all, after invoking the COMPELM or COPYELM command, the Inventory area filter and option panel, ENDIE900 might be bypassed, going directly to an element selection list or if only one element was returned, immediately performing the operation. This was the original intention of the feature - if the COPY or compare operation was invoked with NO OPERANDS then it should always result in the panel ENDIE900 being presented.</p> <p>If the command was entered WITH an Element name then the display should be bypassed (just like IBM's EDIT copy or compare commands - if you provide the full details, the prompt is bypassed). For IBM's command you need to provide a fully qualified dataset name, or a member name in brackets. Endeavor on the other hand only needs an Element name (and optionally type) with the other inventory details coming from the CURRENT element being edited.</p> <p>The problems arose if there was an error message;</p> <ul style="list-style-type: none"> <li>- For example if the element were not found, or the type was invalid The panel would attempt to propagate a 'CO' operation but fail because of the pending message (but leaving a 'CO') in the command field. or ...</li> <li>- If the element being edited was out of Sync, then even if the Element (and optionally TYPE) were valid, an unexpected repeat of the out of sync message (SMGR164E) would appear. Yes! the element we're editing is out of Sync, but the user might be in the process of performing an COMPELM to resolve those conflicts - they don't need to be reminded.</li> <li>- A further bug was discovered in that while the COPYELM needs a DESTINATION target, COMPELM does not, but if one were specified, the user would be presented with a page of RED allocation error messages, indicating an invalid temp dataset name (".COMP) and the compare was aborted.</li> </ul> <p>SYMPTOMS:</p> <p>COPYELM/COMPELM behaviour inconsistent/unpredictable.</p> <p>IMPACT:</p> <p>Problem affects QuickEdit users trying to fast-path a copy or compare request.</p> <p>CIRCUMVENTION:</p> <p>Issue the COMPELM or COPYELM command without any parameters to always display the ENDIE900 confirmation/filter panel.</p> <p>PRODUCT(S) AFFECTED:</p> <p>CA Endeavor SCM <span style="float: right;">Release 18.1</span></p> <p>Related Problem:</p> <p>ENDBAS 7813</p> <p>Copyright (C) 2021 CA. All rights reserved. R00109-SCM181-SP0</p> <p>DESC (COPYELM/COMPELM BEHAVIOUR INCONSISTENT) .</p> <p>++VER (Z038)</p> <p>FMID (CSIQI10)</p> <p>PRE ( S011288 )</p>

Service	Details				
	<p>SUP ( LT00108 )</p> <p>++IF FMID(CSIQI11) REQ(LU00109 ) .</p> <p>++HOLD (LU00108) SYSTEM FMID(CSIQI10)</p> <p>REASON (ACTION )     DATE (21027)</p> <p>COMMENT (</p> <p>+-----+</p> <table><tr><td> </td><td>CA Endeavor SCM</td><td>Release 18.1</td><td> </td></tr></table> <p>+-----+</p> <p> SEQUENCE   Before Apply</p> <p>+-----+</p> <p> PURPOSE   This PTF updates PANELS in the CSIQPENU library.</p> <p>    If you have customized the PANEL(S) delivered by this PTF, </p> <p>    you must backup your customized version of the PANEL(S)  </p> <p>    before applying this PTF to avoid losing your changes.  </p> <p>+-----+</p> <p> USERS   All Endeavor users.</p> <p> AFFECTED  </p> <p>+-----+</p> <p> KNOWLEDGE   1. SMP/e</p> <p> REQUIRED   2. Endeavor Administration</p> <p>    3. Endeavor PANELS</p> <p>+-----+</p> <p> ACCESS   No special access is required.</p> <p> REQUIRED  </p> <p>+-----+</p> <p>*****</p> <p>* STEPS TO PERFORM *</p> <p>*****</p> <p>1. Backup any customized PANELS in CSIQPENU that this PTF supplies.</p> <p>2. APPLY this PTF.</p> <p>3. Re-apply your customizations to the updated PANELS in CSIQPENU.</p> <p>).</p>		CA Endeavor SCM	Release 18.1	
	CA Endeavor SCM	Release 18.1			

Service	Details
LU00109	<p>LU00109 M.C.S. ENTRIES = ++PTF (LU00109)</p> <p>COPYELM/COMPELM BEHAVIOUR INCONSISTENT</p> <p>PROBLEM DESCRIPTION:</p> <p>Quick Edit users reported that there was some strange/inconsistent behaviour when invoking COPYELM/COMPELM commands.</p> <p>Under some circumstances, but not all, after invoking the COMPELM or COPYELM command, the Inventory area filter and option panel, ENDIE900 might be bypassed, going directly to an element selection list or if only one element was returned, immediately performing the operation. This was the original intention of the feature - if the COPY or compare operation was invoked with NO OPERANDS then it should always result in the panel ENDIE900 being presented.</p> <p>If the command was entered WITH an Element name then the display should be bypassed (just like IBM's EDIT copy or compare commands - if you provide the full details, the prompt is bypassed). For IBM's command you need to provide a fully qualified dataset name, or a member name in brackets. Endeavor on the other hand only needs an Element name (and optionally type) with the other inventory details coming from the CURRENT element being edited.</p> <p>The problems arose if there was an error message;</p> <ul style="list-style-type: none"> <li>- For example if the element were not found, or the type was invalid The panel would attempt to propagate a 'CO' operation but fail because of the pending message (but leaving a 'CO') in the command field. or ...</li> <li>- If the element being edited was out of Sync, then even if the Element (and optionally TYPE) were valid, an unexpected repeat of the out of sync message (SMGR164E) would appear. Yes! the element we're editing is out of Sync, but the user might be in the process of performing an COMPELM to resolve those conflicts - they don't need to be reminded.</li> <li>- A further bug was discovered in that while the COPYELM needs a DESTINATION target, COMPELM does not, but if one were specified, the user would be presented with a page of RED allocation error messages, indicating an invalid temp dataset name (".COMP) and the compare was aborted.</li> </ul> <p>SYMPTOMS:</p> <p>COPYELM/COMPELM behaviour inconsistent/unpredictable.</p> <p>IMPACT:</p> <p>Problem affects QuickEdit users trying to fast-path a copy or compare request.</p> <p>CIRCUMVENTION:</p> <p>Issue the COMPELM or COPYELM command without any parameters to always display the ENDIE900 confirmation/filter panel.</p> <p>PRODUCT(S) AFFECTED:</p> <p>CA Endeavor SCM <span style="float: right;">Release 18.1</span></p> <p>Related Problem:</p> <p>ENDBAS 7813</p> <p>Copyright (C) 2021 CA. All rights reserved. R00109-SCM181-SP0</p> <p>DESC (COPYELM/COMPELM BEHAVIOUR INCONSISTENT) .</p> <p>++VER (Z038)</p> <p>FMID (CSIQI11)</p> <p>SUP ( LT00109 )</p>



CA Endeavor SCM 18.1  
CA RS 2102 - PTF LU00109 Details

Service	Details
	<pre> ++IF FMID(CSIQI10) REQ(LU00108 ) . ++HOLD (LU00109) SYSTEM FMID(CSIQI11) REASON (ACTION )    DATE (21027) COMMENT ( +-----+        CA Endeavor SCM Japanese Localization          Release 18.1        +-----+  SEQUENCE   Before Apply                                       +-----+  PURPOSE    This PTF updates PANELS in the CSIQPJPN library.                         If you have customized the PANEL(S) delivered by this PTF,               you must backup your customized version of the PANEL(S)                before applying this PTF to avoid losing your changes.      +-----+  USERS      All Endeavor users.  AFFECTED   +-----+  KNOWLEDGE  1. SMP/e  REQUIRED   2. Endeavor Administration  3. Endeavor PANELS   +-----+  ACCESS     No special access is required.                                    REQUIRED   +-----+ ***** *  STEPS    TO    PERFORM * ***** 1. Backup any customized PANELS in CSIQPJPN that this PTF supplies. 2. APPLY this PTF. 3. Re-apply your customizations to the updated PANELS in CSIQPJPN. ).</pre>

Service	Details																								
SO12677	<p>SO12677 M.C.S. ENTRIES = ++PTF (SO12677)</p> <p>ENDEVOR START-UP CLISTS DO NOT SUPPORT SPLIT SCREEN</p> <p>PROBLEM DESCRIPTION:</p> <p>Customers have noticed problems (when NOT running Endeavor from the linklist) that our supplied clists may free the CONLIB on exit, even if Endeavor (or Quick Edit) is still in use on a split screen.</p> <p>In addition, LIBDEFs are supplied without the 'STACK' option causing repeat invocations to replace any existing definition without heed to what might be 'broken' on exit.</p> <p>Some customers have tried using TSOLIB or STEPLIB commands to provide a dynamic method of changing the library concatenation, however, since TASKLIB is not supported by the Endeavor service task, they may hang or get program not found messages.</p> <p>SYMPTOMS:</p> <p>Symptoms include (but are not limited to);</p> <ul style="list-style-type: none"> <li>- S806 MODULE NOT FOUND</li> <li>- ERROR GETTING SHARED VECTOR STORAGE. RC=0008</li> <li>- S047 or U047 abends</li> </ul> <p>IMPACT:</p> <p>ISPF users may see problems starting Endeavor, Quick Edit, or PDM especially if using split screens or dynamic steplib/tasklib utilities.</p> <p>CIRCUMVENTION:</p> <p>Execute Endeavor from LINKLIST and remove allocations from startup clists and/or SCMM@LIB include/skeleton members, or use tailored TSO LOGON procs specifying a STEPLIB with the Endeavor APF authorised libraries.</p> <p>PRODUCT(S) AFFECTED:</p> <table> <tr> <td>CA Endeavor SCM</td><td>Version 18.0</td></tr> <tr> <td>CA Endeavor SCM</td><td>Release 18.1</td></tr> </table> <p>Related Problem:</p> <p>ENDBAS 7706</p> <p>Copyright (C) 2020 CA. All rights reserved. R00044-SCM181-SP0</p> <p>DESC(ENDEVOR START-UP CLISTS DO NOT SUPPORT SPLIT SCREEN).</p> <p>++VER (Z038)</p> <p>FMID (CSIQI10)</p> <p>PRE ( S011288 S012300 S012441 S014704 S015818 )</p> <p>SUP ( ST12677 )</p> <p>++IF FMID(CSIQI11) REQ(S015323 ) .</p> <p>++HOLD (SO12677) SYSTEM FMID(CSIQI10)</p> <p>REASON (ACTION ) DATE (20349)</p> <p>COMMENT (</p> <table> <tr> <td colspan="2">+-----+</td> </tr> <tr> <td>  CA Endeavor SCM</td><td>Release 18.1  </td> </tr> <tr> <td colspan="2">+-----+</td> </tr> <tr> <td> SEQUENCE</td><td>  Before Apply  </td> </tr> <tr> <td colspan="2">+-----+</td> </tr> <tr> <td> PURPOSE</td><td>  This PTF updates PANELS in the CSIQPENU library.  </td> </tr> <tr> <td> </td><td>  If you have customized the PANEL(S) delivered by this PTF, </td> </tr> <tr> <td> </td><td>  you must backup your customized version of the PANEL(S)  </td> </tr> <tr> <td> </td><td>  before applying this PTF to avoid losing your changes.  </td> </tr> <tr> <td colspan="2">+-----+</td> </tr> </table>	CA Endeavor SCM	Version 18.0	CA Endeavor SCM	Release 18.1	+-----+		CA Endeavor SCM	Release 18.1	+-----+		SEQUENCE	Before Apply	+-----+		PURPOSE	This PTF updates PANELS in the CSIQPENU library.		If you have customized the PANEL(S) delivered by this PTF,		you must backup your customized version of the PANEL(S)		before applying this PTF to avoid losing your changes.	+-----+	
CA Endeavor SCM	Version 18.0																								
CA Endeavor SCM	Release 18.1																								
+-----+																									
CA Endeavor SCM	Release 18.1																								
+-----+																									
SEQUENCE	Before Apply																								
+-----+																									
PURPOSE	This PTF updates PANELS in the CSIQPENU library.																								
	If you have customized the PANEL(S) delivered by this PTF,																								
	you must backup your customized version of the PANEL(S)																								
	before applying this PTF to avoid losing your changes.																								
+-----+																									

Service	Details		
	USERS	All Endeavor users.	
	AFFECTED		
	+-----+		
	KNOWLEDGE	1. SMP/e	
	REQUIRED	2. Endeavor Administration	
		3. Endeavor PANELS	
	+-----+		
	ACCESS	No special access is required.	
	REQUIRED		
	+-----+		
	*****		
	* STEPS TO PERFORM *		
	*****		
	1. Backup any customized PANELS in CSIQPENU that this PTF supplies.		
	2. APPLY this PTF.		
	3. Re-apply your customizations to the updated PANELS in CSIQPENU.		
	+-----+		
	CA Endeavor SCM	Release 18.1	
	+-----+		
	SEQUENCE	Before Apply	
	+-----+		
	PURPOSE	This PTF updates SKELETONS in the CSIQSENU library.	
		If you have customized the SKELETON(S) delivered by this	
		PTF, you must backup your customized version of the	
		SKELETON(S) before applying this PTF to avoid losing your	
		changes.	
	+-----+		
	USERS	All Endeavor users.	
	AFFECTED		
	+-----+		
	KNOWLEDGE	1. SMP/e	
	REQUIRED	2. Endeavor Administration	
		3. Endeavor PANELS	
	+-----+		
	ACCESS	No special access is required.	
	REQUIRED		
	+-----+		
	*****		
	* STEPS TO PERFORM *		
	*****		
	1. Backup any customized SKELETONS in CSIQSENU that this PTF supplies.		
	2. APPLY this PTF.		
	3. Re-apply your customizations to the updated SKELETONS in CSIQSENU.		
	+-----+		
	CA Endeavor SCM	Release 18.1	
	+-----+		
	SEQUENCE	Before Apply	
	+-----+		
	PURPOSE	This PTF updates CLISTS in the CSIQCLS0 library.	
		If you have customized the CLIST(S) delivered by this PTF,	
		you must backup your customized version of the CLIST(S)	
		before applying this PTF to avoid losing your changes.	
	+-----+		
	USERS	All Endeavor users.	

Service	Details
	AFFECTED   +-----+-----+  KNOWLEDGE   1. SMP/e  REQUIRED   2. Endeavor Administration     3. Endeavor CLISTS +-----+-----+  ACCESS   No special access is required.  REQUIRED   +-----+-----+ ***** * STEPS TO PERFORM * ***** 1. Backup any customized CLISTS in CSIQCLS0 that this PTF supplies. 2. APPLY this PTF. 3. Re-apply your customizations to the updated CLISTS in CSIQCLS0. +-----+-----+   CA Endeavor SCM Release 18.1   +-----+-----+  SEQUENCE   Both before Apply and after Apply +-----+-----+  PURPOSE   Merge/Retrofit any customisations in the Skeletons or     startup CLISTS. +-----+-----+  USERS    AFFECTED   All +-----+-----+  KNOWLEDGE    REQUIRED   Endeavor Administrator, Sysprog, SMP/E +-----+-----+  ACCESS   Update access to Endeavor run-time libraries  REQUIRED   +-----+-----+ ***** * STEPS TO PERFORM * ***** 1. Before applying this PTF, backup any customised CLISTS or skeletons (CSIQCLS0/CSIQISPS) 2. After applying the PTF, review the changes supplied in this PTF and merge/retrofit any site specific customizations. 3. This PTF provides a new default/sample version of the ENUXSITE exit. This will now check for a DD in the for EN\$DFTxx, and if found will overlay the last two characters of the default C1DEFLTS table with the characters (xx) from the DDname. This should make it easy for sites that wish to support multiple C1DEFLTS tables to simply add an: ALLOC FILE(EN\$DFTxx) DUMMY SHR REU Statement to their logon or startup clists so that Endeavor will automatically select an appropriate defaults table and propagate it to any batch jobs that are submitted through the SCMM@LIB skeleton member. In addition, three new processor symbols are introduced to allow processors to also participate

Service	Details
	<p>in with dynamically selected C1DEFLTS:</p> <p>&amp;C1DFLTNM    The Current Endeavor C1DEFLTS name</p> <p>&amp;C1SITEID    The Current Endeavor SITE-ID</p> <p>&amp;C1CUNAME    Customer name CUNAME= from the defaults</p> <p>4.    To take advantage of this new exit; assemble each required C1DEFLTS table, specifying the appropriate suffix in the SYSLMOD member name of the LINK step.</p> <p>5.    Optionally, review your processors that submit jobs to determine if they should include a //EN\$DFT DD DUMMY statement.</p> <p>).</p>

Service	Details																								
SO15323	<p>SO15323 M.C.S. ENTRIES = ++PTF (SO15323)</p> <p>ENDEVOR START-UP CLISTS DO NOT SUPPORT SPLIT SCREEN</p> <p>PROBLEM DESCRIPTION:</p> <p>Customers have noticed problems (when NOT running Endeavor from the linklist) that our supplied clists may free the CONLIB on exit, even if Endeavor (or Quick Edit) is still in use on a split screen.</p> <p>In addition, LIBDEFs are supplied without the 'STACK' option causing repeat invocations to replace any existing definition without heed to what might be 'broken' on exit.</p> <p>Some customers have tried using TSOLIB or STEPLIB commands to provide a dynamic method of changing the library concatenation, however, since TASKLIB is not supported by the Endeavor service task, they may hang or get program not found messages.</p> <p>SYMPTOMS:</p> <p>Symptoms include (but are not limited to);</p> <ul style="list-style-type: none"> <li>- S806 MODULE NOT FOUND</li> <li>- ERROR GETTING SHARED VECTOR STORAGE. RC=0008</li> <li>- S047 or U047 abends</li> </ul> <p>IMPACT:</p> <p>ISPF users may see problems starting Endeavor, Quick Edit, or PDM especially if using split screens or dynamic steplib/tasklib utilities.</p> <p>CIRCUMVENTION:</p> <p>Execute Endeavor from LINKLIST and remove allocations from startup clists and/or SCMM@LIB include/skeleton members, or use tailored TSO LOGON procs specifying a STEPLIB with the Endeavor APF authorised libraries.</p> <p>PRODUCT(S) AFFECTED:</p> <table> <tr> <td>CA Endeavor SCM</td><td>Version 18.0</td></tr> <tr> <td>CA Endeavor SCM</td><td>Release 18.1</td></tr> </table> <p>Related Problem:</p> <p>ENDBAS 7706</p> <p>Copyright (C) 2020 CA. All rights reserved. R00044-SCM181-SP0</p> <p>DESC(ENDEVOR START-UP CLISTS DO NOT SUPPORT SPLIT SCREEN).</p> <p>++VER (Z038)</p> <p>FMID (CSIQI11)</p> <p>PRE ( S011289 S012326 )</p> <p>SUP ( ST15323 )</p> <p>++IF FMID(CSIQI10) REQ(S012677 ) .</p> <p>++HOLD (SO15323) SYSTEM FMID(CSIQI11)</p> <p>REASON (ACTION ) DATE (20349)</p> <p>COMMENT (</p> <table> <tr> <td colspan="2">+-----+</td> </tr> <tr> <td>  CA Endeavor SCM Japanese Localization</td><td>  Release 18.1  </td> </tr> <tr> <td colspan="2">+-----+</td> </tr> <tr> <td> SEQUENCE   Before Apply</td><td> </td> </tr> <tr> <td colspan="2">+-----+</td> </tr> <tr> <td> PURPOSE   This PTF updates PANELS in the CSIQPJPN library.</td><td> </td> </tr> <tr> <td>    If you have customized the PANEL(S) delivered by this PTF, </td><td> </td> </tr> <tr> <td>    you must backup your customized version of the PANEL(S)  </td><td> </td> </tr> <tr> <td>    before applying this PTF to avoid losing your changes.  </td><td> </td> </tr> <tr> <td colspan="2">+-----+</td> </tr> </table>	CA Endeavor SCM	Version 18.0	CA Endeavor SCM	Release 18.1	+-----+		CA Endeavor SCM Japanese Localization	Release 18.1	+-----+		SEQUENCE   Before Apply		+-----+		PURPOSE   This PTF updates PANELS in the CSIQPJPN library.		If you have customized the PANEL(S) delivered by this PTF,		you must backup your customized version of the PANEL(S)		before applying this PTF to avoid losing your changes.		+-----+	
CA Endeavor SCM	Version 18.0																								
CA Endeavor SCM	Release 18.1																								
+-----+																									
CA Endeavor SCM Japanese Localization	Release 18.1																								
+-----+																									
SEQUENCE   Before Apply																									
+-----+																									
PURPOSE   This PTF updates PANELS in the CSIQPJPN library.																									
If you have customized the PANEL(S) delivered by this PTF,																									
you must backup your customized version of the PANEL(S)																									
before applying this PTF to avoid losing your changes.																									
+-----+																									

Service	Details
	USERS   All Endeavor users.    AFFECTED     +-----+-----+  KNOWLEDGE   1. SMP/e    REQUIRED   2. Endeavor Administration       3. Endeavor PANELS   +-----+-----+  ACCESS   No special access is required.    REQUIRED     +-----+-----+ ***** * STEPS TO PERFORM * ***** 1. Backup any customized PANELS in CSIQPJPN that this PTF supplies. 2. APPLY this PTF. 3. Re-apply your customizations to the updated PANELS in CSIQPJPN. ).

Service	Details		
SO15658	<p>SO15658 M.C.S. ENTRIES = ++PTF (SO15658)</p> <p>TSO SESSION HANGS IN FOREGROUND ACTION</p> <p>PROBLEM DESCRIPTION:</p> <p>A TSO session hangs when a foreground action is done and JCLCHECK is executed either within a processor or out of an Endeavor exit.</p> <p>SYMPTOMS:</p> <p>The TSO session is frozen.</p> <p>IMPACT:</p> <p>The TSO session is frozen.</p> <p>CIRCUMVENTION:</p> <p>If JCLCHECK is executed as part of a processor, use background processing.</p> <p>No circumvention exists if JCLCHECK is called from an exit.</p> <p>PRODUCT(S) AFFECTED:</p> <p>CA Endeavor SCM Version 18.0</p> <p>CA Endeavor SCM Release 18.1</p> <p>Related Problem:</p> <p>ENDBAS 7805</p> <p>Copyright (C) 2020 CA. All rights reserved. R00092-SCM181-SP0</p> <p>DESC(TSO SESSION HANGS IN FOREGROUND ACTION).</p> <p>++VER (Z038)</p> <p>FMID (CSIQI10)</p> <p>PRE ( SO11879 SO12490 SO13128 SO13177 SO13479 SO13857 SO14674 SO14847 SO15462 )</p> <p>SUP ( SO12864 SO15434 ST12864 ST15434 ST15658 )</p> <p>++HOLD (SO15658) SYSTEM FMID(CSIQI10)</p> <p>REASON (DOC ) DATE (20356)</p> <p>COMMENT (</p> <p>+-----+</p> <table border="1"> <tr> <td>CA Endeavor SCM</td> <td>Release 18.1</td> </tr> </table> <p>+-----+</p> <p>*****</p> <p>* PUBLICATION *</p> <p>*****</p> <p>Considerations for running Endeavor in a TSO-ISPF environment</p> <p>-----</p> <p>Under TSO, Endeavor uses the TSO Service Routine program IKJEFTSR to execute a processor or exit program in an isolated environment if at least one of these conditions is true:</p> <ul style="list-style-type: none"> <li>- the program must run authorized</li> <li>- the program must run under Endeavor's ALTID (alternate id)</li> </ul> <p>This means that these restrictions apply:</p> <ul style="list-style-type: none"> <li>- no ISPF services</li> <li>- no REXX services that depend on an environment other than the first TSO/E environment created at LOGON time</li> </ul> <p>For integrity reasons, a processor program that must run authorized must be defined in at least one of these tables:</p> <ol style="list-style-type: none"> <li>1. The Endeavor C1GTAPGM table (authorized processor program table)</li> <li>2. The TSO AUTHPGM table (member IKJTS0xx in the system PARMLIB)</li> <li>3. The TSO AUTHTSF table (member IKJTS0xx in the system PARMLIB)</li> </ol> <p>A processor program that wasn't found in either of these tables will</p>	CA Endeavor SCM	Release 18.1
CA Endeavor SCM	Release 18.1		



CA Endevor SCM 18.1  
CA RS 2102 - PTF SO15658 Details

17

Service	Details
	be invoked unauthorized. ).

Service	Details
SO15962	<p>SO15962 M.C.S. ENTRIES = ++PTF (SO15962)</p> <p>SOC4 BSTPPARS CONRELE</p> <p>PROBLEM DESCRIPTION:</p> <p>SOC4 in BSTPPARS+79A called from CONRELE</p> <p>SYMPTOMS:</p> <p>ABEND SOC4</p> <p>IMPACT:</p> <p>Failed processor execution</p> <p>CIRCUMVENTION:</p> <p>Failure caused by unmatched quote in column 72 input to CONRELE. Correct the unmatched quote and resubmit action.</p> <p>PRODUCT(S) AFFECTED:</p> <p>CA Endevor SCM Version 18.0</p> <p>CA Endevor SCM Release 18.1</p> <p>Related Problem:</p> <p>ENDBAS 7838</p> <p>Copyright (C) 2020 CA. All rights reserved. R00099-SCM181-SP0</p> <p>DESC(SOC4 BSTPPARS CONRELE).</p> <p>++VER (Z038)</p> <p>FMID (CSIQI10)</p> <p>SUP ( ST15962 )</p>

Service	Details																																												
S015978	<div>M.C.S. ENTRIES = ++PTF (S015978)</div> <div>PRINT BACKED OUT ELEMENT RETURNS NO ELEMENT</div> <div>PROBLEM DESCRIPTION:</div> <div>PRINT A BACKED OUT ELEMENT WITH THE WEB SERVICES RETURNS JUST WARNINGS BUT THE ELEMENT SOURCE IS NOT PRINTED</div> <div>SYMPTOMS:</div> <div>- Endeavor API response contains HTTP CODE 206, RC=4 (with backout warnings) and body is empty.</div> <div>IMPACT:</div> <div>Request completes with warnings but no ELEMENT printed.</div> <div>CIRCUMVENTION:</div> <div>none</div> <div>PRODUCTS AFFECTED:</div> <div>CA Endeavor, Version 18.0</div> <div>CA Endeavor, Release 18.1</div> <div>PRODUCT(S) AFFECTED:</div> <div>CA Endeavor SCM<div>Version 18.0</div></div> <div>CA Endeavor SCM<div>Release 18.1</div></div> <div>Related Problem:</div> <div>ENDBAS 7833</div> <div>Copyright (C) 2020 CA. All rights reserved. R00100-SCM181-SP0</div> <div>DESC(PRINT BACKED OUT ELEMENT RETURNS NO ELEMENT).</div> <div>++VER (Z038)</div> <div>FMID (CSIQI13)</div> <div>PRE ( S011272 S013582 S013849 )</div> <div>SUP ( S012309 S013905 S015234 S015900 ST12309 ST13559</div> <div>ST13905 ST15234 ST15773 ST15819 ST15900 ST15978 )</div> <div>++HOLD (S015978) SYSTEM FMID(CSIQI13)</div> <div>REASON (ACTION ) DATE (20350)</div> <div>COMMENT (</div> <div><table><tr><td colspan="2">+-----+-----+</td></tr><tr><td>  CA Endeavor SCM for Web Services</td><td>Release 18.1  </td></tr><tr><td colspan="2">+-----+-----+</td></tr><tr><td> SEQUENCE</td><td>  After Apply  </td></tr><tr><td colspan="2">+-----+-----+</td></tr><tr><td> PURPOSE</td><td>  This correction updates Endeavor Web Services.  </td></tr><tr><td> </td><td>  To implement this update, you must update  </td></tr><tr><td> </td><td>  the Web Services component of your target Tomcat  </td></tr><tr><td> </td><td>  directory and recycle the Tomcat server.  </td></tr><tr><td colspan="2">+-----+-----+</td></tr><tr><td> USERS</td><td>   </td></tr><tr><td> AFFECTED</td><td>  All users of Endeavor Web Services.  </td></tr><tr><td colspan="2">+-----+-----+</td></tr><tr><td> KNOWLEDGE</td><td>  1. SMP/e  </td></tr><tr><td> REQUIRED</td><td>  2. Endeavor Web Services  </td></tr><tr><td> </td><td>  3. Tomcat  </td></tr><tr><td> </td><td>  4. Unix System Services  </td></tr><tr><td colspan="2">+-----+-----+</td></tr><tr><td> ACCESS</td><td>  1. Update access to USS target and deployment files  </td></tr><tr><td> REQUIRED</td><td>  2. Ability to stop and start Tomcat  </td></tr><tr><td colspan="2">+-----+-----+</td></tr><tr><td colspan="2">*****</td></tr></table></div>	+-----+-----+		CA Endeavor SCM for Web Services	Release 18.1	+-----+-----+		SEQUENCE	After Apply	+-----+-----+		PURPOSE	This correction updates Endeavor Web Services.		To implement this update, you must update		the Web Services component of your target Tomcat		directory and recycle the Tomcat server.	+-----+-----+		USERS		AFFECTED	All users of Endeavor Web Services.	+-----+-----+		KNOWLEDGE	1. SMP/e	REQUIRED	2. Endeavor Web Services		3. Tomcat		4. Unix System Services	+-----+-----+		ACCESS	1. Update access to USS target and deployment files	REQUIRED	2. Ability to stop and start Tomcat	+-----+-----+		*****	
+-----+-----+																																													
CA Endeavor SCM for Web Services	Release 18.1																																												
+-----+-----+																																													
SEQUENCE	After Apply																																												
+-----+-----+																																													
PURPOSE	This correction updates Endeavor Web Services.																																												
	To implement this update, you must update																																												
	the Web Services component of your target Tomcat																																												
	directory and recycle the Tomcat server.																																												
+-----+-----+																																													
USERS																																													
AFFECTED	All users of Endeavor Web Services.																																												
+-----+-----+																																													
KNOWLEDGE	1. SMP/e																																												
REQUIRED	2. Endeavor Web Services																																												
	3. Tomcat																																												
	4. Unix System Services																																												
+-----+-----+																																													
ACCESS	1. Update access to USS target and deployment files																																												
REQUIRED	2. Ability to stop and start Tomcat																																												
+-----+-----+																																													
*****																																													

Service	Details
	<pre> * STEPS      TO      PERFORM * ***** 1. Stop Tomcat 2. Verify that the parameters in the ENWSInstallOptions.properties file are set according to your environment. This file resides in the USS directory where this PTF has been installed to (USS install directory). 3. Either: a.In the TSO OMVS environment, change to the directory where the script ENWSUpd.sh resides: cd &lt;USS install directory&gt;/tpv execute the script: sh ENWSUpd.sh or b.Run job WSTOMCCS to update Endeavor Web Services. Steps how to update are included in the WSTOMCCS job. 4. Start Tomcat ). BINARY LINK('../tpv/tomcat/webapps/EndevorService.war') PARM(PATHMODE(0,7,7,5)) . TEXT LINK('../tpv/tomcat/webapps/EndevorService.war.md5 ') PARM(PATHMODE(0,7,7,5)) . </pre>

Service	Details
SO15994	<p>SO15994 M.C.S. ENTRIES = ++PTF (SO15994)</p> <p>CCID/COMMENT DETAILS IN QE SUMMARY LIST</p> <p>PROBLEM DESCRIPTION:</p> <p>Add CCID/COMMENT to QuickEdit Summary of Levels list and enable left/right scrolling on panels ENDIE260/1.</p> <p>In addition, ESORT is enabled for all columns.</p> <p>SYMPTOMS:</p> <p>Customers who had applied SO14704 could SEE CCID and COMMENT information columns but the Comment information was not correct.</p> <p>IMPACT:</p> <p>Quick Edit Users could not see the COMMENT information from the Summary of Levels screen</p> <p>CIRCUMVENTION:</p> <p>Use Change or History views to access Element history</p> <p>PRODUCT(S) AFFECTED:</p> <p>CA Endeavor SCM <span style="float: right;">Release 18.1</span></p> <p>Related Problem:</p> <p>ENDBAS 7827</p> <p>Copyright (C) 2020 CA. All rights reserved. R00101-SCM181-SP0</p> <p>DESC(CCID/COMMENT DETAILS IN QE SUMMARY LIST).</p> <p>++VER (Z038)</p> <p>FMID (CSIQI10)</p> <p>PRE ( SO12494 SO14704 )</p> <p>SUP ( ST15994 )</p> <p>++IF FMID(CSIQI11) REQ(SO15995 ) .</p> <p>++HOLD (SO15994) SYSTEM FMID(CSIQI10)</p> <p>REASON (ACTION ) DATE (20351)</p> <p>COMMENT (</p> <pre> +-----+        CA Endeavor SCM                      Release 18.1        +-----+-----+  SEQUENCE   Before Apply                                       +-----+-----+  PURPOSE    This PTF updates PANELS in the CSIQPENU library.                         If you have customized the PANEL(S) delivered by this PTF,               you must backup your customized version of the PANEL(S)                 before applying this PTF to avoid losing your changes.     +-----+-----+  USERS      All Endeavor users.  AFFECTED   +-----+-----+  KNOWLEDGE  1. SMP/e   REQUIRED   2. Endeavor Administration  3. Endeavor PANELS   +-----+-----+  ACCESS     No special access is required.                               REQUIRED   +-----+-----+ ***** * STEPS    TO    PERFORM * ***** 1. Backup any customized PANELS in CSIQPENU that this PTF supplies. </pre>

CA Endeavor SCM 18.1  
CA RS 2102 - PTF SO15994 Details

Service	Details
	<p>2. APPLY this PTF.</p> <p>3. Re-apply your customizations to the updated PANELS in CSIQPENU. ).</p>

Service	Details
SO15995	<p>SO15995 M.C.S. ENTRIES = ++PTF (SO15995)</p> <p>CCID/COMMENT DETAILS IN QE SUMMARY LIST</p> <p>PROBLEM DESCRIPTION:</p> <p>Add CCID/COMMENT to QuickEdit Summary of Levels list and enable left/right scrolling on panels ENDIE260/1.</p> <p>In addition, ESORT is enabled for all columns.</p> <p>SYMPTOMS:</p> <p>Customers who had applied SO14704 could SEE CCID and COMMENT information columns but the Comment information was not correct.</p> <p>IMPACT:</p> <p>Quick Edit Users could not see the COMMENT information from the Summary of Levels screen</p> <p>CIRCUMVENTION:</p> <p>Use Change or History views to access Element history</p> <p>PRODUCT(S) AFFECTED:</p> <p>CA Endeavor SCM <span style="float: right;">Release 18.1</span></p> <p>Related Problem:</p> <p>ENDBAS 7827</p> <p>Copyright (C) 2020 CA. All rights reserved. R00101-SCM181-SP0</p> <p>DESC(CCID/COMMENT DETAILS IN QE SUMMARY LIST).</p> <p>++VER (Z038)</p> <p>FMID (CSIQI11)</p> <p>PRE ( SO14705 )</p> <p>SUP ( ST15995 )</p> <p>++IF FMID(CSIQI10) REQ(SO15994 ) .</p> <p>++HOLD (SO15995) SYSTEM FMID(CSIQI11)</p> <p>REASON (ACTION ) DATE (20351)</p> <p>COMMENT (</p> <pre> +-----+        CA Endeavor SCM Japanese Localization      Release 18.1        +-----+-----+  SEQUENCE   Before Apply                                       +-----+-----+  PURPOSE    This PTF updates PANELS in the CSIQPJPN library.                         If you have customized the PANEL(S) delivered by this PTF,               you must backup your customized version of the PANEL(S)                 before applying this PTF to avoid losing your changes.     +-----+-----+  USERS      All Endeavor users.  AFFECTED   +-----+-----+  KNOWLEDGE   1. SMP/e   REQUIRED    2. Endeavor Administration  3. Endeavor PANELS   +-----+-----+  ACCESS      No special access is required.                               REQUIRED  +-----+-----+ ***** * STEPS    TO    PERFORM * ***** 1. Backup any customized PANELS in CSIQPJPN that this PTF supplies. </pre>

CA Endeavor SCM 18.1  
CA RS 2102 - PTF SO15995 Details

Service	Details
	2. APPLY this PTF. 3. Re-apply your customizations to the updated PANELS in CSIQPJPN. ).



Service	Details																																	
SO16224	<div>SO16224    M.C.S. ENTRIES    = ++PTF (SO16224)</div> <div>ABEND4C6-0C FOR PACKAGE ACTION VIA EINE</div> <div>PROBLEM DESCRIPTION:</div> <div>Endevor server STC (used by EINE and Web Services) can experience ABEND=S04C6 during package action requests that need access to USS with RACF as the security product</div> <div>SYMPTOMS:</div> <div>ABEND=S04C6,REASON=0000000C in BPXPRGPN, the STC does not terminate and can process subsequent requests.</div> <div>IMPACT:</div> <div>Some actions cannot be performed via EINE or web services</div> <div>CIRCUMVENTION:</div> <div>Use another Endeavor interface to do the failing package action</div> <div>PRODUCT(S) AFFECTED:</div> <div>CA Endeavor SCM<div>Version 18.0</div></div> <div>CA Endeavor SCM<div>Release 18.1</div></div> <div>Related Problem:</div> <div>ENDBAS 7770</div> <div>Copyright (C) 2021 CA. All rights reserved. R00105-SCM181-SP0</div> <div>DESC (ABEND4C6-0C FOR PACKAGE ACTION VIA EINE) .</div> <div>++VER (Z038)</div> <div>FMID (CSIQI10)</div> <div>SUP ( ST16224 )</div> <div><table><tr><td>MCS</td><td>LU00093</td><td>STARTS ON PAGE 0002</td></tr><tr><td>MCS</td><td>LU00108</td><td>STARTS ON PAGE 0002</td></tr><tr><td>MCS</td><td>LU00109</td><td>STARTS ON PAGE 0004</td></tr><tr><td>MCS</td><td>SO12677</td><td>STARTS ON PAGE 0006</td></tr><tr><td>MCS</td><td>SO15323</td><td>STARTS ON PAGE 0010</td></tr><tr><td>MCS</td><td>SO15658</td><td>STARTS ON PAGE 0012</td></tr><tr><td>MCS</td><td>SO15962</td><td>STARTS ON PAGE 0014</td></tr><tr><td>MCS</td><td>SO15978</td><td>STARTS ON PAGE 0015</td></tr><tr><td>MCS</td><td>SO15994</td><td>STARTS ON PAGE 0017</td></tr><tr><td>MCS</td><td>SO15995</td><td>STARTS ON PAGE 0018</td></tr><tr><td>MCS</td><td>SO16224</td><td>STARTS ON PAGE 0020</td></tr></table></div>	MCS	LU00093	STARTS ON PAGE 0002	MCS	LU00108	STARTS ON PAGE 0002	MCS	LU00109	STARTS ON PAGE 0004	MCS	SO12677	STARTS ON PAGE 0006	MCS	SO15323	STARTS ON PAGE 0010	MCS	SO15658	STARTS ON PAGE 0012	MCS	SO15962	STARTS ON PAGE 0014	MCS	SO15978	STARTS ON PAGE 0015	MCS	SO15994	STARTS ON PAGE 0017	MCS	SO15995	STARTS ON PAGE 0018	MCS	SO16224	STARTS ON PAGE 0020
MCS	LU00093	STARTS ON PAGE 0002																																
MCS	LU00108	STARTS ON PAGE 0002																																
MCS	LU00109	STARTS ON PAGE 0004																																
MCS	SO12677	STARTS ON PAGE 0006																																
MCS	SO15323	STARTS ON PAGE 0010																																
MCS	SO15658	STARTS ON PAGE 0012																																
MCS	SO15962	STARTS ON PAGE 0014																																
MCS	SO15978	STARTS ON PAGE 0015																																
MCS	SO15994	STARTS ON PAGE 0017																																
MCS	SO15995	STARTS ON PAGE 0018																																
MCS	SO16224	STARTS ON PAGE 0020																																

CA Endevor SCM 18.1  
CA RS 2102 Product/Component Listing

Product Family	Product	Release
Application Development	CA ENDEVOR SCM	18.01.00
The CA RS 2102 Product/Component Count for this release is 1		

CA RS Level	Service	FMID
CAR2102	S016224	CSIQI10
	S015995	CSIQI11
	S015994	CSIQI10
	S015978	CSIQI13
	S015962	CSIQI10
	S015658	CSIQI10
	S015323	CSIQI11
	S012677	CSIQI10
	LU00109	CSIQI11
	LU00108	CSIQI10
	LU00093	CSIQI10
CAR2101	S015900	CSIQI13
	S015878	CSIQI10
	S015818	CSIQI10
	S014767	CSIQI10
CAR2012	S015779	CSIQI11
	S015778	CSIQI10
	S015462	CSIQI10
	S015434	CSIQI10
	S015234	CSIQI13
	S015110	CSIQI10
CAR2011	S015251	CSIQI10
	S015219	CSIQI11
	S015218	CSIQI10
	S015125	CSIQI13
	S014748	CSIQI10
	S013905	CSIQI13
	S012172	CSIQI10
CAR2010	S014847	CSIQI10
	S014705	CSIQI11
	S014704	CSIQI10
	S014674	CSIQI10
CAR2009	S014513	CSIQI10
	S014420	CSIQI10
	S014309	CSIQI10
	S014222	CSIQI11
	S014221	CSIQI10
	S014082	CSIQI13
	S014076	CSIQI10
CAR2008	S013857	CSIQI10
	S013849	CSIQI13
	S013321	CSIQI10
	S013082	CSIQI13
	S012441	CSIQI10
CAR2007	S013690	CSIQI11
	S013689	CSIQI10
	S013604	CSIQI11

CA RS Level	Service	FMID
	S013592	CSIQI10
	S013583	CSIQI10
	S013582	CSIQI13
	S013479	CSIQI10
	S013434	CSIQI10
	S013067	CSIQI10
CAR2006	S013177	CSIQI10
	S013128	CSIQI10
	S013068	CSIQI10
	S012961	CSIQI10
	S012864	CSIQI10
CAR2005	S012574	CSIQI13
	S012546	CSIQI10
	S012498	CSIQI10
	S012495	CSIQI11
	S012494	CSIQI10
	S012491	CSIQI13
	S012490	CSIQI10
	S012309	CSIQI13
	S012022	CSIQI10
CAR2004	S012341	CSIQI10
	S012326	CSIQI11
	S012312	CSIQI10
	S012308	CSIQI10
	S012301	CSIQI11
	S012300	CSIQI10
	S012169	CSIQI10
	S011910	CSIQI10
	S011257	CSIQI10
	S011104	CSIQI10
CAR2003	S012079	CSIQI10
	S011879	CSIQI10
	S011289	CSIQI11
	S011288	CSIQI10
CAR2002	S011541	CSIQI10
	S011495	CSIQI10
	S011467	CSIQI13
	S011272	CSIQI13
CAR2001	S011124	CSIQI11
	S011123	CSIQI10
	S010979	CSIQI10
	S010896	CSIQI10
	S010825	CSIQI13
	S010824	CSIQI10
	S010822	CSIQI10