

CA OPS/MVS for JES3 13.5
CA RS 2102 Service List

1

Service	Description	Type
LU00038	JSON PACKET SENT TO UIM HAS INVALID CHARACTERS	PTF
LU00043	SOF8 ABEND WHEN STARTING OPSMVS AND JES2 IS NOT INITIALIZED	PTF
LU00062	OPSSLGP ISSUES 'OPM3082W OUTPUT LIMIT EXCEED' AT STARTUP	PTF
LU00064	OPSBCEPII SERVER TRUNCATES CPCMCCLINFO QUERY RESPONSE DATA	PTF
LU00068	PRP RESOLVING PTFS FOR INCORRECT OSF ACCESS LEVELS	** PRP **
LU00073	OPSBCEPII NOT SHOWING HWILIST API RC WHEN NO CPCS FOUND	PTF
LU00079	SQL LOGIC ERROR OPSQMGPR INVALID MSG NUMBER 17	PTF
The CA RS 2102 service count for this release is 7		

CA OPS/MVS for JES3
CA RS 2102 Service List for CCLXD50

2

FMID	Service	Description	Type
CCLXD50	LU00038	JSON PACKET SENT TO UIM HAS INVALID CHARACTERS	PTF
	LU00043	SOF8 ABEND WHEN STARTING OPSMVS AND JES2 IS NOT INITIALIZED	PTF
	LU00062	OPSSLGP ISSUES 'OPM3082W OUTPUT LIMIT EXCEED' AT STARTUP	PTF
	LU00064	OPSBCEPII SERVER TRUNCATES CPCMLINFO QUERY RESPONSE DATA	PTF
	LU00068	PRP RESOLVING PTFS FOR INCORRECT OSF ACCESS LEVELS	** PRP **
	LU00073	OPSBCEPII NOT SHOWING HWILIST API RC WHEN NO CPCS FOUND	PTF
	LU00079	SQL LOGIC ERROR OPSQMGPR INVALID MSG NUMBER 17	PTF
The CA RS 2102 service count for this FMID is 7			

Service	Details		
LU00038	LU00038 M.C.S. ENTRIES = ++PTF (LU00038) JSON PACKET SENT TO UIM HAS INVALID CHARACTERS PROBLEM DESCRIPTION: The CCS Message Service will stop processing and become inoperable when invalid characters are sent to it via OPS/REXX ADDRESS USS UIMREQ host environment commands. SYMPTOMS: The events targeted for UIM will fail to be sent. IMPACT: Unable to send events to UIM containing embedded backslashes. CIRCUMVENTION: Ensure that any text data that is sent via the OPS/MVS ADDRESS USS UIMREQ address environment does not contain a backslash character or double quotes. The REXX Translate function can be utilized to replace these characters with another text character. PRODUCT(S) AFFECTED: CA OPS/MVS Base Release 13.5 CA OPS/MVS Base Version 14.0 Related Problem: OPSMVS 1739 Copyright (C) 2021 CA. All rights reserved. R00318-CLX135-SP1 DESC(JSON PACKET SENT TO UIM HAS INVALID CHARACTERS). ++VER (Z038) FMID (CCLXD50) PRE (S001859) SUP (LT00038 S006962 S010613 ST06962 ST10613) ++HOLD (LU00038) SYSTEM FMID(CCLXD50) REASON (ACTION) DATE (21014) COMMENT (<table border="1"> <tr> <td>CA OPS/MVS Base</td><td>Release 13.5</td></tr> </table> SEQUENCE After Apply PURPOSE Re-cycle OPS/MVS USS servers to start using updated code. USERS OPS/MVS rules and REXX that use ADDRESS USS UIMREQ AFFECTED KNOWLEDGE OPS/MVS Product Administration REQUIRED ACCESS OPSVIEW option 4.3 REQUIRED ***** * STEPS TO PERFORM * ***** 1. Access OPSVIEW option 4.3 (OSF Sever Facility) 2. Change the Class field to USS 3. Issue the 'T' line command for each server asid).	CA OPS/MVS Base	Release 13.5
CA OPS/MVS Base	Release 13.5		

Service	Details																				
LU00043	LU00043 M.C.S. ENTRIES = ++PTF (LU00043) SOF8 ABEND WHEN STARTING OPSMVS AND JES2 IS NOT INITIALIZED PROBLEM DESCRIPTION: Code to detect if JES is active was being called for SSI function code 32. This check should not be made for the 'command fail function' SSI call. SYMPTOMS: SOF8 in the JES2 address space with OPSMVS being the primary address space. IMPACT: No impact other than a dump is recorded. CIRCUMVENTION: None. PRODUCT(S) AFFECTED: CA OPS/MVS Base Release 13.5 CA OPS/MVS Base Version 14.0 Related Problem: OPSMVS 12660 Copyright (C) 2021 CA. All rights reserved. R00319-CLX135-SP1 DESC(SOF8 ABEND WHEN STARTING OPSMVS AND JES2 IS NOT INITIALIZED). ++VER (Z038) FMID (CCLXD50) SUP (LT00043) ++HOLD (LU00043) SYSTEM FMID(CCLXD50) REASON (DYNACT) DATE (21011) COMMENT (<table border="1"> <tr> <td>CA OPS/MVS Base</td><td>Release 13.5</td></tr> <tr> <td>SEQUENCE</td><td>After Apply</td></tr> <tr> <td>PURPOSE</td><td>To activate load modules updated by this PTF</td></tr> <tr> <td>USERS</td><td>All OPSMVS users.</td></tr> <tr> <td>AFFECTED</td><td></td></tr> <tr> <td>KNOWLEDGE</td><td>Basic z/OS systems programming skills</td></tr> <tr> <td>REQUIRED</td><td></td></tr> <tr> <td>ACCESS</td><td>- Access to OPS/MVS SMP/E Target loadlib CCLXLOAD and any</td></tr> <tr> <td>REQUIRED</td><td>deployed copies</td></tr> <tr> <td></td><td>- Authority to issue MVS system commands</td></tr> </table> ***** * STEPS TO PERFORM * ***** 1. This PTF updates load module OPSSEX. 2. Copy the updated load module from SMP/E Target loadlib CCLXLOAD to any other deployed copies, such as a STEPLIB used by the OPS/MVS main address space, a link listed loadlib, etc. 3. If the system library lookaside (LLA) program is managing any updated loadlib, you must refresh LLA by using MVS system command "F LLA,REFRESH" or some equivalent	CA OPS/MVS Base	Release 13.5	SEQUENCE	After Apply	PURPOSE	To activate load modules updated by this PTF	USERS	All OPSMVS users.	AFFECTED		KNOWLEDGE	Basic z/OS systems programming skills	REQUIRED		ACCESS	- Access to OPS/MVS SMP/E Target loadlib CCLXLOAD and any	REQUIRED	deployed copies		- Authority to issue MVS system commands
CA OPS/MVS Base	Release 13.5																				
SEQUENCE	After Apply																				
PURPOSE	To activate load modules updated by this PTF																				
USERS	All OPSMVS users.																				
AFFECTED																					
KNOWLEDGE	Basic z/OS systems programming skills																				
REQUIRED																					
ACCESS	- Access to OPS/MVS SMP/E Target loadlib CCLXLOAD and any																				
REQUIRED	deployed copies																				
	- Authority to issue MVS system commands																				

Service	Details
	mechanism. 4. Issue the F OPSS,RELOAD(OPSSEX) command. 5. If the system link pack area (LPA) contains any updated load module, you must refresh LPA by using MVS system command "SETPROG LPA" or some equivalent mechanism.).

Service	Details		
LU00062	LU00062 M.C.S. ENTRIES = ++PTF (LU00062) OPSSLGP ISSUES 'OPM3082W OUTPUT LIMIT EXCEED' AT STARTUP PROBLEM DESCRIPTION: The OPS/MVS Syslogd Server incorrectly sets the maximum number of output lines written to SYSPRINT. SYMPTOMS: Message 'OPM3082W OUTPUT LIMIT EXCEEDED (0 LINES)' is issued at startup. IMPACT: No output is written to the SYSPRINT dataset. CIRCUMVENTION: None. PRODUCT(S) AFFECTED: CA OPS/MVS Base Release 13.5 CA OPS/MVS Base Version 14.0 Related Problem: OPSMVS 12674 Copyright (C) 2021 CA. All rights reserved. R00320-CLX135-SP1 DESC(OPSSLGP ISSUES 'OPM3082W OUTPUT LIMIT EXCEED' AT STARTUP). ++VER (Z038) FMID (CCLXD50) PRE (S001859 S010262) SUP (LT00062) ++HOLD (LU00062) SYSTEM FMID(CCLXD50) REASON (ACTION) DATE (21021) COMMENT (<table border="1"> <tr> <td>CA OPS/MVS Base</td><td>Release 13.5</td></tr> </table> SEQUENCE Before starting OPS/MVS. PURPOSE To prevent erroneous abends or messages. USERS To allow the OPSSLGP started task (OPS/MVS SYSLOGD AFFECTED Server) to write to SYSPRINT. KNOWLEDGE All users of the OPS/MVS Syslogd Server. REQUIRED ACCESS Authority to stop and start OPS/MVS. REQUIRED ***** * STEPS TO PERFORM * ***** 1. Apply the PTF. 2. Restart OPS/MVS. OPS/MVS must be restarted for this PTF to work.).	CA OPS/MVS Base	Release 13.5
CA OPS/MVS Base	Release 13.5		

Service	Details		
LU00064	LU00064 M.C.S. ENTRIES = ++PTF (LU00064) OPSBBCPII SERVER TRUNCATES CPCMLINFO QUERY RESPONSE DATA PROBLEM DESCRIPTION: When querying the BCPII CPCMLINFO attribute, the OPSBCPII Server truncates the response data. This is caused by a 32K limit on the size of data stored in REXX variables. SYMPTOMS: Incomplete CPCMLINFO data is returned. IMPACT: The CPCMLINFO data returned in the query response is invalid. CIRCUMVENTION: None. PRODUCT(S) AFFECTED: CA OPS/MVS Base Release 13.5 CA OPS/MVS Base Version 14.0 Related Problem: OPSMVS 12673 Copyright (C) 2021 CA. All rights reserved. R00321-CLX135-SP1 DESC(OPSBBCPII SERVER TRUNCATES CPCMLINFO QUERY RESPONSE DATA). ++VER (Z038) FMID (CCLXD50) PRE (S010262 S010476 S011445 S011591 S011812 S012138 S015253) SUP (LT00064) ++HOLD (LU00064) SYSTEM FMID(CCLXD50) REASON (ACTION) DATE (21028) COMMENT (<table border="1"> <tr> <td>CA OPS/MVS Base</td><td>Release 13.5</td></tr> </table> SEQUENCE Before using the OPSBCPII Server. PURPOSE To correct truncation of the CPCMLINFO query response. USERS All users of the OPSBCPII Server. AFFECTED KNOWLEDGE Basic z/OS system programming skills. REQUIRED ACCESS Authority to stop and start the OPSBCPII Server. REQUIRED ***** * STEPS TO PERFORM * ***** 1. After applying the PTF, restart OPSBCPII Server by issuing the Command:␣F OPSx RESTART(HWS)␣ where OPSx is the OPS/MVS subsystem id. 2. Logoff and logon to tso if running OPSBCPII execs from TSO.).	CA OPS/MVS Base	Release 13.5
CA OPS/MVS Base	Release 13.5		

CA OPS/MVS for JES3 13.5
CA RS 2102 - PTF LU00068 Details

8

Service	Details	
LU00068	LU00068 M.C.S. ENTRIES = ++PTF (LU00068)	
	PRP RESOLVING PTFS FOR INCORRECT OSF ACCESS LEVELS	
	PROBLEM DESCRIPTION:	
	This PTF resolves the following PTF's that introduce additional errors for the CA OPS/MVS OSF security access attributes:	
	Release 14.0 - S015758	
	Release 13.5 - S014910 and S015562	
	Release 13.0 - S015763	
	SYMPTOMS:	
	The following error messages are issued from OPS/REXX execs executing in OSF servers with CA OPS/MVS parameter OSFSECURITY set to CHECKUSERID:	
	OPS3092H CURRENT MVS COMMAND NOT AUTHORIZED - OPER authority required	
	OPS3092H DYNAMIC ALLOCATION of INTERNAL READER failed, RC=4, detected at OPSUBMIT+X'00000322'	
	IMPACT:	
	OPS/REXX execs will fail when using various product functionality such as ADDRESS OPER and OPSUBMIT() with the above messages.	
	CIRCUMVENTION:	
	None.	
	PRODUCT(S) AFFECTED:	
	CA OPS/MVS Base	Version 14.0
	CA OPS/MVS Base	Version 13.5
	CA OPS/MVS Base	Version 13.0
	Related Problem:	
	OPSMVS 12681	
	Copyright (C) 2021 CA. All rights reserved. R00323-CLX135-SP1	
	DESC (PRP RESOLVING PTFS FOR INCORRECT OSF ACCESS LEVELS).	
	++VER (Z038)	
	FMID (CCLXD50)	
	PRE (S001859 S004411 S008474 S008999 S010262 S011508 S012630 S015562)	
	SUP (AS15562 LT00068 S000632 S007801 S014645 S014910 ST00632 ST05888 ST07801 ST14645 ST14910)	
	++HOLD (LU00068) SYSTEM FMID(CCLXD50)	
	REASON (DYNACT) DATE (21025)	
	COMMENT (	
	+-----+	
	CA OPS/MVS Base	Release 13.5
	+-----+	
	SEQUENCE	After APPLY
	+-----+	
	PURPOSE	To activate load modules updated by this PTF, including
		load module OPSAEX
	+-----+	
	USERS	All OPS/MVS users
	AFFECTED	
	+-----+	
	KNOWLEDGE	Basic z/OS systems programming skills
	REQUIRED	

Service	Details
	<pre> +-----+-----+ ACCESS - Access to OPS/MVS SMP/E Target loadlib CCLXLOAD and any REQUIRED deployed copies - Authority to issue MVS system commands - Authority to stop and start OPS/MVS +-----+-----+ ***** * STEPS TO PERFORM * ***** 1. This PTF updates load module OPSAEX, as well as the other load modules identified by the ++MOD statements contained in this PTF. APPLY of this PTF updates SMP/E Target loadlib CCLXLOAD. 2. Copy the updated load modules from SMP/E Target loadlib CCLXLOAD to any other deployed copies, such as a STEPLIB used by the OPS/MVS main address space, a link listed loadlib, etc. 3. If the system library lookaside (LLA) program is managing any updated loadlib, you must refresh LLA by using MVS system command "F LLA,REFRESH" or some equivalent mechanism. 4. TSO users must get out of OPSVIEW. 5. Stop OPS/MVS. 6. If the system link pack area (LPA) contains any updated load module, you must refresh LPA by using MVS system command "SETPROG LPA" or some equivalent mechanism. 7. Start OPS/MVS. 8. TSO users may access OPSVIEW. Depending on how OPSVIEW is accessed, this may require TSO logoff/logon.).</pre>

Service	Details		
LU00073	LU00073 M.C.S. ENTRIES = ++PTF (LU00073) OPSBCEPII NOT SHOWING HWILIST API RC WHEN NO CPCS FOUND PROBLEM DESCRIPTION: The OPSBCEPII Server "OPBCEP035I" message does not display the return code when no CPCs are found. This occurs when the HWILIST command is issued during topology discovery. SYMPTOMS: The following message indicates OPSBCEPII Server topology discovery has failed, however the return code is not displayed in the message. OPBCEP035I - hwilist No CPCs found. IMPACT: The OPSBCEPII server fails to start. CIRCUMVENTION: None. PRODUCT(S) AFFECTED: CA OPS/MVS Base Release 13.5 CA OPS/MVS Base Version 14.0 Related Problem: OPSMVS 12684 Copyright (C) 2021 CA. All rights reserved. R00324-CLX135-SP1 DESC(OPSBCEPII NOT SHOWING HWILIST API RC WHEN NO CPCS FOUND). ++VER (Z038) FMID (CCLXD50) PRE (S010262 S010672 S010764 S011434 S015181) SUP (LT00073) ++HOLD (LU00073) SYSTEM FMID(CCLXD50) REASON (ACTION) DATE (21020) COMMENT (<table border="1"> <tr> <td>CA OPS/MVS Base</td><td>Release 13.5</td></tr> </table> SEQUENCE Before using the OPSBCEPII Server. PURPOSE To display the return code in the OPBCEP035I message. USERS All users of the OPSBCEPII Server. AFFECTED KNOWLEDGE Basic z/OS system programming skills. REQUIRED ACCESS Authority to stop and start the OPSBCEPII Server. REQUIRED ***** * STEPS TO PERFORM * ***** 1. After applying the PTF, restart OPSBCEPII Server by issuing the following command: F OPSx RESTART(HWS) where OPSx is the CA OPS/MVS subsystemid.).	CA OPS/MVS Base	Release 13.5
CA OPS/MVS Base	Release 13.5		

Service	Details		
LU00079	LU00079 M.C.S. ENTRIES = ++PTF (LU00079) SQL LOGIC ERROR OPSQMGPR INVALID MSG NUMBER 17 PROBLEM DESCRIPTION: The SQL RESOLVE process was unable to find the SQL execution packet. The OPS7017E message fails and the subsequent execution of the SQL command abends due to a logic error because the VIL entry is missing. SYMPTOMS: OPS999T OPSQMGPR INVALID MESSAGE NUMBER: 17 error message followed by SOC3 abend due to an SQL logic error. IMPACT: SQL instruction fails. CIRCUMVENTION: None. PRODUCT(S) AFFECTED: CA OPS/MVS Base Release 13.5 CA OPS/MVS Base Version 14.0 Related Problem: OPSMVS 12694 Copyright (C) 2021 CA. All rights reserved. R00325-CLX135-SP1 DESC(SQL LOGIC ERROR OPSQMGPR INVALID MSG NUMBER 17). ++VER (Z038) FMID (CCLXD50) SUP (LT00079) ++HOLD (LU00079) SYSTEM FMID(CCLXD50) REASON (DYNACT) DATE (21022) COMMENT (<table border="1"> <tr> <td>CA OPS/MVS Base</td><td>Release 13.5</td></tr> </table> SEQUENCE After APPLY PURPOSE To activate load modules updated by this PTF, including load module OPSAEX USERS All OPS/MVS users AFFECTED KNOWLEDGE Basic z/OS systems programming skills REQUIRED ACCESS - Access to OPS/MVS SMP/E Target loadlib CCLXLOAD and any REQUIRED deployed copies - Authority to issue MVS system commands - Authority to stop and start OPS/MVS ***** * STEPS TO PERFORM * ***** 1. This PTF updates load module OPSAEX, as well as the other load modules identified by the ++MOD statements contained in this PTF. APPLY of this PTF updates SMP/E Target loadlib CCLXLOAD.	CA OPS/MVS Base	Release 13.5
CA OPS/MVS Base	Release 13.5		

Service	Details	
	2. Copy the updated load modules from SMP/E Target loadlib CCLXLOAD to any other deployed copies, such as a STEPLIB used by the OPS/MVS main address space, a link listed loadlib, etc. 3. If the system library lookaside (LLA) program is managing any updated loadlib, you must refresh LLA by using MVS system command "F LLA,REFRESH" or some equivalent mechanism. 4. TSO users must get out of OPSVIEW. 5. Stop OPS/MVS. 6. If the system link pack area (LPA) contains any updated load module, you must refresh LPA by using MVS system command "SETPROG LPA" or some equivalent mechanism. 7. Start OPS/MVS. 8. TSO users may access OPSVIEW. Depending on how OPSVIEW is accessed, this may require TSO logoff/logon.).	
MCS	LU00038	STARTS ON PAGE 0002
MCS	LU00043	STARTS ON PAGE 0003
MCS	LU00062	STARTS ON PAGE 0004
MCS	LU00064	STARTS ON PAGE 0005
MCS	LU00068	STARTS ON PAGE 0007
MCS	LU00073	STARTS ON PAGE 0009
MCS	LU00079	STARTS ON PAGE 0010

CA OPS/MVS for JES3 13.5
CA RS 2102 Product/Component Listing

13

Product Family	Product	Release
Systems Management	CA OPS/MVS BASE	13.05.00
The CA RS 2102 Product/Component Count for this release is 1		

CA OPS/MVS for JES3 13.5
All CA RS Levels Service List

CA RS Level	Service	FMID
CAR2102	LU00079	CCLXD50
	LU00073	CCLXD50
	LU00068	CCLXD50
	LU00064	CCLXD50
	LU00062	CCLXD50
	LU00043	CCLXD50
	LU00038	CCLXD50
CAR2101	S015923	CCLXD50
	S015904	CCLXD50
	LU00026	CCLXD50
CAR2012	S015707	CCLXD50
	S015685	CCLXD50
	S015657	CCLXD50
	S015612	CCLXD50
	S015580	CCLXD50
	S015562	CCLXD50
	S015547	CCLXD50
	S015523	CCLXD50
	S015471	CCLXD50
	S015181	CCLXD50
	S015141	CCLXD50
CAR2011	S015423	CCLXD50
	S015253	CCLXD50
	S015164	CCLXD50
	S015149	CCLXD51
	S015066	CCLXD50
	S015023	CCLXD51
	S014910	CCLXD50
CAR2010	S015017	CCLXD50
	S014997	CCLXD50
	S014972	CCLXD50
	S014933	CCLXD50
	S014645	CCLXD50
	S014390	CCLXD50
CAR2009	S014532	CCLXD50
	S014418	CCLXD51
	S014302	CCLXD50
	S014192	CCLXD50
	S012679	CCLXD50
CAR2008	S014096	CCLXD50
	S013923	CCLXD50
	S013046	CCLXD50
CAR2007	S013791	CCLXD50
	S013681	CCLXD50
	S013680	CCLXD50
	S013643	CCLXD50
	S013638	CCLXD50

CA RS Level	Service	FMID
	S013481	CCLXD50
	S013470	CCLXD50
	S013447	CCLXD50
	S013422	CCLXD50
CAR2006	S013347	CCLXD50
	S013070	CCLXD50
	S012245	CCLXD50
CAR2005	S012733	CCLXD50
	S012722	CCLXD50
	S012676	CCLXD50
	S012673	CCLXD50
	S012658	CCLXD50
	S012630	CCLXD50
	S012622	CCLXD50
	S012418	CCLXD50
CAR2004	S012591	CCLXD50
	S012414	CCLXD50
	S012403	CCLXD50
	S012373	CCLXD51
CAR2003	S012139	CCLXD50
	S012138	CCLXD50
	S012101	CCLXD50
	S012096	CCLXD50
	S012060	CCLXD50
	S012013	CCLXD50
	S011954	CCLXD50
	S011953	CCLXD50
	S011878	CCLXD50
	S011877	CCLXD51
	S011812	CCLXD50
CAR2002	S011652	CCLXD50
	S011596	CCLXD51
	S011591	CCLXD50
	S011514	CCLXD50
	S011508	CCLXD50
	S011488	CCLXD51
	S011487	CCLXD50
	S011445	CCLXD50
	S011438	CCLXD51
	S011437	CCLXD50
	S011434	CCLXD50
	S011428	CCLXD50
	S011347	CCLXD50
	S011214	CCLXD50
	S006491	CCLXD50
CAR2001	S011260	CCLXD50
	S011241	CCLXD50

CA RS Level	Service	FMID
	S011213	CCLXD50
	S011203	CCLXD50
	S011188	CCLXD51
	S011144	CCLXD50
	S011125	CCLXD50
	S011100	CCLXD50
	S011092	CCLXD50
	S010733	CCLXD51
CAR1912	S010914	CCLXD50
	S010765	CCLXD50
	S010764	CCLXD50
	S010726	CCLXD50
	S010719	CCLXD50
	S010672	CCLXD50
	S010613	CCLXD50
	S010552	CCLXD50
CAR1911	S010490	CCLXD50
	S010476	CCLXD50
	S010453	CCLXD50
	S010450	CCLXD50
	S010413	CCLXD50
	S010402	CCLXD50
	S010384	CCLXD50
	S010262	CCLXD50
CAR1910	S010241	CCLXD50
	S010050	CCLXD50
	S010024	CCLXD50
	S009878	CCLXD50
	S009794	CCLXD50
	S009449	CCLXD50
	S008614	CCLXD51
	S008478	CCLXD50
CAR1909	S009846	CCLXD50
	S009840	CCLXD50
	S009667	CCLXD50
	S009544	CCLXD50
	S009387	CCLXD50
	S009094	CCLXD50
CAR1908	S009364	CCLXD50
	S009193	CCLXD50
	S009160	CCLXD50
	S009115	CCLXD50
CAR1907	S009020	CCLXD50
	S009000	CCLXD50
	S008999	CCLXD50
	S008872	CCLXD50
	S008831	CCLXD50

CA OPS/MVS for JES3 13.5
All CA RS Levels Service List

CA RS Level	Service	FMID
	S008829	CCLXD50
	S008714	CCLXD50
	S008712	CCLXD50
	S008651	CCLXD50
	S008640	CCLXD50
	S008475	CCLXD51
	S008474	CCLXD50
CAR1906	S008647	CCLXD50
	S008645	CCLXD50
	S008583	CCLXD50
	S008572	CCLXD50
	S008535	CCLXD50
	S008471	CCLXD50
	S008386	CCLXD50
	S008367	CCLXD51
	S008357	CCLXD50
	S008339	CCLXD50
	S008299	CCLXD50
	S008241	CCLXD50
	S008166	CCLXD53
	S006836	CCLXD50
CAR1905	S008113	CCLXD50
CAR1904	S007801	CCLXD50
	S007732	CCLXD50
	S007650	CCLXD50
	S007596	CCLXD51
	S007510	CCLXD50
CAR1903	S007406	CCLXD50
	S007289	CCLXD50
	S007231	CCLXD51
	S007197	CCLXD50
CAR1902	S007182	CCLXD51
	S007131	CCLXD50
	S006990	CCLXD50
	S006965	CCLXD50
	S006962	CCLXD50
	S006939	CCLXD50
	S006933	CCLXD50
	S006920	CCLXD51
	S006788	CCLXD50
CAR1901	S006555	CCLXD50
	S006527	CCLXD50
	S006526	CCLXD50
	S006167	CCLXD51
	S006166	CCLXD50
CAR1812	S006502	CCLXD50
	S006380	CCLXD51

CA OPS/MVS for JES3 13.5
All CA RS Levels Service List

CA RS Level	Service	FMID
	S006379	CCLXD50
	S006345	CCLXD50
	S006257	CCLXD50
	S006212	CCLXD50
	S006109	CCLXD50
	S005996	CCLXD51
CAR1811	S006105	CCLXD50
	S006042	CCLXD50
	S005965	CCLXD50
	S005934	CCLXD50
	S005908	CCLXD51
	S005737	CCLXD51
	S005727	CCLXD50
	S005704	CCLXD50
	S005690	CCLXD50
CAR1810	S005680	CCLXD50
	S005674	CCLXD50
	S005661	CCLXD50
	S005638	CCLXD51
	S005619	CCLXD50
	S005593	CCLXD51
	S005592	CCLXD50
	S005541	CCLXD50
	S005320	CCLXD50
	S005285	CCLXD50
	S005275	CCLXD50
CAR1809	S005192	CCLXD51
	S005191	CCLXD50
	S005047	CCLXD50
	S005042	CCLXD50
	S004989	CCLXD50
	S004944	CCLXD50
	S004928	CCLXD50
	S004900	CCLXD50
	S004898	CCLXD50
	S004808	CCLXD50
	S004772	CCLXD50
	S004680	CCLXD50
	S004634	CCLXD50
CAR1808	S004649	CCLXD50
	S004626	CCLXD50
	S004490	CCLXD50
	S004412	CCLXD51
	S004411	CCLXD50
	S004296	CCLXD51
CAR1807	S003933	CCLXD50
	S003910	CCLXD50

CA RS Level	Service	FMID
	S003905	CCLXD50
	S003594	CCLXD50
	S001859	CCLXD50
CAR1806	S003775	CCLXD51
	S003731	CCLXD50
	S003595	CCLXD51
	S001956	CCLXD50
	S001943	CCLXD51
	S001874	CCLXD50
	S001813	CCLXD50
	S001752	CCLXD50
CAR1805	S001580	CCLXD50
	S001320	CCLXD50
	S001297	CCLXD50
	S001270	CCLXD50
	S001221	CCLXD50
CAR1804	S001097	CCLXD50
	S001092	CCLXD50
	S001061	CCLXD50
	S000908	CCLXD50
	S000873	CCLXD51
	S000597	CCLXD50
CAR1803	S000632	CCLXD50
	S000630	CCLXD50
	S000572	CCLXD50
	S000562	CCLXD50
	S000476	CCLXD50
	S000444	CCLXD50
	S000393	CCLXD50
	S000371	CCLXD50
	S000247	CCLXD50
	S000245	CCLXD50
	S000239	CCLXD50
	S000236	CCLXD51
	S000235	CCLXD50