

CA SYSVIEW Performance Management 15.0  
CA RS 2102 Service List

1

Service	Description	Type
S015856	INCORRECT STORAGE VALUES SHOWN ON VARIOUS DISPLAYS	PTF
S016070	GROUPS EXCLUDE FIELD MISLEADING BLANKS	PTF
S016095	ASIFREE MVS COLLECTION VARIABLE IS INCORRECT	PTF
S016163	MENU DISPJES3 ENTRY MAY RESULT IN ERROR	PTF
The CA RS 2102 service count for this release is 4		

CA SYSVIEW Performance Management  
CA RS 2102 Service List for CNM4F00

2

FMID	Service	Description	Type
CNM4F00	S015856	INCORRECT STORAGE VALUES SHOWN ON VARIOUS DISPLAYS	PTF
	S016070	GROUPS EXCLUDE FIELD MISLEADING BLANKS	PTF
	S016095	ASIFREE MVS COLLECTION VARIABLE IS INCORRECT	PTF
	S016163	MENU DISPJES3 ENTRY MAY RESULT IN ERROR	PTF
The CA RS 2102 service count for this FMID is 4			

Service	Details				
SO15856	<p>SO15856 M.C.S. ENTRIES = ++PTF (SO15856)</p> <p>INCORRECT STORAGE VALUES SHOWN ON VARIOUS DISPLAYS</p> <p>PROBLEM DESCRIPTION:</p> <p>The values displayed for total volume bytes were not being calculated to their full precision. For example a value that may have been 51.86G is displayed as 51.8G instead of 51.9G. After rounding was performed additional truncation was performed to provide a value that fit in a 5 byte display field.</p> <p>SYMPTOMS:</p> <p>In the reported case, the SPACE display showed values smaller than expected due to truncation when the value is being formatted for display. This problem may be seen on various SYSVIEW displays where large storage values are shown.</p> <p>IMPACT:</p> <p>Incorrect byte values displayed on various commands. The ROW line command can be used to view the total byte number from which the abbreviated value comes from.</p> <p>CIRCUMVENTION:</p> <p>None.</p> <p>PRODUCT(S) AFFECTED:</p> <table> <tr> <td>CA SYSVIEW</td><td>Release 15.0</td></tr> <tr> <td>CA SYSVIEW</td><td>Release 16.0</td></tr> </table> <p>Related Problem:</p> <p>SYSVW 2572</p> <p>Copyright (C) 2021 CA. All rights reserved. R00161-NM4150-SP1</p> <p>DESC(INCORRECT STORAGE VALUES SHOWN ON VARIOUS DISPLAYS) .</p> <p>++VER (Z038)</p> <p>FMID (CNM4F00)</p> <p>PRE ( R096630 S000378 S001737 S003940 S004675 S006572</p> <p>S009916 S015285 )</p> <p>SUP ( ST15856 )</p>	CA SYSVIEW	Release 15.0	CA SYSVIEW	Release 16.0
CA SYSVIEW	Release 15.0				
CA SYSVIEW	Release 16.0				

Service	Details				
SO16070	<p>SO16070 M.C.S. ENTRIES = ++PTF (SO16070)</p> <p>GROUPS EXCLUDE FIELD MISLEADING BLANKS</p> <p>PROBLEM DESCRIPTION:</p> <p>On the GROUPS command, the Exclude field indicates if the given group member is to be included or excluded during group processing. Currently, this Exclude field can have three possible values:</p> <ol style="list-style-type: none"> <li>1. blanks - The group member is included</li> <li>2. INCLUDE - The group member is included</li> <li>3. EXCLUDE - The group member is excluded</li> </ol> <p>When the value is blanks, it can lead to some confusion as the blanks value can lead one to believe that the Exclude field is a repeat field, which it is not.</p> <p>This fix is to remove the blanks value from the possible values that the Exclude field can have on the GROUPS command. This will result in INCLUDE and EXCLUDE being the only possible values.</p> <p>SYMPTOMS:</p> <p>Values for the Exclude field on GROUPS command are blank.</p> <p>IMPACT:</p> <p>Misleading values in Exclude field on GROUPS command.</p> <p>CIRCUMVENTION:</p> <p>None.</p> <p>PRODUCT(S) AFFECTED:</p> <table> <tr> <td>CA SYSVIEW</td><td>Release 15.0</td></tr> <tr> <td>CA SYSVIEW</td><td>Release 16.0</td></tr> </table> <p>Related Problem:</p> <p>SYSVW 2573</p> <p>Copyright (C) 2021 CA. All rights reserved. R00164-NM4150-SP1</p> <p>DESC (GROUPS EXCLUDE FIELD MISLEADING BLANKS) .</p> <p>++VER (Z038)</p> <p>FMID (CNM4F00)</p> <p>PRE ( R096630 R096738 R097598 R099412 S009992 )</p> <p>SUP ( ST16070 )</p>	CA SYSVIEW	Release 15.0	CA SYSVIEW	Release 16.0
CA SYSVIEW	Release 15.0				
CA SYSVIEW	Release 16.0				

Service	Details				
SO16095	<p>SO16095 M.C.S. ENTRIES = ++PTF (SO16095)</p> <p>ASIFREE MVS COLLECTION VARIABLE IS INCORRECT</p> <p>PROBLEM DESCRIPTION:</p> <p>The MVS data collection variable ASIFREE is being calculated incorrectly. It is generally higher than the actual available free address spaces.</p> <p>SYMPTOMS:</p> <p>The ASIFREE variable value will be larger than it should be by the number of replacement non-reusable address spaces that have been used, as shown in the Used column for the RSVNONR data row in the information area of the ASLIST command display.</p> <p>IMPACT:</p> <p>Incorrect threshold triggering.</p> <p>CIRCUMVENTION:</p> <p>None.</p> <p>PRODUCT(S) AFFECTED:</p> <table> <tr> <td>CA SYSVIEW</td><td>Release 15.0</td></tr> <tr> <td>CA SYSVIEW</td><td>Release 16.0</td></tr> </table> <p>Related Problem:</p> <p>SYSVW 2550</p> <p>Copyright (C) 2021 CA. All rights reserved. R00165-NM4150-SP1</p> <p>DESC(ASIFREE MVS COLLECTION VARIABLE IS INCORRECT).</p> <p>++VER (Z038)</p> <p>FMID (CNM4F00)</p> <p>PRE ( R097598 R099412 S000378 S003940 S004675 S006572</p> <p>SO10611 SO12995 SO14840 )</p> <p>SUP ( S007932 SO14928 ST07932 ST14928 ST16095 )</p>	CA SYSVIEW	Release 15.0	CA SYSVIEW	Release 16.0
CA SYSVIEW	Release 15.0				
CA SYSVIEW	Release 16.0				

Service	Details												
SO16163	<p>SO16163 M.C.S. ENTRIES = ++PTF (SO16163)</p> <p>MENU DISPJES3 ENTRY MAY RESULT IN ERROR</p> <p>PROBLEM DESCRIPTION:</p> <p>MENU JES3 contains several JES3 commands/options that can be issued. One command is '*X DISPLAY,J=J50'. The command's job parameter 'J=' is populated with the value of 'J50'. J50, if exists, may not be the desired jobnumber/jobname to be displayed.</p> <p>This PTF will change the behavior of selecting *X DISPLAY to prompt the user on the command line with</p> <p>XMVS *X DISPLAY,J=jobname</p> <p>The user can then replace 'jobname' with the desired jobname/jobnumber to be displayed.</p> <p>SYMPTOMS:</p> <p>Selecting Option 6 -&gt; *X DISPLAY,J=J50 from the default DISPJES3 menu may result in the following SYSLOG messages</p> <p>IAT6306 JOB (JOB00083) IS DISPLAY , CALLED BY GSVX0000</p> <p>IAT7760 INVALID PARAMETER, DISPLAY CANCELLED</p> <p>IAT7450 JOB DISPLAY (JOB00083) PURGED</p> <p>IMPACT:</p> <p>None</p> <p>CIRCUMVENTION:</p> <p>Use the following command to display information about the JES3 or JES3Plus job queue</p> <p>XMVS *X DISPLAY,J=jobname</p> <p>replacing 'jobname' with the job name or number for the job to be displayed.</p> <p>PRODUCT(S) AFFECTED:</p> <p>CA SYSVIEW Release 15.0</p> <p>CA SYSVIEW Release 16.0</p> <p>Related Problem:</p> <p>SYSVW 2575</p> <p>Copyright (C) 2021 CA. All rights reserved. R00166-NM4150-SP1</p> <p>DESC(MENU DISPJES3 ENTRY MAY RESULT IN ERROR).</p> <p>++VER (Z038)</p> <p>FMID (CNM4F00)</p> <p>SUP ( ST16163 )</p> <table><tr><td>MCS</td><td>SO15856</td><td>STARTS ON PAGE 0002</td></tr><tr><td>MCS</td><td>SO16070</td><td>STARTS ON PAGE 0002</td></tr><tr><td>MCS</td><td>SO16095</td><td>STARTS ON PAGE 0003</td></tr><tr><td>MCS</td><td>SO16163</td><td>STARTS ON PAGE 0004</td></tr></table>	MCS	SO15856	STARTS ON PAGE 0002	MCS	SO16070	STARTS ON PAGE 0002	MCS	SO16095	STARTS ON PAGE 0003	MCS	SO16163	STARTS ON PAGE 0004
MCS	SO15856	STARTS ON PAGE 0002											
MCS	SO16070	STARTS ON PAGE 0002											
MCS	SO16095	STARTS ON PAGE 0003											
MCS	SO16163	STARTS ON PAGE 0004											

CA SYSVIEW Performance Management 15.0  
CA RS 2102 Product/Component Listing

7

Product Family	Product	Release
Systems Management	CA SYSVIEW PERFORMANCE MANAGEMENT	15.00.00
The CA RS 2102 Product/Component Count for this release is 1		

CA RS Level	Service	FMID
CAR2102	S016163	CNM4F00
	S016095	CNM4F00
	S016070	CNM4F00
	S015856	CNM4F00
CAR2101	S015997	CNM4F00
	S015888	CNM4F00
CAR2012	S015782	CNM4F00
	S015744	CNM4F00
	S015517	CNM4F00
CAR2011	S015470	CNM4F00
	S015326	CNM4F00
	S015309	CNM4F00
	S015285	CNM4F00
	S015203	CNM4F00
CAR2010	S015001	CNM4F00
	S014928	CNM4F00
	S014840	CNM4F00
CAR2009	S014489	CNM4F00
	S014422	CNM4F00
	S014387	CNM4F00
	S014331	CNM4F00
	S013576	CNM4F00
	S013391	CNM4F00
	S013127	CNM4F00
CAR2008	S014129	CNM4F00
	S014078	CNM4F00
	S013997	CNM4F00
	S013993	CNM4F00
	S013983	CNM4F00
	S013897	CNM4F00
	S013793	CNM4F00
	S013351	CNM4F00
	S013271	CNM4F00
	S012176	CNM4F00
CAR2007	S013525	CNM4F00
	S013511	CNM4F00
	S013410	CNM4F00
	S012897	CNM4F00
	S012753	CNM4F00
CAR2006	S013241	CNM4F00
	S013119	CNM4F00
	S013057	CNM4F00
	S013035	CNM4F00
	S012996	CNM4F00
	S012995	CNM4F00
	S012801	CNM4F00
CAR2005	S012796	CNM4F00



CA RS Level	Service	FMID
	S012790	CNM4F00
	S012701	CNM4F00
	S012623	CNM4F00
	S012606	CNM4F00
	S012604	CNM4F00
	S012317	CNM4F00
CAR2004	S012500	CNM4F00
	S012456	CNM4F00
	S012393	CNM4F00
	S012386	CNM4F00
	S012258	CNM4F00
	S012218	CNM4F00
	S012217	CNM4F00
	S012183	CNM4F00
	S012113	CNM4F00
CAR2003	S011948	CNM4F00
	S011894	CNM4F00
	S011885	CNM4F00
	S011710	CNM4F00
	S010379	CNM4F00
CAR2002	S011829	CNM4F00
	S011822	CNM4F00
	S011802	CNM4F00
	S011682	CNM4F00
	S011610	CNM4F00
	S011509	CNM4F00
	S011379	CNM4F00
CAR2001	S010925	CNM4F00
CAR1912	S010999	CNM4F00
	S010670	CNM4F00
	S010666	CNM4F00
	S010611	CNM4F00
	S010560	CNM4F00
CAR1911	S010629	CNM4F00
	S010494	CNM4F00
	S010452	CNM4F00
	S010318	CNM4F00
	S008373	CNM4F00
CAR1910	S010237	CNM4F00
	S010211	CNM4F00
	S010134	CNM4F00
	S009992	CNM4F00
	S009984	CNM4F00
	S009916	CNM4F00
	S009873	CNM4F00
	S009430	CNM4F00
CAR1909	S009654	CNM4F00

CA RS Level	Service	FMID
	S009649	CNM4F00
	S009560	CNM4F00
	S009472	CNM4F00
	S009335	CNM4F00
	S009092	CNM4F00
CAR1908	S009308	CNM4F00
	S009215	CNM4F00
CAR1907	S008931	CNM4F00
	S008657	CNM4F00
	S008596	CNM4F00
	S008543	CNM4F00
	S008538	CNM4F00
	S008342	CNM4F00
	S008269	CNM4F00
	S007426	CNM4F00
CAR1906	S008571	CNM4F00
	S008319	CNM4F00
	S008304	CNM4F00
	S008276	CNM4F00
	S008195	CNM4F00
CAR1905	S007946	CNM4F00
	S007945	CNM4F00
	S007932	CNM4F00
	S007537	CNM4F00
CAR1904	S007779	CNM4F00
	S007714	CNM4F00
	S007701	CNM4F00
	S007692	CNM4F00
	S007626	CNM4F00
CAR1903	S007377	CNM4F00
	S007245	CNM4F00
	S007163	CNM4F00
	S007157	CNM4F00
	S007130	CNM4F00
CAR1902	S007139	CNM4F00
	S007038	CNM4F00
	S006998	CNM4F00
	S006970	CNM4F00
CAR1901	S006572	CNM4F00
CAR1812	S006149	CNM4F00
CAR1811	S005678	CNM4F00
	S005531	CNM4F00
CAR1810	S005461	CNM4F00
	S005324	CNM4F00
	S005240	CNM4F00
CAR1808	S004675	CNM4F00
	S004297	CNM4F00

CA RS Level	Service	FMID
CAR1807	S003940	CNM4F00
CAR1806	S003690	CNM4F00
	S001737	CNM4F00
CAR1805	S001322	CNM4F00
	S001216	CNM4F00
CAR1804	S001093	CNM4F00
CAR1803	S000378	CNM4F00
CAR1802	R099504	CNM4F00
CAR1801	R099735	CNM4F00
	R099412	CNM4F00
CAR1711	R098752	CNM4F00
CAR1709	R097598	CNM4F00
	R097445	CNM4F00
CAR1707	R096762	CNM4F00
	R096738	CNM4F00
	R096630	CNM4F00