

CA OPS/MVS for JES2 14.0
CA RS 2103 Service List

1

Service	Description	Type
LU00121	MTC-A LIMITS ON SSM PREREQ & MISSING_PREREQ LENGTHS EXPANDED	PTF
LU00122	MTC-A LIMITS ON SSM PREREQ & MISSING_PREREQ LENGTHS EXPANDED	PTF
LU00188	SELECTED OPSLOG BROWSE PROFILE ID MAY NOT BE RETAINED	PTF
LU00210	OPSVIEW 7.1.5 DISPLAYS INCORRECT RELEASE.VERSION FORMAT	PTF
LU00278	S6FB-103 ABEND WHEN ISSUING JES3 COMMANDS	PTF
The CA RS 2103 service count for this release is 5		

CA OPS/MVS for JES2
CA RS 2103 Service List for CCLXE00

2

FMID	Service	Description	Type
CCLXE00	LU00121	MTC-A LIMITS ON SSM PREREQ & MISSING_PREREQ LENGTHS EXPANDED	PTF
	LU00188	SELECTED OPSLOG BROWSE PROFILE ID MAY NOT BE RETAINED	PTF
	LU00210	OPSVIEW 7.1.5 DISPLAYS INCORRECT RELEASE.VERSION FORMAT	PTF
	LU00278	S6FB-103 ABEND WHEN ISSUING JES3 COMMANDS	PTF
The CA RS 2103 service count for this FMID is 4			

CA OPS/MVS for JES2
CA RS 2103 Service List for CCLXE01

3

FMID	Service	Description	Type
CCLXE01	LU00122	MTC-A LIMITS ON SSM PREREQ & MISSING_PREREQ LENGTHS EXPANDED	PTF
The CA RS 2103 service count for this FMID is 1			

CA OPS/MVS for JES2 14.0
CA RS 2103 - PTF LU00121 Details

4

Service	Details				
LU00121	LU00121 M.C.S. ENTRIES = ++PTF (LU00121) MTC-A LIMITS ON SSM PREREQ & MISSING_PREREQ LENGTHS EXPANDED ENHANCEMENT DESCRIPTION: This PTF expands the maximum length of the prerequisite (PREREQ) and missing prerequisite (MISSING_PREREQ) columns of SSM resources that is supported by MTC-A. Previously, SSM resources with a prerequisite or missing prerequisite list of more than 250 characters were not displayed by MTC-A. This PTF expands that limit to 1000 characters. PRODUCT(S) AFFECTED: <table> <tr> <td>CA OPS/MVS Base</td><td>Version 14.0</td></tr> <tr> <td>CA OPS/MVS Web Components</td><td>Version 14.0</td></tr> </table> Related Problem: OPSMVS 12677 Copyright (C) 2021 CA. All rights reserved. R00068-CLX140-SP0 DESC(MTC-A LIMITS ON SSM PREREQ & MISSING_PREREQ LENGTHS EXPANDED) . ++VER (Z038) FMID (CCLXE00) PRE (LU00067 S015876) SUP (LT00113 LT00121 LU00113) ++IF FMID(CCLXE01) REQ(LU00122) .	CA OPS/MVS Base	Version 14.0	CA OPS/MVS Web Components	Version 14.0
CA OPS/MVS Base	Version 14.0				
CA OPS/MVS Web Components	Version 14.0				

Service	Details		
LU00122	LU00122 M.C.S. ENTRIES = ++PTF (LU00122) MTC-A LIMITS ON SSM PREREQ & MISSING_PREREQ LENGTHS EXPANDED ENHANCEMENT DESCRIPTION: This PTF expands the maximum length of the prerequisite (PREREQ) and missing prerequisite (MISSING_PREREQ) columns of SSM resources that is supported by MTC-A. Previously, SSM resources with a prerequisite or missing prerequisite list of more than 250 characters were not displayed by MTC-A. This PTF expands that limit to 1000 characters. PRODUCT(S) AFFECTED: CA OPS/MVS Base Version 14.0 CA OPS/MVS Web Components Version 14.0 Related Problem: OPSMVS 12677 Copyright (C) 2021 CA. All rights reserved. R00068-CLX140-SP0 DESC(MTC-A LIMITS ON SSM PREREQ & MISSING_PREREQ LENGTHS EXPANDED) . ++VER (Z038) FMID (CCLXE01) PRE (LU00044 S014492 S015022 S015068 S015241 S015821 S015877) SUP (AC15146 LT00122 S014857 S015148 S015200 ST14857 ST14979 ST15148 ST15200) ++IF FMID(CCLXE00) REQ(LU00121) . ++HOLD (LU00122) SYSTEM FMID(CCLXE01) REASON (DYNACT) DATE (21033) COMMENT (<table border="1"> <tr> <td>CA OPS/MVS Web Components</td><td>Version 14.0</td></tr> </table> SEQUENCE After APPLY PURPOSE To deploy a new version of Mainframe Team Center - Automation USERS All OPS/MVS MTC-A users AFFECTED KNOWLEDGE Basic z/OS systems programming skills and knowledge of your new or existing MTC-A installation and configuration REQUIRED ACCESS - Read/write access to the USS directories where your new or existing installation of MTC-A resides REQUIRED - Authority to STOP and START your MTC-A Web Application ***** * STEPS TO PERFORM * ***** Run The MTC-A Configuration Batch Job Sample JCL to execute the configuration script, mtcacfg.sh, is provided in yourHLQ.CCLXCNTL(OPMOIACG). Before executing the batch job, make the following edits: 1. Include a valid job card	CA OPS/MVS Web Components	Version 14.0
CA OPS/MVS Web Components	Version 14.0		

Service	Details
	2. Set CCLXCLS0 to the fully qualified MVS dataset name of the SMP/E CLIST target library installed by FMID CCLXxr0 OPS/MVS Base. (eg. 'yourHLQ.CCLXCLS0') 3. Set CCLSHFSM to the USS mount point of the zFS installed by FMID CLXxr1 OPS/MVS OPSLOG WebView and Web Features. 4. Set TOMCATCONF to the USS path of your deployed Tomcat server's "context" directory. Typically: <catalina_base>/conf/Catalina/localhost 5. Set MTCADeploy to the USS path where you wish to deploy the MTCA Web App. A new directory called '/mtca' will be created on this path and will contain the mtcaApp.war as well as '/conf' and '/log' sub-directories. The configuration script creates the MTC-A directory structure at your chosen deployment location and defines the context for MTC-A to your Tomcat installation. If a previous MTC-A installation exists, your current configuration is saved as 'MTCADeploy/mtca/conf/config.yaml.YY_MM_DD_hh_mm_ss'. Your configuration is then automatically merged and upgraded to the version supplied within this PTF. Verify the STDOUT of the configuration batch job for messages indicating the addition of fields to the 'conf.yaml' that must be set specifically for your site before MTC-A is restarted. If your '/mtca' directory is on path 'a/b/c/mtca' supply path '/a/b/c' as your value for the deploy location). BINARY LINK(' ../conf.yaml') PARM(PATHMODE(0,7,5,5)) . TEXT LINK(' ../mtcacfg.sh') PARM(PATHMODE(0,7,5,5)) . BINARY LINK(' ../mtcaApp.war') PARM(PATHMODE(0,7,5,5)) .

Service	Details
LU00188	LU00188 M.C.S. ENTRIES = ++PTF (LU00188) SELECTED OPSLOG BROWSE PROFILE ID MAY NOT BE RETAINED PROBLEM DESCRIPTION: In the OPSLOG Browse Profile panel, the selected Profile ID appearing in the Profile ID field may not be retained. SYMPTOMS: In the OPSLOG Browse Profile panel, the selected Profile ID appearing in the Profile ID field may be cleared after scrolling to the Level 2 panel. IMPACT: OPSLOG Browse users cannot see what Profile ID is in effect. CIRCUMVENTION: Save the affected Profile ID again with the same ID after scrolling to the Level 2 OPSLOG Browse Profile panel and select that Profile ID again for normal use. PRODUCT(S) AFFECTED: CA OPS/MVS Base Version 14.0 Related Problem: OPSMVS 12800 Copyright (C) 2021 CA. All rights reserved. R00069-CLX140-SP0 DESC(SELECTED OPSLOG BROWSE PROFILE ID MAY NOT BE RETAINED). ++VER (Z038) FMID (CCLXE00) PRE (LU00060 S014824) SUP (LT00188) ++HOLD (LU00188) SYSTEM FMID(CCLXE00) REASON (DYNACT) DATE (21047) COMMENT (<pre> +-----+ CA OPS/MVS Base Version 14.0 +-----+-----+ SEQUENCE Before using the OPSLOG BROWSE Profile ID field. +-----+-----+ PURPOSE To retain the displayed Profile ID after scrolling to and back from the Level 2 OPSLOG Browse Profile panel. +-----+-----+ USERS All OPS/MVS users. AFFECTED +-----+-----+ KNOWLEDGE Basic z/OS systems programming skills. REQUIRED +-----+-----+ ACCESS Authority to save OPSLOG Browse Profile IDs. REQUIRED +-----+-----+ ***** * STEPS TO PERFORM * ***** After applying this PTF, the problem will be fixed the next time you use the OPSLOG Browse Profile panel.).</pre>

Service	Details																		
LU00210	LU00210 M.C.S. ENTRIES = ++PTF (LU00210) OPSVIEW 7.1.5 DISPLAYS INCORRECT RELEASE.VERSION FORMAT PROBLEM DESCRIPTION: OPS/MVS ISPF interface, OPSVIEW, option 7.1.5 - OPSLOG Merge, displays the version and release of CA OPS/MVS in the old vv.rr format. This PTF corrects the display to the new vv.r.ll format. SYMPTOMS: OPSVIEW 7.1.5 displays the OPS/MVS release of the local and MSF connected copies of OPS/MVS in an old format of vv.rr (14.00). IMPACT: Inconsistent display of the OPS/MVS version.release.modification level. CIRCUMVENTION: None. PRODUCT(S) AFFECTED: CA OPS/MVS Base Version 14.0 Related Problem: OPSMVS 12784 Copyright (C) 2021 CA. All rights reserved. R00070-CLX140-SP0 DESC(OPSVIEW 7.1.5 DISPLAYS INCORRECT RELEASE.VERSION FORMAT). ++VER (Z038) FMID (CCLXE00) SUP (LT00210) ++HOLD (LU00210) SYSTEM FMID(CCLXE00) REASON (ACTION) DATE (21043) COMMENT (<table border="1"> <tr> <td>CA OPS/MVS Base</td><td>Version 14.0</td></tr> <tr> <td>SEQUENCE</td><td>After Apply</td></tr> <tr> <td>PURPOSE</td><td>Pick up changes to the OP715000 ISPF panel</td></tr> <tr> <td>USERS</td><td></td></tr> <tr> <td>AFFECTED</td><td>All OPSVIEW users</td></tr> <tr> <td>KNOWLEDGE</td><td></td></tr> <tr> <td>REQUIRED</td><td>OPS/MVS Product Administration</td></tr> <tr> <td>ACCESS</td><td></td></tr> <tr> <td>REQUIRED</td><td>OPSVIEW ISPF interface</td></tr> </table> ***** * STEPS TO PERFORM * ***** 1. TSO user logoff and logon).	CA OPS/MVS Base	Version 14.0	SEQUENCE	After Apply	PURPOSE	Pick up changes to the OP715000 ISPF panel	USERS		AFFECTED	All OPSVIEW users	KNOWLEDGE		REQUIRED	OPS/MVS Product Administration	ACCESS		REQUIRED	OPSVIEW ISPF interface
CA OPS/MVS Base	Version 14.0																		
SEQUENCE	After Apply																		
PURPOSE	Pick up changes to the OP715000 ISPF panel																		
USERS																			
AFFECTED	All OPSVIEW users																		
KNOWLEDGE																			
REQUIRED	OPS/MVS Product Administration																		
ACCESS																			
REQUIRED	OPSVIEW ISPF interface																		

Service	Details		
LU00278	LU00278 M.C.S. ENTRIES = ++PTF (LU00278) S6FB-103 ABEND WHEN ISSUING JES3 COMMANDS PROBLEM DESCRIPTION: JES3 commands issued from OPS/MVS will receive a S6FB-103 abend in module OPSMMH, if OPS/MVS parameter JES3SYSID is set to any value. SYMPTOMS: OPS4362S ABEND X'006FB000' IN OPER COMMAND OPSMMH+X'00000F3A' OPS1125S No JES3 Consoles exist IMPACT: JES3 commands cannot be issued from OPS/MVS facilities including AOF Rules, REXX execs and the OPSVIEW ISPF interface. CIRCUMVENTION: Set OPS/MVS parameter JES3SYSID to null, which is it's default value. PRODUCT(S) AFFECTED: CA OPS/MVS Base Version 14.0 Related Problem: OPSMVS 12857 Copyright (C) 2021 CA. All rights reserved. R00072-CLX140-SP0 DESC(S6FB-103 ABEND WHEN ISSUING JES3 COMMANDS). ++VER (Z038) FMID (CCLXE00) SUP (LT00278) ++HOLD (LU00278) SYSTEM FMID(CCLXE00) REASON (DYNACT) DATE (21057) COMMENT (<table border="1"> <tr> <td>CA OPS/MVS Base</td><td>Version 14.0</td></tr> </table> SEQUENCE After APPLY PURPOSE To activate load modules updated by this PTF, including load module OPSAEX USERS All OPS/MVS users AFFECTED KNOWLEDGE Basic z/OS systems programming skills REQUIRED ACCESS - Access to OPS/MVS SMP/E Target loadlib CCLXLOAD and any REQUIRED deployed copies - Authority to issue MVS system commands - Authority to stop and start OPS/MVS ***** * STEPS TO PERFORM * ***** 1. This PTF updates load module OPSAEX, as well as the other load modules identified by the ++MOD statements contained in this PTF. APPLY of this PTF updates SMP/E Target loadlib CCLXLOAD. 2. Copy the updated load modules from SMP/E Target loadlib	CA OPS/MVS Base	Version 14.0
CA OPS/MVS Base	Version 14.0		

Service	Details
	CCLXLOAD to any other deployed copies, such as a STEPLIB used by the OPS/MVS main address space, a link listed loadlib, etc. 3. If the system library lookaside (LLA) program is managing any updated loadlib, you must refresh LLA by using MVS system command "F LLA,REFRESH" or some equivalent mechanism. 4. TSO users must get out of OPSVIEW. 5. Stop OPS/MVS. 6. If the system link pack area (LPA) contains any updated load module, you must refresh LPA by using MVS system command "SETPROG LPA" or some equivalent mechanism. 7. Start OPS/MVS. 8. TSO users may access OPSVIEW. Depending on how OPSVIEW is accessed, this may require TSO logoff/logon. <pre> +-----+ CA OPS/MVS Base Version 14.0 +-----+ SEQUENCE After APPLY +-----+ PURPOSE To activate load modules updated by this PTF +-----+ USERS All OPS/MVS users AFFECTED +-----+ KNOWLEDGE Basic z/OS systems programming skills REQUIRED +-----+ ACCESS - Access to OPS/MVS SMP/E Target loadlib CCLXLOAD and any REQUIRED deployed copies - Authority to issue MVS system commands - Authority to stop and start OPS/MVS +-----+ ***** * STEPS TO PERFORM * ***** 1. APPLY of this PTF updates SMP/E Target loadlib CCLXLOAD. Refer to GIM23903I messages in the SMPDOUT to identify the specific load modules that are updated. 2. Copy the updated load modules from SMP/E Target loadlib CCLXLOAD to any other deployed copies, such as a loadlib in the OPSMAIN STEPLIB or the system link list (LNKLIST). 3. If the system library lookaside (LLA) program is managing any updated loadlib, you must refresh LLA by using MVS system command "F LLA,REFRESH" or some equivalent method. 4. If the system link pack area (LPA) contains any updated load module, you must refresh LPA by using MVS system command "SETPROG LPA" or some equivalent method. * Note that load module OPSAEX is commonly placed in LPA. 5. Stop and re-start OPS/MVS by using MVS system commands "P OPSS" and "S OPSS" or some equivalent method. * For possible alternatives to restarting OPS/MVS, see the topic "RELOAD Modules and RESTART Components" in the user documentation at https://techdocs.broadcom.com/opsmvs </pre>

Service	Details	
	6. TSO users must exit and re-enter OPSVIEW to activate any changes. Depending on how OPSVIEW is accessed, this may require a TSO logoff and logon.).	
MCS	LU00121	STARTS ON PAGE 0002
MCS	LU00122	STARTS ON PAGE 0002
MCS	LU00188	STARTS ON PAGE 0004
MCS	LU00210	STARTS ON PAGE 0006
MCS	LU00278	STARTS ON PAGE 0007

CA OPS/MVS for JES2 14.0
CA RS 2103 Product/Component Listing

12

Product Family	Product	Release
Systems Management	CA OPS/MVS BASE	14.00.00
The CA RS 2103 Product/Component Count for this release is 1		

CA RS Level	Service	FMID
CAR2103	LU00278	CCLXE00
	LU00210	CCLXE00
	LU00188	CCLXE00
	LU00122	CCLXE01
	LU00121	CCLXE00
CAR2102	S015877	CCLXE01
	S015876	CCLXE00
	LU00117	CCLXE00
	LU00113	CCLXE00
	LU00078	CCLXE00
	LU00077	CCLXE00
	LU00074	CCLXE00
	LU00067	CCLXE00
	LU00063	CCLXE00
	LU00060	CCLXE00
	LU00058	CCLXE00
	LU00057	CCLXE00
	LU00044	CCLXE01
	LU00040	CCLXE00
CAR2101	S015920	CCLXE00
	S015902	CCLXE00
	S015821	CCLXE01
	S015820	CCLXE00
	S015729	CCLXE00
	LU00028	CCLXE00
	LU00025	CCLXE00
CAR2012	S015758	CCLXE00
	S015662	CCLXE00
	S015610	CCLXE00
	S015578	CCLXE00
	S015569	CCLXE00
	S015565	CCLXE00
	S015526	CCLXE00
	S015515	CCLXE00
	S015505	CCLXE00
	S015502	CCLXE00
	S015497	CCLXE00
CAR2011	S015373	CCLXE00
	S015324	CCLXE00
	S015241	CCLXE01
	S015200	CCLXE01
	S015151	CCLXE00
	S015148	CCLXE01
	S015069	CCLXE00
	S015068	CCLXE01
	S015067	CCLXE00
	S014750	CCLXE00

CA RS Level	Service	FMID
CAR2010	S015022	CCLXE01
	S015018	CCLXE00
	S014993	CCLXE00
	S014932	CCLXE00
	S014903	CCLXE00
	S014875	CCLXE00
	S014871	CCLXE00
	S014857	CCLXE01
	S014824	CCLXE00
	S014801	CCLXE00
	S014646	CCLXE00
	S014644	CCLXE00
	S014609	CCLXE00
CAR2009	S014537	CCLXE00
	S014492	CCLXE01
	S014477	CCLXE00
	S014434	CCLXE01
	S014412	CCLXE00