

CA Endeavor SCM 18.1
CA RS 2104 Service List

1

Service	Description	Type
LU00280	DO NOT ALLOW NEW ELEMENT WITH EXISTING ALIAS NAME	PTF
LU00352	VERY LARGE PROCESSOR DOESN'T ASSEMBLE	PTF
LU00538	(E)SYNC ELEMENT IN PLACE	PTF
LU00539	(E)SYNC ELEMENT IN PLACE	PTF
LU00540	(E)SYNC ELEMENT IN PLACE	PTF
LU00593	(E)ALLOW ENDEVOR ADMIN ACTIONS INSIDE OF A PROCESSOR	PTF
LU00594	(E)ALLOW ENDEVOR ADMIN ACTIONS INSIDE OF A PROCESSOR	PTF
SO15436	ENDEVOR SEARCH CAUSED SYSTEM LOCK	PTF
The CA RS 2104 service count for this release is 8		

CA Endeavor SCM
CA RS 2104 Service List for CSIQI10

FMID	Service	Description	Type
CSIQI10	LU00280	DO NOT ALLOW NEW ELEMENT WITH EXISTING ALIAS NAME	PTF
	LU00352	VERY LARGE PROCESSOR DOESN'T ASSEMBLE	PTF
	LU00538	(E)SYNC ELEMENT IN PLACE	PTF
	LU00593	(E)ALLOW ENDEVOR ADMIN ACTIONS INSIDE OF A PROCESSOR	PTF
	SO15436	ENDEVOR SEARCH CAUSED SYSTEM LOCK	PTF
The CA RS 2104 service count for this FMID is 5			

CA Endeavor SCM
CA RS 2104 Service List for CSIQI11

FMID	Service	Description	Type
CSIQI11	LU00539	(E)SYNC ELEMENT IN PLACE	PTF
	LU00594	(E)ALLOW ENDEVOR ADMIN ACTIONS INSIDE OF A PROCESSOR	PTF
The CA RS 2104 service count for this FMID is 2			

CA Endevor SCM
CA RS 2104 Service List for CSIQI13

FMID	Service	Description	Type
CSIQI13	LU00540	(E) SYNC ELEMENT IN PLACE	PTF
The CA RS 2104 service count for this FMID is 1			

Service	Details
LU00280	LU00280 M.C.S. ENTRIES = ++PTF (LU00280) DO NOT ALLOW NEW ELEMENT WITH EXISTING ALIAS NAME PROBLEM DESCRIPTION: New element with existing alias name can be added to Endeavor causing problems with Element Catalog synchronization. SYMPTOMS: C1G0039E during Elm Catalog synchronization. Missing EINDEX record. IMPACT: Long name element becomes unusable. CIRCUMVENTION: Add actual long name element back into Endeavor at any location which causes the EINDEX record to be recreated. PRODUCT(S) AFFECTED: CA Endeavor SCM Release 18.1 Related Problem: ENDBAS 12771 Copyright (C) 2021 CA. All rights reserved. R00114-SCM181-SP0 DESC(DO NOT ALLOW NEW ELEMENT WITH EXISTING ALIAS NAME). ++VER (Z038) FMID (CSIQI10) PRE (S011495 S014513 S016126) SUP (LT00280)

Service	Details				
LU00352	LU00352 M.C.S. ENTRIES = ++PTF (LU00352) VERY LARGE PROCESSOR DOESN'T ASSEMBLE PROBLEM DESCRIPTION: Adding or updating a very large processor generated errors in the assembly process. SYMPTOMS: The add or update to the processor fails. IMPACT: The updates to the processor cannot be completed or used in Endeavor. CIRCUMVENTION: Remove some changes to the processor or create a new unique processor and processor group for the type. PRODUCT(S) AFFECTED: <table> <tr> <td>CA Endeavor SCM</td><td>Version 18.0</td></tr> <tr> <td>CA Endeavor SCM</td><td>Release 18.1</td></tr> </table> Related Problem: ENDBAS 12926 Copyright (C) 2021 CA. All rights reserved. R00117-SCM181-SP0 DESC (VERY LARGE PROCESSOR DOESN'T ASSEMBLE) . ++VER (Z038) FMID (CSIQI10) SUP (LT00352 SO10896 ST10896)	CA Endeavor SCM	Version 18.0	CA Endeavor SCM	Release 18.1
CA Endeavor SCM	Version 18.0				
CA Endeavor SCM	Release 18.1				

Service	Details		
LU00538	LU00538 M.C.S. ENTRIES = ++PTF (LU00538) (E)SYNC ELEMENT IN PLACE ENHANCEMENT DESCRIPTION: SYNC ELEMENT IN PLACE Introduces a new optional feature CD18104_SYNC_ACTION When turned on it adds the ability to resolve element out-of-sync without moving the element or deleting and re-adding it. This can be done by: 1) New Quick Edit line command 'SY' 2) New options on the Update Element action, available in Batch, Endeavor API and Endeavor REST API PRODUCT(S) AFFECTED: CA Endeavor SCM Release 18.1 Related Problem: ENDBAS 7808 Copyright (C) 2021 CA. All rights reserved. R00122-SCM181-SP0 DESC((E)SYNC ELEMENT IN PLACE). ++VER (Z038) FMID (CSIQI10) PRE (S010822 S011288 S011495 S012079 S012441 S013321 S013479 S013583 S013592 S013689 S014221 S014513 S014704 S015218 S015778 S015878 S016126 S016209) SUP (LT00089 LT00232 LT00270 LT00291 LT00382 LT00389 LT00465 LT00538 S010979 S012308 S014076 S014309 S014748 S014767 ST10979 ST12308 ST14076 ST14309 ST14748 ST14767) ++IF FMID(CSIQI11) REQ(LU00539) . ++IF FMID(CSIQI13) REQ(LU00540) . ++HOLD (LU00538) SYSTEM FMID(CSIQI10) REASON (ACTION) DATE (21071) COMMENT (<table border="1"> <tr> <td>CA Endeavor SCM</td><td>Release 18.1</td></tr> </table> SEQUENCE Before Apply PURPOSE This PTF updates an Endeavor TABLE in the CSIQSRC library. If you have customized the TABLE delivered by this PTF, you must backup your customized version of the TABLE before applying this PTF to avoid losing your changes. USERS All Endeavor users. AFFECTED KNOWLEDGE 1. SMP/e REQUIRED 2. Endeavor Administration 3. Endeavor TABLES ACCESS Update access to the CSIQAUTU library. REQUIRED ***** * STEPS TO PERFORM *	CA Endeavor SCM	Release 18.1
CA Endeavor SCM	Release 18.1		

Service	Details																																																						
	***** 1. Backup any customized TABLES in CSIQSRC that this PTF supplies. 2. APPLY this PTF. 3. Re-apply your customizations to the updated TABLES in CSIQSRC. 4. Assemble and Link the updated TABLE to the CSIQAUTU library. +-----+ <table> <tr> <td>CA Endeavor SCM</td><td>Release 18.1</td></tr> </table> +-----+ <table> <tr> <td>SEQUENCE</td><td>Before Apply</td></tr> </table> +-----+ <table> <tr> <td>PURPOSE</td><td>This PTF updates PANELS in the CSIQPENU library.</td></tr> <tr> <td></td><td>If you have customized the PANEL(S) delivered by this PTF, </td></tr> <tr> <td></td><td>you must backup your customized version of the PANEL(S) </td></tr> <tr> <td></td><td>before applying this PTF to avoid losing your changes. </td></tr> </table> +-----+ <table> <tr> <td>USERS</td><td>All Endeavor users.</td></tr> <tr> <td>AFFECTED</td><td></td></tr> </table> +-----+ <table> <tr> <td>KNOWLEDGE</td><td>1. SMP/e</td></tr> <tr> <td>REQUIRED</td><td>2. Endeavor Administration</td></tr> <tr> <td></td><td>3. Endeavor PANELS</td></tr> </table> +-----+ <table> <tr> <td>ACCESS</td><td>No special access is required.</td></tr> <tr> <td>REQUIRED</td><td></td></tr> </table> +-----+ ***** * STEPS TO PERFORM * ***** 1. Backup any customized PANELS in CSIQPENU that this PTF supplies. 2. APPLY this PTF. 3. Re-apply your customizations to the updated PANELS in CSIQPENU. +-----+ <table> <tr> <td>CA Endeavor SCM</td><td>Release 18.1</td></tr> </table> +-----+ <table> <tr> <td>SEQUENCE</td><td>After Apply</td></tr> </table> +-----+ <table> <tr> <td>PURPOSE</td><td>This correction installs updated COPYBOOK member(s) into </td></tr> <tr> <td></td><td>the CSIQOPTN library. If you have Endeavor Exit or API </td></tr> <tr> <td></td><td>programs that use this COPYBOOK, you must recompile and </td></tr> <tr> <td></td><td>link these programs to ensure continued proper execution. </td></tr> </table> +-----+ <table> <tr> <td>USERS</td><td>All Endeavor Users.</td></tr> <tr> <td>AFFECTED</td><td></td></tr> </table> +-----+ <table> <tr> <td>KNOWLEDGE</td><td>1. SMP/e</td></tr> <tr> <td>REQUIRED</td><td>2. Endeavor Product Administration</td></tr> <tr> <td></td><td>3. Endeavor Exit Programs</td></tr> <tr> <td></td><td>4. Endeavor API Programs</td></tr> </table> +-----+ <table> <tr> <td>ACCESS</td><td>Access to update API and/or Exit object and</td></tr> <tr> <td>REQUIRED</td><td>load libraries.</td></tr> </table> +-----+ ***** * STEPS TO PERFORM *	CA Endeavor SCM	Release 18.1	SEQUENCE	Before Apply	PURPOSE	This PTF updates PANELS in the CSIQPENU library.		If you have customized the PANEL(S) delivered by this PTF,		you must backup your customized version of the PANEL(S)		before applying this PTF to avoid losing your changes.	USERS	All Endeavor users.	AFFECTED		KNOWLEDGE	1. SMP/e	REQUIRED	2. Endeavor Administration		3. Endeavor PANELS	ACCESS	No special access is required.	REQUIRED		CA Endeavor SCM	Release 18.1	SEQUENCE	After Apply	PURPOSE	This correction installs updated COPYBOOK member(s) into		the CSIQOPTN library. If you have Endeavor Exit or API		programs that use this COPYBOOK, you must recompile and		link these programs to ensure continued proper execution.	USERS	All Endeavor Users.	AFFECTED		KNOWLEDGE	1. SMP/e	REQUIRED	2. Endeavor Product Administration		3. Endeavor Exit Programs		4. Endeavor API Programs	ACCESS	Access to update API and/or Exit object and	REQUIRED	load libraries.
CA Endeavor SCM	Release 18.1																																																						
SEQUENCE	Before Apply																																																						
PURPOSE	This PTF updates PANELS in the CSIQPENU library.																																																						
	If you have customized the PANEL(S) delivered by this PTF,																																																						
	you must backup your customized version of the PANEL(S)																																																						
	before applying this PTF to avoid losing your changes.																																																						
USERS	All Endeavor users.																																																						
AFFECTED																																																							
KNOWLEDGE	1. SMP/e																																																						
REQUIRED	2. Endeavor Administration																																																						
	3. Endeavor PANELS																																																						
ACCESS	No special access is required.																																																						
REQUIRED																																																							
CA Endeavor SCM	Release 18.1																																																						
SEQUENCE	After Apply																																																						
PURPOSE	This correction installs updated COPYBOOK member(s) into																																																						
	the CSIQOPTN library. If you have Endeavor Exit or API																																																						
	programs that use this COPYBOOK, you must recompile and																																																						
	link these programs to ensure continued proper execution.																																																						
USERS	All Endeavor Users.																																																						
AFFECTED																																																							
KNOWLEDGE	1. SMP/e																																																						
REQUIRED	2. Endeavor Product Administration																																																						
	3. Endeavor Exit Programs																																																						
	4. Endeavor API Programs																																																						
ACCESS	Access to update API and/or Exit object and																																																						
REQUIRED	load libraries.																																																						

CA Endeavor SCM 18.1
CA RS 2104 - PTF LU00538 Details

Service	Details
	***** Recompile and link any API and Exit programs that use the updated COPYBOOK(s) .) .

Service	Details		
LU00539	LU00539 M.C.S. ENTRIES = ++PTF (LU00539) (E)SYNC ELEMENT IN PLACE ENHANCEMENT DESCRIPTION: SYNC ELEMENT IN PLACE Introduces a new optional feature CD18104_SYNC_ACTION When turned on it adds the ability to resolve element out-of-sync without moving the element or deleting and re-adding it. This can be done by: 1) New Quick Edit line command 'SY' 2) New options on the Update Element action, available in Batch, Endeavor API and Endeavor REST API PRODUCT(S) AFFECTED: CA Endeavor SCM Release 18.1 Related Problem: ENDBAS 7808 Copyright (C) 2021 CA. All rights reserved. R00122-SCM181-SP0 DESC((E)SYNC ELEMENT IN PLACE). ++VER (Z038) FMID (CSIQI11) PRE (S011289 S012326 S014705 S015219 S015779) SUP (LT00104 LT00233 LT00271 LT00292 LT00383 LT00390 LT00466 LT00539) ++IF FMID(CSIQI13) REQ(LU00540) . ++IF FMID(CSIQI10) REQ(LU00538) . ++HOLD (LU00539) SYSTEM FMID(CSIQI11) REASON (ACTION) DATE (21071) COMMENT (<table border="1"> <tr> <td>CA Endeavor SCM Japanese Localization</td><td>Release 18.1</td></tr> </table> SEQUENCE Before Apply PURPOSE This PTF updates PANELS in the CSIQPJPN library. If you have customized the PANEL(S) delivered by this PTF, you must backup your customized version of the PANEL(S) before applying this PTF to avoid losing your changes. USERS All Endeavor users. AFFECTED KNOWLEDGE 1. SMP/e REQUIRED 2. Endeavor Administration 3. Endeavor PANELS ACCESS No special access is required. REQUIRED ***** * STEPS TO PERFORM * ***** 1. Backup any customized PANELS in CSIQPJPN that this PTF supplies. 2. APPLY this PTF.	CA Endeavor SCM Japanese Localization	Release 18.1
CA Endeavor SCM Japanese Localization	Release 18.1		

Service	Details
	3. Re-apply your customizations to the updated PANELS in CSIQPJPN.).

Service	Details																										
LU00540	LU00540 M.C.S. ENTRIES = ++PTF (LU00540) (E)SYNC ELEMENT IN PLACE ENHANCEMENT DESCRIPTION: SYNC ELEMENT IN PLACE Introduces a new optional feature CD18104_SYNC_ACTION When turned on it adds the ability to resolve element out-of-sync without moving the element or deleting and re-adding it. This can be done by: 1) New Quick Edit line command 'SY' 2) New options on the Update Element action, available in Batch, Endeavor API and Endeavor REST API PRODUCT(S) AFFECTED: CA Endeavor SCM Release 18.1 Related Problem: ENDBAS 7808 Copyright (C) 2021 CA. All rights reserved. R00122-SCM181-SP0 DESC((E)SYNC ELEMENT IN PLACE). ++VER (Z038) FMID (CSIQI13) PRE (S011272 S013582 S013849) SUP (LT00090 LT00234 LT00272 LT00293 LT00384 LT00391 LT00467 LT00540 S012309 S013905 S015234 S015900 S015978 ST12309 ST13559 ST13905 ST15234 ST15773 ST15819 ST15900 ST15978) ++IF FMID(CSIQI11) REQ(LU00539) . ++IF FMID(CSIQI10) REQ(LU00538) . ++HOLD (LU00540) SYSTEM FMID(CSIQI13) REASON (ACTION) DATE (21071) COMMENT (+-----+ <table border="1"> <tr> <td>CA Endeavor SCM for Web Services</td><td>Release 18.1</td></tr> </table> +-----+ SEQUENCE After Apply +-----+ <table border="1"> <tr> <td>PURPOSE</td><td>This correction updates Endeavor Web Services.</td></tr> <tr> <td></td><td>To implement this update, you must update</td></tr> <tr> <td></td><td>the Web Services component of your target Tomcat</td></tr> <tr> <td></td><td>directory and recycle the Tomcat server.</td></tr> </table> +-----+ <table border="1"> <tr> <td>USERS</td><td></td></tr> <tr> <td>AFFECTED</td><td>All users of Endeavor Web Services.</td></tr> </table> +-----+ <table border="1"> <tr> <td>KNOWLEDGE</td><td>1. SMP/e</td></tr> <tr> <td>REQUIRED</td><td>2. Endeavor Web Services</td></tr> <tr> <td></td><td>3. Tomcat</td></tr> <tr> <td></td><td>4. Unix System Services</td></tr> </table> +-----+ <table border="1"> <tr> <td>ACCESS</td><td>1. Update access to USS target and deployment files</td></tr> <tr> <td>REQUIRED</td><td>2. Ability to stop and start Tomcat</td></tr> </table> +-----+ ***** * STEPS TO PERFORM * *****	CA Endeavor SCM for Web Services	Release 18.1	PURPOSE	This correction updates Endeavor Web Services.		To implement this update, you must update		the Web Services component of your target Tomcat		directory and recycle the Tomcat server.	USERS		AFFECTED	All users of Endeavor Web Services.	KNOWLEDGE	1. SMP/e	REQUIRED	2. Endeavor Web Services		3. Tomcat		4. Unix System Services	ACCESS	1. Update access to USS target and deployment files	REQUIRED	2. Ability to stop and start Tomcat
CA Endeavor SCM for Web Services	Release 18.1																										
PURPOSE	This correction updates Endeavor Web Services.																										
	To implement this update, you must update																										
	the Web Services component of your target Tomcat																										
	directory and recycle the Tomcat server.																										
USERS																											
AFFECTED	All users of Endeavor Web Services.																										
KNOWLEDGE	1. SMP/e																										
REQUIRED	2. Endeavor Web Services																										
	3. Tomcat																										
	4. Unix System Services																										
ACCESS	1. Update access to USS target and deployment files																										
REQUIRED	2. Ability to stop and start Tomcat																										

Service	Details
	1. Stop Tomcat 2. Verify that the parameters in the ENWSInstallOptions.properties file are set according to your environment. This file resides in the USS directory where this PTF has been installed to (USS install directory). 3. Either: a. In the TSO OMVS environment, change to the directory where the script ENWSUpd.sh resides: cd <USS install directory>/tpv execute the script: sh ENWSUpd.sh or b. Run job WSTOMCCS to update Endeavor Web Services. Steps how to update are included in the WSTOMCCS job. 4. Start Tomcat). BINARY LINK('.. /tpv/tomcat/webapps/EndevorService.war') PARM(PATHMODE(0,7,7,5)) . TEXT LINK('.. /tpv/tomcat/webapps/EndevorService.war.md5') PARM(PATHMODE(0,7,7,5)) .

Service	Details		
LU00593	LU00593 M.C.S. ENTRIES = ++PTF (LU00593) (E)ALLOW ENDEVOR ADMIN ACTIONS INSIDE OF A PROCESSOR FEATURE DESCRIPTION: This feature enables the Batch Admin interface, ENBE1000, to be used as a processor utility to perform admin actions as part of processor execution. ENBE1000 will use altid for the admin access security check, if aternate id is defined in C1DEFLT5 and the processor step isn't coded with ALTID=N. Turning the feature on effectively means giving admin access to all environments where altid has admin access to all users who are allowed to edit any processors. This feature is enabled by adding the following option to your optional feature table: ENHOPT%CD18105_ADMIN_ACT_IN_PROCESSOR=ON+ +DEFAULT IS OFF PRODUCT(S) AFFECTED: CA Endeavor SCM Release 18.1 Related Problem: ENDBAS 12887 Copyright (C) 2021 CA. All rights reserved. R00123-SCM181-SP0 DESC ((E)ALLOW ENDEVOR ADMIN ACTIONS INSIDE OF A PROCESSOR) . ++VER (Z038) FMID (CSIQI10) PRE (LU00538 SO11288 SO11495 SO12079 SO13177 SO14221 SO14704 SO15658 SO15778 SO16209) SUP (LT00593 SO15434 ST15434) ++IF FMID(CSIQI11) REQ(LU00594) . ++HOLD (LU00593) SYSTEM FMID(CSIQI10) REASON (ACTION) DATE (21082) COMMENT (<table border="1"> <tr> <td>CA Endeavor SCM</td><td>Release 18.1</td></tr> </table> SEQUENCE Before Apply PURPOSE This PTF updates an Endeavor TABLE in the CSIQSRC library. If you have customized the TABLE delivered by this PTF, you must backup your customized version of the TABLE before applying this PTF to avoid losing your changes. USERS All Endeavor users. AFFECTED KNOWLEDGE 1. SMP/e REQUIRED 2. Endeavor Administration 3. Endeavor TABLES ACCESS Update access to the CSIQAUTU library. REQUIRED ***** * STEPS TO PERFORM * *****	CA Endeavor SCM	Release 18.1
CA Endeavor SCM	Release 18.1		

Service	Details
	1. Backup any customized TABLES in CSIQSRC that this PTF supplies. 2. APPLY this PTF. 3. Re-apply your customizations to the updated TABLES in CSIQSRC. 4. Assemble and Link the updated TABLE to the CSIQAUTU library. +-----+ CA Endeavor SCM Release 18.1 +-----+ SEQUENCE Before Apply +-----+ PURPOSE This PTF updates PANELS in the CSIQPENU library. If you have customized the PANEL(S) delivered by this PTF, you must backup your customized version of the PANEL(S) before applying this PTF to avoid losing your changes. +-----+ USERS All Endeavor users. AFFECTED +-----+ KNOWLEDGE 1. SMP/e REQUIRED 2. Endeavor Administration 3. Endeavor PANELS +-----+ ACCESS No special access is required. REQUIRED +-----+ ***** * STEPS TO PERFORM * ***** 1. Backup any customized PANELS in CSIQPENU that this PTF supplies. 2. APPLY this PTF. 3. Re-apply your customizations to the updated PANELS in CSIQPENU.).

Service	Details																										
LU00594	LU00594 M.C.S. ENTRIES = ++PTF (LU00594) (E)ALLOW ENDEVOR ADMIN ACTIONS INSIDE OF A PROCESSOR FEATURE DESCRIPTION: This feature enables the Batch Admin interface, ENBE1000, to be used as a processor utility to perform admin actions as part of processor execution. ENBE1000 will use altid for the admin access security check, if aternate id is defined in C1DEFLT5 and the processor step isn't coded with ALTID=N. Turning the feature on effectively means giving admin access to all environments where altid has admin access to all users who are allowed to edit any processors. This feature is enabled by adding the following option to your optional feature table: ENHOPT%CD18105_ADMIN_ACT_IN_PROCESSOR=ON+ +DEFAULT IS OFF PRODUCT(S) AFFECTED: CA Endeavor SCM Release 18.1 Related Problem: ENDBAS 12887 Copyright (C) 2021 CA. All rights reserved. R00123-SCM181-SP0 DESC ((E)ALLOW ENDEVOR ADMIN ACTIONS INSIDE OF A PROCESSOR) . ++VER (Z038) FMID (CSIQI11) PRE (LU00539 S011289 S012326 S014705 S015779) SUP (LT00594) ++IF FMID(CSIQI10) REQ(LU00593) . ++HOLD (LU00594) SYSTEM FMID(CSIQI11) REASON (ACTION) DATE (21082) COMMENT (<table border="1"> <tr> <td>CA Endeavor SCM Japanese Localization</td><td>Release 18.1</td></tr> </table> -----+ <table border="1"> <tr> <td>SEQUENCE</td><td>Before Apply</td></tr> </table> -----+ <table border="1"> <tr> <td>PURPOSE</td><td>This PTF updates PANELS in the CSIQPJPN library.</td></tr> <tr> <td></td><td>If you have customized the PANEL(S) delivered by this PTF, </td></tr> <tr> <td></td><td>you must backup your customized version of the PANEL(S) </td></tr> <tr> <td></td><td>before applying this PTF to avoid losing your changes. </td></tr> </table> -----+ <table border="1"> <tr> <td>USERS</td><td>All Endeavor users.</td></tr> <tr> <td>AFFECTED</td><td></td></tr> </table> -----+ <table border="1"> <tr> <td>KNOWLEDGE</td><td>1. SMP/e</td></tr> <tr> <td>REQUIRED</td><td>2. Endeavor Administration</td></tr> <tr> <td></td><td>3. Endeavor PANELS</td></tr> </table> -----+ <table border="1"> <tr> <td>ACCESS</td><td>No special access is required.</td></tr> <tr> <td>REQUIRED</td><td></td></tr> </table> -----+ ***** * STEPS TO PERFORM * ***** 1. Backup any customized PANELS in CSIQPJPN that this PTF supplies.	CA Endeavor SCM Japanese Localization	Release 18.1	SEQUENCE	Before Apply	PURPOSE	This PTF updates PANELS in the CSIQPJPN library.		If you have customized the PANEL(S) delivered by this PTF,		you must backup your customized version of the PANEL(S)		before applying this PTF to avoid losing your changes.	USERS	All Endeavor users.	AFFECTED		KNOWLEDGE	1. SMP/e	REQUIRED	2. Endeavor Administration		3. Endeavor PANELS	ACCESS	No special access is required.	REQUIRED	
CA Endeavor SCM Japanese Localization	Release 18.1																										
SEQUENCE	Before Apply																										
PURPOSE	This PTF updates PANELS in the CSIQPJPN library.																										
	If you have customized the PANEL(S) delivered by this PTF,																										
	you must backup your customized version of the PANEL(S)																										
	before applying this PTF to avoid losing your changes.																										
USERS	All Endeavor users.																										
AFFECTED																											
KNOWLEDGE	1. SMP/e																										
REQUIRED	2. Endeavor Administration																										
	3. Endeavor PANELS																										
ACCESS	No special access is required.																										
REQUIRED																											

Service	Details
	2. APPLY this PTF. 3. Re-apply your customizations to the updated PANELS in CSIQPJPN.).

Service	Details																								
SO15436	SO15436 M.C.S. ENTRIES = ++PTF (SO15436) ENDEVOR SEARCH CAUSED SYSTEM LOCK PROBLEM DESCRIPTION: When a user running a batch LIST Element SCL job caused Endeavor to ENQ and lock out all users. SYMPTOMS: S878 abend during LIST ELEMENT * with SEARCH and WHERE TEXT. IMPACT: Lock out all users when a user running a batch LIST Element SCL job. CIRCUMVENTION: NONE PRODUCT AFFECTED: CA Endeavor SCM Version 18.1 PRODUCT(S) AFFECTED: CA Endeavor SCM Version 18.0 CA Endeavor SCM Release 18.1 Related Problem: ENDBAS 7816 Copyright (C) 2021 CA. All rights reserved. R00090-SCM181-SP0 DESC(ENDEVOR SEARCH CAUSED SYSTEM LOCK) . ++VER (Z038) FMID (CSIQI10) PRE (LU00538 SO11495 SO11879 SO12441 SO13128 SO14513) SUP (ST15436) <table><tr><td>MCS</td><td>LU00280</td><td>STARTS ON PAGE 0002</td></tr><tr><td>MCS</td><td>LU00352</td><td>STARTS ON PAGE 0002</td></tr><tr><td>MCS</td><td>LU00538</td><td>STARTS ON PAGE 0003</td></tr><tr><td>MCS</td><td>LU00539</td><td>STARTS ON PAGE 0007</td></tr><tr><td>MCS</td><td>LU00540</td><td>STARTS ON PAGE 0008</td></tr><tr><td>MCS</td><td>LU00593</td><td>STARTS ON PAGE 0010</td></tr><tr><td>MCS</td><td>LU00594</td><td>STARTS ON PAGE 0012</td></tr><tr><td>MCS</td><td>SO15436</td><td>STARTS ON PAGE 0013</td></tr></table>	MCS	LU00280	STARTS ON PAGE 0002	MCS	LU00352	STARTS ON PAGE 0002	MCS	LU00538	STARTS ON PAGE 0003	MCS	LU00539	STARTS ON PAGE 0007	MCS	LU00540	STARTS ON PAGE 0008	MCS	LU00593	STARTS ON PAGE 0010	MCS	LU00594	STARTS ON PAGE 0012	MCS	SO15436	STARTS ON PAGE 0013
MCS	LU00280	STARTS ON PAGE 0002																							
MCS	LU00352	STARTS ON PAGE 0002																							
MCS	LU00538	STARTS ON PAGE 0003																							
MCS	LU00539	STARTS ON PAGE 0007																							
MCS	LU00540	STARTS ON PAGE 0008																							
MCS	LU00593	STARTS ON PAGE 0010																							
MCS	LU00594	STARTS ON PAGE 0012																							
MCS	SO15436	STARTS ON PAGE 0013																							

CA Endevor SCM 18.1
CA RS 2104 Product/Component Listing

19

Product Family	Product	Release
Application Development	CA ENDEVOR SCM	18.01.00
The CA RS 2104 Product/Component Count for this release is 1		

CA RS Level	Service	FMID
CAR2104	S015436	CSIQI10
	LU00594	CSIQI11
	LU00593	CSIQI10
	LU00540	CSIQI13
	LU00539	CSIQI11
	LU00538	CSIQI10
	LU00352	CSIQI10
	LU00280	CSIQI10
CAR2103	S016209	CSIQI10
	S016126	CSIQI10
CAR2102	S016224	CSIQI10
	S015995	CSIQI11
	S015994	CSIQI10
	S015978	CSIQI13
	S015962	CSIQI10
	S015658	CSIQI10
	S015323	CSIQI11
	S012677	CSIQI10
	LU00109	CSIQI11
	LU00108	CSIQI10
	LU00093	CSIQI10
CAR2101	S015900	CSIQI13
	S015878	CSIQI10
	S015818	CSIQI10
	S014767	CSIQI10
CAR2012	S015779	CSIQI11
	S015778	CSIQI10
	S015462	CSIQI10
	S015434	CSIQI10
	S015234	CSIQI13
	S015110	CSIQI10
CAR2011	S015251	CSIQI10
	S015219	CSIQI11
	S015218	CSIQI10
	S015125	CSIQI13
	S014748	CSIQI10
	S013905	CSIQI13
	S012172	CSIQI10
CAR2010	S014847	CSIQI10
	S014705	CSIQI11
	S014704	CSIQI10
	S014674	CSIQI10
CAR2009	S014513	CSIQI10
	S014420	CSIQI10
	S014309	CSIQI10
	S014222	CSIQI11
	S014221	CSIQI10

CA RS Level	Service	FMID
	S014082	CSIQI13
	S014076	CSIQI10
CAR2008	S013857	CSIQI10
	S013849	CSIQI13
	S013321	CSIQI10
	S013082	CSIQI13
	S012441	CSIQI10
CAR2007	S013690	CSIQI11
	S013689	CSIQI10
	S013604	CSIQI11
	S013592	CSIQI10
	S013583	CSIQI10
	S013582	CSIQI13
	S013479	CSIQI10
	S013434	CSIQI10
	S013067	CSIQI10
CAR2006	S013177	CSIQI10
	S013128	CSIQI10
	S013068	CSIQI10
	S012961	CSIQI10
	S012864	CSIQI10
CAR2005	S012574	CSIQI13
	S012546	CSIQI10
	S012498	CSIQI10
	S012495	CSIQI11
	S012494	CSIQI10
	S012491	CSIQI13
	S012490	CSIQI10
	S012309	CSIQI13
	S012022	CSIQI10
CAR2004	S012341	CSIQI10
	S012326	CSIQI11
	S012312	CSIQI10
	S012308	CSIQI10
	S012301	CSIQI11
	S012300	CSIQI10
	S012169	CSIQI10
	S011910	CSIQI10
	S011257	CSIQI10
	S011104	CSIQI10
CAR2003	S012079	CSIQI10
	S011879	CSIQI10
	S011289	CSIQI11
	S011288	CSIQI10
CAR2002	S011541	CSIQI10
	S011495	CSIQI10
	S011467	CSIQI13

CA RS Level	Service	FMID
	S011272	CSIQI13
CAR2001	S011124	CSIQI11
	S011123	CSIQI10
	S010979	CSIQI10
	S010896	CSIQI10
	S010825	CSIQI13
	S010824	CSIQI10
	S010822	CSIQI10