CA Spool 14.0 CA RS 2104 Service List

Service	Description	Туре	
LU00375	SNET STARTS VPI WHEN NO VIRTUAL PRINTERS ARE DEFINED	PTF	
LU00388	PRTADD ACCESS CHECK OCCURS WHEN ESFNODE DD IS NOT SPECIFIED	PTF	
LU00729	ESF964 - SENDER ADDRESS REJECTED USING SMTP PRINT DRIVER	PTF	
The CA RS 2104 service count for this release is 3			

CA Spool CA RS 2104 Service List for CBQ4E00

FMID	Service	Description Type		
CBQ4E00	LU00375	SNET STARTS VPI WHEN NO VIRTUAL PRINTERS ARE DEFINED	PTF	
	LU00388	PRTADD ACCESS CHECK OCCURS WHEN ESFNODE DD IS NOT SPECIFIED	PTF	
	LU00729	ESF964 - SENDER ADDRESS REJECTED USING SMTP PRINT DRIVER	PTF	
The CA RS 2104 service count for this FMID is 3				

CA Spool 14.0 CA RS 2104 - PTF LU00375 Details

Service	Details
	LU00375 M.C.S. ENTRIES = ++PTF (LU00375)
	The following items are included in this solution: 1. SNET STARTS VPI WHEN NO VIRTUAL PRINTERS ARE DEFINED 2. MAILCOMB DOES NOT COMBINE FILES IF MAILDEST IS SPECIFIED 3. ESF796 AND ESF901 MESSAGES WHEN MAILCOMB IS USED 4. PRIDEL DOES NOT REMOVE NODE FROM ESFNODE IF GROUP NOT FOUND 5. ADJUST ERROR MESSAGE FOR EMPTY PRIADD, PRIMOD, PRIDEL CMD
	6. ESF1805 ISSUED WHEN ESFNODE DD STATEMENT IS NOT SPECIFIED
	7. SOC1 ABEND IF ESFNODE FILE CONTAINS ONLY A SINGLE COMMENT
	SNET STARTS VPI WHEN NO VIRTUAL PRINTERS ARE DEFINED PROBLEM DESCRIPTION:
	When no VPS= parameters are specified on any CA Spool Nodes and
	DYNVPS is set to 0, the SNET command still starts the Virtual
	Printer Interface.
	SYMPTOMS: When no virtual printers are defined, after SNET is issued, the
	following message can be seen on the ESFLOG:
	ESF301 VIRTUAL PRINTER INTERFACE STARTED
	IMPACT:
	None.
	CIRCUMVENTION:
	None.
	PRODUCT(S) AFFECTED:
	CA Spool Version 14.0
	Related Problem:
	CSP00L 12974
	MAILCOMB DOES NOT COMBINE FILES IF MAILDEST IS SPECIFIED PROBLEM DESCRIPTION:
	When MAILDEST is specified to activate Email Notifification, the
	MAILCOMB Node parameter does not attach multiple files to a
	single email. Each file is sent in a separate email.
	Files meant to be sent as attachments in a single email are sent in separate emails.
	IMPACT:
	None.
	CIRCUMVENTION:
	None.
	PRODUCT(S) AFFECTED:
	CA Spool Version 14.0
	Related Problem: CSPOOL 12943
	CSPOOL 12943
	ESF796 AND ESF901 MESSAGES WHEN MAILCOMB IS USED
	PROBLEM DESCRIPTION:
	ESF796 and ESF901 messages reporting an ESFSTAT error may be issued
	when the MAILCOMB Node parameter is specified. This will occur if
	the CA Spool task userid is not given access to the files that
	are eligible to be attached to a single email.
	SYMPTOMS:
	ESF796 and ESF901 appear on the ESFLOG, as follows:

CA Spool 14.0 CA RS 2104 - PTF LU00375 Details

ce	Details
	ESF796 USER(SPLUSRID) UNKNOWN
	ESF901 File 50 on printer EMLCOMB - ESFSTAT has failed. Status code: 07
	The messages occur for every file that is eligible to be combined.
	IMPACT:
	Files that should have been combined into a single email will be
	sent in individual emails.
- 1	CIRCUMVENTION:
- 1	Give access to the CA Spool task userid for files that should be
	attached to a single email.
	PRODUCT(S) AFFECTED:
	CA Spool Version 14.0
	Related Problem:
	CSP00L 12937
	=======================================
	PRTDEL DOES NOT REMOVE NODE FROM ESFNODE IF GROUP NOT FOUND
	PROBLEM DESCRIPTION:
	If a Node statement in ESFNODE does not contain a GROUP parameter
	PRTDEL does not remove it from the ESFNODE file. The printer
	is no longer defined within the active CA Spool task but the
	-
	deleted Node will reappear after a recycle.
	SYMPTOMS:
	After a successful PRTDEL command, a Node statement still exists
	in the ESFNODE file for the deleted Node.
	IMPACT:
	After a CA Spool task recycle, deleted printers unexpectedly
	reappear.
	CIRCUMVENTION:
	Manually delete the Node from ESFNODE.
	PRODUCT(S) AFFECTED:
	CA Spool Version 14.0
	Related Problem:
	CSP00L 12843
	ADJUST ERROR MESSAGE FOR EMPTY PRTADD, PRTMOD, PRTDEL CMD
	PROBLEM DESCRIPTION:
	If the PRTADD. PRTMOD and PRTDEL commands are issued without
	,
	any other parameters, the error message indicates an invalid
	command. The error message is changed to indicate missing operands.
	SYMPTOMS:
	The following message is issued in response to PRTADD, PRTMOD
	and PRTDEL commands:
	ESF897 INVALID COMMAND
	The response is changed to:
- 1	ESF896 MISSING OPERAND(S)
	(12)
	IMPACT:
	IMPACT:
	IMPACT: None.
	IMPACT: None. CIRCUMVENTION:
	IMPACT: None. CIRCUMVENTION: None.
	IMPACT: None. CIRCUMVENTION: None. PRODUCT(S) AFFECTED:
	IMPACT: None. CIRCUMVENTION: None. PRODUCT(S) AFFECTED: CA Spool Version 14.0
	IMPACT: None. CIRCUMVENTION: None. PRODUCT(S) AFFECTED:
	IMPACT: None. CIRCUMVENTION: None. PRODUCT(S) AFFECTED: CA Spool Version 14.0

CA Spool 14.0 CA RS 2104 - PTF LU00375 Details

Service	Details		
	PROBLEM DESCRIPTION:		
	During shutdown, ESF1805 is issued when the optional ESFNODE		
	DD statement is not specified in the CA Spool proc.		
	SYMPTOMS:		
	The following message is seen on the system log and on the ESFLOG		
	during shutdown:		
	ESF1805 //ESFNODE update failed with RC=04		
	IMPACT:		
	There is no impact.		
	CIRCUMVENTION:		
	Add an ESFNODE DD statement to the CA Spool proc.		
	PRODUCT(S) AFFECTED:		
	CA Spool Version 14.0		
	Related Problem:		
	CSP00L 12781		
	=======================================		
	SOC1 ABEND IF ESFNODE FILE CONTAINS ONLY A SINGLE COMMENT		
	PROBLEM DESCRIPTION:		
	A SOC1 abend will occur when the file allocated by the ESFNODE DD		
	statement contains only a single comment and the LIST option is		
	specified at initialization time.		
	SYMPTOMS:		
	The following can be seen in the JESMSGLG for the CA Spool task:		
	ESFNUC SOC1 at 00000002 LMOD N/A CSECT N/A +N/A ESFXE91A N/A ESFXE91A		
	PSW: 00000000 00000000 073C3000 00000002		
	ILC: 02 INTERRUPT CODE: 01		
	COMPLETION CODE SOC1 REASON CODE 00000001		
	DATA AT PSW FFFFFFFC : 00000000 000A0000 000130E1		
	IMPACT:		
	Sites using Online Printer Configuration may be affected.		
	CIRCUMVENTION:		
	Add more statements to the file allocated by ESFNODE or comment the DD		
	statement.		
	PRODUCT(S) AFFECTED:		
	CA Spool Version 14.0		
	Related Problem:		
	CSP00L 12748		
	Copyright (C) 2021 CA. All rights reserved. R00047-SPL140-SP1		
	DESC(SNET STARTS VPI WHEN NO VIRTUAL PRINTERS ARE DEFINED).		
	++VER (Z038)		
	FMID (CBQ4E00)		
	PRE (LU00196 S006328 S006713 S007854 S009823 S011269		
	S011900 S012826 S013495 S014520 S015700)		
	SUP (LT00126 LT00202 LT00375 LU00126 S011343 S013999		
	S014586 S015519 S015847 S016172 ST11343 ST13999		
	ST14586 ST15519 ST15847 ST16172)		

CA Spool 14.0 CA RS 2104 - PTF LU00388 Details

Service	Details
LU00388	LU00388 M.C.S. ENTRIES = ++PTF (LU00388)
	PRTADD ACCESS CHECK OCCURS WHEN ESFNODE DD IS NOT SPECIFIED
	PROBLEM DESCRIPTION:
	On entry to the Menu interfaces, a PRTADD command is issued on
	behalf of the user to determine if the Online Printer Configuration
	option should be presented on the main menu. This occurs even if
	the CA Spool task does not have the required ESFNODE DD statement
	specified. Security violations will be reported if the user is not
	authorized for Online Printer Configuration access.
	SYMPTOMS:
	Messages seen on ESFLOG:
	USERO01 9:47:21 PRTADD, CHKACCES
	USERO01 9:47:21 -ESF897 INVALID COMMAND
	IMPACT:
	Unnecessary security violations are reported.
	CIRCUMVENTION:
	None.
	PRODUCT(S) AFFECTED:
	CA Spool Version 14.0
	Related Problem:
	CSP00L 12984
	Copyright (C) 2021 CA. All rights reserved. R00048-SPL140-SP1
	DESC(PRTADD ACCESS CHECK OCCURS WHEN ESFNODE DD IS NOT SPECIFIED).
	++VER (Z038)
	FMID (CBQ4E00)
	PRE (LU00196 S006713 S007854 S012826 S013495 S014520)
	SUP (LT00388)

CA Spool 14.0 CA RS 2104 - PTF LU00729 Details

Service	Details			
LU00729	LU00729 M.C.S. ENTRIES = ++PTF (LU00729)			
	ESF964 - SENDER ADDRESS REJECTED USING SMTP PRINT DRIVER			
	PROBLEM DESCRIPTION: When searching the file for email addressing information, report data is inadvertently used to supply information for report delivery.			
	SYMPTOMS:			
	Messages similar to the following are seen on the ESFLOG:			
	ESF964 File 1 on printer EMAIL1 - 504 5.5.2 <to:abc@host>:Sender</to:abc@host>			
	address rejected: need fully-qualified			
	ESF925 File 1 on printer EMAIL1 held			
	IMPACT:			
	Files for Nodes using the SMTP print driver are not delivered.			
	CIRCUMVENTION: None.			
	PRODUCT(S) AFFECTED:			
	CA Spool Version 14. Related Problem:			
	CSP00L 13270			
	Copyright (C) 2021 CA. All rights reserved. R00060-SPL140-SP1			
	DESC(ESF964 - SENDER ADDRESS REJECTED USING SMTP PRINT DRIVER).			
	++VER (Z038)			
	FMID (CBQ4E00)			
	PRE (LU00375 S006328 S006713 S007854 S009823 S011269			
	S011900 S014520)			
	SUP (LT00126 LT00729 LU00126 S013999 S015519 S015847			
	S016172 ST13999 ST15519 ST15847 ST16172)			
	MCS LU00375 STARTS ON PAGE 0002			
	MCS LU00388 STARTS ON PAGE 0006			
	MCS LU00729 STARTS ON PAGE 0007			

CA Spool 14.0 CA RS 2104 Product/Component Listing

Product Family	Product	Release
Output Management	CA SPOOL	14.00.00
	LPD INTERFACE	14.00.00
The CA RS 2104 Product/Component Count for this release is 2		

CA RS Level	Service	FMID
CAR2104	LU00729	CBQ4E00
	LU00388	CBQ4E00
	LU00375	CBQ4E00
CAR2103	LU00228	CBQ4E00
	LU00196	CBQ4E00
	LU00126	CBQ4E00
CAR2102	S016172	CBQ4E00
	S015847	CBQ4E00
CAR2101	S015828	CBQ4E00
	S015792	CBQ4E00
	S015519	CBQ4E00
CAR2012	S015701	CCSRE00
	S015700	CBQ4E00
	S015520	CBQ4E00
	S014520	CBQ4E00
CAR2011	S015211	CBQ4E00
	S014817	CBQ4E00
CAR2010	S014586	CBQ4E00
	S014484	CBQ4E00
CAR2009	S014208	CBQ4E00
	S013999	CBQ4E00
CAR2008	S014049	CBQ4E00
	S013859	CCSRE00
	S013495	CBQ4E00
CAR2006	S013272	CBQ4E00
CAR2005	S012959	CBQ4E00
	S012826	CBQ4E00
CAR2004	S012015	CCSRE00
	S011900	CBQ4E00
	S011343	CBQ4E00
CAR2002	S011270	CCSRE00
	S011269	CBQ4E00
CAR2001	S011204	CBQ4E00
	S010837	CBQ4E00
CAR1912	S010386	CBQ4E00
CAR1910	S009824	CCSRE00
	S009823	CBQ4E00
CAR1909	S009491	CBQ4E00
CAR1907	S008517	CCSRE00
	S007854	CBQ4E00
CAR1904	S006713	CBQ4E00
	S006328	CBQ4E00