

CA Endeavor SCM 18.1
CA RS 2107 Service List

1

Service	Description	Type
LU01412	QUICKEDIT COPYELM COMMAND FAILS WITH MSG ISPT032	PTF
LU01490	ENUXSITE NOT CALLED WHEN EXECUTING C1BM3000 IN A PROCESSOR	PTF
LU01544	QUICK EDIT USER ROUTINES FAIL WITH MESSAGE ISPS0108	PTF
LU01554	F/G DEFINE TYPE RESULTS IN DUPLICATED TYPE NUMBERS	PTF
LU01596	QE SQ CMD DUPLICATE ROWS IN ELEMENT LIST	PTF
LU01602	PACKAGE CAST ERROR C1G0518E, RECORD LENGTH EXCEEDED	PTF
LU01641	WEBSERVICES CLEANUP TASK NOT WORKING FOR REPORTS	** PRP **
LU01853	DEFINE SHIPMENT DESTINATION DIFFERENT IN BATCH AND FG	PTF
LU01911	DISABLE SYNC IN PLACE FOR ELIBS	** PRP **
LU01912	DISABLE SYNC IN PLACE FOR ELIBS	PTF
SO16216	NO ELM REG. MSGS AFTER ISSUING QMSGs CMD FROM PANEL ENDIE410	PTF
The CA RS 2107 service count for this release is 11		

CA Endeavor SCM
CA RS 2107 Service List for CSIQI10

2

FMID	Service	Description	Type
CSIQI10	LU01412	QUICKEDIT COPYELM COMMAND FAILS WITH MSG ISPT032	PTF
	LU01490	ENUXSITE NOT CALLED WHEN EXECUTING C1BM3000 IN A PROCESSOR	PTF
	LU01544	QUICK EDIT USER ROUTINES FAIL WITH MESSAGE ISPS0108	PTF
	LU01554	F/G DEFINE TYPE RESULTS IN DUPLICATED TYPE NUMBERS	PTF
	LU01596	QE SQ CMD DUPLICATE ROWS IN ELEMENT LIST	PTF
	LU01602	PACKAGE CAST ERROR C1G0518E, RECORD LENGTH EXCEEDED	PTF
	LU01853	DEFINE SHIPMENT DESTINATION DIFFERENT IN BATCH AND FG	PTF
	LU01911	DISABLE SYNC IN PLACE FOR ELIBS	** PRP **
	S016216	NO ELM REG. MSGS AFTER ISSUING QMSGs CMD FROM PANEL ENDIE410	PTF
The CA RS 2107 service count for this FMID is 9			

CA Endevor SCM
CA RS 2107 Service List for CSIQI11

FMID	Service	Description	Type
CSIQI11	LU01912	DISABLE SYNC IN PLACE FOR ELIBS	PTF
The CA RS 2107 service count for this FMID is 1			

CA Endevor SCM
CA RS 2107 Service List for CSIQI13

FMID	Service	Description	Type
CSIQI13	LU01641	WEBSERVICES CLEANUP TASK NOT WORKING FOR REPORTS	** PRP **
The CA RS 2107 service count for this FMID is 1			

CA Endeavor SCM 18.1
CA RS 2107 - PTF LU01412 Details

5

Service	Details
LU01412	LU01412 M.C.S. ENTRIES = ++PTF (LU01412) QUICKEDIT COPYELM COMMAND FAILS WITH MSG ISPT032 PROBLEM DESCRIPTION: Using the COPYELM command in QuickEdit fails with message ISPT032 and this text: No arguments established for TBSCAN of table EN1IE910 SYMPTOMS: The QuickEdit session is aborted. IMPACT: The COPYELM command is unusable. The user has to restart the QuickEdit session. CIRCUMVENTION: Navigate to the element to copy and use ISPF editor CUT command to get the desired data. Navigate to the element to edit and use ISPF editor PASTE command to put the desired data into the element. PRODUCT(S) AFFECTED: CA Endeavor SCM Release 18.1 Related Problem: ENDBAS 13801 Copyright (C) 2021 CA. All rights reserved. R00145-SCM181-SP0 DESC(QUICKEDIT COPYELM COMMAND FAILS WITH MSG ISPT032). ++VER (Z038) FMID (CSIQI10) PRE (LU00249 LU00538) SUP (LT01412)

Service	Details
LU01490	LU01490 M.C.S. ENTRIES = ++PTF (LU01490) ENUXSITE NOT CALLED WHEN EXECUTING C1BM3000 IN A PROCESSOR PROBLEM DESCRIPTION: The ENUXSITE exit isn't invoked when executing C1BM3000 in a processor. SYMPTOMS: A processor that uses C1BM3000 and relies on ENUXSITE being invoked will fail. The messages depend on what the processor is doing. The action on the element may fail. IMPACT: A processor that uses C1BM3000 and relies on ENUXSITE being invoked will fail. One example is using a different C1DEFLT5 within the processor than the one for which the processor is executing. This is a very rare situation and works only in specific conditions. CIRCUMVENTION: Modify the processor to submit a batch job. PRODUCT(S) AFFECTED: CA Endeavor SCM Release 18.1 Related Problem: ENDBAS 13725 Copyright (C) 2021 CA. All rights reserved. R00147-SCM181-SP0 DESC(ENUXSITE NOT CALLED WHEN EXECUTING C1BM3000 IN A PROCESSOR). ++VER (Z038) FMID (CSIQI10) PRE (LU00538 LU00593 S011288 S011879 S013128 S014704 S015658 S016209) SUP (LT01490) ++HOLD (LU01490) SYSTEM FMID(CSIQI10) REASON (ACTION) DATE (21162) COMMENT (CA Endeavor SCM Release 18.1 SEQUENCE Before Apply PURPOSE This PTF updates an Endeavor TABLE in the CSIQSRC library. If you have customized the TABLE delivered by this PTF, you must backup your customized version of the TABLE before applying this PTF to avoid losing your changes. USERS All Endeavor users. AFFECTED KNOWLEDGE 1. SMP/e REQUIRED 2. Endeavor Administration 3. Endeavor TABLES ACCESS Update access to the CSIQAUTU library. REQUIRED ***** ***** <

CA Endeavor SCM 18.1
CA RS 2107 - PTF LU01490 Details

7

Service	Details
	1. Backup any customized TABLES in CSIQSRC that this PTF supplies. 2. APPLY this PTF. 3. Re-apply your customizations to the updated TABLES in CSIQSRC. 4. Assemble and Link the updated TABLE to the CSIQAUTU library.).

CA Endeavor SCM 18.1
CA RS 2107 - PTF LU01544 Details

8

Service	Details
LU01544	LU01544 M.C.S. ENTRIES = ++PTF (LU01544) QUICK EDIT USER ROUTINES FAIL WITH MESSAGE ISPS0108 PROBLEM DESCRIPTION: After applying LU00249, QuickEdit user routines fail. SYMPTOMS: Endevor ends abnormally and shows a panel with message ISPS0108 and this text: Invalid length Parameter 'USERRFSHEEVETKEL' exceeds the allowable length. IMPACT: Endevor ends abnormally and has to be restarted. CIRCUMVENTION: Avoid using the QuickEdit user routines. PRODUCT(S) AFFECTED: CA Endeavor SCM Release 18.1 Related Problem: ENDBAS 13894 Copyright (C) 2021 CA. All rights reserved. R00149-SCM181-SP0 DESC(QUICK EDIT USER ROUTINES FAIL WITH MESSAGE ISPS0108). ++VER (Z038) FMID (CSIQI10) PRE (LU00249 SO11288 SO14704) SUP (LT01544)

Service	Details				
LU01554	LU01554 M.C.S. ENTRIES = ++PTF (LU01554) F/G DEFINE TYPE RESULTS IN DUPLICATED TYPE NUMBERS PROBLEM DESCRIPTION When user is defining a new 99th type via F/G interface incorrect type number is set - x'FA63' instead of 99. This may result in incorrect element query results or errors in several Endeavor actions because x'FA63' processed as TYPE with decimal number 99. The correct range for the type numbers is 00-99 and x'FA64'-x'FAFF'. SYMPTOMS: Elements with different types appears in endeavor element query when type-specific element query executed. x'FA63' type number appears in the MCF column 27. IMPACT: Corrupted element numbers may result in failure of several endeavor actions. MCF with incorrect type numbers should be fixed. CIRCUMVENTION: Define 99th type via batch interface. PRODUCT AFFECTED: <table> <tr> <td>CA Endeavor SCM</td><td>Version 18.0</td></tr> <tr> <td>CA Endeavor SCM</td><td>Version 18.1</td></tr> </table> Related Problem: ENDBAS 7820 Copyright (C) 2021 CA. All rights reserved. R00150-SCM181-SP0 DESC(F/G DEFINE TYPE RESULTS IN DUPLICATED TYPE NUMBERS). ++VER (Z038) FMID (CSIQI10) SUP (LT01554)	CA Endeavor SCM	Version 18.0	CA Endeavor SCM	Version 18.1
CA Endeavor SCM	Version 18.0				
CA Endeavor SCM	Version 18.1				

Service	Details
LU01596	LU01596 M.C.S. ENTRIES = ++PTF (LU01596) QE SQ CMD DUPLICATE ROWS IN ELEMENT LIST PROBLEM DESCRIPTION: After having used the QuickEdit SQ command, the element list shows duplicate entries for each row processed by the SQ command. SYMPTOMS: The element list has duplicate rows. IMPACT: The user is confused and has to exit and re-enter the element list panel to get rid of the duplicate rows. CIRCUMVENTION: Ignore duplicate rows in the element list or refresh the element list. PRODUCT(S) AFFECTED: CA Endeavor SCM Release 18.1 Related Problem: ENDBAS 13924 Copyright (C) 2021 CA. All rights reserved. R00151-SCM181-SP0 DESC(QE SQ CMD DUPLICATE ROWS IN ELEMENT LIST). ++VER (Z038) FMID (CSIQI10) PRE (S011288 S012079 S014704) SUP (LT01596 S015251 ST15251)

Service	Details				
LU01602	LU01602 M.C.S. ENTRIES = ++PTF (LU01602) PACKAGE CAST ERROR C1G0518E, RECORD LENGTH EXCEEDED PROBLEM DESCRIPTION: When a package is cast with the ADD action and: - The entry stage is 2 - The input is USS - The type is defined only at stage 2 Message C1G0518E may be issued saying: "THE LENGTH OF A REC IN THIS FILE EXCEEDS THE TYPE DEF REC LENGHT OF 255". This occurs even though the LRECL in the stage 2 type definition is greater than 255. IMPACT: Package cast fails with a validation error. CIRCUMVENTION: Define the type at stage 1. PRODUCT(S) AFFECTED: <table> <tr> <td>CA Endeavor SCM</td><td>Version 18.0</td></tr> <tr> <td>CA Endeavor SCM</td><td>Release 18.1</td></tr> </table> Related Problem: ENDBAS 13887 Copyright (C) 2021 CA. All rights reserved. R00152-SCM181-SP0 DESC(PACKAGE CAST ERROR C1G0518E, RECORD LENGTH EXCEEDED). ++VER (Z038) FMID (CSIQI10) SUP (LT01602)	CA Endeavor SCM	Version 18.0	CA Endeavor SCM	Release 18.1
CA Endeavor SCM	Version 18.0				
CA Endeavor SCM	Release 18.1				

CA Endeavor SCM 18.1
CA RS 2107 - PTF LU01641 Details

12

Service	Details		
LU01641	LU01641 M.C.S. ENTRIES = ++PTF (LU01641) WEBSERVICES CLEANUP TASK NOT WORKING FOR REPORTS PROBLEM DESCRIPTION: WEBSERVICES CLEANUP TASK NOT WORKING PROPERLY BECAUSE REPORTS FORMAT HAS BEEN CHANGED. SYMPTOMS: WEBAPPS/ENDEVOR/REPORTS DIRECTORY OVERFLOW. IMPACT: WEBSERVICES USERS WHO HAVE LU01261, LU01262 (18.0) OR LU01263,LU01264 (18.1) PTFS INSTALLED. CIRCUMVENTION: DELETE REPORTS DIRECTORY MANUALLY TO RELEASE SPACE PRODUCT(S) AFFECTED: CA Endeavor SCM Release 18.0 CA Endeavor SCM Release 18.1 Related Problem: ENDBAS 13932 Copyright (C) 2021 CA. All rights reserved. R00153-SCM181-SP0 DESC(WEBSERVICES CLEANUP TASK NOT WORKING FOR REPORTS) . ++VER (Z038) FMID (CSIQI13) PRE (LU00540 LU00798 LU01264 S011272 S013582 S013849) SUP (AL01264 LT00090 LT00234 LT00272 LT00293 LT00384 LT00391 LT00467 LT00606 LT00782 LT00909 LT01641 S012309 S013905 S015234 S015900 S015978 ST12309 ST13559 ST13905 ST15234 ST15773 ST15819 ST15900 ST15978) ++HOLD (LU01641) SYSTEM FMID(CSIQI13) REASON (ACTION) DATE (21160) COMMENT (<table border="1"> <tr> <td>CA Endeavor SCM for Web Services</td><td>Release 18.1</td></tr> </table> SEQUENCE After Apply PURPOSE This correction updates Endeavor Web Services. To implement this update, you must update the Web Services component of your target Tomcat directory and recycle the Tomcat server. USERS AFFECTED All users of Endeavor Web Services. KNOWLEDGE 1. SMP/e REQUIRED 2. Endeavor Web Services 3. Tomcat 4. Unix System Services ACCESS 1. Update access to USS target and deployment files REQUIRED 2. Ability to stop and start Tomcat *****	CA Endeavor SCM for Web Services	Release 18.1
CA Endeavor SCM for Web Services	Release 18.1		

Service	Details
	<pre> * STEPS TO PERFORM * ***** 1. Stop Tomcat 2. Verify that the parameters in the ENWSInstallOptions.properties file are set according to your environment. This file resides in the USS directory where this PTF has been installed to (USS install directory). 3. Either: a.In the TSO OMVS environment, change to the directory where the script ENWSUpd.sh resides: cd <USS install directory>/tpv execute the script: sh ENWSUpd.sh or b.Run job WSTOMCCS to update Endeavor Web Services. Steps how to update are included in the WSTOMCCS job. 4. Start Tomcat). BINARY LINK('.. /tpv/tomcat/webapps/EndevorService.war') PARM(PATHMODE(0,7,7,5)) . TEXT LINK('.. /tpv/tomcat/webapps/EndevorService.war.md5 ') PARM(PATHMODE(0,7,7,5)) . </pre>

Service	Details
LU01853	LU01853 M.C.S. ENTRIES = ++PTF (LU01853) DEFINE SHIPMENT DESTINATION DIFFERENT IN BATCH AND FG PROBLEM DESCRIPTION: The DEFINE SHIPMENT DESTINATION action in the Batch Package facility allows to specify remote staging dataset information when the transmission method is set to LOCAL. This behavior is wrong and inconsistent with the logic in Foreground, as it generates an error message in Foreground panels when trying to modify the shipment that has been defined specifying remote staging information using local method transmission in Batch. The message PKMR319E 'REMOTE STAGING INFO IS NOT APPLICABLE FOR THIS TRANSMISSION METHOD' is invoked in Foreground for these cases. SYMPTOMS: Remote statements can be defined for LOCAL transmission method in Batch. IMPACT: Unavailability to modify a shipment in Foreground that has been defined with remote statements for LOCAL transmission method in Batch. CIRCUMVENTION: None. PRODUCT AFFECTED: CA Endeavor SCM Version 18.0 PRODUCT(S) AFFECTED: CA Endeavor SCM Version 18.0 CA Endeavor SCM Version 18.1 Related Problem: ENDBAS 7663 Copyright (C) 2021 CA. All rights reserved. R00155-SCM181-SP0 DESC(DEFINE SHIPMENT DESTINATION DIFFERENT IN BATCH AND FG). ++VER (Z038) FMID (CSIQI10) SUP (LT01446 LT01647 LT01853)

Service	Details
LU01911	LU01911 M.C.S. ENTRIES = ++PTF (LU01911) DISABLE SYNC IN PLACE FOR ELIBS PROBLEM DESCRIPTION: The Sync in Place feature corrupts elements that use elib as base library. This is an emergency fix to prevent damage to elements by disabling the Sync in Place for elements that use elib as base library. To be followed by a PTF that resolves the problem at a later date. SYMPTOMS: 'SMGR063E MEMBER NOT FOUND' message while performing the Sync in Place. Element is corrupted afterwards. IMPACT: Sync in Place cannot be used, and if an attempt is made to use it, the element becomes corrupted. CIRCUMVENTION: Disable the Sync in Place feature in ENCOPTBL and use either delete/add or move/transfer with sync to put an element back in sync. PRODUCT(S) AFFECTED: CA Endeavor SCM Release 18.1 Related Problem: ENDBAS 14112 Copyright (C) 2021 CA. All rights reserved. R00156-SCM181-SP0 DESC(DISABLE SYNC IN PLACE FOR ELIBS). ++VER (Z038) FMID (CSIQI10) PRE (LU00538 LU01495 S010822 S012441 S013583 S015778 S016126) SUP (AL00538 LT01136 LT01911 LU01136) ++IF FMID(CSIQI11) REQ(LU01912) .

Service	Details
LU01912	LU01912 M.C.S. ENTRIES = ++PTF (LU01912) DISABLE SYNC IN PLACE FOR ELIBS PROBLEM DESCRIPTION: The Sync in Place feature corrupts elements that use elib as base library. This is an emergency fix to prevent damage to elements by disabling the Sync in Place for elements that use elib as base library. To be followed by a PTF that resolves the problem at a later date. SYMPTOMS: 'SMGR063E MEMBER NOT FOUND' message while performing the Sync in Place. Element is corrupted afterwards. IMPACT: Sync in Place cannot be used, and if an attempt is made to use it, the element becomes corrupted. CIRCUMVENTION: Disable the Sync in Place feature in ENCOPTBL and use either delete/add or move/transfer with sync to put an element back in sync. PRODUCT(S) AFFECTED: CA Endeavor SCM Release 18.1 Related Problem: ENDBAS 14112 Copyright (C) 2021 CA. All rights reserved. R00156-SCM181-SP0 DESC(DISABLE SYNC IN PLACE FOR ELIBS). ++VER (Z038) FMID (CSIQI11) SUP (LT01912) ++IF FMID(CSIQI10) REQ(LU01911) .

Service	Details																																	
SO16216	SO16216 M.C.S. ENTRIES = ++PTF (SO16216) NO ELM REG. MSGS AFTER ISSUING QMSGS CMD FROM PANEL ENDIE410 PROBLEM DESCRIPTION: When a Quick Edit user attempts to edit or create an element and runs into an element registration problem while the element registration message severity is set to Warning or Caution, panel ENDIE410 is displayed. This panel prompts the user to choose whether to quit or to continue the action. The panel suggests using the "TSO QMSGS" command to get more details about the element registration problem. However, if this command is issued, the Quick Edit message data set does not contain the expected information, or the data set is empty. SYMPTOMS: After issuing the TSO QMSGS command from panel ENDIE410, messages IMGR257x and C1G0506I are missing, or the following message is displayed: MESSAGE DATASET ('dsname') EMPTY OR NOT FOUND IMPACT: Users can be confused. CIRCUMVENTION: Press PF3 to exit panel ENDIE410 before issuing the TSO QMSGS command. PRODUCTS AFFECTED: CA Endeavor, Release 18.1 Related Problem: ENDBAS 7843 Copyright (C) 2021 CA. All rights reserved. R00104-SCM181-SP0 DESC(NO ELM REG. MSGS AFTER ISSUING QMSGS CMD FROM PANEL ENDIE410) . ++VER (Z038) FMID (CSIQI10) SUP (SO15110 ST15110 ST16216) <table><tr><td>MCS</td><td>LU01412</td><td>STARTS ON PAGE 0002</td></tr><tr><td>MCS</td><td>LU01490</td><td>STARTS ON PAGE 0002</td></tr><tr><td>MCS</td><td>LU01544</td><td>STARTS ON PAGE 0004</td></tr><tr><td>MCS</td><td>LU01554</td><td>STARTS ON PAGE 0005</td></tr><tr><td>MCS</td><td>LU01596</td><td>STARTS ON PAGE 0005</td></tr><tr><td>MCS</td><td>LU01602</td><td>STARTS ON PAGE 0006</td></tr><tr><td>MCS</td><td>LU01641</td><td>STARTS ON PAGE 0007</td></tr><tr><td>MCS</td><td>LU01853</td><td>STARTS ON PAGE 0009</td></tr><tr><td>MCS</td><td>LU01911</td><td>STARTS ON PAGE 0010</td></tr><tr><td>MCS</td><td>LU01912</td><td>STARTS ON PAGE 0010</td></tr><tr><td>MCS</td><td>SO16216</td><td>STARTS ON PAGE 0011</td></tr></table>	MCS	LU01412	STARTS ON PAGE 0002	MCS	LU01490	STARTS ON PAGE 0002	MCS	LU01544	STARTS ON PAGE 0004	MCS	LU01554	STARTS ON PAGE 0005	MCS	LU01596	STARTS ON PAGE 0005	MCS	LU01602	STARTS ON PAGE 0006	MCS	LU01641	STARTS ON PAGE 0007	MCS	LU01853	STARTS ON PAGE 0009	MCS	LU01911	STARTS ON PAGE 0010	MCS	LU01912	STARTS ON PAGE 0010	MCS	SO16216	STARTS ON PAGE 0011
MCS	LU01412	STARTS ON PAGE 0002																																
MCS	LU01490	STARTS ON PAGE 0002																																
MCS	LU01544	STARTS ON PAGE 0004																																
MCS	LU01554	STARTS ON PAGE 0005																																
MCS	LU01596	STARTS ON PAGE 0005																																
MCS	LU01602	STARTS ON PAGE 0006																																
MCS	LU01641	STARTS ON PAGE 0007																																
MCS	LU01853	STARTS ON PAGE 0009																																
MCS	LU01911	STARTS ON PAGE 0010																																
MCS	LU01912	STARTS ON PAGE 0010																																
MCS	SO16216	STARTS ON PAGE 0011																																

CA Endeavor SCM 18.1
CA RS 2107 Product/Component Listing

18

Product Family	Product	Release
Application Development	CA ENDEVOR SCM	18.01.00
The CA RS 2107 Product/Component Count for this release is 1		

CA RS Level	Service	FMID
CAR2107	S016216	CSIQI10
	LU01912	CSIQI11
	LU01911	CSIQI10
	LU01853	CSIQI10
	LU01641	CSIQI13
	LU01602	CSIQI10
	LU01596	CSIQI10
	LU01554	CSIQI10
	LU01544	CSIQI10
	LU01490	CSIQI10
	LU01412	CSIQI10
CAR2106	LU01497	CSIQI13
	LU01496	CSIQI11
	LU01495	CSIQI10
	LU01335	CSIQI10
	LU01326	CSIQI10
	LU01264	CSIQI13
	LU01263	CSIQI10
	LU01219	CSIQI10
	LU01136	CSIQI10
	LU01063	CSIQI11
	LU01062	CSIQI10
	LU00970	CSIQI10
	LU00249	CSIQI10
CAR2105	LU01038	CSIQI10
	LU01012	CSIQI10
	LU00808	CSIQI10
	LU00798	CSIQI13
	LU00797	CSIQI10
	LU00774	CSIQI10
	LU00405	CSIQI13
	LU00344	CSIQI10
	LU00086	CSIQI10
CAR2104	S015436	CSIQI10
	LU00594	CSIQI11
	LU00593	CSIQI10
	LU00540	CSIQI13
	LU00539	CSIQI11
	LU00538	CSIQI10
	LU00352	CSIQI10
	LU00280	CSIQI10
CAR2103	S016209	CSIQI10
	S016126	CSIQI10
CAR2102	S016224	CSIQI10
	S015995	CSIQI11
	S015994	CSIQI10
	S015978	CSIQI13

CA RS Level	Service	FMID
	S015962	CSIQI10
	S015658	CSIQI10
	S015323	CSIQI11
	S012677	CSIQI10
	LU00109	CSIQI11
	LU00108	CSIQI10
	LU00093	CSIQI10
CAR2101	S015900	CSIQI13
	S015878	CSIQI10
	S015818	CSIQI10
	S014767	CSIQI10
CAR2012	S015779	CSIQI11
	S015778	CSIQI10
	S015462	CSIQI10
	S015434	CSIQI10
	S015234	CSIQI13
	S015110	CSIQI10
CAR2011	S015251	CSIQI10
	S015219	CSIQI11
	S015218	CSIQI10
	S015125	CSIQI13
	S014748	CSIQI10
	S013905	CSIQI13
	S012172	CSIQI10
CAR2010	S014847	CSIQI10
	S014705	CSIQI11
	S014704	CSIQI10
	S014674	CSIQI10
CAR2009	S014513	CSIQI10
	S014420	CSIQI10
	S014309	CSIQI10
	S014222	CSIQI11
	S014221	CSIQI10
	S014082	CSIQI13
	S014076	CSIQI10
CAR2008	S013857	CSIQI10
	S013849	CSIQI13
	S013321	CSIQI10
	S013082	CSIQI13
	S012441	CSIQI10
CAR2007	S013690	CSIQI11
	S013689	CSIQI10
	S013604	CSIQI11
	S013592	CSIQI10
	S013583	CSIQI10
	S013582	CSIQI13
	S013479	CSIQI10

CA RS Level	Service	FMID
	S013434	CSIQI10
	S013067	CSIQI10
CAR2006	S013177	CSIQI10
	S013128	CSIQI10
	S013068	CSIQI10
	S012961	CSIQI10
	S012864	CSIQI10
CAR2005	S012574	CSIQI13
	S012546	CSIQI10
	S012498	CSIQI10
	S012495	CSIQI11
	S012494	CSIQI10
	S012491	CSIQI13
	S012490	CSIQI10
	S012309	CSIQI13
	S012022	CSIQI10
CAR2004	S012341	CSIQI10
	S012326	CSIQI11
	S012312	CSIQI10
	S012308	CSIQI10
	S012301	CSIQI11
	S012300	CSIQI10
	S012169	CSIQI10
	S011910	CSIQI10
	S011257	CSIQI10
	S011104	CSIQI10
CAR2003	S012079	CSIQI10
	S011879	CSIQI10
	S011289	CSIQI11
	S011288	CSIQI10
CAR2002	S011541	CSIQI10
	S011495	CSIQI10
	S011467	CSIQI13
	S011272	CSIQI13
CAR2001	S011124	CSIQI11
	S011123	CSIQI10
	S010979	CSIQI10
	S010896	CSIQI10
	S010825	CSIQI13
	S010824	CSIQI10
	S010822	CSIQI10