

Compliance Event Manager 6.0
CA RS 2108 Service List

1

Service	Description	Type
LU00731	CEMMCUV2 DEFINES THE DB SSID BUT THE DB LOCATION IS NEEDED.	PTF
LU01315	CEM VIEWS CAST FOR VIO CODES	PTF
LU01451	CEM MULTIPLE DSN LIST TYPE PROCESSING ERRORS	PTF
LU01692	RESOLVE MISSING MONITOR DELTA RECORDS	PTF
LU02106	Security or Integrity Problem	** PRP **
The CA RS 2108 service count for this release is 5		

Compliance Event Manager
CA RS 2108 Service List for CCEM600

2

FMID	Service	Description	Type
CCEM600	LU00731	CEMMCUV2 DEFINES THE DB SSID BUT THE DB LOCATION IS NEEDED.	PTF
	LU01315	CEM VIEWS CAST FOR VIO CODES	PTF
	LU01451	CEM MULTIPLE DSN LIST TYPE PROCESSING ERRORS	PTF
	LU01692	RESOLVE MISSING MONITOR DELTA RECORDS	PTF
	LU02106	Security or Integrity Problem	** PRP **
The CA RS 2108 service count for this FMID is 5			

Service	Details
LU00731	<p>LU00731 M.C.S. ENTRIES = ++PTF (LU00731)</p> <p>CEMMCUV2 DEFINES THE DB SSID BUT THE DB LOCATION IS NEEDED. PROBLEM DESCRIPTION: The CEMMCUV2 member in CUSTOM.CFGLIB has a DB SSID that should be set to the DB LOCATION. This is used to connect to the DB2 database and the SSID does not work in all cases. The SSID is often the same as the LOCATION, but not always. SYMPTOMS: The user can not remove data from the database because a connection can not be established. The user can not query for LOB data. IMPACT: The DB2 database can never be cleaned up. CIRCUMVENTION: Manually go into CEMMCUV2 in CUSTOM.CFGLIB and set DBSSID=DB2LOCATION. It is currently set to the SSID. PRODUCT(S) AFFECTED: CA Compliance Event Manager Version 6.0 Related Problem: CEVM 13273 Copyright (C) 2021 CA. All rights reserved. R00173-CEM060-SP1</p> <p>DESC(CEMMCUV2 DEFINES THE DB SSID BUT THE DB LOCATION IS NEEDED.). ++VER (Z038) FMID (CCEM600) PRE (S005848 S011024) SUP (LT00731)</p>

Compliance Event Manager 6.0 CA RS 2108 - PTF LU01315 Details

4

Service	Details																						
LU01315	<p>LU01315 M.C.S. ENTRIES = ++PTF (LU01315)</p> <p>CEM VIEWS CAST FOR VIO CODES</p> <p>PROBLEM DESCRIPTION:</p> <p>The Compliance Event Manager views for object access tables need to be updated to correct an error that occurs when violation codes greater than 10 occur in object access reports.</p> <p>SYMPTOMS:</p> <p>The following message appears in the GUI:</p> <p>'CEMR202E Cannot connect to the CA Compliance Event Manager web service'</p> <p>Also in the tomcat log the message:</p> <p>DESTINATION OF NUMBER-TO-(VAR)CHAR CAST IS 1 CHARS, NEEDS TO BE 2</p> <p>IMPACT:</p> <p>Some object access reports will not run.</p> <p>CIRCUMVENTION:</p> <p>N/A</p> <p>PRODUCT(S) AFFECTED:</p> <p>CA Compliance Event Manager Version 6.0</p> <p>Related Problem:</p> <p>CEVM 13643</p> <p>Copyright (C) 2021 CA. All rights reserved. R00175-CEM060-SP1</p> <p>DESC(CEM VIEWS CAST FOR VIO CODES).</p> <p>++VER (Z038)</p> <p>FMID (CCEM600)</p> <p>PRE (R095234)</p> <p>SUP (LT01315)</p> <p>++HOLD (LU01315) SYSTEM FMID(CCEM600)</p> <p>REASON (DYNACT) DATE (21203)</p> <p>COMMENT (</p> <table border="1"> <tr> <td>CA Compliance Event Manager</td><td>Version 6.0</td></tr> <tr> <td>SEQUENCE</td><td>After Apply</td></tr> <tr> <td>PURPOSE</td><td>Correct views for CEM</td></tr> <tr> <td>USERS</td><td>All users of CEM reports.</td></tr> <tr> <td>AFFECTED</td><td></td></tr> <tr> <td>KNOWLEDGE</td><td>SMP/E</td></tr> <tr> <td>REQUIRED</td><td>Product Installation.</td></tr> <tr> <td></td><td>Product Deployment.</td></tr> <tr> <td></td><td>USS Commands.</td></tr> <tr> <td>ACCESS</td><td>Access to edit the Compliance Event Manager data sets</td></tr> <tr> <td>REQUIRED</td><td></td></tr> </table> <p>*****</p> <p>* STEPS TO PERFORM *</p> <p>*****</p> <p>1. Make sure that the Datacom MUF (CEMEMUF) started task is running.</p> <p>2. Edit the CEMDVWOA member in **.CUSTOM.SAMPLIB and replace both instances of the lines:</p>	CA Compliance Event Manager	Version 6.0	SEQUENCE	After Apply	PURPOSE	Correct views for CEM	USERS	All users of CEM reports.	AFFECTED		KNOWLEDGE	SMP/E	REQUIRED	Product Installation.		Product Deployment.		USS Commands.	ACCESS	Access to edit the Compliance Event Manager data sets	REQUIRED	
CA Compliance Event Manager	Version 6.0																						
SEQUENCE	After Apply																						
PURPOSE	Correct views for CEM																						
USERS	All users of CEM reports.																						
AFFECTED																							
KNOWLEDGE	SMP/E																						
REQUIRED	Product Installation.																						
	Product Deployment.																						
	USS Commands.																						
ACCESS	Access to edit the Compliance Event Manager data sets																						
REQUIRED																							

Service	Details
	<pre>CAST(x.vio1code AS CHAR) ' and Rsn Code = ' CAST(x.vio2code AS CHAR) With: CAST(x.vio1code AS CHAR(5)) ' and Rsn Code = ' CAST(x.vio2code AS CHAR(5)) 3. Run the J02350DB job from the **.CUSTOM.JOBLIB).</pre>

Service	Details
LU01451	<p>LU01451 M.C.S. ENTRIES = ++PTF (LU01451)</p> <p>CEM MULTIPLE DSN LIST TYPE PROCESSING ERRORS</p> <p>PROBLEM DESCRIPTION:</p> <p>Compliance Event Manager has an error when specifying PDS monitor statements. If both the 'DSNLIST' condition and inidividual data sets are specified across multiple statements in a set.</p> <p>SYMPTOMS:</p> <p>Some actions will not trigger when running with a PDS policy statement.</p> <p>IMPACT:</p> <p>Incorrect policy will be executed.</p> <p>CIRCUMVENTION:</p> <p>Use either individual DSN's or DSN lists for a single policy set.</p> <p>PRODUCT(S) AFFECTED:</p> <p>CA Compliance Event Manager Version 6.0</p> <p>Related Problem:</p> <p>CEVM 13817</p> <p>Copyright (C) 2021 CA. All rights reserved. R00178-CEM060-SP1</p> <p>DESC(CEM MULTIPLE DSN LIST TYPE PROCESSING ERRORS) .</p> <p>++VER (Z038)</p> <p>FMID (CCEM600)</p> <p>PRE (R093955 R095234 R096808 R097117 R097806 R099364 S001341 S001464 S001523 S001579 S001786 S004400 S004778 S005780 S006184 S007773 S008567 S009251 S009872 S010112 S010559 S010673 S011339 S011340 S011588 S011702 S011940 S012260 S012941 S013528 S013864 S014934 S015246)</p> <p>SUP (LT01451 R094299 R094481 R097563 R099900 S000971 S001442 S004214 S004651 S004968 S005263 S005403 S006108 S007336 S007764 S007933 S008290 S009212 S009259 S009475 S009713 S009750 S013117 S013948 S014279 S014805 S014976 S015494 ST00971 ST01442 ST04214 ST04651 ST04968 ST05263 ST05403 ST06108 ST07311 ST07336 ST07764 ST07933 ST08290 ST09212 ST09259 ST09475 ST09713 ST09750 ST13117 ST13948 ST14279 ST14805 ST14976 ST15189 ST15494 TR94299 TR94481 TR96615 TR97563 TR99900)</p> <p>PARM(PATHMODE(0,7,7,5))</p> <p>SHSCRIPT(CEMETOMS,POST) .</p>

Service	Details
LU01692	<p>LU01692 M.C.S. ENTRIES = ++PTF (LU01692)</p> <p>RESOLVE MISSING MONITOR DELTA RECORDS</p> <p>PROBLEM DESCRIPTION:</p> <p>Some Delta records are written without a parentid to associate them with the parent record. This causes the record to not be found when using the Change Monitor views.</p> <p>SYMPTOMS:</p> <p>The Change Monitor views do not display the delta information for these records. The records do exist and alerts are still issued.</p> <p>IMPACT:</p> <p>The Change Monitor views do not display the delta information for these records. The records do exist and alerts are still issued.</p> <p>CIRCUMVENTION:</p> <p>None.</p> <p>PRODUCT(S) AFFECTED:</p> <p>CA Compliance Event Manager Version 6.0</p> <p>Related Problem:</p> <p>CEVM 13951</p> <p>Copyright (C) 2021 CA. All rights reserved. R00182-CEM060-SP1</p> <p>DESC(RESOLVE MISSING MONITOR DELTA RECORDS).</p> <p>++VER (Z038)</p> <p>FMID (CCEM600)</p> <p>PRE (R099364 S005262 S005848 S011702 S013759)</p> <p>SUP (LT01692)</p> <p>++HOLD (LU01692) SYSTEM FMID(CCEM600)</p> <p>REASON (SQLBIND) DATE (21202)</p> <p>COMMENT (</p> <pre> +-----+ CA Compliance Event Manager Version 6.0 +-----+ SEQUENCE After Apply +-----+ PURPOSE Bind new Datacom plan for Change Monitor. +-----+ USERS Compliance Event Manager users with a Datacom repository. AFFECTED +-----+ KNOWLEDGE Datacom administration. REQUIRED +-----+ ACCESS Ability to issue Datacom commands in Batch. REQUIRED +-----+ ***** * STEPS TO PERFORM * ***** The following steps are only required if you are using Datacom for your Compliance Event Manager repository and the repository was defined prior to this maintenance being applied. 1. Copy the CEMDCPLN job from your CCEMJCL0 data set to your CUSTOM.JOBLIB data set. Edit this job as indicated in the instructions. You must also change the following values: </pre>

Service	Details
	PLANNAME - change to 'ECACMDCM' PLANVERS - change to 'CEM13951' 2. Submit the job to rebind the plan.).

Service	Details
LU02106	<p>LU02106 M.C.S. ENTRIES = ++PTF (LU02106)</p> <p>Security or Integrity Problem</p> <p>PROBLEM DESCRIPTION:</p> <p>Security or Integrity Problem.</p> <p>SYMPTOMS:</p> <p>N/A</p> <p>IMPACT:</p> <p>Security or Integrity Problem.</p> <p>CIRCUMVENTION:</p> <p>N/A</p> <p>PRODUCT(S) AFFECTED:</p> <p>CA Compliance Event Manager Version 6.0</p> <p>Related Problem:</p> <p>CEVM 14239</p> <p>Copyright (C) 2021 CA. All rights reserved. R00184-CEM060-SP1</p> <p>DESC(Security or Integrity Problem).</p> <p>++VER (Z038)</p> <p>FMID (CEM600)</p> <p>PRE (R099364 S001579 S007773 S010140)</p> <p>SUP (BC93748 CC93748 LT01152 LT01520 LT02106 LU01152</p> <p>LU01520 R093976 S013737 S014799 ST13737 ST14799</p> <p>TR93976)</p> <p>++HOLD (LU02106) SYSTEM FMID(CEM600)</p> <p>REASON (DYNACT) DATE (21207)</p> <p>COMMENT (</p> <pre> +-----+ CA Compliance Event Manager Version 6.0 +-----+ SEQUENCE Both before Apply and after Apply +-----+ PURPOSE Resolve tomcat vulnerabilities. +-----+ USERS All users of CEM. AFFECTED +-----+ KNOWLEDGE SMP/E REQUIRED Product Installation. Product Deployment. USS Commands. +-----+ ACCESS Access to USS directory where CA Complainece Event REQUIRED Manager is installed. +-----+ ***** * STEPS TO PERFORM * ***** Before applying the APAR 1. Shutdown the CEMETOM started task After applying the APAR 2. Restart the CEMETOM started task).</pre>

Compliance Event Manager 6.0
CA RS 2108 - PTF LU02106 Details

10

Service	Details		
	PARM(PATHMODE(0,7,7,5))		
	SHSCRIPT(CEMETOMS,POST) .		
MCS	LU00731	STARTS ON PAGE 0002	
MCS	LU01315	STARTS ON PAGE 0002	
MCS	LU01451	STARTS ON PAGE 0004	
MCS	LU01692	STARTS ON PAGE 0005	
MCS	LU02106	STARTS ON PAGE 0006	

Compliance Event Manager 6.0
CA RS 2108 Product/Component Listing

11

Product Family	Product	Release
Security	CA COMPLIANCE EVENT MANAGER	06.00.00
The CA RS 2108 Product/Component Count for this release is 1		

CA RS Level	Service	FMID
CAR2108	LU02106	CCEM600
	LU01692	CCEM600
	LU01451	CCEM600
	LU01315	CCEM600
	LU00731	CCEM600
CAR2107	S015494	CCEM600
	S015246	CCEM600
	S014934	CCEM600
	LU01520	CCEM600
	LU01358	CCEM600
CAR2106	LU01152	CCEM600
CAR2104	LU00621	CCEM600
CAR2103	S016311	CCEM600
	S015399	CCEM600
CAR2102	S015548	CCEM600
CAR2012	S014976	CCEM600
	S014799	CCEM600
CAR2011	S015278	CCEM600
	S015208	CCEM600
	S015153	CCEM600
CAR2010	S014805	CCEM600
	S014784	CCEM600
	S014689	CCEM600
	S013759	CCEM600
CAR2009	S014496	CCEM600
	S014421	CCEM600
	S014279	CCEM600
	S013948	CCEM600
	S013864	CCEM600
	S013737	CCEM600
	S013528	CCEM600
	S013475	CCEM600
CAR2007	S012260	CCEM600
	S013656	CCEM600
	S013155	CCEM600
	S013117	CCEM600
	S012941	CCEM600
	S012780	CCEM600
CAR2005	S012259	CCEM600
	S011940	CCEM600
	S011702	CCEM600
CAR2003	S011845	CCEM600
	S011588	CCEM600
CAR2002	S011340	CCEM600
	S011339	CCEM600
	S011336	CCEM600
	S010559	CCEM600

CA RS Level	Service	FMID
CAR2001	S011330	CCEM600
	S011024	CCEM600
	S010977	CCEM600
	S010673	CCEM600
CAR1911	S010140	CCEM600
	S010112	CCEM600
CAR1910	S009872	CCEM600
	S009750	CCEM600
	S009686	CCEM600
	S009475	CCEM600
	S009433	CCEM600
	S009189	CCEM600
	S009098	CCEM600
	S007185	CCEM600
CAR1909	S009713	CCEM600
CAR1908	S009349	CCEM600
	S009259	CCEM600
	S009251	CCEM600
	S009212	CCEM600
	S009127	CCEM600
	S008987	CCEM600
	S008567	CCEM600
	S008290	CCEM600
CAR1907	S008400	CCEM600
CAR1906	S007933	CCEM600
	S007773	CCEM600
	S007764	CCEM600
	S007464	CCEM600
	S007336	CCEM600
CAR1905	S008023	CCEM600
	S007962	CCEM600
CAR1904	S007611	CCEM600
	S007462	CCEM600
	S007246	CCEM600
	S005455	CCEM600
CAR1903	S006184	CCEM600
CAR1902	S006689	CCEM600
	S006607	CCEM600
	S006260	CCEM600
	S006108	CCEM600
	S005927	CCEM600
	S005848	CCEM600
	S005262	CCEM600
	S004429	CCEM600
CAR1901	S005780	CCEM600
	S005403	CCEM600
	S005263	CCEM600

CA RS Level	Service	FMID
CAR1812	S004968	CCEM600
	S004778	CCEM600
	S004399	CCEM600
	S001860	CCEM600
	R099634	CCEM600
	R098690	CCEM600
CAR1811	S004400	CCEM600
CAR1809	S004998	CCEM600
	S004920	CCEM600
	S001867	CCEM600
CAR1808	S004651	CCEM600
	S004214	CCEM600
CAR1807	S001786	CCEM600
	S001579	CCEM600
	S001523	CCEM600
	S001464	CCEM600
	S001442	CCEM600
	S001341	CCEM600
	S000971	CCEM600
	R099900	CCEM600
CAR1805	R096988	CCEM600
CAR1804	R099364	CCEM600
CAR1803	R099004	CCEM600
CAR1801	R099129	CCEM600
	R097806	CCEM600
CAR1712	R098165	CCEM600
	R097563	CCEM600
CAR1711	R097117	CCEM600
CAR1710	R096808	CCEM600
	R096796	CCEM600
	R095914	CCEM600
	R095318	CCEM600
	R095234	CCEM600
	R095120	CCEM600
	R094840	CCEM600
	R094808	CCEM600
	R094481	CCEM600
	R094299	CCEM600
	R093976	CCEM600
	R093955	CCEM600
	R093570	CCEM600
	R093245	CCEM600
	R093241	CCEM600