

OPS/MVS for JES2 14.0
CA RS 2109 Service List

1

Service	Description	Type
LU02105	EASYRULE NOT FORMATTING STRINGS PROPERLY	PTF
LU02285	DUPLICATE OR MISSING SSMGAV2 SUBREQ VARIABLES	PTF
LU02313	POSSIBLE SDC4 ABENDS WHEN STARTING THE OPSBCPII SERVER	PTF
LU02417	ADD PARAMETER TO CONTROL POLICY LOADS AT IPL TIME	PTF
LU02478	SSMV3 DYNAMIC ACTIVATION RULES MAY FAIL	PTF
LU02515	SSMACTIVEPOLICY PARAMETER SET TO VALUE OF DEFAULT IN ERROR	PTF
LU02521	EXTRANEIOUS SECURITY EVENT FOR OPSLOG BROWSE	PTF
LU02545	STATUS OF UNLOAD COMMAND INCORRECT IN OPSVIEW 4.11.P.R	PTF
LU02562	STATUS OF UPD PREREQ INCORRECT IN OPSVIEW 4.11.P.R	PTF
The CA RS 2109 service count for this release is 9		

OPS/MVS for JES2
CA RS 2109 Service List for CCLXE00

2

FMID	Service	Description	Type
CCLXE00	LU02105	EASYRULE NOT FORMATTING STRINGS PROPERLY	PTF
	LU02285	DUPLICATE OR MISSING SSMGAV2 SUBREQ VARIABLES	PTF
	LU02313	POSSIBLE SDC4 ABENDS WHEN STARTING THE OPSBCPII SERVER	PTF
	LU02417	ADD PARAMETER TO CONTROL POLICY LOADS AT IPL TIME	PTF
	LU02478	SSMV3 DYNAMIC ACTIVATION RULES MAY FAIL	PTF
	LU02515	SSMACTIVEPOLICY PARAMETER SET TO VALUE OF DEFAULT IN ERROR	PTF
	LU02521	EXTRANEIOUS SECURITY EVENT FOR OPSLOG BROWSE	PTF
	LU02545	STATUS OF UNLOAD COMMAND INCORRECT IN OPSVIEW 4.11.P.R	PTF
	LU02562	STATUS OF UPD PREREQ INCORRECT IN OPSVIEW 4.11.P.R	PTF
The CA RS 2109 service count for this FMID is 9			

Service	Details
LU02105	LU02105 M.C.S. ENTRIES = ++PTF (LU02105) EASYSRULE NOT FORMATTING STRINGS PROPERLY PROBLEM DESCRIPTION: EASYSRULE editing options do not format strings properly: 1. For any types of rule, option "4 ACTIONS" does not format the NEW VALUE strings correctly for these sub options: "G Update Global Variables", "L Update Local or Global Variables", and "N Send a NetMaster Alert" 2. For CMD rule, the sub option "3 Reword the command" under option "4 ACTIONS" does not put double quotes on the value of CMD.TEXT correctly. SYMPTOMS: 1. Possible failures for sub options G and L under the option 4 when assigning the NEW VALUE string with more than 2 words using the syntax format {n}: a. The generated OPS/REXX code may be truncated after ISPF screen column 72; b. The generated OPS/REXX code for the NEW VALUE section may be blank; c. The following ISPF dialog message may appear: "Return code=24 after a call to OPQQ02 - call CA Customer Support". 2. The generated Address NETMASTER command text is not quoted properly. 3. The generated CMD.TEXT for the "Reword the command" section is not quoted properly. IMPACT: Possible compilation and/or execution errors for the OPS/REXX code generated by EASYSRULE. CIRCUMVENTION: Correct the generated OPS/REXX code using ISPF Edit or AOF rule Edit. After you edit a rule, you may no longer be able to use EASYSRULE to edit it. PRODUCT(S) AFFECTED: CA OPS/MVS Base Release 13.5 CA OPS/MVS Base Version 14.0 Related Problem: OPSMVS 14254 Copyright (C) 2021 CA. All rights reserved. R00115-CLX140-SP0 DESC(EASYSRULE NOT FORMATTING STRINGS PROPERLY). ++VER (Z038) FMID (CCLXE00) SUP (LT02105) ++HOLD (LU02105) SYSTEM FMID(CCLXE00) REASON (DYNACT) DATE (21236) COMMENT (+-----+ CA OPS/MVS Base Version 14.0 +-----+ SEQUENCE After APPLY +-----+ PURPOSE To activate load modules updated by this PTF +-----+ USERS All OPS/MVS users

Service	Details
	<pre> AFFECTED +-----+-----+ KNOWLEDGE Basic z/OS systems programming skills REQUIRED +-----+-----+ ACCESS - Access to OPS/MVS SMP/E Target loadlib CCLXLOAD and any REQUIRED deployed copies - Authority to issue MVS system commands - Authority to stop and start OPS/MVS +-----+-----+ ***** * STEPS TO PERFORM * ***** 1. APPLY of this PTF updates SMP/E Target loadlib CCLXLOAD. Refer to GIM23903I messages in the SMPDOUT to identify the specific load modules that are updated. 2. Copy the updated load modules from SMP/E Target loadlib CCLXLOAD to any other deployed copies, such as a loadlib in the OPSMAIN STEPLIB or the system link list (LNKLIST). 3. If the system library lookaside (LLA) program is managing any updated loadlib, you must refresh LLA by using MVS system command "F LLA,REFRESH" or some equivalent method. 4. If the system link pack area (LPA) contains any updated load module, you must refresh LPA by using MVS system command "SETPROG LPA" or some equivalent method. * Note that load module OPSAEX is commonly placed in LPA. 5. Stop and re-start OPS/MVS by using MVS system commands "P OPSS" and "S OPSS" or some equivalent method. * For possible alternatives to restarting OPS/MVS, see the topic "RELOAD Modules and RESTART Components" in the user documentation at https://techdocs.broadcom.com/opsmps 6. TSO users must exit and re-enter OPSVIEW to activate any changes. Depending on how OPSVIEW is accessed, this may require a TSO logoff and logon.).</pre>

Service	Details						
LU02285	LU02285 M.C.S. ENTRIES = ++PTF (LU02285) DUPLICATE OR MISSING SSMGAV2 SUBREQ VARIABLES PROBLEM DESCRIPTION: The GLVPLXTS.SUBREQ variables used by the SSMGAV2 application may be corrupted when a cross system prereq is deleted from a resource. SYMPTOMS: The index node of the GLVPLXTS.SUBREQ variables are not sequential and may have duplicate or missing entries. IMPACT: Cross system subreq checking may fail. CIRCUMVENTION: None. PRODUCT(S) AFFECTED: <table> <tr> <td>CA OPS/MVS Base</td><td>Version 13.0</td></tr> <tr> <td>CA OPS/MVS Base</td><td>Release 13.5</td></tr> <tr> <td>CA OPS/MVS Base</td><td>Version 14.0</td></tr> </table> Related Problem: OPSMVS 14399 Copyright (C) 2021 CA. All rights reserved. R00119-CLX140-SP0 DESC(DUPLICATE OR MISSING SSMGAV2 SUBREQ VARIABLES). ++VER (Z038) FMID (CCLXE00) SUP (LT02285)	CA OPS/MVS Base	Version 13.0	CA OPS/MVS Base	Release 13.5	CA OPS/MVS Base	Version 14.0
CA OPS/MVS Base	Version 13.0						
CA OPS/MVS Base	Release 13.5						
CA OPS/MVS Base	Version 14.0						

Service	Details
LU02313	LU02313 M.C.S. ENTRIES = ++PTF (LU02313) POSSIBLE SDC4 ABENDS WHEN STARTING THE OPSBCPII SERVER PROBLEM DESCRIPTION: Possible SDC4 abends during OPSBCPII Server initialization. SYMPTOMS: ABEND SDC4 followed by OPSBCPII Server termination. IMPACT: The OPSBCPII Server is unavailable. CIRCUMVENTION: None. PRODUCT(S) AFFECTED: CA OPS/MVS Base Release 13.5 CA OPS/MVS Base Version 14.0 Related Problem: OPSMVS 14234 Copyright (C) 2021 CA. All rights reserved. R00121-CLX140-SP0 DESC(POSSIBLE SDC4 ABENDS WHEN STARTING THE OPSBCPII SERVER). ++VER (Z038) FMID (CCLXE00) PRE (LU00028 LU00074 LU01116 S015515) SUP (LT02313) ++HOLD (LU02313) SYSTEM FMID(CCLXE00) REASON (ACTION) DATE (21216) COMMENT (<pre> +-----+ CA OPS/MVS Base Version 14.0 +-----+-----+ SEQUENCE Before using the OPSBCPII Server. +-----+-----+ PURPOSE To resolve a potential SDC4 abend. +-----+-----+ USERS All users of the OPSBCPII Server. AFFECTED +-----+-----+ KNOWLEDGE Basic z/OS system programming skills. REQUIRED +-----+-----+ ACCESS Authority to stop and start the OPS/MVS OPSBCPII Server. REQUIRED +-----+-----+ ***** * STEPS TO PERFORM * ***** 1. After applying the PTF, restart OPSBCPII Server by issuing the following Command: "F OPSx,RESTART(HWS)" where OPSx is the OPS/MVS subsystem id.).</pre>

Service	Details																																								
LU02417	LU02417 M.C.S. ENTRIES = ++PTF (LU02417) ADD PARAMETER TO CONTROL POLICY LOADS AT IPL TIME ENHANCEMENT: Add the SSMAUTOLOADPOL parameter to control the loading of the active policy at IPL time. PRODUCT(S) AFFECTED: CA OPS/MVS Base Version 14.0 Related Problem: OPSMVS 14447 Copyright (C) 2021 CA. All rights reserved. R00122-CLX140-SP0 DESC(ADD PARAMETER TO CONTROL POLICY LOADS AT IPL TIME). ++VER (Z038) FMID (CCLXE00) PRE (LU00477 LU00715 LU02161 S014903 S015067 S015151 S015565 S015578) SUP (LT02417) ++HOLD (LU02417) SYSTEM FMID(CCLXE00) REASON (ACTION) DATE (21224) COMMENT (<table><tr><td colspan="2">-----+</td></tr><tr><td> CA OPS/MVS Base</td><td>Version 14.0 </td></tr><tr><td colspan="2">+-----+</td></tr><tr><td> SEQUENCE </td><td>After APPLY </td></tr><tr><td colspan="2">+-----+</td></tr><tr><td> PURPOSE </td><td>Reset ISPF statistics for updated AOF rule(s) </td></tr><tr><td colspan="2">+-----+</td></tr><tr><td> USERS </td><td>Users with AOF rules </td></tr><tr><td> AFFECTED </td><td> </td></tr><tr><td colspan="2">+-----+</td></tr><tr><td> KNOWLEDGE </td><td>ISPF </td></tr><tr><td> REQUIRED </td><td> </td></tr><tr><td colspan="2">+-----+</td></tr><tr><td> ACCESS </td><td>Product libraries </td></tr><tr><td> REQUIRED </td><td> </td></tr><tr><td colspan="2">+-----+</td></tr></table> ***** * STEPS TO PERFORM * ***** This PTF installs updated AOF rule(s) into SMP/E Target library CCLXRULM with no ISPF statistics. You will not be able to auto-enable the updated rule(s) until you reset their ISPF statistics. You can use ISPF option 3.5 to manually reset the ISPF statistics for the updated rule(s). You can use ISPF option 3.3 to manually copy the updated rule(s) to your deployed ruleset(s).) ++HOLD (LU02417) SYSTEM FMID(CCLXE00) REASON (DYNACT) DATE (21224) COMMENT (<table><tr><td colspan="2">-----+</td></tr><tr><td> CA OPS/MVS Base</td><td>Version 14.0 </td></tr><tr><td colspan="2">+-----+</td></tr><tr><td> SEQUENCE </td><td>After APPLY </td></tr></table>	-----+		CA OPS/MVS Base	Version 14.0	+-----+		SEQUENCE	After APPLY	+-----+		PURPOSE	Reset ISPF statistics for updated AOF rule(s)	+-----+		USERS	Users with AOF rules	AFFECTED		+-----+		KNOWLEDGE	ISPF	REQUIRED		+-----+		ACCESS	Product libraries	REQUIRED		+-----+		-----+		CA OPS/MVS Base	Version 14.0	+-----+		SEQUENCE	After APPLY
-----+																																									
CA OPS/MVS Base	Version 14.0																																								
+-----+																																									
SEQUENCE	After APPLY																																								
+-----+																																									
PURPOSE	Reset ISPF statistics for updated AOF rule(s)																																								
+-----+																																									
USERS	Users with AOF rules																																								
AFFECTED																																									
+-----+																																									
KNOWLEDGE	ISPF																																								
REQUIRED																																									
+-----+																																									
ACCESS	Product libraries																																								
REQUIRED																																									
+-----+																																									
-----+																																									
CA OPS/MVS Base	Version 14.0																																								
+-----+																																									
SEQUENCE	After APPLY																																								

Service	Details
PURPOSE	To activate load modules updated by this PTF
USERS	All OPS/MVS users
AFFECTED	
KNOWLEDGE	Basic z/OS systems programming skills
REQUIRED	
ACCESS	- Access to OPS/MVS SMP/E Target loadlib CCLXLOAD and any
REQUIRED	deployed copies
	- Authority to issue MVS system commands
	- Authority to stop and start OPS/MVS

* STEPS TO PERFORM *	

1. APPLY of this PTF updates SMP/E Target loadlib CCLXLOAD. Refer to GIM23903I messages in the SMPDOUT to identify the specific load modules that are updated.	
2. Copy the updated load modules from SMP/E Target loadlib CCLXLOAD to any other deployed copies, such as a loadlib in the OPSMAIN STEPLIB or the system link list (LNKLIST).	
3. If the system library lookaside (LLA) program is managing any updated loadlib, you must refresh LLA by using MVS system command "F LLA,REFRESH" or some equivalent method.	
4. If the system link pack area (LPA) contains any updated load module, you must refresh LPA by using MVS system command "SETPROG LPA" or some equivalent method.	
* Note that load module OPSAEX is commonly placed in LPA.	
5. Stop and re-start OPS/MVS by using MVS system commands "P OPSS" and "S OPSS" or some equivalent method.	
* For possible alternatives to restarting OPS/MVS, see the topic "RELOAD Modules and RESTART Components" in the user documentation at https://techdocs.broadcom.com/opsmvs	
6. TSO users must exit and re-enter OPSVIEW to activate any changes. Depending on how OPSVIEW is accessed, this may require a TSO logoff and logon.	
).	
++HOLD (LU02417) SYSTEM FMID(CCLXE00)	
REASON (ENH) DATE (21224)	
COMMENT (	
CA OPS/MVS Base	Version 14.0
SEQUENCE	After Apply
PURPOSE	Add SSMAUTOLOADPOL parameter.
USERS	All OPS/MVS users.
AFFECTED	
KNOWLEDGE	Knowledge of OPS/MVS installation
REQUIRED	

Service	Details
	<pre>+-----+-----+ ACCESS Necessary OPS/MVS authorization REQUIRED +-----+-----+ ***** * STEPS TO PERFORM * ***** See the following topics in the OPS/MVS documentation set at http://techdocs.broadcom.com/opsmvs 'New Features' 'System State Manager Parameters').</pre>

Service	Details		
LU02478	LU02478 M.C.S. ENTRIES = ++PTF (LU02478) SSMV3 DYNAMIC ACTIVATION RULES MAY FAIL PROBLEM DESCRIPTION: A dynamic activation rule will not be created for resources that have message IDs where the last 7 characters are the same. An example would be TEST001 and !TEST001. A dynamic rule will be created for the first resource that was loaded but not the second one. SYMPTOMS: The CURRENT_STATE of the resource is not set to UP when the resource initializes. If a timeout value is used, a false timeout error will occur. IMPACT: The CURRENT_STATE of the resource is not set to UP when the resource initializes. If a timeout value is used, a false timeout error will occur. CIRCUMVENTION: Create a static rule for the activation message. PRODUCT(S) AFFECTED: CA OPS/MVS Base Release 13.5 CA OPS/MVS Base Version 14.0 Related Problem: OPSMVS 14528 Copyright (C) 2021 CA. All rights reserved. R00124-CLX140-SP0 DESC(SSMV3 DYNAMIC ACTIVATION RULES MAY FAIL). ++VER (Z038) FMID (CCLXE00) PRE (LU00677 LU00876 LU01398 LU02161 LU02417 S014412 S015151 S015578 S015610 S015662 S015902) SUP (LT02080 LT02478 LU02080) ++HOLD (LU02478) SYSTEM FMID(CCLXE00) REASON (ACTION) DATE (21230) COMMENT (<table border="1"> <tr> <td>CA OPS/MVS Base</td><td>Version 14.0</td></tr> </table> SEQUENCE After APPLY PURPOSE Reset ISPF statistics for updated AOF rule(s) USERS Users with AOF rules AFFECTED KNOWLEDGE ISPF REQUIRED ACCESS Product libraries REQUIRED ***** * STEPS TO PERFORM * ***** This PTF installs updated AOF rule(s) into SMP/E Target library CCLXRULM with no ISPF statistics. You will not be able to auto-enable	CA OPS/MVS Base	Version 14.0
CA OPS/MVS Base	Version 14.0		

Service	Details
	the updated rule(s) until you reset their ISPF statistics. You can use ISPF option 3.5 to manually reset the ISPF statistics for the updated rule(s). You can use ISPF option 3.3 to manually copy the updated rule(s) to your deployed ruleset(s).).

Service	Details
LU02515	LU02515 M.C.S. ENTRIES = ++PTF (LU02515) SSMACTIVEPOLICY PARAMETER SET TO VALUE OF DEFAULT IN ERROR PROBLEM DESCRIPTION: When entering OPSVIEW 4.11.P.R, code to create a DEFAULT policy for the SSMV3 multiple policy enhancement is executed in error. This creates a new DEFAULT policy and sets the SSMACTIVEPOLICY to 'DEFAULT'. SYMPTOMS: The SSMACTIVEPOLICY parameter is set to 'DEFAULT' The DEFAULT policy entry is added to the SSM managed policies. IMPACT: The SSMACTIVEPOLICY parameter is set to 'DEFAULT' The DEFAULT policy entry is added to the SSM managed policies. CIRCUMVENTION: None. PRODUCT(S) AFFECTED: CA OPS/MVS Base Version 14.0 Related Problem: OPSMVS 14585 Copyright (C) 2021 CA. All rights reserved. R00127-CLX140-SP0 DESC(SSMACTIVEPOLICY PARAMETER SET TO VALUE OF DEFAULT IN ERROR). ++VER (Z038) FMID (CCLXE00) PRE (LU00677 LU00876 LU01398 LU02161 LU02417 LU02478 S014412 S015151 S015578 S015610 S015662 S015902) SUP (LT02515)

Service	Details		
LU02521	LU02521 M.C.S. ENTRIES = ++PTF (LU02521) EXTRANEOUS SECURITY EVENT FOR OPSLOG BROWSE PROBLEM DESCRIPTION: An additional (second) security event is issued when accessing OPSLOG Browse via OPSVIEW option 1. SYMPTOMS: Two OPSBRW security events are issued when entering OPSVIEW option 1. The extraneous OPSBRW security event will have a blank value in the SEC.AUBODBSR variable, the OPSLOG database string. IMPACT: Additional OPSBRW security event is issued. CIRCUMVENTION: None. PRODUCT(S) AFFECTED: CA OPS/MVS Base Release 13.5 CA OPS/MVS Base Version 14.0 Related Problem: OPSMVS 14212 Copyright (C) 2021 CA. All rights reserved. R00128-CLX140-SP0 DESC (EXTRANEOUS SECURITY EVENT FOR OPSLOG BROWSE). ++VER (Z038) FMID (CCLXE00) PRE (LU00058 SO14824) SUP (LT02521) ++HOLD (LU02521) SYSTEM FMID(CCLXE00) REASON (DYNACT) DATE (21232) COMMENT (<table border="1"> <tr> <td>CA OPS/MVS Base</td><td>Version 14.0</td></tr> </table> SEQUENCE After APPLY PURPOSE To activate load modules updated by this PTF USERS All OPS/MVS users AFFECTED KNOWLEDGE Basic z/OS systems programming skills REQUIRED ACCESS - Access to OPS/MVS SMP/E Target loadlib CCLXLOAD and any REQUIRED deployed copies - Authority to issue MVS system commands - Authority to stop and start OPS/MVS ***** * STEPS TO PERFORM * ***** 1. APPLY of this PTF updates SMP/E Target loadlib CCLXLOAD. Refer to GIM23903I messages in the SMPOUT to identify the specific load modules that are updated. 2. Copy the updated load modules from SMP/E Target loadlib	CA OPS/MVS Base	Version 14.0
CA OPS/MVS Base	Version 14.0		

Service	Details
	CCLXLOAD to any other deployed copies, such as a loadlib in the OPSMAIN STEPLIB or the system link list (LNKLIST). 3. If the system library lookaside (LLA) program is managing any updated loadlib, you must refresh LLA by using MVS system command "F LLA,REFRESH" or some equivalent method. 4. If the system link pack area (LPA) contains any updated load module, you must refresh LPA by using MVS system command "SETPROG LPA" or some equivalent method. * Note that load module OPSAEX is commonly placed in LPA. 5. Stop and re-start OPS/MVS by using MVS system commands "P OPSS" and "S OPSS" or some equivalent method. * For possible alternatives to restarting OPS/MVS, see the topic "RELOAD Modules and RESTART Components" in the user documentation at https://techdocs.broadcom.com/opsmvs 6. TSO users must exit and re-enter OPSVIEW to activate any changes. Depending on how OPSVIEW is accessed, this may require a TSO logoff and logon.).

Service	Details				
LU02545	LU02545 M.C.S. ENTRIES = ++PTF (LU02545) STATUS OF UNLOAD COMMAND INCORRECT IN OPSVIEW 4.11.P.R PROBLEM DESCRIPTION: When using the UNLOAD command from OPSVIEW 4.11.P.R, the status of a resource that was not unloaded is set in error. This occurs when the resource has the same name as a resource that was unloaded but is in a different table. SYMPTOMS: The status of a resource that was not unloaded is set to success/failed. IMPACT: Misleading status value displayed after an UNLOAD command. CIRCUMVENTION: None. PRODUCT(S) AFFECTED: <table> <tr> <td>CA OPS/MVS Base</td><td>Release 13.5</td></tr> <tr> <td>CA OPS/MVS Base</td><td>Version 14.0</td></tr> </table> Related Problem: OPSMVS 14619 Copyright (C) 2021 CA. All rights reserved. R00129-CLX140-SP0 DESC (STATUS OF UNLOAD COMMAND INCORRECT IN OPSVIEW 4.11.P.R) . ++VER (Z038) FMID (CCLXE00) PRE (LU00677 LU00876 LU01398 LU02161 LU02417 LU02478 SO14412 SO15151 SO15578 SO15610 SO15662 SO15902) SUP (LT02515 LT02545 LU02515)	CA OPS/MVS Base	Release 13.5	CA OPS/MVS Base	Version 14.0
CA OPS/MVS Base	Release 13.5				
CA OPS/MVS Base	Version 14.0				

Service	Details		
LU02562	LU02562 M.C.S. ENTRIES = ++PTF (LU02562)		
	STATUS OF UPD PREREQ INCORRECT IN OPSVIEW 4.11.P.R		
	PROBLEM DESCRIPTION:		
	When using the UNLOAD command from OPSVIEW 4.11.P.R, the status of a resource is set to UPD PREREQ in error.		
	SYMPTOMS:		
	After an UNLOAD, the status of a resource may be UPD PREREQ even though the resource does not need to be updated due to a PREREQ being unloaded.		
	IMPACT:		
	Misleading status value displayed after an UNLOAD command.		
	CIRCUMVENTION:		
	None.		
	PRODUCT(S) AFFECTED:		
	CA OPS/MVS Base		Release 13.5
	CA OPS/MVS Base		Version 14.0
	Related Problem:		
	OPSMVS 14637		
	Copyright (C) 2021 CA. All rights reserved. R00130-CLX140-SP0		
	DESC (STATUS OF UPD PREREQ INCORRECT IN OPSVIEW 4.11.P.R) .		
	++VER (Z038)		
	FMID (CCLXE00)		
PRE (LU00677 LU00876 LU01398 LU02161 LU02417 LU02478			
SO14412 SO15151 SO15578 SO15610 SO15662 SO15902)			
SUP (LT02515 LT02545 LT02562 LU02515 LU02545)			
MCS	LU02105	STARTS ON PAGE 0002	
MCS	LU02285	STARTS ON PAGE 0004	
MCS	LU02313	STARTS ON PAGE 0004	
MCS	LU02417	STARTS ON PAGE 0006	
MCS	LU02478	STARTS ON PAGE 0008	
MCS	LU02515	STARTS ON PAGE 0010	
MCS	LU02521	STARTS ON PAGE 0011	
MCS	LU02545	STARTS ON PAGE 0013	
MCS	LU02562	STARTS ON PAGE 0014	

OPS/MVS for JES2 14.0
CA RS 2109 Product/Component Listing

17

Product Family	Product	Release
Systems Management	CA OPS/MVS BASE	14.00.00
The CA RS 2109 Product/Component Count for this release is 1		

CA RS Level	Service	FMID
CAR2109	LU02562	CCLXE00
	LU02545	CCLXE00
	LU02521	CCLXE00
	LU02515	CCLXE00
	LU02478	CCLXE00
	LU02417	CCLXE00
	LU02313	CCLXE00
	LU02285	CCLXE00
	LU02105	CCLXE00
	LU02209	CCLXE00
CAR2108	LU02161	CCLXE00
	LU02080	CCLXE00
	LU02046	CCLXE00
	LU02021	CCLXE00
	LU01967	CCLXE00
	LU01929	CCLXE00
CAR2107	LU01862	CCLXE00
	LU01797	CCLXE00
	LU01655	CCLXE00
	LU01630	CCLXE00
	LU01562	CCLXE01
	LU01212	CCLXE01
	LU01211	CCLXE00
	LU01140	CCLXE01
	LU01398	CCLXE00
CAR2106	LU01310	CCLXE00
	LU01080	CCLXE00
	LU00913	CCLXE00
	LU00913	CCLXE00
CAR2105	LU01117	CCLXE00
	LU01116	CCLXE00
	LU00998	CCLXE00
	LU00876	CCLXE00
	LU00741	CCLXE00
	LU00717	CCLXE00
	LU00679	CCLXE00
	LU00716	CCLXE01
CAR2104	LU00715	CCLXE00
	LU00677	CCLXE00
	LU00634	CCLXE00
	LU00633	CCLXE01
	LU00632	CCLXE00
	LU00610	CCLXE00
	LU00496	CCLXE00
	LU00477	CCLXE00
	LU00462	CCLXE01
	LU00442	CCLXE00
	LU00407	CCLXE00
	LU00407	CCLXE00

CA RS Level	Service	FMID
	LU00361	CCLXE00
	LU00235	CCLXE00
CAR2103	LU00278	CCLXE00
	LU00210	CCLXE00
	LU00188	CCLXE00
	LU00122	CCLXE01
	LU00121	CCLXE00
CAR2102	S015877	CCLXE01
	S015876	CCLXE00
	LU00117	CCLXE00
	LU00113	CCLXE00
	LU00078	CCLXE00
	LU00077	CCLXE00
	LU00074	CCLXE00
	LU00067	CCLXE00
	LU00063	CCLXE00
	LU00060	CCLXE00
	LU00058	CCLXE00
	LU00057	CCLXE00
	LU00044	CCLXE01
	LU00040	CCLXE00
CAR2101	S015920	CCLXE00
	S015902	CCLXE00
	S015821	CCLXE01
	S015820	CCLXE00
	S015729	CCLXE00
	LU00028	CCLXE00
	LU00025	CCLXE00
CAR2012	S015758	CCLXE00
	S015662	CCLXE00
	S015610	CCLXE00
	S015578	CCLXE00
	S015569	CCLXE00
	S015565	CCLXE00
	S015526	CCLXE00
	S015515	CCLXE00
	S015505	CCLXE00
	S015502	CCLXE00
	S015497	CCLXE00
CAR2011	S015373	CCLXE00
	S015324	CCLXE00
	S015241	CCLXE01
	S015200	CCLXE01
	S015151	CCLXE00
	S015148	CCLXE01
	S015069	CCLXE00
	S015068	CCLXE01

CA RS Level	Service	FMID
	S015067	CCLXE00
	S014750	CCLXE00
CAR2010	S015022	CCLXE01
	S015018	CCLXE00
	S014993	CCLXE00
	S014932	CCLXE00
	S014903	CCLXE00
	S014875	CCLXE00
	S014871	CCLXE00
	S014857	CCLXE01
	S014824	CCLXE00
	S014801	CCLXE00
	S014646	CCLXE00
	S014644	CCLXE00
	S014609	CCLXE00
CAR2009	S014537	CCLXE00
	S014492	CCLXE01
	S014477	CCLXE00
	S014434	CCLXE01
	S014412	CCLXE00