

View/Deliver/DRAS 14.0
CA RS 2109 Service List

1

Service	Description	Type
LU01858	SARBCH UTILITY INTERNAL MODE SECURITY	PTF
LU02301	SARPRFUX/SARUSRTB DO NOT ALLOW SETTING OF JOB ACCESS MODE	PTF
LU02394	SOC1 ABEND AFTER SUBSYS SUPPORT APAR LU01681 INSTALLED	*HIP/PRP*
The CA RS 2109 service count for this release is 3		

View/Deliver/DRAS
CA RS 2109 Service List for CBRME00

FMID	Service	Description	Type
CBRME00	LU01858	SARBCH UTILITY INTERNAL MODE SECURITY	PTF
	LU02301	SARPRFUX/SARUSRTB DO NOT ALLOW SETTING OF JOB ACCESS MODE	PTF
The CA RS 2109 service count for this FMID is 2			

View/Deliver/DRAS
CA RS 2109 Service List for CBROE00

FMID	Service	Description	Type
CBROE00	LU02394	SOC1 ABEND AFTER SUBSYS SUPPORT APAR LU01681 INSTALLED	*HIP/PRP*
The CA RS 2109 service count for this FMID is 1			

Service	Details
LU01858	<p data-bbox="370 170 909 195">LU01858 M.C.S. ENTRIES = ++PTF (LU01858)</p> <p data-bbox="370 239 836 260">SARBCH UTILITY INTERNAL MODE SECURITY</p> <p data-bbox="370 275 618 296">PROBLEM DESCRIPTION:</p> <p data-bbox="370 310 1341 779">When using SARBCH utility /BPRINT, /CHANGE, /DELETE, /EPRINT, /INDEX, /LOAD, /PERM, /PRINT, /PRINTIDX, or /PRINTJOB control statements, users may be able to perform the respective actions against reports that the users designated modes explicitly prohibit. This happens when CA-View security is set to internal. This PTF implements additional security checks which are applied to all SECURITY parameters for SARINIT which includes INIT, INTERNAL EXTERNAL and LOGON so to make sure the users can only access the reports to which they have access using the above SARBCH control statements. With this solution applied, internal security checks in SARBCH will now be performed by default. If you want to bypass these internal security checks, you can turn on the FEATURE=19 for the CA-View database with SARINIT and this may be done before or after applying the actual PTF. We however strongly recommend not to bypass those security checks as they will make your environment more secure.</p> <p data-bbox="370 793 1300 884">After applying this solution the users will be able to perform the actions listed above only for the reports to which they have access. Below is the information about each mode.</p> <ol data-bbox="370 898 1300 1157" style="list-style-type: none"> 1. If the user has access to ALL mode, user is allowed to access all the reports collected by CA-View and CA-Deliver. 2. If user has access to SAR0 mode, user is allowed to access all the reports that are collected by CA-View. 3. If user has access to JOB mode, user is allowed to access all the jobs that are collected by CA-View, if the JOB record for the job is created. 4. If the user has access to EXPO mode, user is allowed to access all the reports collected by CA-Deliver. <p data-bbox="370 1171 1328 1226">For modes SAR and EXP, access to the reports for the actions listed above is granted based on the following criteria:</p> <ol data-bbox="370 1241 1300 1465" style="list-style-type: none"> 1. Distribution-id should be defined for the user. 2. Report has to be defined to the distribution-id of the user. 3. REPR field for the report that is defined to distribution-id should be set to Y for the report for all the control statements listed above except for /DELETE control statement. If REPR field is set to N, then the users will not be able to perform the action for the control statements. <p data-bbox="370 1480 1279 1604">For /DELETE control statement, criteria is the DEL field for the report that is defined to distribution-id. If DEL field is set to Y for the report, then the user will be able to delete the report. If DEL field is set to N, then the user will not be able to delete the report.</p> <p data-bbox="370 1619 987 1640">Note: These changes apply to Non-Dynamic reports.</p> <p data-bbox="370 1654 483 1675">SYMPTOMS:</p> <p data-bbox="370 1690 1300 1780">When using the control statements listed above while also using internal security, SARBCH ends successfully and performs the requested action, even though users don't have access to report.</p> <p data-bbox="370 1795 456 1816">IMPACT:</p> <p data-bbox="370 1831 1328 1921">When using internal security, users are able to view reports, and to perform the actions listed above on the reports that they should not be allowed to access.</p> <p data-bbox="370 1936 548 1957">CIRCUMVENTION:</p> <p data-bbox="370 1971 1198 1992">Switch to external security and define appropriate security rules.</p> <p data-bbox="370 2007 618 2028">PRODUCT(S) AFFECTED:</p>

Service	Details		
	<p>CA-View Version 14.0</p> <p>Related Problem:</p> <p>VIEW 13889</p> <p>Copyright (C) 2021 CA. All rights reserved. R00221-BRM140-SP1</p> <p>DESC(SARBCH UTILITY INTERNAL MODE SECURITY).</p> <p>++VER (Z038)</p> <p>FMID (CBRME00)</p> <p>PRE (S000181 S000440 S000445 S009223 S010330 S012394)</p> <p>SUP (AS10882 LT00401 LT01858 LU00401 S007939 S010882</p> <p>S012369 ST07939 ST10882 ST12369 TR98042)</p> <p>++IF FMID(CBRNE00) REQ(LU01416) .</p> <p>++HOLD (LU01858) SYSTEM FMID(CBRME00)</p> <p>REASON (ACTION) DATE (21223)</p> <p>COMMENT (</p> <table border="1"> <tr> <td>CA-View</td><td>Version 14.0</td></tr> </table> <p> SEQUENCE Before or After Apply</p> <p> PURPOSE This PTF implements additional security checks for the</p> <p> following control statements for the /BPRINT, /CHANGE,</p> <p> /DELETE, /EPRINT, /INDEX, /LOAD, /PERM, /PRINT, /PRINTIDX,</p> <p> or /PRINTJOB for SARBCH.</p> <p> </p> <p> With this solution applied, internal security checks in</p> <p> SARBCH will now be performed by default. If you want to</p> <p> bypass these internal security checks, you can turn on the</p> <p> FEATURE=19 for the CA-View database with SARINIT and this</p> <p> may be done before or after applying the actual PTF. We</p> <p> however strongly recommend not to bypass those security</p> <p> checks as they will make your environment more secure.</p> <p> </p> <p> Additional information is provided in the PTF description.</p> <p> USERS Product Administrator.</p> <p> AFFECTED </p> <p> KNOWLEDGE Product Administration.</p> <p> REQUIRED </p> <p> ACCESS View database authority.</p> <p> REQUIRED </p> <p>) .</p>	CA-View	Version 14.0
CA-View	Version 14.0		

Service	Details						
LU02301	<p>LU02301 M.C.S. ENTRIES = ++PTF (LU02301)</p> <p>SARPRFUX/SARUSRTB DO NOT ALLOW SETTING OF JOB ACCESS MODE</p> <p>PROBLEM DESCRIPTION:</p> <p>The SARPRFUX user exit and SARUSRTB user table do not allow setting of the job access mode indicator for new and existing users. This APAR will implement a new PRFJOB field in the PRF control block which can be set by the SARPRFUX user exit. The SARUSR macro will also be changed to support the full set of six access mode indicators on the ACCESS keyword specification used in the SARUSRTB user table with job mode being the sixth character.</p> <p>If the SARPRFUX user exit has been customized, the user exit changes will have to be incorporated into the customized exit.</p> <p>SYMPTOMS:</p> <p>The job access mode indicator for new users will default to the DEFMODE initialization parameter setting. The job access mode indicator for existing users will not be changed.</p> <p>IMPACT:</p> <p>No ability for user exit to customize setting of job access mode indicator.</p> <p>CIRCUMVENTION:</p> <p>Manually change job access mode indicator with online DEF USER command or with SARBCH /DEFUSER statement. User must have master authority to perform these functions.</p> <p>PRODUCT(S) AFFECTED:</p> <p>CA-View Release 12.2</p> <p>CA-View Version 14.0</p> <p>Related Problem:</p> <p>VIEW 14402</p> <p>Copyright (C) 2021 CA. All rights reserved. R00227-BRM140-SP1</p> <p>DESC(SARPRFUX/SARUSRTB DO NOT ALLOW SETTING OF JOB ACCESS MODE).</p> <p>++VER (Z038)</p> <p>FMID (CBRME00)</p> <p>PRE (R095789)</p> <p>SUP (LT02301)</p> <p>++HOLD (LU02301) SYSTEM FMID(CBRME00)</p> <p>REASON (ACTION) DATE (21224)</p> <p>COMMENT (</p> <table border="1"> <tr> <td>CA-View</td><td>Version 14.0</td></tr> </table> <p>SEQUENCE After Apply</p> <table border="1"> <tr> <td>PURPOSE</td><td>This APAR provides source changes to the SARPRFUX user exit to support setting of job access mode indicator (sixth access mode indicator). If you have customized the SARPRFUX user exit, please incorporate the new changes in the customized exit if applicable and install the SARPRFUX user exit with a USERMOD or assemble/link JCL.</td></tr> <tr> <td></td><td>Optionally, change the SARUSRTB user table to include job mode access indicator in sixth position of ACCESS</td></tr> </table>	CA-View	Version 14.0	PURPOSE	This APAR provides source changes to the SARPRFUX user exit to support setting of job access mode indicator (sixth access mode indicator). If you have customized the SARPRFUX user exit, please incorporate the new changes in the customized exit if applicable and install the SARPRFUX user exit with a USERMOD or assemble/link JCL.		Optionally, change the SARUSRTB user table to include job mode access indicator in sixth position of ACCESS
CA-View	Version 14.0						
PURPOSE	This APAR provides source changes to the SARPRFUX user exit to support setting of job access mode indicator (sixth access mode indicator). If you have customized the SARPRFUX user exit, please incorporate the new changes in the customized exit if applicable and install the SARPRFUX user exit with a USERMOD or assemble/link JCL.						
	Optionally, change the SARUSRTB user table to include job mode access indicator in sixth position of ACCESS						

Service	Details
	parameter of SARUSR macro and install with a USERMOD or assemble/link JCL. If the SARUSRTB user table statements are not being changed, then it is not necessary to reinstall the user table.
	+-----+ USERS Product Administrator. AFFECTED +-----+
	+-----+ KNOWLEDGE Product Administrator. REQUIRED +-----+
	+-----+ ACCESS Authority to access and update product libraries. REQUIRED +-----+
	***** * STEPS TO PERFORM * ***** 1. Apply APAR. 2. If SARPRFUX user exit have been customized, include SARPRFUX user exit changes in customized user exit if applicable, and install user exit with USERMOD or assemble/link JCL. 3. Optionally change SARUSRTB user table statements to include job access mode indicator and install user table with USERMOD or assemble/link JCL. 4. Optionally refresh LLA if load library is in link list.).

Service	Details	
LU02394	LU02394 M.C.S. ENTRIES = ++PTF (LU02394)	
	SOC1 ABEND AFTER SUBSYS SUPPORT APAR LU01681 INSTALLED	
	PROBLEM DESCRIPTION:	
	After installing Infrastructure change for SUBSYS DD statement support APAR LU01681, MVS tasks performing SVC 20 (close) during a small window of time while Deliver is initializing may receive SOC1 abend.	
	SYMPTOMS:	
	Jobs, started tasks, and TSO programs issuing close SVC may abend with SOC1 abend when Deliver started task is started.	
	IMPACT:	
	Jobs and started tasks that abend will have to be restarted.	
	CIRCUMVENTION:	
	None.	
	PRODUCT(S) AFFECTED:	
	CA-EBC OM Common Dbase Driver	Version 14.0
	Related Problem:	
	EBC 14493	
	Copyright (C) 2021 CA. All rights reserved. R00228-BRM140-SP1	
	DESC(SOC1 ABEND AFTER SUBSYS SUPPORT APAR LU01681 INSTALLED).	
	++VER (Z038)	
	FMID (CBROE00)	
	PRE (S013301)	
	SUP (BC13298 LT01681 LT02394 LU01681 R098823 TR93877	
	TR98823)	
	MCS LU01858	STARTS ON PAGE 0002
	MCS LU02301	STARTS ON PAGE 0004
	MCS LU02394	STARTS ON PAGE 0006

View/Deliver/DRAS 14.0
CA RS 2109 Product/Component Listing

9

Product Family	Product	Release
Output Management	CA OUTPUT MANAGEMENT WEB VIEWER	14.00.00
	CA-DELIVER	14.00.00
	CA-EBC OM COMMON DBASE DRIVER	14.00.00
	CA-OM DATA REPOSITORY AGENT SERVICES	14.00.00
	CA-VIEW	14.00.00
The CA RS 2109 Product/Component Count for this release is 5		

CA RS Level	Service	FMID
CAR2109	LU02394	CBROE00
	LU02301	CBRME00
	LU01858	CBRME00
CAR2108	LU02198	CBRME00
	LU02025	CBRME00
	LU01865	CBRME00
CAR2107	LU01737	CBRNE00
	LU01735	CBY3E00
	LU01714	CCAFE00
CAR2106	LU01681	CBROE00
	LU01553	CBRME00
	LU01431	CCAFE00
CAR2105	LU01430	CCAFE00
	LU01416	CBRNE00
	LU01413	CBRME00
CAR2104	LU01048	CCAFE00
	LU01032	CBRME00
	LU00151	CBRME00
CAR2103	LU00899	CBRME00
	LU00824	CBRME00
	LU00401	CBRME00
CAR2102	LU00221	CBY3E00
	LU00211	CBRME00
	S016265	CBRNE00
CAR2101	S016211	CBY3E00
	S015976	CCAFE00
	S015703	CCAFE00
CAR2012	S015886	CCAFE00
	S015842	CBRME00
	S015769	CBRME00
CAR2011	S015706	CBRME00
	S015584	CBRNE00
	S015559	CCAFE00
CAR2010	S015476	CBRME00
	S015458	CCAFE00
	S015321	CBRME00
CAR2009	S015318	CCAFE00
	S015258	CBROE00
	S015240	CCAFE00
CAR2008	S015198	CBRNE00
	S015197	CBROE00
	S015196	CCAFE00
CAR2007	S015195	CBY3E02
	S015194	CBRME00
	S015112	CBROE00
CAR2006	S015007	CBRME00
	S015006	CCAFE00

CA RS Level	Service	FMID
	S014943	CBRME00
	S014806	CBRNE00
	S014553	CBY3E02
	S013632	CBRME00
CAR2010	S014846	CBRME00
	S014733	CCAFE00
CAR2009	S014579	CBRME00
	S014543	CBROE00
	S014497	CBRME00
	S014380	CCAFE00
	S014379	CBRME00
CAR2008	S014063	CBRNE00
	S014058	CBRNE00
	S013818	CCAFE00
	S013817	CBRME00
	S013174	CBROE00
CAR2007	S013705	CCAFE00
	S013548	CBY3E00
	S013541	CBRME00
	S013301	CBROE00
	S013266	CBRME00
CAR2006	S013261	CCAFE00
	S013136	CBRNE00
	S013131	CBRME00
	S013065	CBRNE00
	S012768	CCAFE00
	S012767	CBRME00
CAR2005	S012642	CCAFE00
	S012572	CBROE00
CAR2004	S012394	CBRME00
	S012369	CBRME00
	S012307	CBRME00
	S011986	CBRME00
	S011800	CBRME00
CAR2003	S012040	CBY3E00
	S011353	CBROE00
CAR2002	S011763	CCAFE00
	S011582	CBRNE00
	S011540	CBRME00
	S011531	CBRNE00
	S011526	CBRNE00
	S011483	CBRME00
	S011441	CCAFE00
	S011242	CBRME00
CAR2001	S011304	CBRNE00
	S011199	CCAFE00
	S011025	CCAFE00

CA RS Level	Service	FMID
	S010882	CBRME00
CAR1912	S010648	CBRME00
CAR1911	S010445	CBRME00
	S010330	CBRME00
	S010327	CCAFE00
	S010287	CCAFE00
	S010240	CCAFE00
	S010226	CBRNE00
	S010155	CBRME00
	S009503	CBRME00
CAR1910	S010219	CCAFE00
	S010218	CBRME00
	S010164	CCAFE00
	S010154	CCAFE00
	S010153	CBRME00
	S009293	CCAFE00
	S009292	CBRME00
CAR1909	S009678	CCAFE00
	S009518	CBY3E02
	S009517	CBROE00
	S009516	CBRNE00
	S009515	CBRME00
	S009512	CBY3E00
	S009498	CBY3E02
	S009497	CBROE00
	S009496	CBRNE00
	S009495	CBRME00
	S009492	CBY3E00
	S009485	CCAFE00
CAR1908	S009263	CBY3E02
	S009223	CBRME00
	S009174	CBRME00
	S009163	CBRME00
	S009161	CBRME00
CAR1907	S008748	CCAFE00
	S008747	CBRME00
	S008441	CCAFE00
CAR1906	S008565	CBRNE00
	S008520	CCAFE00
	S008519	CBY3E02
	S008518	CBRME00
	S008353	CBRNE00
	S008350	CBRME00
	S008295	CBRME00
	S008227	CCAFE00
	S008226	CBRME00
	S007939	CBRME00

CA RS Level	Service	FMID
	S006106	CBRME00
CAR1905	S007935	CBRNE00
	S007649	CCAFE00
	S007648	CBY3E02
	S007647	CBRME00
	S007350	CBRME00
	S007338	CBRME00
	S007142	CBROE00
CAR1904	S007827	CBRME00
	S007763	CBRME00
	S007584	CBRME00
	S007570	CCAFE00
	S007569	CBRME00
CAR1903	S007415	CBY3E02
CAR1902	S007090	CBROE00
	S007036	CBY3E00
	S007029	CBY3E00
	S007025	CBRME00
CAR1901	S006480	CBRME00
	S006424	CBRNE00
CAR1812	S005405	CBROE00
CAR1811	S000283	CBY3E02
CAR1810	S005604	CCAFE00
CAR1809	S005158	CBRME00
	S005125	CCAFE00
	S004831	CBRNE00
	S004736	CCAFE00
	S004735	CBRME00
CAR1808	S004622	CCAFE00
	S004621	CBRME00
	S004545	CBRME00
	S004387	CBRME00
	S004100	CBRME00
CAR1807	S003819	CBRME00
CAR1806	S003752	CBROE00
	S003665	CBY3E00
	S001796	CBY3E00
CAR1805	S001591	CBY3E00
	S000972	CBRNE00
CAR1804	S001043	CBY3E02
	S000833	CCAFE00
	S000832	CBRME00
	S000567	CBY3E02
	S000445	CBRME00
	S000440	CBRME00
CAR1803	S000663	CBY3E00
	S000536	CBY3E00

CA RS Level	Service	FMID
	S000524	CBY3E00
	S000381	CBRME00
	R099491	CCAFE00
CAR1802	S000216	CBY3E00
	S000181	CBRME00
	S000172	CBRME00
	S000116	CBY3E00
	R099656	CCAFE00
CAR1801	R098898	CBRNE00
	R097820	CBRME00
CAR1712	R099154	CBRME00
	R099032	CBRME00
	R098965	CBRME00
	R098857	CBROE00
	R098823	CBROE00
	R098776	CBRME00
	R098743	CCAFE00
	R098742	CBY3E02
	R098741	CBRME00
	R097958	CBY3E02
CAR1711	R098753	CBRME00
	R097016	CBRNE00
CAR1710	R098010	CBRNE00
	R098009	CBRME00
CAR1709	R097685	CBRME00
	R097459	CBRME00
	R097347	CBRME00
	R097299	CCAFE00
	R097250	CBRME00
	R096138	CBRME00
CAR1708	R097058	CBRME00
	R096744	CBRME00
	R096727	CBRME00
	R096256	CBRME00
CAR1707	R096731	CBROE00
	R096730	CBRME00
	R096563	CBY3E00
	R096445	CBRME00
	R094301	CBRME00
	R093519	CBRME00
CAR1706	R095796	CCAFE00
	R095795	CBRME00
	R095792	CBY3E02
	R095791	CBROE00
	R095790	CBRNE00
	R095789	CBRME00
	R095520	CBY3E00

CA RS Level	Service	FMID
	R094234	CBRME00
	R094102	CBRME00
	R094021	CBRME00