

InterTest/SymDump Batch/CICS 11.0
CA RS 2110 Service List

1

Service	Description	Type
LU01831	HEALTH CHECKER REGISTRATION PROBLEM	PTF
LU01913	EXECUTION COUNTERS NOT UPDATED BEFORE FIRST BREAKPOINT	PTF
LU02175	REST API SUPPORT FOR SYMDUMP BATCH	PTF
LU02216	INTERTEST BATCH IS NOT PROPERLY WORKING WITH COBOL 6	PTF
The CA RS 2110 service count for this release is 4		

InterTest/SymDump Batch/CICS
CA RS 2110 Service List for CABAB00

2

FMID	Service	Description	Type
CABAB00	LU01913	EXECUTION COUNTERS NOT UPDATED BEFORE FIRST BREAKPOINT	PTF
The CA RS 2110 service count for this FMID is 1			

FMID	Service	Description	Type
CAMRB00	LU02216	INTERTEST BATCH IS NOT PROPERLY WORKING WITH COBOL 6	PTF
The CA RS 2110 service count for this FMID is 1			

InterTest/SymDump Batch/CICS
CA RS 2110 Service List for CARXB00

4

FMID	Service	Description	Type
CARXB00	LU01831	HEALTH CHECKER REGISTRATION PROBLEM	PTF
The CA RS 2110 service count for this FMID is 1			

InterTest/SymDump Batch/CICS
CA RS 2110 Service List for CAVHB01

5

FMID	Service	Description	Type
CAVHB01	LU02175	REST API SUPPORT FOR SYMDUMP BATCH	PTF
The CA RS 2110 service count for this FMID is 1			

Service	Details
LU01831	LU01831 M.C.S. ENTRIES = ++PTF (LU01831) HEALTH CHECKER REGISTRATION PROBLEM PROBLEM DESCRIPTION: CA SymDump Batch fails to register a CA Health Check when initializing the product. SYMPTOMS: CA SymDump Batch Health Check is not registered and CA Health Checker logs are not generated. IMPACT: Health Checks are not performed. CIRCUMVENTION: None. PRODUCT(S) AFFECTED: CA-SYMDUMP BATCH Version 11.0 Related Problem: SYMBAT 13925 Copyright (C) 2021 CA. All rights reserved. R00183-AVH110-SP1 DESC(HEALTH CHECKER REGISTRATION PROBLEM). ++VER (Z038) FMID (CARXB00) PRE (LU01578) SUP (LT01406 LT01644 LT01831) ++HOLD (LU01831) SYSTEM FMID(CARXB00) REASON (DYNACT) DATE (21196) COMMENT (<pre> +-----+ CA-SYMDUMP BATCH Version 11.0 +-----+ SEQUENCE After Apply +-----+ PURPOSE Reload CA SymDump Batch modules into CSA +-----+ USERS All users of CA SymDump Batch AFFECTED +-----+ KNOWLEDGE Operational procedures for APF authorizing a data set and REQUIRED executing CAIRIM (CAS9) +-----+ ACCESS Operational authority for APF authorizing a data set and REQUIRED executing CAIRIM (CAS9) +-----+ ***** * STEPS TO PERFORM * ***** Execute your CAIRIM (CAS9) procedure. If necessary, refer to Installation Guide topic 'Activate CA SymDump Batch' for instructions.) </pre>

Service	Details
LU01913	LU01913 M.C.S. ENTRIES = ++PTF (LU01913) EXECUTION COUNTERS NOT UPDATED BEFORE FIRST BREAKPOINT PROBLEM DESCRIPTION: Start the monitoring of a program under Intertest/CICS and activate the "Code Counting" option in the profile. When the first breakpoint is reached, all the counter fields of the already executed statements are still set to zero in the COUNTER column. After the first resume command, the counters are incremented correctly. This problem shows up on Intertest/CICS version 11.0 only. SYMPTOMS: The counter fields of all the executed statements prior to the first breakpoint of a monitored program under Intertest/CICS are not updated correctly and show a value of zero. IMPACT: The monitored program is executed normally. Only the statements executed before the first breakpoint shows an invalid value in the COUNTER column. CIRCUMVENTION: To minimize the impact of this defect, start the monitoring of the program and set a breakpoint on the first executable statement. When that first breakpoint will be reached, only the first executed statement will have an invalid counter value. PRODUCT(S) AFFECTED: Common CICS Component Version 11.0 Related Problem: INTERT 13730 Copyright (C) 2021 CA. All rights reserved. R00185-AVH110-SP1 DESC(EXECUTION COUNTERS NOT UPDATED BEFORE FIRST BREAKPOINT). ++VER (Z038) FMID (CABAB00) PRE (LU00779 R097425 R099718 S001266 S001925 S004110 S004582 S005170 S006269 S007315 S008883 S012157 S013489 S013956) SUP (LT01913 S004149 S004409 S005960 S006471 S007174 S013998 S014628 S015296 ST04149 ST04409 ST05958 ST05960 ST06471 ST07174 ST13998 ST14628 ST15296)

Service	Details
LU02175	LU02175 M.C.S. ENTRIES = ++PTF (LU02175) REST API SUPPORT FOR SYMDUMP BATCH ENHANCEMENT DESCRIPTION: REST API support for SymDump Batch PRODUCT(S) AFFECTED: Common Symbolic Component Version 11.0 Related Problem: TFMSYM 14209 Copyright (C) 2021 CA. All rights reserved. R00188-AVH110-SP1 DESC (REST API SUPPORT FOR SYMDUMP BATCH). ++VER (Z038) FMID (CAVHB01) PRE (LU00805 R097432 R099724 S000115 S000698 S001930 S004973 S006272 S011126 S012010 S012587 S012832) SUP (LT02175) ++HOLD (LU02175) SYSTEM FMID(CAVHB01) REASON (ACTION) DATE (21244) COMMENT (<pre> +-----+ Common Eclipse UI Component Version 11.0 +-----+-----+ SEQUENCE After Apply +-----+-----+ PURPOSE Apply fix for Tomcat server +-----+-----+ USERS All users AFFECTED +-----+-----+ KNOWLEDGE Basic mainframe skills REQUIRED +-----+-----+ ACCESS Installation libraries, Tomcat USS directories REQUIRED +-----+-----+ ***** * STEPS TO PERFORM * ***** After applying the fix, server must be redeployed for the changes to take effect.).</pre>

Service	Details	
LU02216	LU02216 M.C.S. ENTRIES = ++PTF (LU02216)	
	INTERTEST BATCH IS NOT PROPERLY WORKING WITH COBOL 6	
	PROBLEM DESCRIPTION:	
	During the debugging session for the COBOL programs that compiled with version 5.1 and above, the fields from Working Storage are not displayed successfully with NORENT compile option.	
	SYMPTOMS:	
	Keep/display window is not opened in the debugging session when k or d line command is issued.	
	IMPACT:	
	Debugging session will continue to work even though the fields from Working Storage is not successfully displayed.	
	CIRCUMVENTION:	
	It is possible to open keep/display window when the COBOL program compiled with RENT option.	
	PRODUCT(S) AFFECTED:	
	InterTest Batch Component	Version 10.0
	InterTest Batch Component	Version 11.0
	Related Problem:	
	INTBAT 14268	
	Copyright (C) 2021 CA. All rights reserved. R00189-AVH110-SP1	
	DESC(INTERTEST BATCH IS NOT PROPERLY WORKING WITH COBOL 6).	
	++VER (Z038)	
	FMID (CAMRB00)	
	PRE (R099720 S001927 S008886)	
	SUP (LT02216 S007035 S014488 ST01145 ST01294 ST01430	
	ST07035 ST14385 ST14488)	
	MCS LU01831	STARTS ON PAGE 0002
	MCS LU01913	STARTS ON PAGE 0003
	MCS LU02175	STARTS ON PAGE 0004
	MCS LU02216	STARTS ON PAGE 0005

InterTest/SymDump Batch/CICS 11.0
CA RS 2110 Product/Component Listing

10

Product Family	Product	Release
Application Development	COMMON CICS COMPONENT	10.00.00
	COMMON SYMBOLIC COMPONENT	10.00.00
	INTERTEST BATCH COMPONENT	10.00.00
	INTERTEST CICS COMPONENT	10.00.00
	SYMDUMP BATCH COMPONENT	10.00.00
	SYMDUMP CICS COMPONENT	10.00.00
The CA RS 2110 Product/Component Count for this release is 6		

CA RS Level	Service	FMID
CAR2110	LU02216	CAMRB00
	LU02175	CAVHB01
	LU01913	CABAB00
	LU01831	CARXB00
CAR2108	LU01919	CABAB00
	LU01077	CAVHB00
CAR2107	LU01579	CAVHB00
	LU01578	CARXB00
	LU01577	CAMRB00
	LU01576	CABAB00
	LU01498	CABAB00
	LU00627	CABAB00
CAR2106	SO16155	CAVHB00
	LU01086	CCSAB00
	LU00805	CAVHB01
	LU00804	CAMRB00
	LU00779	CABAB00
CAR2105	LU01059	CCSAB00
	LU01058	CABAB00
	LU00575	CABAB00
CAR2104	SO16104	CABAB00
	SO16073	CABAB00
	LU00158	CABAB00
CAR2103	SO15839	CABQB00
	SO15838	CABAB00
	SO15013	CABAB00
CAR2102	SO16210	CABAB00
	SO15873	CCSAB00
	SO15768	CABAB00
	SO15636	CAVHB00
	SO15322	CAVHB00
	SO15204	CABQB00
CAR2101	SO15887	CAVHB00
	SO15635	CAMRB00
	SO15478	CAMRB00
	SO15296	CABAB00
CAR2012	SO15567	CARXB00
	SO15051	CCSAB00
	SO15050	CABAB00
	SO14311	CAVHB00
CAR2010	SO14872	CABAB00
	SO14678	CABAB00
	SO14628	CABAB00
	SO14481	CARXB00
	SO14145	CCSAB00
	SO14073	CABQB00
	SO13613	CABAB00

CA RS Level	Service	FMID
CAR2009	S014488	CAMRB00
	S014193	CABAB00
CAR2008	S013998	CABAB00
	S013957	CAMRB00
	S013956	CABAB00
	S013239	CABQB00
	S012832	CAVHB01
	S012831	CABAB00
CAR2007	S013589	CAMRB00
	S013578	CAVHB01
	S013493	CCSAB00
	S013492	CAVHB00
	S013491	CABQB00
	S013490	CABAB01
	S013489	CABAB00
	S013478	CARXB00
	S013232	CABAB00
	S013168	CABQB00
	S013167	CABAB00
	S012785	CAVHB00
	S012784	CABAB00
	S012587	CAVHB01
CAR2005	S012637	CABAB00
	S012635	CARXB00
	S012569	CAVHB00
	S012568	CARXB00
	S012567	CAMRB00
	S012566	CABQB00
	S012565	CABAB00
	S012564	CABAB00
	S012158	CAMRB00
	S012157	CABAB00
	S011518	CABAB00
CAR2004	S012299	CCSAB00
	S012298	CABAB00
	S012297	CAVHB00
	S012093	CABAB00
	S012010	CAVHB01
	S011944	CAMRB00
	S011525	CARXB00
	S011524	CARXB00
	S011523	CARXB00
CAR2003	S012027	CAMRB00
	S011522	CABAB00
	S011126	CAVHB01
	S008355	CAVHB00
CAR2001	S011118	CARXB01

CA RS Level	Service	FMID
CAR1912	S010784	CAVHB00
	S010783	CARXB00
	S010782	CAMRB00
	S010781	CABAB00
	S010256	CAMRB00
CAR1911	S009639	CABAB00
CAR1910	S009940	CAVHB00
	S009939	CAVHB00
	S009938	CAVHB00
CAR1909	S009257	CARXB00
	S009096	CAVHB00
	S007755	CAVHB00
CAR1908	S009037	CARXB00
	S008956	CAMRB00
	S008679	CABAB00
CAR1907	S008888	CAVHB00
	S008887	CARXB00
	S008886	CAMRB00
	S008885	CABQB00
	S008884	CABAB01
	S008883	CABAB00
	S008391	CAMRB00
	S008369	CABAB00
	S008214	CAMRB00
CAR1906	S008019	CABAB00
	S007771	CARXB00
	S007740	CAMRB00
CAR1905	S007685	CAVHB00
	S007651	CABQB00
CAR1904	S007716	CABAB01
CAR1903	S007319	CCSAB00
	S007318	CAVHB00
	S007317	CABQB00
	S007316	CABAB01
	S007315	CABAB00
	S007174	CABAB00
	S007035	CAMRB00
CAR1902	S006723	CARXB00
	S006722	CABAB01
	S006542	CABAB00
	S006471	CABAB00
	S006273	CCSAB00
	S006272	CAVHB01
	S006271	CAVHB00
	S006270	CAMRB00
	S006269	CABAB00
	S006062	CABAB00

CA RS Level	Service	FMID
CAR1901	S006376	CABQB00
	S006375	CABAB00
	S005951	CCSAB00
	S005950	CABQB00
CAR1812	S006251	CCSAB00
	S006250	CAVHB00
	S006249	CABAB00
	S006137	CCSAB00
CAR1811	S005960	CABAB00
	S005599	CABQB00
	S005598	CABAB01
	S005294	CABAB00
	S005172	CCSAB00
	S005171	CAVHB00
	S005170	CABAB00
CAR1809	S004973	CAVHB01
	S004586	CCSAB00
	S004585	CAVHB00
	S004584	CABQB00
	S004583	CABAB01
	S004582	CABAB00
	S004181	CAVHB00
CAR1808	S004528	CAVHB00
	S004409	CABAB00
	S004149	CABAB00
	S004114	CABAB00
	S001960	CABQB00
CAR1807	S004113	CCSAB00
	S004112	CAVHB01
	S004111	CAVHB00
	S004110	CABAB00
CAR1806	S001931	CCSAB00
	S001930	CAVHB01
	S001929	CAVHB00
	S001928	CARXB00
	S001927	CAMRB00
	S001926	CABQB00
	S001925	CABAB00
	S001485	CABAB00
CAR1805	S001266	CABAB00
	S001144	CAMRB00
	S001062	CAVHB00
CAR1804	S001052	CAMRB00
	S000798	CAVHB00
	S000797	CAMRB00
	S000796	CABAB00
	S000698	CAVHB01

CA RS Level	Service	FMID
	S000505	CAVHB00
	S000477	CAMRB00
CAR1802	S000117	CAMRB00
	S000115	CAVHB01
	S000114	CAVHB00
	S000113	CABQB00
	S000112	CABAB00
	R099880	CABAB00
CAR1801	R099725	CCSAB00
	R099724	CAVHB01
	R099723	CAVHB00
	R099722	CARXB01
	R099721	CARXB00
	R099720	CAMRB00
	R099719	CABQB00
	R099718	CABAB00
	R099041	CAVHB00
	R098271	CARXB00
CAR1711	R098579	CAVHB00
CAR1709	R097433	CCSAB00
	R097432	CAVHB01
	R097431	CAVHB00
	R097430	CARXB01
	R097429	CARXB00
	R097428	CAMRB00
	R097427	CABQB00
	R097426	CABAB01
	R097425	CABAB00