

OPS/MVS for JES3 13.5
CA RS 2111 Service List

1

Service	Description	Type
LU02826	POSSIBLE ERRONEOUS OPSBCPII SECURITY FAILURES	PTF
LU02946	PRIMARY SYSTEM NOT USED IN SSMGAV2 SUBREQ VARIABLES	PTF
LU03071	OPOBRSAR FAILS WHEN ARCHIVE GLOBALS SUBNODE NAME VALUE WRAPS	PTF
LU03098	ERRONEOUS AUTHORIZATION MESSAGE WHEN ISSUING IMSPLEX COMMAND	PTF
LU03100	SSMV3 RESOURCE RESTART COUNT CLEARED IN ERROR	PTF
LU03166	OPS/MVS WEB SERVICES UPGRADES TO 3RD-PARTY COMPONENTS	PTF
LU03176	ABEND SOC4 IN SUBTASK OPSYSTZS +X'F1078286'	PTF
LU03304	INVALID SSMV3 POLICY DATA CAN BE SAVED	PTF
The CA RS 2111 service count for this release is 8		

OPS/MVS for JES3
CA RS 2111 Service List for CCLXD50

2

FMID	Service	Description	Type
CCLXD50	LU02826	POSSIBLE ERRONEOUS OPSBCPII SECURITY FAILURES	PTF
	LU02946	PRIMARY SYSTEM NOT USED IN SSMGAV2 SUBREQ VARIABLES	PTF
	LU03071	OPOBR SAR FAILS WHEN ARCHIVE GLOBALS SUBNODE NAME VALUE WRAPS	PTF
	LU03098	ERRONEOUS AUTHORIZATION MESSAGE WHEN ISSUING IMSPLEX COMMAND	PTF
	LU03100	SSMV3 RESOURCE RESTART COUNT CLEARED IN ERROR	PTF
	LU03176	ABEND SOC4 IN SUBTASK OPSYSTZS +X'F1078286'	PTF
	LU03304	INVALID SSMV3 POLICY DATA CAN BE SAVED	PTF
The CA RS 2111 service count for this FMID is 7			

OPS/MVS for JES3
CA RS 2111 Service List for CCLXD51

FMID	Service	Description	Type
CCLXD51	LU03166	OPS/MVS WEB SERVICES UPGRADES TO 3RD-PARTY COMPONENTS	PTF
The CA RS 2111 service count for this FMID is 1			

Service	Details		
LU02826	LU02826 M.C.S. ENTRIES = ++PTF (LU02826) POSSIBLE ERRONEOUS OPSBCPII SECURITY FAILURES PROBLEM DESCRIPTION: The OPSBCPII Server may periodically experience failures due to erroneous security violations. This may occur when the default userid is mistakenly used when making RACROUTE calls to verify access. SYMPTOMS: Messages similar to what follows appear indicating the failure: OPBCP999E HWSRC=16 / HWSRS=00000F02 / IBM390PS.P0099999 TSS7250E 136 J=OPSBCPII A=USERID TYPE=IBMFAC RESOURCE=HWI.APPLNAME.HWISERV CIRCUMVENTION: None. PRODUCT(S) AFFECTED: CA OPS/MVS Base Version 14.0 Related Problem: OPSMVS 14567 Copyright (C) 2021 CA. All rights reserved. R00354-CLX135-SP1 DESC(POSSIBLE ERRONEOUS OPSBCPII SECURITY FAILURES). ++VER (Z038) FMID (CCLXD50) PRE (LU00026 LU01114 LU02088 S010262 S010672 S011125 S011203 S011260 S011445 S011812 S012658 S012733 S013347) SUP (LT02826) ++HOLD (LU02826) SYSTEM FMID(CCLXD50) REASON (ACTION) DATE (21281) COMMENT (<table border="1"> <tr> <td>CA OPS/MVS Base</td><td>Release 13.5</td></tr> </table> SEQUENCE Before using the OPSBCPII Server. PURPOSE To prevent possible erroneous security violations in the OPSBCPII Server. USERS All users of the OPSBCPII Server. AFFECTED KNOWLEDGE Basic z/OS programming skills. REQUIRED ACCESS Authority to stop and start the OPS/MVS. REQUIRED ***** * STEPS TO PERFORM * ***** 1. After applying the PTF, restart OPSBCPII Server by issuing the following command: "F OPSx RESTART(HWS)" where OPSx is the OPS/MVS).	CA OPS/MVS Base	Release 13.5
CA OPS/MVS Base	Release 13.5		

Service	Details		
LU02946	LU02946	M.C.S. ENTRIES = ++PTF (LU02946)	
	PRIMARY SYSTEM NOT USED IN SSMGAV2 SUBREQ VARIABLES		
	PROBLEM DESCRIPTION:		
	When a PREREQ is changed for a moveable resource that is not on its primary system, the SUBREQ variable will be created with the current system name instead of the primary system name.		
	SYMPTOMS:		
	SSMGAV2 SYSPLEX variables with a stem of GLVPLXTS.SUBREQ have a value of a cross system SUBREQ with a system name that is not the primary system.		
	IMPACT:		
	XSUBREQ processing may fail.		
	CIRCUMVENTION:		
	None.		
	PRODUCT(S) AFFECTED:		
	CA OPS/MVS Base	Release 13.5	
	CA OPS/MVS Base	Version 14.0	
	Related Problem:		
	OPSMVS 14877		
	Copyright (C) 2021 CA. All rights reserved. R00355-CLX135-SP1		
	DESC (PRIMARY SYSTEM NOT USED IN SSMGAV2 SUBREQ VARIABLES).		
	++VER (Z038)		
	FMID (CCLXD50)		
	PRE (LU00878 LU01397 LU02483 S000239 S000562 S001061		
	S001092 S001813 S004490 S004649 S005042 S005191		
	S005704 S006042 S006555 S007197 S008386 S009094		
	S009667 S009878 S011100 S013070 S014302 S015164		
	S015580 S015612 S015657)		
	SUP (LT00675 LT02288 LT02546 LT02563 LT02946 LU00675		
	LU02288 LU02546 LU02563 S001580 S005320 S005674		
S006527 S006933 S007510 S008583 S008640 S015904			
ST01580 ST05320 ST05674 ST06527 ST06933 ST07510			
ST08583 ST08640 ST15904)			
++HOLD (LU02946) SYSTEM FMID(CCLXD50)			
REASON (ACTION) DATE (21301)			
COMMENT (			
+-----+			
	CA OPS/MVS Base	Release 13.5	
+-----+			
SEQUENCE		After APPLY	
+-----+			
PURPOSE		Reset ISPF statistics for updated AOF rule(s)	
+-----+			
USERS		Users with AOF rules	
AFFECTED			
+-----+			
KNOWLEDGE		ISPF	
REQUIRED			
+-----+			
ACCESS		Product libraries	
REQUIRED			
+-----+			

Service	Details
	* STEPS TO PERFORM * ***** This PTF installs updated AOF rule(s) into SMP/E Target library CCLXRULM with no ISPF statistics. You will not be able to auto-enable the updated rule(s) until you reset their ISPF statistics. You can use ISPF option 3.5 to manually reset the ISPF statistics for the updated rule(s). You can use ISPF option 3.3 to manually copy the updated rule(s) to your deployed ruleset(s).).

Service	Details
LU03071	LU03071 M.C.S. ENTRIES = ++PTF (LU03071) OPOBRSAR FAILS WHEN ARCHIVE GLOBALS SUBNODE NAME VALUE WRAPS PROBLEM DESCRIPTION: REXX program OPOBRSAR for ARCHREST command mistakenly assumes the archive globals variabls (default to GLOBAL0.ARCH_TRACK.ENTRY.xxxx) are in chronological order even after the subnode name xxxx (a four-digit number) wraps from 9999 back to 0001. SYMPTOMS: OPOBRSAR exits unexpectedly when the passed timestamp passed from the ARCHREST command operand is earlier than the beginning timestamp of the first found archive global variable in the subnode list. IMPACT: ARCHREST command may fail. CIRCUMVENTION: NONE. PRODUCT(S) AFFECTED: CA OPS/MVS Base Release 13.5 CA OPS/MVS Base Version 14.0 Related Problem: OPSMVS 14986 Copyright (C) 2021 CA. All rights reserved. R00357-CLX135-SP1 DESC(OPOBRSAR FAILS WHEN ARCHIVE GLOBALS SUBNODE NAME VALUE WRAPS). ++VER (Z038) FMID (CCLXD50) PRE (S001320 S015685 S015707) SUP (LT03071)

Service	Details		
LU03098	LU03098 M.C.S. ENTRIES = ++PTF (LU03098) ERRONEOUS AUTHORIZATION MESSAGE WHEN ISSUING IMSPLEX COMMAND PROBLEM DESCRIPTION: When issuing type 2 IMS commands, an OPS3265S message may erroneously be issued indicating an authorization failure. The command is still successfully issued regardless of the message. This occurs primarily when INITIMS=NO. IOF is not a requirement for issuing type 2 commands. SYMPTOMS: The following message is issued: OPS3265S You are not authorized to use the IMS Type 2 message facility IMPACT: None. CIRCUMVENTION: None. PRODUCT(S) AFFECTED: CA OPS/MVS Base Release 13.5 CA OPS/MVS Base Version 14.0 Related Problem: OPSMVS 15018 Copyright (C) 2021 CA. All rights reserved. R00358-CLX135-SP1 DESC(ERRONEOUS AUTHORIZATION MESSAGE WHEN ISSUING IMSPLEX COMMAND). ++VER (Z038) FMID (CCLXD50) PRE (S015523) SUP (LT03098) ++HOLD (LU03098) SYSTEM FMID(CCLXD50) REASON (ACTION) DATE (21285) COMMENT (<table border="1"> <tr> <td>CA OPS/MVS Base</td><td>Release 13.5</td></tr> </table> SEQUENCE Prior to issuing IMS type 2 commands via OPS/MVS. PURPOSE To eliminate the erroneous OPS3265S message. USERS All users issuing IMS type 2 commands via OPS/MVS. AFFECTED KNOWLEDGE Basic MVS programming skills. REQUIRED ACCESS Authority to stop and start OPS/MVS. REQUIRED ***** * STEPS TO PERFORM * ***** 1. After applying the PTF, issue to following command: F OPSx,RELOAD(OPOCCM) where OPSx is the OPS/MVS subsystem id.). ++HOLD (LU03098) SYSTEM FMID(CCLXD50) REASON (DYNACT) DATE (21285)	CA OPS/MVS Base	Release 13.5
CA OPS/MVS Base	Release 13.5		

Service	Details
	COMMENT (<pre> +-----+ CA OPS/MVS Base Release 13.5 +-----+ SEQUENCE After APPLY +-----+ PURPOSE To activate load modules updated by this PTF +-----+ USERS All OPS/MVS users AFFECTED +-----+ KNOWLEDGE Basic z/OS systems programming skills REQUIRED +-----+ ACCESS - Access to OPS/MVS SMP/E Target loadlib CCLXLOAD and any REQUIRED deployed copies - Authority to issue MVS system commands - Authority to stop and start OPS/MVS +-----+ ***** * STEPS TO PERFORM * ***** 1. APPLY of this PTF updates SMP/E Target loadlib CCLXLOAD. Refer to GIM23903I messages in the SMPOUT to identify the specific load modules that are updated. 2. Copy the updated load modules from SMP/E Target loadlib CCLXLOAD to any other deployed copies, such as a loadlib in the OPSMAIN STEPLIB or the system link list (LNKLIST). 3. If the system library lookaside (LLA) program is managing any updated loadlib, you must refresh LLA by using MVS system command "F LLA,REFRESH" or some equivalent method. 4. If the system link pack area (LPA) contains any updated load module, you must refresh LPA by using MVS system command "SETPROG LPA" or some equivalent method. * Note that load module OPSAEX is commonly placed in LPA. 5. Stop and re-start OPS/MVS by using MVS system commands "P OPSS" and "S OPSS" or some equivalent method. * For possible alternatives to restarting OPS/MVS, see the topic "RELOAD Modules and RESTART Components" in the user documentation at https://techdocs.broadcom.com/opsmvs 6. TSO users must exit and re-enter OPSVIEW to activate any changes. Depending on how OPSVIEW is accessed, this may require a TSO logoff and logon.). </pre>

Service	Details		
LU03100	LU03100 M.C.S. ENTRIES = ++PTF (LU03100) SSMV3 RESOURCE RESTART COUNT CLEARED IN ERROR PROBLEM DESCRIPTION: The SSMV3 resource restart count incorrectly resets to 0 when the resource reaches an UP UP state. SYMPTOMS: Failed resources will continue to restart if the resource reaches an UP UP state before the failure. IMPACT: Failed resources will continue to restart. CIRCUMVENTION: None. PRODUCT(S) AFFECTED: CA OPS/MVS Base Release 13.5 CA OPS/MVS Base Version 14.0 Related Problem: OPSMVS 15000 Copyright (C) 2021 CA. All rights reserved. R00359-CLX135-SP1 DESC(SSMV3 RESOURCE RESTART COUNT CLEARED IN ERROR) . ++VER (Z038) FMID (CCLXD50) PRE (LU02210 LU02483 S001061 S004898 S005275 S008386 S008474 S011092 S011100 S013070 S013470 S015164 S015580) SUP (LT03100) ++HOLD (LU03100) SYSTEM FMID(CCLXD50) REASON (ACTION) DATE (21284) COMMENT (<table border="1"> <tr> <td>CA OPS/MVS Base</td><td>Release 13.5</td></tr> </table> SEQUENCE After APPLY PURPOSE Reset ISPF statistics for updated AOF rule(s) USERS Users with AOF rules AFFECTED KNOWLEDGE ISPF REQUIRED ACCESS Product libraries REQUIRED ***** * STEPS TO PERFORM * ***** This PTF installs updated AOF rule(s) into SMP/E Target library CCLXRULM with no ISPF statistics. You will not be able to auto-enable the updated rule(s) until you reset their ISPF statistics. You can use ISPF option 3.5 to manually reset the ISPF statistics for the updated rule(s). You can use ISPF option 3.3 to manually copy the updated	CA OPS/MVS Base	Release 13.5
CA OPS/MVS Base	Release 13.5		

Service	Details
	rule(s) to your deployed ruleset(s).). ++HOLD (LU03100) SYSTEM FMID(CCLXD50) REASON (DYNACT) DATE (21284) COMMENT (<pre> +-----+ CA OPS/MVS Base Release 13.5 +-----+-----+ SEQUENCE After APPLY +-----+-----+ PURPOSE To activate load modules updated by this PTF +-----+-----+ USERS All OPS/MVS users AFFECTED +-----+-----+ KNOWLEDGE Basic z/OS systems programming skills REQUIRED +-----+-----+ ACCESS - Access to OPS/MVS SMP/E Target loadlib CCLXLOAD and any REQUIRED deployed copies - Authority to issue MVS system commands - Authority to stop and start OPS/MVS +-----+-----+ ***** * STEPS TO PERFORM * ***** 1. APPLY of this PTF updates SMP/E Target loadlib CCLXLOAD. Refer to GIM23903I messages in the SMPDOUT to identify the specific load modules that are updated. 2. Copy the updated load modules from SMP/E Target loadlib CCLXLOAD to any other deployed copies, such as a loadlib in the OPSMAIN STEPLIB or the system link list (LNKLIST). 3. If the system library lookaside (LLA) program is managing any updated loadlib, you must refresh LLA by using MVS system command "F LLA,REFRESH" or some equivalent method. 4. If the system link pack area (LPA) contains any updated load module, you must refresh LPA by using MVS system command "SETPROG LPA" or some equivalent method. * Note that load module OPSAEX is commonly placed in LPA. 5. Stop and re-start OPS/MVS by using MVS system commands "P OPSS" and "S OPSS" or some equivalent method. * For possible alternatives to restarting OPS/MVS, see the topic "RELOAD Modules and RESTART Components" in the user documentation at https://techdocs.broadcom.com/opsmvs 6. TSO users must exit and re-enter OPSVIEW to activate any changes. Depending on how OPSVIEW is accessed, this may require a TSO logoff and logon.) </pre>

Service	Details																																				
LU03166	LU03166 M.C.S. ENTRIES = ++PTF (LU03166) OPS/MVS WEB SERVICES UPGRADES TO 3RD-PARTY COMPONENTS PROBLEM DESCRIPTION: Updated OPS/MVS Web Services to support the following third-party software components: - Jersey upgraded to 2.34 - Jackson upgraded to 2.13.0 - JAXB upgraded to 3.0.1 - jaxb-api upgraded to 2.4.0-b180830.0359 - commons-cli upgraded to 1.4 SYMPTOMS: N/A IMPACT: Avoid potential for vulnerabilities in third-party components that are aging and need to be upgraded periodically. PRODUCT(S) AFFECTED: <table> <tr> <td>CA OPS/MVS Web Components</td><td>Version 14.0</td></tr> <tr> <td>CA OPS/MVS Web Components</td><td>Version 13.5</td></tr> </table> Related Problem: OPSMVS 15068 Copyright (C) 2021 CA. All rights reserved. R00360-CLX135-SP1 DESC(OPS/MVS WEB SERVICES UPGRADES TO 3RD-PARTY COMPONENTS). ++VER (Z038) FMID (CCLXD51) PRE (S000236 S005737 S005996 S006380 S007231 S011488 S012373) SUP (LT03166 S004296 ST04296 TR99948) ++HOLD (LU03166) SYSTEM FMID(CCLXD51) REASON (ACTION) DATE (21294) COMMENT (<table> <tr> <td colspan="2">+-----+</td></tr> <tr> <td> CA OPS/MVS Web Components</td><td>Release 13.5 </td></tr> <tr> <td colspan="2">+-----+</td></tr> <tr> <td> SEQUENCE After Apply</td><td> </td></tr> <tr> <td colspan="2">+-----+</td></tr> <tr> <td> PURPOSE To activate the fix</td><td> </td></tr> <tr> <td colspan="2">+-----+</td></tr> <tr> <td> USERS User's of the OPS/MVS Web Services</td><td> </td></tr> <tr> <td> AFFECTED </td><td> </td></tr> <tr> <td colspan="2">+-----+</td></tr> <tr> <td> KNOWLEDGE Web servers and USS directories</td><td> </td></tr> <tr> <td> REQUIRED </td><td> </td></tr> <tr> <td colspan="2">+-----+</td></tr> <tr> <td> ACCESS USS directories for Tomcat Web Server</td><td> </td></tr> <tr> <td> REQUIRED </td><td> </td></tr> <tr> <td colspan="2">+-----+</td></tr> </table> ***** * STEPS TO PERFORM * ***** 1. Update your OPS/MVS Web Services host server by copying the opsmvs.war file from the installation HFS to your runtime web server.	CA OPS/MVS Web Components	Version 14.0	CA OPS/MVS Web Components	Version 13.5	+-----+		CA OPS/MVS Web Components	Release 13.5	+-----+		SEQUENCE After Apply		+-----+		PURPOSE To activate the fix		+-----+		USERS User's of the OPS/MVS Web Services		AFFECTED		+-----+		KNOWLEDGE Web servers and USS directories		REQUIRED		+-----+		ACCESS USS directories for Tomcat Web Server		REQUIRED		+-----+	
CA OPS/MVS Web Components	Version 14.0																																				
CA OPS/MVS Web Components	Version 13.5																																				
+-----+																																					
CA OPS/MVS Web Components	Release 13.5																																				
+-----+																																					
SEQUENCE After Apply																																					
+-----+																																					
PURPOSE To activate the fix																																					
+-----+																																					
USERS User's of the OPS/MVS Web Services																																					
AFFECTED																																					
+-----+																																					
KNOWLEDGE Web servers and USS directories																																					
REQUIRED																																					
+-----+																																					
ACCESS USS directories for Tomcat Web Server																																					
REQUIRED																																					
+-----+																																					

Service	Details
	See the following documentation for detailed instructions on how to deploy the new module. - Install and Configure CA OPS/MVS RESTful Web Services on Tomcat 2. Stop and restart your OPS/MVS web server STC so it recognizes and uses the newly updated opsmvs.war file.). TEXT LINK('..opwebsvc.config') PARM(PATHMODE(0,7,5,5)) . TEXT LINK('..opwscfg.sh') PARM(PATHMODE(0,7,5,5)) . TEXT LINK('..opwebsvc.env') PARM(PATHMODE(0,7,5,5)) . TEXT LINK('..listks.sh') PARM(PATHMODE(0,7,5,5)) . TEXT LINK('..makeks.sh') PARM(PATHMODE(0,7,5,5)) . TEXT LINK('..opwebsvc.prop') PARM(PATHMODE(0,7,5,5)) . TEXT LINK('..OPWShhttp.rex') PARM(PATHMODE(0,7,5,5)) . BINARY LINK('..opsmvs.war') PARM(PATHMODE(0,7,5,5)) .

Service	Details																						
LU03176	LU03176 M.C.S. ENTRIES = ++PTF (LU03176) ABEND SOC4 IN SUBTASK OPSYSTZS +X'F1078286' PROBLEM DESCRIPTION: A syntax error processing an System State Manager (SSM) action text substring variable could cause unpredictable results. SYMPTOMS: ABEND SOC4 in subtask OPSYSTZS +X'F1078286' IMPACT: SSM processing stops. CIRCUMVENTION: None. PRODUCT(S) AFFECTED: OPS/MVS Base Release 13.5 OPS/MVS Base Version 14.0 Related Problem: OPSMVS 15079 Copyright (C) 2021 CA. All rights reserved. R00361-CLX135-SP1 DESC (ABEND SOC4 IN SUBTASK OPSYSTZS +X'F1078286'). ++VER (Z038) FMID (CCLXD50) PRE (LU02210 LU03100 SO08474) SUP (LT03176) ++HOLD (LU03176) SYSTEM FMID(CCLXD50) REASON (DYNACT) DATE (21295) COMMENT (<table border="1"> <tr> <td>CA OPS/MVS Base</td><td>Release 13.5</td></tr> <tr> <td>SEQUENCE</td><td>After APPLY</td></tr> <tr> <td>PURPOSE</td><td>To activate load modules updated by this PTF</td></tr> <tr> <td>USERS</td><td>All OPS/MVS users</td></tr> <tr> <td>AFFECTED</td><td></td></tr> <tr> <td>KNOWLEDGE</td><td>Basic z/OS systems programming skills</td></tr> <tr> <td>REQUIRED</td><td></td></tr> <tr> <td>ACCESS</td><td>- Access to OPS/MVS SMP/E Target loadlib CCLXLOAD and any</td></tr> <tr> <td>REQUIRED</td><td>deployed copies</td></tr> <tr> <td></td><td>- Authority to issue MVS system commands</td></tr> <tr> <td></td><td>- Authority to stop and start OPS/MVS</td></tr> </table> ***** * STEPS TO PERFORM * ***** 1. APPLY of this PTF updates SMP/E Target loadlib CCLXLOAD. Refer to GIM23903I messages in the SMPOUT to identify the specific load modules that are updated. 2. Copy the updated load modules from SMP/E Target loadlib CCLXLOAD to any other deployed copies, such as a loadlib in the OPSMAIN STEPLIB or the system link list (LNKLIST).	CA OPS/MVS Base	Release 13.5	SEQUENCE	After APPLY	PURPOSE	To activate load modules updated by this PTF	USERS	All OPS/MVS users	AFFECTED		KNOWLEDGE	Basic z/OS systems programming skills	REQUIRED		ACCESS	- Access to OPS/MVS SMP/E Target loadlib CCLXLOAD and any	REQUIRED	deployed copies		- Authority to issue MVS system commands		- Authority to stop and start OPS/MVS
CA OPS/MVS Base	Release 13.5																						
SEQUENCE	After APPLY																						
PURPOSE	To activate load modules updated by this PTF																						
USERS	All OPS/MVS users																						
AFFECTED																							
KNOWLEDGE	Basic z/OS systems programming skills																						
REQUIRED																							
ACCESS	- Access to OPS/MVS SMP/E Target loadlib CCLXLOAD and any																						
REQUIRED	deployed copies																						
	- Authority to issue MVS system commands																						
	- Authority to stop and start OPS/MVS																						

Service	Details
	3. If the system library lookaside (LLA) program is managing any updated loadlib, you must refresh LLA by using MVS system command "F LLA,REFRESH" or some equivalent method. 4. If the system link pack area (LPA) contains any updated load module, you must refresh LPA by using MVS system command "SETPROG LPA" or some equivalent method. * Note that load module OPSAEX is commonly placed in LPA. 5. Stop and re-start OPS/MVS by using MVS system commands "P OPSS" and "S OPSS" or some equivalent method. * For possible alternatives to restarting OPS/MVS, see the topic "RELOAD Modules and RESTART Components" in the user documentation at https://techdocs.broadcom.com/opsmvs 6. TSO users must exit and re-enter OPSVIEW to activate any changes. Depending on how OPSVIEW is accessed, this may require a TSO logoff and logon.).

Service	Details
LU03304	LU03304 M.C.S. ENTRIES = ++PTF (LU03304) INVALID SSMV3 POLICY DATA CAN BE SAVED PROBLEM DESCRIPTION: Certain data fields in the policy manager are only verified by the panel code. Invalid data could be saved if the bad data is not corrected before issuing the save command. This fix also removes the verification of the IPLSTATE, giving you the ability to specify user defined states. SYMPTOMS: Invalid data may be saved in the restarts, activation and inactivation timeout fields. IMPACT: The resource can be loaded with invalid data that can cause the restart and timeout functions to fail. CIRCUMVENTION: None PRODUCT(S) AFFECTED: OPS/MVS Base Release 13.5 OPS/MVS Base Version 14.0 Related Problem: OPSMVS 15047 Copyright (C) 2021 CA. All rights reserved. R00363-CLX135-SP1 DESC(INVALID SSMV3 POLICY DATA CAN BE SAVED) . ++VER (Z038) FMID (CCLXD50) PRE (LU00675 LU00878 LU01397 LU02483 LU02546 LU02563 LU02946 S000239 S000562 S001061 S001092 S001580 S001813 S004490 S004649 S005042 S005191 S005704 S006042 S006555 S007197 S007510 S008386 S008583 S009094 S009667 S009878 S011100 S013070 S014302 S015164 S015580 S015657 S015904) SUP (LT03304 S006527 S006933 S008640 S015612 ST06527 ST06933 ST08640 ST15612) MCS LU02826 STARTS ON PAGE 0002 MCS LU02946 STARTS ON PAGE 0003 MCS LU03071 STARTS ON PAGE 0005 MCS LU03098 STARTS ON PAGE 0006 MCS LU03100 STARTS ON PAGE 0008 MCS LU03166 STARTS ON PAGE 0011 MCS LU03176 STARTS ON PAGE 0013 MCS LU03304 STARTS ON PAGE 0014

OPS/MVS for JES3 13.5
CA RS 2111 Product/Component Listing

17

Product Family	Product	Release
Systems Management	CA OPS/MVS BASE	13.05.00
The CA RS 2111 Product/Component Count for this release is 1		

CA RS Level	Service	FMID
CAR2111	LU03304	CCLXD50
	LU03176	CCLXD50
	LU03166	CCLXD51
	LU03100	CCLXD50
	LU03098	CCLXD50
	LU03071	CCLXD50
	LU02946	CCLXD50
	LU02826	CCLXD50
CAR2110	LU02686	CCLXD50
CAR2109	LU02563	CCLXD50
	LU02546	CCLXD50
	LU02483	CCLXD50
	LU02288	CCLXD50
	LU02156	CCLXD50
	LU02088	CCLXD50
CAR2108	LU02210	CCLXD50
	LU02081	CCLXD50
	LU02043	CCLXD50
	LU02019	CCLXD50
CAR2106	LU01397	CCLXD50
	LU01174	CCLXD50
	LU01075	CCLXD50
CAR2105	LU01114	CCLXD50
	LU00996	CCLXD50
	LU00878	CCLXD50
	LU00830	CCLXD50
	LU00629	CCLXD50
CAR2104	LU00675	CCLXD50
	LU00608	CCLXD50
	LU00495	CCLXD50
	LU00461	CCLXD50
	LU00408	CCLXD50
	LU00347	CCLXD50
CAR2102	LU00079	CCLXD50
	LU00073	CCLXD50
	LU00068	CCLXD50
	LU00064	CCLXD50
	LU00062	CCLXD50
	LU00043	CCLXD50
	LU00038	CCLXD50
CAR2101	S015923	CCLXD50
	S015904	CCLXD50
	LU00026	CCLXD50
CAR2012	S015707	CCLXD50
	S015685	CCLXD50
	S015657	CCLXD50
	S015612	CCLXD50

OPS/MVS for JES3 13.5
All CA RS Levels Service List

CA RS Level	Service	FMID
	S015580	CCLXD50
	S015562	CCLXD50
	S015547	CCLXD50
	S015523	CCLXD50
	S015471	CCLXD50
	S015181	CCLXD50
	S015141	CCLXD50
CAR2011	S015423	CCLXD50
	S015253	CCLXD50
	S015164	CCLXD50
	S015149	CCLXD51
	S015066	CCLXD50
	S015023	CCLXD51
	S014910	CCLXD50
CAR2010	S015017	CCLXD50
	S014997	CCLXD50
	S014972	CCLXD50
	S014933	CCLXD50
	S014645	CCLXD50
	S014390	CCLXD50
CAR2009	S014532	CCLXD50
	S014418	CCLXD51
	S014302	CCLXD50
	S014192	CCLXD50
	S012679	CCLXD50
CAR2008	S014096	CCLXD50
	S013923	CCLXD50
	S013046	CCLXD50
CAR2007	S013791	CCLXD50
	S013681	CCLXD50
	S013680	CCLXD50
	S013643	CCLXD50
	S013638	CCLXD50
	S013481	CCLXD50
	S013470	CCLXD50
	S013447	CCLXD50
	S013422	CCLXD50
CAR2006	S013347	CCLXD50
	S013070	CCLXD50
	S012245	CCLXD50
CAR2005	S012733	CCLXD50
	S012722	CCLXD50
	S012676	CCLXD50
	S012673	CCLXD50
	S012658	CCLXD50
	S012630	CCLXD50
	S012622	CCLXD50

CA RS Level	Service	FMID
	S012418	CCLXD50
CAR2004	S012591	CCLXD50
	S012414	CCLXD50
	S012403	CCLXD50
	S012373	CCLXD51
CAR2003	S012139	CCLXD50
	S012138	CCLXD50
	S012101	CCLXD50
	S012096	CCLXD50
	S012060	CCLXD50
	S012013	CCLXD50
	S011954	CCLXD50
	S011953	CCLXD50
	S011878	CCLXD50
	S011877	CCLXD51
	S011812	CCLXD50
CAR2002	S011652	CCLXD50
	S011596	CCLXD51
	S011591	CCLXD50
	S011514	CCLXD50
	S011508	CCLXD50
	S011488	CCLXD51
	S011487	CCLXD50
	S011445	CCLXD50
	S011438	CCLXD51
	S011437	CCLXD50
	S011434	CCLXD50
	S011428	CCLXD50
	S011347	CCLXD50
	S011214	CCLXD50
	S006491	CCLXD50
CAR2001	S011260	CCLXD50
	S011241	CCLXD50
	S011213	CCLXD50
	S011203	CCLXD50
	S011188	CCLXD51
	S011144	CCLXD50
	S011125	CCLXD50
	S011100	CCLXD50
	S011092	CCLXD50
	S010733	CCLXD51
CAR1912	S010914	CCLXD50
	S010765	CCLXD50
	S010764	CCLXD50
	S010726	CCLXD50
	S010719	CCLXD50
	S010672	CCLXD50

CA RS Level	Service	FMID
	S010613	CCLXD50
	S010552	CCLXD50
CAR1911	S010490	CCLXD50
	S010476	CCLXD50
	S010453	CCLXD50
	S010450	CCLXD50
	S010413	CCLXD50
	S010402	CCLXD50
	S010384	CCLXD50
	S010262	CCLXD50
CAR1910	S010241	CCLXD50
	S010050	CCLXD50
	S010024	CCLXD50
	S009878	CCLXD50
	S009794	CCLXD50
	S009449	CCLXD50
	S008614	CCLXD51
	S008478	CCLXD50
CAR1909	S009846	CCLXD50
	S009840	CCLXD50
	S009667	CCLXD50
	S009544	CCLXD50
	S009387	CCLXD50
	S009094	CCLXD50
CAR1908	S009364	CCLXD50
	S009193	CCLXD50
	S009160	CCLXD50
	S009115	CCLXD50
CAR1907	S009020	CCLXD50
	S009000	CCLXD50
	S008999	CCLXD50
	S008872	CCLXD50
	S008831	CCLXD50
	S008829	CCLXD50
	S008714	CCLXD50
	S008712	CCLXD50
	S008651	CCLXD50
	S008640	CCLXD50
	S008475	CCLXD51
	S008474	CCLXD50
CAR1906	S008647	CCLXD50
	S008645	CCLXD50
	S008583	CCLXD50
	S008572	CCLXD50
	S008535	CCLXD50
	S008471	CCLXD50
	S008386	CCLXD50

OPS/MVS for JES3 13.5
All CA RS Levels Service List

CA RS Level	Service	FMID
	S008367	CCLXD51
	S008357	CCLXD50
	S008339	CCLXD50
	S008299	CCLXD50
	S008241	CCLXD50
	S008166	CCLXD53
	S006836	CCLXD50
CAR1905	S008113	CCLXD50
CAR1904	S007801	CCLXD50
	S007732	CCLXD50
	S007650	CCLXD50
	S007596	CCLXD51
	S007510	CCLXD50
CAR1903	S007406	CCLXD50
	S007289	CCLXD50
	S007231	CCLXD51
	S007197	CCLXD50
CAR1902	S007182	CCLXD51
	S007131	CCLXD50
	S006990	CCLXD50
	S006965	CCLXD50
	S006962	CCLXD50
	S006939	CCLXD50
	S006933	CCLXD50
	S006920	CCLXD51
	S006788	CCLXD50
CAR1901	S006555	CCLXD50
	S006527	CCLXD50
	S006526	CCLXD50
	S006167	CCLXD51
	S006166	CCLXD50
CAR1812	S006502	CCLXD50
	S006380	CCLXD51
	S006379	CCLXD50
	S006345	CCLXD50
	S006257	CCLXD50
	S006212	CCLXD50
	S006109	CCLXD50
	S005996	CCLXD51
CAR1811	S006105	CCLXD50
	S006042	CCLXD50
	S005965	CCLXD50
	S005934	CCLXD50
	S005908	CCLXD51
	S005737	CCLXD51
	S005727	CCLXD50
	S005704	CCLXD50

CA RS Level	Service	FMID
	S005690	CCLXD50
CAR1810	S005680	CCLXD50
	S005674	CCLXD50
	S005661	CCLXD50
	S005638	CCLXD51
	S005619	CCLXD50
	S005593	CCLXD51
	S005592	CCLXD50
	S005541	CCLXD50
	S005320	CCLXD50
	S005285	CCLXD50
	S005275	CCLXD50
CAR1809	S005192	CCLXD51
	S005191	CCLXD50
	S005047	CCLXD50
	S005042	CCLXD50
	S004989	CCLXD50
	S004944	CCLXD50
	S004928	CCLXD50
	S004900	CCLXD50
	S004898	CCLXD50
	S004808	CCLXD50
	S004772	CCLXD50
	S004680	CCLXD50
	S004634	CCLXD50
CAR1808	S004649	CCLXD50
	S004626	CCLXD50
	S004490	CCLXD50
	S004412	CCLXD51
	S004411	CCLXD50
	S004296	CCLXD51
CAR1807	S003933	CCLXD50
	S003910	CCLXD50
	S003905	CCLXD50
	S003594	CCLXD50
	S001859	CCLXD50
CAR1806	S003775	CCLXD51
	S003731	CCLXD50
	S003595	CCLXD51
	S001956	CCLXD50
	S001943	CCLXD51
	S001874	CCLXD50
	S001813	CCLXD50
	S001752	CCLXD50
CAR1805	S001580	CCLXD50
	S001320	CCLXD50
	S001297	CCLXD50

CA RS Level	Service	FMID
	S001270	CCLXD50
	S001221	CCLXD50
CAR1804	S001097	CCLXD50
	S001092	CCLXD50
	S001061	CCLXD50
	S000908	CCLXD50
	S000873	CCLXD51
	S000597	CCLXD50
CAR1803	S000632	CCLXD50
	S000630	CCLXD50
	S000572	CCLXD50
	S000562	CCLXD50
	S000476	CCLXD50
	S000444	CCLXD50
	S000393	CCLXD50
	S000371	CCLXD50
	S000247	CCLXD50
	S000245	CCLXD50
	S000239	CCLXD50
	S000236	CCLXD51
	S000235	CCLXD50