

InterTest/SymDump Batch/CICS 11.0
CA RS 2202 Service List

1

Service	Description	Type
LU02958	POSSIBLE U4093 ABEND MONITORING PROGRAMS THAT CALL USS	PTF
LU03652	INTERTEST CICS R11 DOES NOT CAPTURE ASRA ABEND	PTF
LU03653	INTERTEST CICS R11 DOES NOT CAPTURE ASRA ABEND	PTF
LU03688	CANNOT REMOVE BREAKPOINTS USING OPTION =11R	PTF
LU03844	WORDS TRUNCATION IN INTERTEST-CICS HEADER	PTF
LU03958	AP0001 AND INCORRECT COBOL VARIABLE VALUES	PTF
LU04390	OC4 IN IN25COB2 DURING POSTPROCESS OF LARGE PROGRAMS	PTF
The CA RS 2202 service count for this release is 7		

InterTest/SymDump Batch/CICS
CA RS 2202 Service List for CABAB00

2

FMID	Service	Description	Type
CABAB00	LU03652	INTERTEST CICS R11 DOES NOT CAPTURE ASRA ABEND	PTF
	LU03688	CANNOT REMOVE BREAKPOINTS USING OPTION =11R	PTF
	LU03844	WORDS TRUNCATION IN INTERTEST-CICS HEADER	PTF
	LU03958	AP0001 AND INCORRECT COBOL VARIABLE VALUES	PTF
The CA RS 2202 service count for this FMID is 4			

FMID	Service	Description	Type
CAMRB00	LU02958	POSSIBLE U4093 ABEND MONITORING PROGRAMS THAT CALL USS	PTF
The CA RS 2202 service count for this FMID is 1			

InterTest/SymDump Batch/CICS
CA RS 2202 Service List for CAVHB00

4

FMID	Service	Description	Type
CAVHB00	LU04390	0C4 IN IN25COB2 DURING POSTPROCESS OF LARGE PROGRAMS	PTF
The CA RS 2202 service count for this FMID is 1			

InterTest/SymDump Batch/CICS
CA RS 2202 Service List for CCSAB00

5

FMID	Service	Description	Type
CCSAB00	LU03653	INTERTEST CICS R11 DOES NOT CAPTURE ASRA ABEND	PTF
The CA RS 2202 service count for this FMID is 1			

Service	Details
LU02958	LU02958 M.C.S. ENTRIES = ++PTF (LU02958) POSSIBLE U4093 ABEND MONITORING PROGRAMS THAT CALL USS PROBLEM DESCRIPTION: U4093 abends can occur when monitoring programs that call subprograms which invoke Unix System Services. SYMPTOMS: InterTest Batch abends with U4093, return code 90, reason code 0D070200. IMPACT: Further monitoring is not possible. CIRCUMVENTION: None. PRODUCT(S) AFFECTED: InterTest Batch Component Version 11.0 Related Problem: INTBAT 14920 Copyright (C) 2022 CA. All rights reserved. R00196-AVH110-SP1 DESC(POSSIBLE U4093 ABEND MONITORING PROGRAMS THAT CALL USS). ++VER (Z038) FMID (CAMRB00) PRE (R099720) SUP (LT02958 S000477 S001144 ST00477 ST01144)

Service	Details																		
LU03652	LU03652 M.C.S. ENTRIES = ++PTF (LU03652) INTERTEST CICS R11 DOES NOT CAPTURE ASRA ABEND PROBLEM DESCRIPTION: Intertest CICS r11 does not capture ASRA abend while monitoring. SYMPTOMS: When being monitored by intertest, an application program that calls FUNCTION UPPER-CASE gets an ASRA abend. IMPACT: The CICS abended. CIRCUMVENTION: none PRODUCT(S) AFFECTED: Common CICS Component Version 11.0 Related Problem: INTERT 15221 Copyright (C) 2021 CA. All rights reserved. R00205-AVH110-SP1 DESC(INTERTEST CICS R11 DOES NOT CAPTURE ASRA ABEND). ++VER (Z038) FMID (CABAB00) PRE (LU00779 LU03473 R097425 R099718 S001266 S001925 S004110 S004582 S005170 S006269 S007315 S008883 S012157 S013489 S013956) SUP (LT01913 LT02487 LT02685 LT02842 LT03652 LU01913 LU02685 S004149 S004409 S005960 S006471 S007174 S013998 S014628 S015296 ST04149 ST04409 ST05958 ST05960 ST06471 ST07174 ST13998 ST14628 ST15296) ++IF FMID(CCSAB00) REQ(LU03653) . ++HOLD (LU03652) SYSTEM FMID(CABAB00) REASON (ACTION) DATE (21350) COMMENT (<table border="1"> <tr> <td>InterTest for CICS</td><td>Version 11.0</td></tr> <tr> <td>SEQUENCE</td><td>After Apply</td></tr> <tr> <td>PURPOSE</td><td> IBM Module IGZX2UPU has been added to the IN25UEXI to exclude theI IGZX2UPU from monitoring in InterTest CICS V11.0 in InterTest CICS V11.0 to avoid possible errors on COBOL Intrinsic function: UPPER-CASE. </td></tr> <tr> <td>USERS</td><td></td></tr> <tr> <td>AFFECTED</td><td>All users.</td></tr> <tr> <td>KNOWLEDGE</td><td></td></tr> <tr> <td>REQUIRED</td><td> 1. Update/Maintain IN25UEXI module. 2. SMPE operations. </td></tr> <tr> <td>ACCESS</td><td></td></tr> <tr> <td>REQUIRED</td><td></td></tr> </table>	InterTest for CICS	Version 11.0	SEQUENCE	After Apply	PURPOSE	IBM Module IGZX2UPU has been added to the IN25UEXI to exclude theI IGZX2UPU from monitoring in InterTest CICS V11.0 in InterTest CICS V11.0 to avoid possible errors on COBOL Intrinsic function: UPPER-CASE.	USERS		AFFECTED	All users.	KNOWLEDGE		REQUIRED	1. Update/Maintain IN25UEXI module. 2. SMPE operations.	ACCESS		REQUIRED	
InterTest for CICS	Version 11.0																		
SEQUENCE	After Apply																		
PURPOSE	IBM Module IGZX2UPU has been added to the IN25UEXI to exclude theI IGZX2UPU from monitoring in InterTest CICS V11.0 in InterTest CICS V11.0 to avoid possible errors on COBOL Intrinsic function: UPPER-CASE.																		
USERS																			
AFFECTED	All users.																		
KNOWLEDGE																			
REQUIRED	1. Update/Maintain IN25UEXI module. 2. SMPE operations.																		
ACCESS																			
REQUIRED																			

Service	Details
	<pre> +-----+-----+-----+-----+ ***** * STEPS TO PERFORM * ***** Refresh IN25UEXI, if you have your site specific custom entries to the IN25UEXI.).</pre>

Service	Details
LU03653	LU03653 M.C.S. ENTRIES = ++PTF (LU03653) INTERTEST CICS R11 DOES NOT CAPTURE ASRA ABEND PROBLEM DESCRIPTION: Intertest CICS r11 does not capture ASRA abend while monitoring. SYMPTOMS: When being monitored by intertest, an application program that calls FUNCTION UPPER-CASE gets an ASRA abend. IMPACT: The CICS abended. CIRCUMVENTION: none PRODUCT(S) AFFECTED: Common CICS Component Version 11.0 Related Problem: INTERT 15221 Copyright (C) 2021 CA. All rights reserved. R00205-AVH110-SP1 DESC(INTERTEST CICS R11 DOES NOT CAPTURE ASRA ABEND). ++VER (Z038) FMID (CCSAB00) PRE (S001931) SUP (LT03653) ++IF FMID(CABAB00) REQ(LU03652) . ++HOLD (LU03653) SYSTEM FMID(CCSAB00) REASON (ACTION) DATE (21350) COMMENT (<pre> +-----+ InterTest for CICS - Breakpoint Component Version 11.0 +-----+ SEQUENCE After Apply +-----+ PURPOSE IBM Module IGZX2UPU has been added to the IN25UEXI to exclude theI IGZX2UPU from monitoring in InterTest CICS V11.0 in InterTest CICS V11.0 to avoid possible errors on COBOL Intrinsic function: UPPER-CASE. +-----+ USERS AFFECTED All users. +-----+ KNOWLEDGE REQUIRED 1. Update/Maintain IN25UEXI module. 2. SMPE operations. +-----+ ACCESS REQUIRED NA +-----+ ***** * STEPS TO PERFORM * ***** </pre>)

Service	Details
	Refresh IN25UEXI, if you have your site specific custom entries to the IN25UEXI.).

Service	Details
LU03688	LU03688 M.C.S. ENTRIES = ++PTF (LU03688) CANNOT REMOVE BREAKPOINTS USING OPTION =11R PROBLEM DESCRIPTION: Cannot remove breakpoints for all paragraph names in LIST facility using option =11R SYMPTOMS: LIST facility receives CAIN4587 error IMPACT: CAIN4587 Error found in processing SYM option no 000 is issued. CIRCUMVENTION: Use option 7 and then remove all breakpoints instead. PRODUCT(S) AFFECTED: InterTest for CICS Version 11.0 Related Problem: INTERT 15392 Copyright (C) 2022 CA. All rights reserved. R00206-AVH110-SP1 DESC (CANNOT REMOVE BREAKPOINTS USING OPTION =11R) . ++VER (Z038) FMID (CABAB00) PRE (LU03473 R097425 S001925 S004582 S005170 S007315 S013489) SUP (LT03688 S006542 ST06542)

Service	Details
LU03844	LU03844 M.C.S. ENTRIES = ++PTF (LU03844) WORDS TRUNCATION IN INTERTEST-CICS HEADER PROBLEM DESCRIPTION: When the PROTSYM file name is 6-byte length, there is a truncation of the message in the Intertest CICS header. SYMPTOMS: There is no abend, informing message or failures. IMPACT: The product will continue to function, even though in the header it is being displayed ISPLAY instead of DISPLAY, REAKPOINT instead of BREAKPOINT etc. CIRCUMVENTION: Redefine PROTSYM filename as 7-byte length. PRODUCT(S) AFFECTED: Common CICS Component Version 11.0 Related Problem: INTERT 15013 Copyright (C) 2021 CA. All rights reserved. R00208-AVH110-SP1 DESC(WORDS TRUNCATION IN INTERTEST-CICS HEADER). ++VER (Z038) FMID (CABAB00) PRE (LU02294 LU03473 R097425 R099718 S004110 S004582 S005170 S007315 S008369 S010781 S012093 S013489 S016073) SUP (LT00158 LT00575 LT01919 LT03121 LT03167 LT03844 LU00158 LU00575 LU01919 S014872 S015013 ST09198 ST09370 ST09406 ST10431 ST14872 ST15013)

Service	Details
LU03958	LU03958 M.C.S. ENTRIES = ++PTF (LU03958) AP0001 AND INCORRECT COBOL VARIABLE VALUES PROBLEM DESCRIPTION: Incorrect values in the display and keep window when using secondary entry points. SOS and recursive AP0001 may occur. Values of variables are not displayed when debugging a subprogram of a composite load module. Resource definitions for programs statically linked in composite modules may get autoinstalled by InterTest but they do not get discarded. SYMPTOMS: The commands Display and Keep do not show values of variables. Possibility of SOS and recursive AP0001 which will make CICS unresponsive. Composite monitoring cannot be set due to the message: CAIN2608 A monitor name matches a CICS program name IMPACT: The CICS region can go short on storage and may need to be restarted to resolve the SOS. CIRCUMVENTION: None. PRODUCT(S) AFFECTED: Common CICS Component Version 11.0 Related Problem: INTERT 14550 Copyright (C) 2022 CA. All rights reserved. R00211-AVH110-SP1 DESC (AP0001 AND INCORRECT COBOL VARIABLE VALUES). ++VER (Z038) FMID (CABAB00) PRE (LU00779 LU02294 LU03473 LU03652 R097425 R099718 S001266 S001925 S004110 S004582 S005170 S006269 S007315 S008883 S010781 S012157 S012565 S013489 S013956) SUP (LT01913 LT02487 LT02685 LT02842 LT03958 LU01913 LU02685 S004114 S004149 S004409 S005294 S005960 S006062 S006471 S007174 S009639 S013613 S013998 S014628 S015296 S015768 S016210 ST04114 ST04149 ST04409 ST05294 ST05958 ST05960 ST06062 ST06471 ST07174 ST09639 ST13613 ST13998 ST14628 ST15296 ST15768 ST16210)

Service	Details	
LU04390	LU04390 M.C.S. ENTRIES = ++PTF (LU04390)	
	OC4 IN IN25COB2 DURING POSTPROCESS OF LARGE PROGRAMS	
	PROBLEM DESCRIPTION:	
	While using IN25COB2 program to load symbolic information in PROTSYM for large programs, load fails with a OC4 abend.	
	In addition, processing COBOL listings may fail with the following message:	
	'Non Zero return code from IN25CSTA - exiting'	
	SYMPTOMS:	
	OC4 abend occurs while loading symbolic information in PROTSYM for for large programs.	
	IMPACT:	
	Large programs is not loaded in PROTSYM.	
	CIRCUMVENTION:	
	None.	
	PRODUCT(S) AFFECTED:	
	Common Symbolic Component	Version 11.0
	Related Problem:	
	TFMSYM 15204	
	(C) 2022 Broadcom Inc and/or its subsidiaries; All rights reserved	
	DESC(OC4 IN IN25COB2 DURING POSTPROCESS OF LARGE PROGRAMS).	
	++VER (Z038)	
	FMID (CAVHB00)	
	PRE (LU01579 R097431 R099723 S000798 S001929 S004111	
	S004585 S005171 S009939 S010784 S012785 S015322)	
	SUP (LT01906 LT03381 LT04331 LT04390 S000505 S004528	
	S007685 S016155 ST00505 ST04059 ST04514 ST04528	
	ST07685 ST12665 ST16155)	
	MCS LU02958	STARTS ON PAGE 0002
	MCS LU03652	STARTS ON PAGE 0002
	MCS LU03653	STARTS ON PAGE 0004
	MCS LU03688	STARTS ON PAGE 0005
	MCS LU03844	STARTS ON PAGE 0006
	MCS LU03958	STARTS ON PAGE 0007
	MCS LU04390	STARTS ON PAGE 0009

InterTest/SymDump Batch/CICS 11.0
CA RS 2202 Product/Component Listing

15

Product Family	Product	Release
Application Development	COMMON CICS COMPONENT	10.00.00
	COMMON SYMBOLIC COMPONENT	10.00.00
	INTERTEST BATCH COMPONENT	10.00.00
	INTERTEST CICS COMPONENT	10.00.00
	SYMDUMP BATCH COMPONENT	10.00.00
	SYMDUMP CICS COMPONENT	10.00.00
The CA RS 2202 Product/Component Count for this release is 6		

CA RS Level	Service	FMID
CAR2202	LU04390	CAVHB00
	LU03958	CABAB00
	LU03844	CABAB00
	LU03688	CABAB00
	LU03653	CCSAB00
	LU03652	CABAB00
	LU02958	CAMRB00
CAR2201	LU03857	CARXB00
	LU03619	CABAB00
CAR2112	LU03478	CCSAB00
	LU03477	CAVHB01
	LU03476	CAVHB00
	LU03475	CABQB00
	LU03474	CABAB01
	LU03473	CABAB00
	LU03403	CAVHB01
	LU03402	CARXB00
	LU02685	CABAB00
CAR2111	LU02903	CAMRB00
	LU02295	CCSAB00
	LU02294	CABAB00
CAR2110	LU02216	CAMRB00
	LU02175	CAVHB01
	LU01913	CABAB00
	LU01831	CARXB00
CAR2108	LU01919	CABAB00
	LU01077	CAVHB00
CAR2107	LU01579	CAVHB00
	LU01578	CARXB00
	LU01577	CAMRB00
	LU01576	CABAB00
	LU01498	CABAB00
	LU00627	CABAB00
CAR2106	S016155	CAVHB00
	LU01086	CCSAB00
	LU00805	CAVHB01
	LU00804	CAMRB00
	LU00779	CABAB00
CAR2105	LU01059	CCSAB00
	LU01058	CABAB00
	LU00575	CABAB00
CAR2104	S016104	CABAB00
	S016073	CABAB00
	LU00158	CABAB00
CAR2103	S015839	CABQB00
	S015838	CABAB00
	S015013	CABAB00

CA RS Level	Service	FMID
CAR2102	S016210	CABAB00
	S015873	CCSAB00
	S015768	CABAB00
	S015636	CAVHB00
	S015322	CAVHB00
	S015204	CABQB00
CAR2101	S015887	CAVHB00
	S015635	CAMRB00
	S015478	CAMRB00
	S015296	CABAB00
CAR2012	S015567	CARXB00
	S015051	CCSAB00
	S015050	CABAB00
	S014311	CAVHB00
CAR2010	S014872	CABAB00
	S014678	CABAB00
	S014628	CABAB00
	S014481	CARXB00
	S014145	CCSAB00
	S014073	CABQB00
	S013613	CABAB00
CAR2009	S014488	CAMRB00
	S014193	CABAB00
CAR2008	S013998	CABAB00
	S013957	CAMRB00
	S013956	CABAB00
	S013239	CABQB00
	S012832	CAVHB01
	S012831	CABAB00
CAR2007	S013589	CAMRB00
	S013578	CAVHB01
	S013493	CCSAB00
	S013492	CAVHB00
	S013491	CABQB00
	S013490	CABAB01
	S013489	CABAB00
	S013478	CARXB00
	S013232	CABAB00
	S013168	CABQB00
	S013167	CABAB00
	S012785	CAVHB00
	S012784	CABAB00
	S012587	CAVHB01
CAR2005	S012637	CABAB00
	S012635	CARXB00
	S012569	CAVHB00
	S012568	CARXB00

CA RS Level	Service	FMID
	S012567	CAMRB00
	S012566	CABQB00
	S012565	CABAB00
	S012564	CABAB00
	S012158	CAMRB00
	S012157	CABAB00
	S011518	CABAB00
CAR2004	S012299	CCSAB00
	S012298	CABAB00
	S012297	CAVHB00
	S012093	CABAB00
	S012010	CAVHB01
	S011944	CAMRB00
	S011525	CARXB00
	S011524	CARXB00
	S011523	CARXB00
CAR2003	S012027	CAMRB00
	S011522	CABAB00
	S011126	CAVHB01
	S008355	CAVHB00
CAR2001	S011118	CARXB01
CAR1912	S010784	CAVHB00
	S010783	CARXB00
	S010782	CAMRB00
	S010781	CABAB00
	S010256	CAMRB00
CAR1911	S009639	CABAB00
CAR1910	S009940	CAVHB00
	S009939	CAVHB00
	S009938	CAVHB00
CAR1909	S009257	CARXB00
	S009096	CAVHB00
	S007755	CAVHB00
CAR1908	S009037	CARXB00
	S008956	CAMRB00
	S008679	CABAB00
CAR1907	S008888	CAVHB00
	S008887	CARXB00
	S008886	CAMRB00
	S008885	CABQB00
	S008884	CABAB01
	S008883	CABAB00
	S008391	CAMRB00
	S008369	CABAB00
	S008214	CAMRB00
CAR1906	S008019	CABAB00
	S007771	CARXB00

CA RS Level	Service	FMID
	S007740	CAMRB00
CAR1905	S007685	CAVHB00
	S007651	CABQB00
CAR1904	S007716	CABAB01
CAR1903	S007319	CCSAB00
	S007318	CAVHB00
	S007317	CABQB00
	S007316	CABAB01
	S007315	CABAB00
	S007174	CABAB00
	S007035	CAMRB00
CAR1902	S006723	CARXB00
	S006722	CABAB01
	S006542	CABAB00
	S006471	CABAB00
	S006273	CCSAB00
	S006272	CAVHB01
	S006271	CAVHB00
	S006270	CAMRB00
	S006269	CABAB00
	S006062	CABAB00
CAR1901	S006376	CABQB00
	S006375	CABAB00
	S005951	CCSAB00
	S005950	CABQB00
CAR1812	S006251	CCSAB00
	S006250	CAVHB00
	S006249	CABAB00
	S006137	CCSAB00
CAR1811	S005960	CABAB00
	S005599	CABQB00
	S005598	CABAB01
	S005294	CABAB00
	S005172	CCSAB00
	S005171	CAVHB00
	S005170	CABAB00
CAR1809	S004973	CAVHB01
	S004586	CCSAB00
	S004585	CAVHB00
	S004584	CABQB00
	S004583	CABAB01
	S004582	CABAB00
	S004181	CAVHB00
CAR1808	S004528	CAVHB00
	S004409	CABAB00
	S004149	CABAB00
	S004114	CABAB00

CA RS Level	Service	FMID
	S001960	CABQB00
CAR1807	S004113	CCSAB00
	S004112	CAVHB01
	S004111	CAVHB00
	S004110	CABAB00
CAR1806	S001931	CCSAB00
	S001930	CAVHB01
	S001929	CAVHB00
	S001928	CARXB00
	S001927	CAMRB00
	S001926	CABQB00
	S001925	CABAB00
	S001485	CABAB00
CAR1805	S001266	CABAB00
	S001144	CAMRB00
	S001062	CAVHB00
CAR1804	S001052	CAMRB00
	S000798	CAVHB00
	S000797	CAMRB00
	S000796	CABAB00
	S000698	CAVHB01
	S000505	CAVHB00
	S000477	CAMRB00
CAR1802	S000117	CAMRB00
	S000115	CAVHB01
	S000114	CAVHB00
	S000113	CABQB00
	S000112	CABAB00
	R099880	CABAB00
CAR1801	R099725	CCSAB00
	R099724	CAVHB01
	R099723	CAVHB00
	R099722	CARXB01
	R099721	CARXB00
	R099720	CAMRB00
	R099719	CABQB00
	R099718	CABAB00
	R099041	CAVHB00
	R098271	CARXB00
CAR1711	R098579	CAVHB00
CAR1709	R097433	CCSAB00
	R097432	CAVHB01
	R097431	CAVHB00
	R097430	CARXB01
	R097429	CARXB00
	R097428	CAMRB00
	R097427	CABQB00

CA RS Level	Service	FMID
	R097426	CABAB01
	R097425	CABAB00