

Trusted Access Manager for z/OS 1.1
CA RS 2202 Service List

Service	Description	Type
LU03313	LMP KEY CHECK UPDATE	PTF
LU04112	PTF TRACKING ELEMENT LEVEL SET	PTF
LU04129	PTF TRACKING ELEMENT LEVEL SET	PTF
The CA RS 2202 service count for this release is 3		

Trusted Access Manager for z/OS
CA RS 2202 Service List for CFH0110

2

FMID	Service	Description	Type
CFH0110	LU03313	LMP KEY CHECK UPDATE	PTF
	LU04112	PTF TRACKING ELEMENT LEVEL SET	PTF
The CA RS 2202 service count for this FMID is 2			

Trusted Access Manager for z/OS
CA RS 2202 Service List for CSJV110

3

FMID	Service	Description	Type
CSJV110	LU04129	PTF TRACKING ELEMENT LEVEL SET	PTF
The CA RS 2202 service count for this FMID is 1			

Service	Details
LU03313	LU03313 M.C.S. ENTRIES = ++PTF (LU03313) LMP KEY CHECK UPDATE ENHANCEMENT DESCRIPTION: Updates to the LMP Key checking process. Adds a name and a version to SMF type 89 subtype 2 records. PRODUCT(S) AFFECTED: TRUSTED ACCESS MANAGER FOR Z Release 1.1 Related Problem: TAMZ 14730 Copyright (C) 2022 CA. All rights reserved. R00048-TAM011-SP1 DESC(LMP KEY CHECK UPDATE). ++VER (Z038) FMID (CFH0110) PRE (LU00584 LU04112 S008972 S012359 S013783 S014114 S015557 S015558 S015725 S016059 S016218 S016320) SUP (LT02832 LT03313) ++HOLD (LU03313) SYSTEM FMID(CFH0110) REASON (DYNACT) DATE (22011) COMMENT (<pre> +-----+ TRUSTED ACCESS MANAGER FOR Z Release 1.1 +-----+ SEQUENCE After Apply +-----+ PURPOSE To activate maintenance without requiring an IPL. +-----+ USERS All TAMz users. AFFECTED +-----+ KNOWLEDGE SMP/e REQUIRED Operator commands +-----+ ACCESS SMP/e REQUIRED Operator commands +-----+ ***** * STEPS TO PERFORM * ***** 1. Apply PTF 2. F LLA REFRESH 3. Issue S TAMRSTC to register TAMz for RACF). </pre>

Service	Details
LU04112	LU04112 M.C.S. ENTRIES = ++PTF (LU04112) PTF TRACKING ELEMENT LEVEL SET PROBLEM DESCRIPTION: This PTF will enable you to use a feature in SYSVIEW called Product PTF Analysis. This PTF delivers an element that contains metadata for all published PTFs for TAMz for RACF. What is Product PTF Analysis? Product PTF Analysis combines PTF tracking elements from your run-time XML library with maintenance data found in your product SMP/E installation CSI library. Product PTF Analysis provides the ability to: * Determine the PTFs and APARs currently applied. * View detailed descriptions of published PTFs. * Using the Cross System component, you are able to compare the PTFs applied on each LPAR. * Detailed SYSMOD information can be viewed from the SMP/E CSI data set used during installation and maintenance. Product PTF Analysis shows this information for all Broadcom Mainframe products that have the necessary XML data available. Please note that not every product will update XML data for all prior and new fixes at the same time. Consult each product's documentation for more information. How can I view Product PTF Analysis? SYSVIEW 16.0 Feature PTF LU03153 added a Product PTF Analysis feature that performs an analysis of product SMP/E CSIs and PTF tracking metadata. A PTFS command was added to SYSVIEW 16.0 with PTF LU03153 that performs the analysis. For more information, see the "New Features" page on the SYSVIEW Tech Docs Portal here: https://techdocs.broadcom.com/sysview SYMPTOMS: None IMPACT: None CIRCUMVENTION: None PRODUCT(S) AFFECTED: TRUSTED ACCESS MANAGER FOR Z Release 1.1 Related Problem: TAMZ 15760 Copyright (C) 2022 CA. All rights reserved. R00055-TAM011-SP1 DESC (PTF TRACKING ELEMENT LEVEL SET) . ++VER (Z038) FMID (CFH0110) SUP (LT04111 LT04112) ++HOLD (LU04112) SYSTEM FMID(CFH0110) REASON (DDDEF) DATE (22011) COMMENT (+-----+ TRUSTED ACCESS MANAGER FOR Z Release 1.1 +-----+ SEQUENCE Before Apply

Service	Details
	<pre> +-----+-----+ PURPOSE Add new Target and Distribution libraries +-----+-----+ USERS Installer AFFECTED +-----+-----+ KNOWLEDGE System programming REQUIRED SMP/E +-----+-----+ ACCESS Product libraries REQUIRED SMP/E environment +-----+-----+ ***** * STEPS TO PERFORM * ***** 1. Run this step to create the new PRODXML data set. Change "PRODHLQ" to the high level qualifier(s) of your SMP/E target data sets. Specify appropriate SMS information to create the data set on an appropriate volume. //CREATE EXEC PGM=IEFBR14 //CFHOXML DD DISP=(,CATLG), // DSN=PRODHLQ.CFHOXML, // RECFM=VB,LRECL=512,BLKSIZE=32760, // DSNTYPE=LIBRARY, // VOL=SER=XXXXXX,UNIT=YYYYYY, // MGMTCLAS=xxx,STORCLAS=xxx,DATACLAS=xxx, // SPACE=(TRK,(30,30,50)) //AFHOXML DD DISP=(,CATLG), // DSN=PRODHLQ.AFHOXML, // RECFM=VB,LRECL=512,BLKSIZE=32760, // DSNTYPE=LIBRARY, // MGMTCLAS=xxx,STORCLAS=xxx,DATACLAS=xxx, // VOL=SER=XXXXXX,UNIT=YYYYYY, // SPACE=(TRK,(30,30,50)) 2. Run this step to define the new <description> data set to SMP/E. Specify the name of your SMP/E CSI on the SMPCSI DD statement. Make sure the SET BDY statement has the name of your target and distribution zone (default is CAIT0 and CAID0). Change "PRODHLQ" to the high level qualifier(s) you used in the previous step. The step should end with a return code of zero or four. //SMPE EXEC PGM=GIMSMP,REGION=0M //SMPCSI DD DISP=SHR,DSN=your.CSI //SMPCNTL DD * SET BDY(CAIT0). UCLIN. ADD DDDEF(CFHOXML) DA(PRODHLQ.CFHOXML) SHR . ADD DDDEF(AFHOXML) DA(PRODHLQ.AFHOXML) SHR . ENDUCL. SET BDY(CAID0). UCLIN. ADD DDDEF(AFHOXML) DA(PRODHLQ.AFHOXML) SHR . </pre>

Service	Details
	ENDUCL. //) .

Service	Details
LU04129	LU04129 M.C.S. ENTRIES = ++PTF (LU04129) PTF TRACKING ELEMENT LEVEL SET PROBLEM DESCRIPTION: This PTF will enable you to use a feature in SYSVIEW called Product PTF Analysis. This PTF delivers an element that contains metadata for all published PTFs for MF Security JVM. What is Product PTF Analysis? Product PTF Analysis combines PTF tracking elements from your run-time XML library with maintenance data found in your product SMP/E installation CSI library. Product PTF Analysis provides the ability to: * Determine the PTFs and APARs currently applied. * View detailed descriptions of published PTFs. * Using the Cross System component, you are able to compare the PTFs applied on each LPAR. * Detailed SYSMOD information can be viewed from the SMP/E CSI data set used during installation and maintenance. Product PTF Analysis shows this information for all Broadcom Mainframe products that have the necessary XML data available. Please note that not every product will update XML data for all prior and new fixes at the same time. Consult each product's documentation for more information. How can I view Product PTF Analysis? SYSVIEW 16.0 Feature PTF LU03153 added a Product PTF Analysis feature that performs an analysis of product SMP/E CSIs and PTF tracking metadata. A PTFS command was added to SYSVIEW 16.0 with PTF LU03153 that performs the analysis. For more information, see the "New Features" page on the SYSVIEW Tech Docs Portal here: https://techdocs.broadcom.com/sysview SYMPTOMS: None IMPACT: None CIRCUMVENTION: None PRODUCT(S) AFFECTED: MF Security JVM Release 1.1 Related Problem: SJV 15761 Copyright (C) 2022 CA. All rights reserved. R00019-SJV011-SP1 DESC (PTF TRACKING ELEMENT LEVEL SET) . ++VER (Z038) FMID (CSJV110) SUP (LT04129) ++HOLD (LU04129) SYSTEM FMID(CSVJ110) REASON (DDDEF) DATE (22010) COMMENT (+-----+ MF Security JVM Release 1.1 +-----+ SEQUENCE Before Apply

Service	Details
	<pre> +-----+-----+ PURPOSE Add new Target and Distribution libraries +-----+-----+ USERS Installer AFFECTED +-----+-----+ KNOWLEDGE System programming REQUIRED SMP/E +-----+-----+ ACCESS Product libraries REQUIRED SMP/E environment +-----+-----+ ***** * STEPS TO PERFORM * ***** 1. Run this step to create the new PRODXML data set. Change "PRODHLQ" to the high level qualifier(s) of your SMP/E target data sets. Specify appropriate SMS information to create the data set on an appropriate volume. //CREATE EXEC PGM=IEFBR14 //CSJVXML DD DISP=(,CATLG), // DSN=PRODHLQ.CSJVXML, // RECFM=VB,LRECL=512,BLKSIZE=32760, // DSNTYPE=LIBRARY, // VOL=SER=XXXXXX,UNIT=YYYYYY, // MGMTCLAS=xxx,STORCLAS=xxx,DATACLAS=xxx, // SPACE=(TRK,(30,30,50)) //ASJVXML DD DISP=(,CATLG), // DSN=PRODHLQ.ASJVXML, // RECFM=VB,LRECL=512,BLKSIZE=32760, // DSNTYPE=LIBRARY, // MGMTCLAS=xxx,STORCLAS=xxx,DATACLAS=xxx, // VOL=SER=XXXXXX,UNIT=YYYYYY, // SPACE=(TRK,(30,30,50)) 2. Run this step to define the new <description> data set to SMP/E. Specify the name of your SMP/E CSI on the SMPCSI DD statement. Make sure the SET BDY statement has the name of your target and distribution zone (default is CAIT0 and CAID0). Change "PRODHLQ" to the high level qualifier(s) you used in the previous step. The step should end with a return code of zero or four. //SMPE EXEC PGM=GIMSMP,REGION=0M //SMPCSI DD DISP=SHR,DSN=your.CSI //SMPCNTL DD * SET BDY(CAIT0). UCLIN. ADD DDDEF(CSJVXML) DA(PRODHLQ.CSJVXML) SHR . ADD DDDEF(ASJVXML) DA(PRODHLQ.ASJVXML) SHR . ENDUCL. SET BDY(CAID0). UCLIN. ADD DDDEF(ASJVXML) DA(PRODHLQ.ASJVXML) SHR . </pre>

Service	Details		
	ENDUCL.		
	//		
	).		
MCS	LU03313	STARTS ON PAGE 0002	
MCS	LU04112	STARTS ON PAGE 0003	
MCS	LU04129	STARTS ON PAGE 0006	

Trusted Access Manager for z/OS 1.1
CA RS 2202 Product/Component Listing

11

Product Family	Product	Release
Security	MF SECURITY JVM	01.01.00
	TRUSTED ACCESS MANAGER FOR Z	01.01.00
The CA RS 2202 Product/Component Count for this release is 2		

CA RS Level	Service	FMID
CAR2202	LU04129	CSJV110
	LU04112	CFH0110
	LU03313	CFH0110
CAR2201	LU04005	CFH0110
	LU03940	CFH0110
CAR2111	LU03086	CFH0110
	LU02977	CFH0110
	LU02830	CFH0110
	LU02795	CFH0110
CAR2108	SO16320	CFH0110
	LU00584	CFH0110
CAR2107	SO16218	CFH0110
CAR2104	SO16059	CFH0110
	SO15725	CFH0110
	SO15558	CFH0110
	SO15557	CFH0110
	LU00206	CFH0110
CAR2012	SO15516	CFH0110
	SO15058	CFH0110
	SO15020	CFH0110
CAR2010	SO14114	CFH0110
	SO14102	CFH0110
	SO14064	CFH0110
	SO13783	CFH0110
	SO13553	CFH0110
	SO12468	CSJV110
	SO11254	CSJV110
CAR2006	SO12878	CFH0110
	SO12359	CFH0110
	SO10812	CFH0110
CAR2001	SO11137	CFH0110
	SO10220	CFH0110
	SO10217	CSJV110
	SO10051	CSJV110
CAR1911	SO10581	CFH0110
	SO07548	CFH0110
CAR1910	SO09874	CSJV110
	SO08972	CFH0110
CAR1908	SO07549	CSJV110
	SO06988	CSJV110
CAR1907	SO07610	CSJV110
	SO07607	CFH0110