

OPS/MVS for JES2/JES3 14.0
CA RS 2203 Service List

1

Service	Description	Type
LU03819	ALLOW RULES TO BE AUTO-ENABLED WHEN STATS ARE UNAVAILABLE	PTF
LU04473	SSMV3 ERRORS MANAGING USER COLUMN DATA WITH DOUBLE QUOTES	PTF
LU04575	SSMV3 RESOURCE NOT LOADED DUE TO CROSS SYSTEM PREREQ CHECK	PTF
LU04738	RULE SSMTMOMA ISSUES AN ERRONEOUS RULE DISABLE FAILED MSG	PTF
LU04768	OPSVIEW 4.1.1 PARAMETER DETAILS PANEL REFORMATTED	PTF
LU04888	CONTINUOUS DELIVERY LEVEL SET 14.0.04 FOR CA OPS/MVS	PTF
LU04889	SSMV3 DYNAMIC RULE FAILURES.	PTF
LU04913	USE JESCHAR PARAMETER FOR SSM JES2 TYPE CHECK COMMAND	PTF
The CA RS 2203 service count for this release is 8		

OPS/MVS for JES2/JES3
CA RS 2203 Service List for CCLXE00

2

FMID	Service	Description	Type
CCLXE00	LU03819	ALLOW RULES TO BE AUTO-ENABLED WHEN STATS ARE UNAVAILABLE	PTF
	LU04473	SSMV3 ERRORS MANAGING USER COLUMN DATA WITH DOUBLE QUOTES	PTF
	LU04575	SSMV3 RESOURCE NOT LOADED DUE TO CROSS SYSTEM PREREQ CHECK	PTF
	LU04738	RULE SSMTMOMA ISSUES AN ERRONEOUS RULE DISABLE FAILED MSG	PTF
	LU04768	OPSVIEW 4.1.1 PARAMETER DETAILS PANEL REFORMATTED	PTF
	LU04888	CONTINUOUS DELIVERY LEVEL SET 14.0.04 FOR CA OPS/MVS	PTF
	LU04889	SSMV3 DYNAMIC RULE FAILURES.	PTF
	LU04913	USE JESCHAR PARAMETER FOR SSM JES2 TYPE CHECK COMMAND	PTF
The CA RS 2203 service count for this FMID is 8			

Service	Details																		
LU03819	LU03819 M.C.S. ENTRIES = ++PTF (LU03819) ALLOW RULES TO BE AUTO-ENABLED WHEN STATS ARE UNAVAILABLE ENHANCEMENT DESCRIPTION: This enhancement can automatically create ISPF Statistics when attempting to auto-enable rules without valid ISPF Statistics. Currently, attempts to auto-enable rules under these circumstances are rejected. A new parameter, AOFADDISPFSTATS, controls the behavior of the enhancement. PRODUCT(S) AFFECTED: OPS/MVS Base Version 14.0 Related Problem: OPSMVS 15254 (C) 2022 Broadcom Inc and/or its subsidiaries; All rights reserved DESC(ALLOW RULES TO BE AUTO-ENABLED WHEN STATS ARE UNAVAILABLE). ++VER (Z038) FMID (CCLXE00) PRE (LU00477 LU00715 LU01211 LU02161 LU02417 LU03149 LU03258 LU03418 LU03790 S015067 S015502 S015505 S015565 S015876) SUP (LT03819) ++HOLD (LU03819) SYSTEM FMID(CCLXE00) REASON (ACTION) DATE (22054) COMMENT (<table border="1"> <tr> <td>SEQUENCE</td><td>Before attempting to auto-enable rules that have no ISPF statistics.</td></tr> <tr> <td>PURPOSE</td><td>To dynamically add ISPF statistics prior to auto-enabling a rule or ruleset.</td></tr> <tr> <td>USERS</td><td>All OPS/MVS users of OPS/MVS.</td></tr> <tr> <td>AFFECTED</td><td></td></tr> <tr> <td>KNOWLEDGE</td><td>Basic z/OS system programming skills.</td></tr> <tr> <td>REQUIRED</td><td></td></tr> <tr> <td>ACCESS</td><td>Authority to stop and start OPS/MVS.</td></tr> <tr> <td>REQUIRED</td><td></td></tr> </table> ***** * STEPS TO PERFORM * ***** 1. After applying the PTF, Restart OPS/MVS. 2. OPSVIEW users must LOGOFF and LOGON to OPSVIEW.). ++HOLD (LU03819) SYSTEM FMID(CCLXE00) REASON (DOC) DATE (22054) COMMENT (<table border="1"> <tr> <td>OPS/MVS</td><td>Version 14.0</td></tr> </table>	SEQUENCE	Before attempting to auto-enable rules that have no ISPF statistics.	PURPOSE	To dynamically add ISPF statistics prior to auto-enabling a rule or ruleset.	USERS	All OPS/MVS users of OPS/MVS.	AFFECTED		KNOWLEDGE	Basic z/OS system programming skills.	REQUIRED		ACCESS	Authority to stop and start OPS/MVS.	REQUIRED		OPS/MVS	Version 14.0
SEQUENCE	Before attempting to auto-enable rules that have no ISPF statistics.																		
PURPOSE	To dynamically add ISPF statistics prior to auto-enabling a rule or ruleset.																		
USERS	All OPS/MVS users of OPS/MVS.																		
AFFECTED																			
KNOWLEDGE	Basic z/OS system programming skills.																		
REQUIRED																			
ACCESS	Authority to stop and start OPS/MVS.																		
REQUIRED																			
OPS/MVS	Version 14.0																		

Service	Details
	<pre> ***** * PUBLICATION * ***** See the following topics in the CA OPS/MVS documentation set at http://techdocs.broadcom.com/opsmvs "New Features" "The Host Environment Commands section of the OPS/MVS Reference manual for a detailed description of the ADDRESS AOF SETAUTO command." "The OPSVIEW 4.5.1 panel, Control the Production AOF section of the OPS/MVS Using Guide for a detailed description of the OPSVIEW 4.5.1 panel." "The AOFADDISPFSTATS parameter documentation in the Parameter Reference section of the OPS/MVS Reference manual."). ++HOLD (LU03819) SYSTEM FMID(CCLXE00) REASON (DYNACT) DATE (22054) COMMENT (+-----+ OPS/MVS Version 14.0 +-----+-----+ SEQUENCE After APPLY +-----+-----+ PURPOSE To activate load modules updated by this PTF +-----+-----+ USERS All OPS/MVS users AFFECTED +-----+-----+ KNOWLEDGE Basic z/OS systems programming skills REQUIRED +-----+-----+ ACCESS - Access to OPS/MVS SMP/E Target loadlib CCLXLOAD and any REQUIRED deployed copies - Authority to issue MVS system commands - Authority to stop and start OPS/MVS +-----+-----+ ***** * STEPS TO PERFORM * ***** 1. APPLY of this PTF updates SMP/E Target loadlib CCLXLOAD. Refer to GIM23903I messages in the SMPDOUT to identify the specific load modules that are updated. 2. Copy the updated load modules from SMP/E Target loadlib CCLXLOAD to any other deployed copies, such as a loadlib in the OPSMAIN STEPLIB or the system link list (LNKLIST). 3. If the system library lookaside (LLA) program is managing any updated loadlib, you must refresh LLA by using MVS system command "F LLA,REFRESH" or some equivalent method. 4. If the system link pack area (LPA) contains any updated load module, you must refresh LPA by using MVS system command "SETPROG LPA" or some equivalent method. * Note that load module OPSAEX is commonly placed in LPA. 5. Stop and re-start OPS/MVS by using MVS system commands "P OPSS" and "S OPSS" or some equivalent method. </pre>

Service	Details
	* For possible alternatives to restarting OPS/MVS, see the topic "RELOAD Modules and RESTART Components" in the user documentation at https://techdocs.broadcom.com/opsmvs 6. TSO users must exit and re-enter OPSVIEW to activate any changes. Depending on how OPSVIEW is accessed, this may require a TSO logoff and logon.).

Service	Details
LU04473	LU04473 M.C.S. ENTRIES = ++PTF (LU04473) SSMV3 ERRORS MANAGING USER COLUMN DATA WITH DOUBLE QUOTES PROBLEM DESCRIPTION: The SSMV3 policy editor incorrectly handles double quotes in user column data. SYMPTOMS: Error in REXX program OP411MGR OP411MGR encountered REXX error 37 in line 228: Unexpected "," or ")" or Double quotes are removed from column data after being displayed by the policy editor. IMPACT: Unable to edit user column data with double quotes. or Double quotes removed from user column data. CIRCUMVENTION: None. PRODUCT(S) AFFECTED: OPS/MVS Release 13.5 OPS/MVS Version 14.0 Related Problem: OPSMVS 15974 (C) 2022 Broadcom Inc and/or its subsidiaries; All rights reserved DESC(SSMV3 ERRORS MANAGING USER COLUMN DATA WITH DOUBLE QUOTES). ++VER (Z038) FMID (CCLXE00) PRE (LU00677 LU00876 LU01398 LU02161 LU02417 LU02478 LU02545 LU02562 LU03011 LU03303 LU03790 LU04163 LU04341 S014412 S015151 S015578 S015610 S015662 S015902) SUP (LT02515 LT04473 LU02515)

Service	Details																		
LU04575	LU04575 M.C.S. ENTRIES = ++PTF (LU04575) SSMV3 RESOURCE NOT LOADED DUE TO CROSS SYSTEM PREREQ CHECK PROBLEM DESCRIPTION: When loading an SSMV3 resource, the verify for a cross-system prerequisite fails if the cross system prereq is not defined as a moveable resource. SYMPTOMS: The following error messages will be issued. OPL1000I rc = 4 Cross system prereq not found IMPACT: LOADING an SSMV3 resource with a cross-system prereq may fail. CIRCUMVENTION: None PRODUCT(S) AFFECTED: OPS/MVS Version 14.0 OPS/MVS Version 13.5 Related Problem: OPSMVS 16096 (C) 2022 Broadcom Inc and/or its subsidiaries; All rights reserved DESC(SSMV3 RESOURCE NOT LOADED DUE TO CROSS SYSTEM PREREQ CHECK). ++VER (Z038) FMID (CCLXE00) PRE (LU00876 LU01398 LU02161 LU02417 LU02478 LU02545 LU02562 LU03011 LU03084 LU03303 LU03790 LU04163 LU04341 LU04473 S014412 S015151 S015578 S015610 S015662) SUP (LT00677 LT02515 LT04575 LU00677 LU02515 S015902 ST15902) ++HOLD (LU04575) SYSTEM FMID(CCLXE00) REASON (ACTION) DATE (22053) COMMENT (<table border="1"> <tr> <td>OPS/MVS</td><td>Version 14.0</td></tr> </table> -----+----- <table border="1"> <tr> <td>SEQUENCE</td><td>After APPLY</td></tr> </table> -----+----- <table border="1"> <tr> <td>PURPOSE</td><td>Reset ISPF statistics for updated AOF rule(s)</td></tr> </table> -----+----- <table border="1"> <tr> <td>USERS</td><td>Users with AOF rules</td></tr> </table> -----+----- <table border="1"> <tr> <td>AFFECTED</td><td></td></tr> </table> -----+----- <table border="1"> <tr> <td>KNOWLEDGE</td><td>ISPF</td></tr> </table> -----+----- <table border="1"> <tr> <td>REQUIRED</td><td></td></tr> </table> -----+----- <table border="1"> <tr> <td>ACCESS</td><td>Product libraries</td></tr> </table> -----+----- <table border="1"> <tr> <td>REQUIRED</td><td></td></tr> </table> -----+----- ***** * STEPS TO PERFORM * ***** This PTF installs updated AOF rule(s) into SMP/E Target library CCLXRULM with no ISPF statistics. You will not be able to auto-enable the updated rule(s) until you reset their ISPF statistics. You can use	OPS/MVS	Version 14.0	SEQUENCE	After APPLY	PURPOSE	Reset ISPF statistics for updated AOF rule(s)	USERS	Users with AOF rules	AFFECTED		KNOWLEDGE	ISPF	REQUIRED		ACCESS	Product libraries	REQUIRED	
OPS/MVS	Version 14.0																		
SEQUENCE	After APPLY																		
PURPOSE	Reset ISPF statistics for updated AOF rule(s)																		
USERS	Users with AOF rules																		
AFFECTED																			
KNOWLEDGE	ISPF																		
REQUIRED																			
ACCESS	Product libraries																		
REQUIRED																			

Service	Details
	ISPF option 3.5 to manually reset the ISPF statistics for the updated rule(s). You can use ISPF option 3.3 to manually copy the updated rule(s) to your deployed ruleset(s).).

Service	Details		
LU04738	LU04738 M.C.S. ENTRIES = ++PTF (LU04738) RULE SSMTMOMA ISSUES AN ERRONEOUS RULE DISABLE FAILED MSG PROBLEM DESCRIPTION: If an SSMv3 resource has an activation time but not an inactivation time, the SSMTMOMA rule will try to disable a dynamic rule that is no longer in use. SYMPTOMS: The following message is issued to the OPSLOG. OPS1000I SSMTMOMA: Disable of dynamic TOD rule #V3nnnnn failed. RC=34 IMPACT: There is no impact since the rule does not need disabled. CIRCUMVENTION: None. PRODUCT(S) AFFECTED: OPS/MVS Version 14.0 OPS/MVS Version 13.5 Related Problem: OPSMVS 16191 (C) 2022 Broadcom Inc and/or its subsidiaries; All rights reserved DESC(RULE SSMTMOMA ISSUES AN ERRONEOUS RULE DISABLE FAILED MSG). ++VER (Z038) FMID (CCLXE00) PRE (LU02209 LU03790) SUP (LT04738) ++HOLD (LU04738) SYSTEM FMID(CCLXE00) REASON (ACTION) DATE (22042) COMMENT (<table border="1"> <tr> <td>OPS/MVS</td><td>Version 14.0</td></tr> </table> SEQUENCE After APPLY PURPOSE Reset ISPF statistics for updated AOF rule(s) USERS Users with AOF rules AFFECTED KNOWLEDGE ISPF REQUIRED ACCESS Product libraries REQUIRED ***** * STEPS TO PERFORM * ***** This PTF installs updated AOF rule(s) into SMP/E Target library CCLXRULS with no ISPF statistics. You will not be able to auto-enable the updated rule(s) until you reset their ISPF statistics. You can use ISPF option 3.5 to manually reset the ISPF statistics for the updated rule(s). You can use ISPF option 3.3 to manually copy the updated	OPS/MVS	Version 14.0
OPS/MVS	Version 14.0		

Service	Details
	rule(s) to your deployed ruleset(s).).

Service	Details
LU04768	LU04768 M.C.S. ENTRIES = ++PTF (LU04768) OPSVIEW 4.1.1 PARAMETER DETAILS PANEL REFORMATTED PROBLEM DESCRIPTION: This PTF reformats the parameter details panel of OPSVIEW option 4.1.1 Set/Display product parameters. The details panel is displayed when a parameter is selected from those listed. The detail panel is reformatted to place the Parameter Description under the Name field, and to remove the duplicate current value from the list of possible values. SYMPTOMS: Unintuitive panel layout may lead to confusion. IMPACT: None. CIRCUMVENTION: None. PRODUCT(S) AFFECTED: OPS/MVS Release 13.5 OPS/MVS Version 14.0 Related Problem: OPSMVS 16222 (C) 2022 Broadcom Inc and/or its subsidiaries; All rights reserved DESC(OPSVIEW 4.1.1 PARAMETER DETAILS PANEL REFORMATTED). ++VER (Z038) FMID (CCLXE00) PRE (LU03790) SUP (LT04768)

Service	Details		
LU04888	LU04888 M.C.S. ENTRIES = ++PTF (LU04888) CONTINUOUS DELIVERY LEVEL SET 14.0.04 FOR CA OPS/MVS PROBLEM DESCRIPTION: This PTF will apply all maintenance up to the modification level 14.0.04. SYMPTOMS: N/A IMPACT: N/A CIRCUMVENTION: N/A PRODUCT(S) AFFECTED: CA OPS/MVS Base Version 14.0 Related Problem: OPSMVS 16333 (C) 2022 Broadcom Inc and/or its subsidiaries; All rights reserved DESC(CONTINUOUS DELIVERY LEVEL SET 14.0.04 FOR CA OPS/MVS). ++VER (Z038) FMID (CCLXE00) PRE (LU00634 LU02790 LU03011 LU03049 LU03072 LU03082 LU03084 LU03099 LU03119 LU03137 LU03149 LU03179 LU03258 LU03303 LU03334 LU03387 LU03418 LU03481 LU03513 LU03548 LU03721 LU03744 LU03790 LU03819 LU03852 LU04106 LU04163 LU04168 LU04184 LU04194 LU04292 LU04341 LU04473 LU04575 LU04738 LU04768 SO15729) SUP (LT02779 LT04888) ++IF FMID(CCLXE01) REQ(LU02570 LU03165 LU03373 LU03582 LU03791 LU03884 LU03946 LU04002 LU04224). ++IF FMID(CCLXE03) REQ(LU03512 LU03792) . ++HOLD (LU04888) SYSTEM FMID(CCLXE00) REASON (DYNACT) DATE (22055) COMMENT (<table border="1"> <tr> <td>OPS/MVS</td><td>Version 14.0</td></tr> </table> SEQUENCE After APPLY PURPOSE To activate load modules updated by this PTF USERS All OPS/MVS users AFFECTED KNOWLEDGE Basic z/OS systems programming skills REQUIRED ACCESS - Access to OPS/MVS SMP/E Target loadlib CCLXLOAD and any REQUIRED deployed copies - Authority to issue MVS system commands - Authority to stop and start OPS/MVS ***** * STEPS TO PERFORM *	OPS/MVS	Version 14.0
OPS/MVS	Version 14.0		

Service	Details
	***** 1. APPLY of this PTF updates SMP/E Target loadlib CCLXLOAD. Refer to GIM23903I messages in the SMPDOUT to identify the specific load modules that are updated. 2. Copy the updated load modules from SMP/E Target loadlib CCLXLOAD to any other deployed copies, such as a loadlib in the OPSMAIN STEPLIB or the system link list (LNKLIST). 3. If the system library lookaside (LLA) program is managing any updated loadlib, you must refresh LLA by using MVS system command "F LLA,REFRESH" or some equivalent method. 4. If the system link pack area (LPA) contains any updated load module, you must refresh LPA by using MVS system command "SETPROG LPA" or some equivalent method. * Note that load module OPSAEX is commonly placed in LPA. 5. Stop and re-start OPS/MVS by using MVS system commands "P OPSS" and "S OPSS" or some equivalent method. * For possible alternatives to restarting OPS/MVS, see the topic "RELOAD Modules and RESTART Components" in the user documentation at https://techdocs.broadcom.com/opsmvs 6. TSO users must exit and re-enter OPSVIEW to activate any changes. Depending on how OPSVIEW is accessed, this may require a TSO logoff and logon.).

Service	Details																		
LU04889	LU04889 M.C.S. ENTRIES = ++PTF (LU04889) SSMV3 DYNAMIC RULE FAILURES. PROBLEM DESCRIPTION: When the TEXT keyword is used in the Activation Complete Event and the Inactivation Completion Event of the policy definition, a unique rule name is not created for both rules. SYMPTOMS: Resources are in a state of STOPPING DOWN after they are successfully shutdown. Resources are in a state of STARTING UP after they are successfully initialized. IMPACT: A resource that has been successfully started or stopped will have mismatched states and show as an exception. CIRCUMVENTION: Use type EOM for the Inactivation Completion Event. PRODUCT(S) AFFECTED: OPS/MVS Release 13.5 OPS/MVS Version 14.0 Related Problem: OPSMVS 16314 (C) 2022 Broadcom Inc and/or its subsidiaries; All rights reserved DESC(SSMV3 DYNAMIC RULE FAILURES.). ++VER (Z038) FMID (CCLXE00) PRE (LU00677 LU00876 LU01398 LU02161 LU02417 LU02545 LU02562 LU03011 LU03084 LU03303 LU03790 LU04163 LU04341 LU04473 LU04575 S014412 S015151 S015578 S015610 S015662 S015902) SUP (LT02080 LT02478 LT02515 LT04889 LU02080 LU02478 LU02515) ++HOLD (LU04889) SYSTEM FMID(CCLXE00) REASON (ACTION) DATE (22055) COMMENT (<table border="1"> <tr> <td>OPS/MVS</td><td>Version 14.0</td></tr> <tr> <td>SEQUENCE</td><td>After APPLY</td></tr> <tr> <td>PURPOSE</td><td>Reset ISPF statistics for updated AOF rule(s)</td></tr> <tr> <td>USERS</td><td>Users with AOF rules</td></tr> <tr> <td>AFFECTED</td><td></td></tr> <tr> <td>KNOWLEDGE</td><td>ISPF</td></tr> <tr> <td>REQUIRED</td><td></td></tr> <tr> <td>ACCESS</td><td>Product libraries</td></tr> <tr> <td>REQUIRED</td><td></td></tr> </table> ***** * STEPS TO PERFORM *	OPS/MVS	Version 14.0	SEQUENCE	After APPLY	PURPOSE	Reset ISPF statistics for updated AOF rule(s)	USERS	Users with AOF rules	AFFECTED		KNOWLEDGE	ISPF	REQUIRED		ACCESS	Product libraries	REQUIRED	
OPS/MVS	Version 14.0																		
SEQUENCE	After APPLY																		
PURPOSE	Reset ISPF statistics for updated AOF rule(s)																		
USERS	Users with AOF rules																		
AFFECTED																			
KNOWLEDGE	ISPF																		
REQUIRED																			
ACCESS	Product libraries																		
REQUIRED																			

Service	Details
	***** This PTF installs updated AOF rule(s) into SMP/E Target library CCLXRULM with no ISPF statistics. You will not be able to auto-enable the updated rule(s) until you reset their ISPF statistics. You can use ISPF option 3.5 to manually reset the ISPF statistics for the updated rule(s). You can use ISPF option 3.3 to manually copy the updated rule(s) to your deployed ruleset(s).).

Service	Details
LU04913	LU04913 M.C.S. ENTRIES = ++PTF (LU04913) USE JESCHAR PARAMETER FOR SSM JES2 TYPE CHECK COMMAND PROBLEM DESCRIPTION: The required SSMSTATE rule issues a hardcoded JES2 \$D command during JES2 type checking to see if JES2 is active. If the JES2 command character is changed to a character other than '\$', the type check will not return the correct state. This PTF updates the SSMSTATE rule to use the character specified by the OPS/MVS JESCHAR parameter as the JES2 command character. SYMPTOMS: The JES2 resource is not set to the correct CURRENT_STATE when the UNKNOWN action is executed. IMPACT: Resources with a PREREQ of JES2 will not start. CIRCUMVENTION: Change the \$D command and the \$HASP649 message id in the SSMSTATE rule to use the site specific JES2 character. PRODUCT(S) AFFECTED: OPS/MVS Release 13.5 OPS/MVS Version 14.0 Related Problem: OPSMVS 16354 (C) 2022 Broadcom Inc and/or its subsidiaries; All rights reserved R00184-CLX140 DESC(USE JESCHAR PARAMETER FOR SSM JES2 TYPE CHECK COMMAND). ++VER (Z038) FMID (CCLXE00) PRE (LU03790) SUP (LT04913) ++HOLD (LU04913) SYSTEM FMID(CCLXE00) REASON (ACTION) DATE (22059) COMMENT (<pre> +-----+ OPS/MVS Version 14.0 +-----+-----+ SEQUENCE After APPLY +-----+-----+ PURPOSE Reset ISPF statistics for updated AOF rule(s) +-----+-----+ USERS Users with AOF rules AFFECTED +-----+-----+ KNOWLEDGE ISPF REQUIRED +-----+-----+ ACCESS Product libraries REQUIRED +-----+-----+ ***** * STEPS TO PERFORM * ***** This PTF installs updated AOF rule(s) into SMP/E Target library CCLXRULM with no ISPF statistics. You will not be able to auto-enable </pre>

Service	Details	
	the updated rule(s) until you reset their ISPF statistics. You can use ISPF option 3.5 to manually reset the ISPF statistics for the updated rule(s). You can use ISPF option 3.3 to manually copy the updated rule(s) to your deployed ruleset(s).	
	).	
MCS	LU03819	STARTS ON PAGE 0002
MCS	LU04473	STARTS ON PAGE 0004
MCS	LU04575	STARTS ON PAGE 0005
MCS	LU04738	STARTS ON PAGE 0007
MCS	LU04768	STARTS ON PAGE 0008
MCS	LU04888	STARTS ON PAGE 0009
MCS	LU04889	STARTS ON PAGE 0011
MCS	LU04913	STARTS ON PAGE 0013

OPS/MVS for JES2/JES3 14.0
CA RS 2203 Product/Component Listing

18

Product Family	Product	Release
Systems Management	CA OPS/MVS BASE	14.00.00
The CA RS 2203 Product/Component Count for this release is 1		

CA RS Level	Service	FMID
CAR2203	LU04913	CCLXE00
	LU04889	CCLXE00
	LU04888	CCLXE00
	LU04768	CCLXE00
	LU04738	CCLXE00
	LU04575	CCLXE00
	LU04473	CCLXE00
	LU03819	CCLXE00
CAR2202	LU04341	CCLXE00
	LU04292	CCLXE00
	LU04224	CCLXE01
	LU04194	CCLXE00
	LU04184	CCLXE00
	LU04168	CCLXE00
	LU04163	CCLXE00
	LU04106	CCLXE00
	LU03744	CCLXE00
	LU03513	CCLXE00
CAR2201	LU04002	CCLXE01
	LU03946	CCLXE01
	LU03884	CCLXE01
	LU03852	CCLXE00
	LU03792	CCLXE03
	LU03791	CCLXE01
	LU03790	CCLXE00
	LU03721	CCLXE00
	LU03582	CCLXE01
CAR2112	LU03548	CCLXE00
	LU03512	CCLXE03
	LU03481	CCLXE00
	LU03418	CCLXE00
	LU03387	CCLXE00
	LU03373	CCLXE01
	LU03334	CCLXE00
	LU03258	CCLXE00
CAR2111	LU03303	CCLXE00
	LU03179	CCLXE00
	LU03165	CCLXE01
	LU03149	CCLXE00
	LU03137	CCLXE00
	LU03119	CCLXE00
	LU03099	CCLXE00
	LU03084	CCLXE00
	LU03082	CCLXE00
	LU03072	CCLXE00
	LU03049	CCLXE00
	LU03011	CCLXE00

CA RS Level	Service	FMID
CAR2110	LU02790	CCLXE00
	LU02570	CCLXE01
	LU02514	CCLXE00
	LU02484	CCLXE00
	LU02253	CCLXE01
	LU02252	CCLXE00
CAR2109	LU02562	CCLXE00
	LU02545	CCLXE00
	LU02521	CCLXE00
	LU02515	CCLXE00
	LU02478	CCLXE00
	LU02417	CCLXE00
	LU02313	CCLXE00
	LU02285	CCLXE00
	LU02105	CCLXE00
CAR2108	LU02209	CCLXE00
	LU02161	CCLXE00
	LU02080	CCLXE00
	LU02046	CCLXE00
	LU02021	CCLXE00
	LU01967	CCLXE00
CAR2107	LU01929	CCLXE00
	LU01862	CCLXE00
	LU01797	CCLXE00
	LU01655	CCLXE00
	LU01630	CCLXE00
	LU01562	CCLXE01
	LU01212	CCLXE01
	LU01211	CCLXE00
	LU01140	CCLXE01
CAR2106	LU01398	CCLXE00
	LU01310	CCLXE00
	LU01080	CCLXE00
	LU00913	CCLXE00
CAR2105	LU01117	CCLXE00
	LU01116	CCLXE00
	LU00998	CCLXE00
	LU00876	CCLXE00
	LU00741	CCLXE00
	LU00717	CCLXE00
	LU00679	CCLXE00
CAR2104	LU00716	CCLXE01
	LU00715	CCLXE00
	LU00677	CCLXE00
	LU00634	CCLXE00
	LU00633	CCLXE01
	LU00632	CCLXE00

CA RS Level	Service	FMID
	LU00610	CCLXE00
	LU00496	CCLXE00
	LU00477	CCLXE00
	LU00462	CCLXE01
	LU00442	CCLXE00
	LU00407	CCLXE00
	LU00361	CCLXE00
	LU00235	CCLXE00
CAR2103	LU00278	CCLXE00
	LU00210	CCLXE00
	LU00188	CCLXE00
	LU00122	CCLXE01
	LU00121	CCLXE00
CAR2102	SO15877	CCLXE01
	SO15876	CCLXE00
	LU00117	CCLXE00
	LU00113	CCLXE00
	LU00078	CCLXE00
	LU00077	CCLXE00
	LU00074	CCLXE00
	LU00067	CCLXE00
	LU00063	CCLXE00
	LU00060	CCLXE00
	LU00058	CCLXE00
	LU00057	CCLXE00
	LU00044	CCLXE01
	LU00040	CCLXE00
CAR2101	SO15920	CCLXE00
	SO15902	CCLXE00
	SO15821	CCLXE01
	SO15820	CCLXE00
	SO15729	CCLXE00
	LU00028	CCLXE00
	LU00025	CCLXE00
CAR2012	SO15758	CCLXE00
	SO15662	CCLXE00
	SO15610	CCLXE00
	SO15578	CCLXE00
	SO15569	CCLXE00
	SO15565	CCLXE00
	SO15526	CCLXE00
	SO15515	CCLXE00
	SO15505	CCLXE00
	SO15502	CCLXE00
	SO15497	CCLXE00
CAR2011	SO15373	CCLXE00
	SO15324	CCLXE00

CA RS Level	Service	FMID
	S015241	CCLXE01
	S015200	CCLXE01
	S015151	CCLXE00
	S015148	CCLXE01
	S015069	CCLXE00
	S015068	CCLXE01
	S015067	CCLXE00
	S014750	CCLXE00
CAR2010	S015022	CCLXE01
	S015018	CCLXE00
	S014993	CCLXE00
	S014932	CCLXE00
	S014903	CCLXE00
	S014875	CCLXE00
	S014871	CCLXE00
	S014857	CCLXE01
	S014824	CCLXE00
	S014801	CCLXE00
	S014646	CCLXE00
	S014644	CCLXE00
	S014609	CCLXE00
CAR2009	S014537	CCLXE00
	S014492	CCLXE01
	S014477	CCLXE00
	S014434	CCLXE01
	S014412	CCLXE00