

Compliance Event Manager 6.0
CA RS 2204 Service List

1

Service	Description	Type
LU04811	MONITOR - CORRECT LOCATION R_ADMIN BUFFER LEN/AVOID S306-30	PTF
LU04832	ENABLE SYSVIEW PRODUCT PTF ANALYSIS.	PTF
LU04968	UPDATE PRODUCT NAME FOR SCRT REPORT	PTF
The CA RS 2204 service count for this release is 3		

Compliance Event Manager
CA RS 2204 Service List for CCEM600

2

FMID	Service	Description	Type
CCEM600	LU04811	MONITOR - CORRECT LOCATION R_ADMIN BUFFER LEN/AVOID S306-30	PTF
	LU04832	ENABLE SYSVIEW PRODUCT PTF ANALYSIS.	PTF
	LU04968	UPDATE PRODUCT NAME FOR SCRT REPORT	PTF
The CA RS 2204 service count for this FMID is 3			

Service	Details
LU04811	LU04811 M.C.S. ENTRIES = ++PTF (LU04811) MONITOR - CORRECT LOCATION R_ADMIN BUFFER LEN/AVOID S306-30 PROBLEM DESCRIPTION: This update corrects two problems: 1) Ensure that the buffer length is retrieved from the correct location on all R_admin calls on RACF systems. 2) Avoid S306-30 ABENDs when Monitor does not have the authority to load modules. SYMPTOMS: None. For first problem. S306-30 ABENDs for the second problem. IMPACT: Potential ABENDs. CIRCUMVENTION: None. For the first problem. Ensure that the user profile for Monitor has the correct permissions. PRODUCT(S) AFFECTED: CA Compliance Event Manager Version 6.0 Related Problem: CEVM 13341 (C) 2022 Broadcom Inc and/or its subsidiaries; All rights reserved R00224-CEM060 DESC(MONITOR - CORRECT LOCATION R_ADMIN BUFFER LEN/AVOID S306-30). ++VER (Z038) FMID (CCEM600) PRE (LU01499 LU02322 LU03547 LU04604 LU04832 R097806 S008567 S011340 S012260 S013759 S015399 S015548) SUP (LT03074 LT04811) ++HOLD (LU04811) SYSTEM FMID(CCEM600) REASON (ACTION) DATE (22060) COMMENT (COMPLIANCE EVENT MANAGER Version 6.0 SEQUENCE After Apply PURPOSE Activate changes. USERS Compliance Event Manager users on an IBM RACF system. AFFECTED KNOWLEDGE SMP/E REQUIRED Operator commands ACCESS SMP/E REQUIRED Operator commands ***** * STEPS TO PERFORM * ***** 1. Restart the Compliance Event Manager Monitor.).

Service	Details
LU04832	LU04832 M.C.S. ENTRIES = ++PTF (LU04832) ENABLE SYSVIEW PRODUCT PTF ANALYSIS. DESCRIPTION: This PTF enables you to use a feature in SYSVIEW called Product PTF Analysis. An element that contains metadata for all previously published PTFs for CEVM is included with this PTF. Going forward, all PTFs will contain PTF tracking element metadata. What is Product PTF Analysis? Product PTF Analysis combines PTF tracking elements from your run-time XML library with maintenance data found in your product SMP/E installation CSI library. Product PTF Analysis provides the ability to: * Determine the PTFs and APARs currently applied. * View detailed descriptions of published PTFs. * Compare the PTFs applied on each LPAR using the Cross System component. * View detailed SYSMOD information from the SMP/E CSI data set used during installation and maintenance. Product PTF Analysis shows this information for all Broadcom Mainframe products that have the necessary XML data available. Please note that not every product will update XML data for all prior and new fixes at the same time. Consult each product's documentation for more information. How can I view Product PTF Analysis? SYSVIEW 16.0 Feature PTF LU03153 added a Product PTF Analysis feature that performs an analysis of product SMP/E CSIs and PTF tracking metadata. A PTFS command was added to SYSVIEW 16.0 with PTF LU03153 that performs the analysis. For more information, see the "New Features" topic in the Release Notes section of the SYSVIEW documentation at https://techdocs.broadcom.com. COMPLIANCE EVENT MANAGER Version 6.0 Related Problem: CEVM 16269 (C) 2022 Broadcom Inc and/or its subsidiaries; All rights reserved R00225-CEM060 DESC(ENABLE SYSVIEW PRODUCT PTF ANALYSIS.). ++VER (Z038) FMID (CCEM600) SUP (LT04832)

Service	Details		
LU04968	LU04968 M.C.S. ENTRIES = ++PTF (LU04968) UPDATE PRODUCT NAME FOR SCRT REPORT PROBLEM DESCRIPTION: Update product name for SCRT report. SYMPTOMS: None. IMPACT: Name is more in line with license description. CIRCUMVENTION: None. PRODUCT(S) AFFECTED: COMPLIANCE EVENT MANAGER Version 6.0 Related Problem: CEVM 16041 (C) 2022 Broadcom Inc and/or its subsidiaries; All rights reserved R00227-CEM060 DESC (UPDATE PRODUCT NAME FOR SCRT REPORT) . ++VER (Z038) FMID (CCEM600) PRE (LU01499 LU02322 LU03395 LU03547 LU04604 LU04811 LU04832 R097806 R099004 S004429 S008567 S010673 S011340 S012260 S013759 S015548) SUP (LT04968) ++HOLD (LU04968) SYSTEM FMID(CCEM600) REASON (ACTION) DATE (22063) COMMENT (<table border="1"> <tr> <td>COMPLIANCE EVENT MANAGER</td><td>Version 6.0</td></tr> </table> SEQUENCE After Apply PURPOSE Improve SCRT Report for License Check USERS All Compliance Event Manger (CEM) users. AFFECTED KNOWLEDGE SMP/E REQUIRED Product Installation. Product Deployment. Operator Commands. ACCESS Product libraries. REQUIRED Operator console. ***** * STEPS TO PERFORM * ***** After applying the APAR A. If none of the installation, deployment, customization and configuration steps have been completed, no special action is needed. You can proceed with those steps. B. If an installation deployment was done:	COMPLIANCE EVENT MANAGER	Version 6.0
COMPLIANCE EVENT MANAGER	Version 6.0		

Compliance Event Manager 6.0
CA RS 2204 - PTF LU04968 Details

6

Service	Details		
	1. If desired, make a backup copy of the runtime libraries. 2. Deploy the updated SMPE target libraries to your runtime dataset names. 3. Refer to the 'Deploy Product Maintenance' section in the Compliance Event Manager documentation for assistance. C. Restart the CEMMON,CEMERTR,CEMLOGGR and CEMALERT started tasks.).		
MCS	LU04811	STARTS ON PAGE 0002	
MCS	LU04832	STARTS ON PAGE 0003	
MCS	LU04968	STARTS ON PAGE 0007	

Compliance Event Manager 6.0
CA RS 2204 Product/Component Listing

7

Product Family	Product	Release
Security	CA COMPLIANCE EVENT MANAGER	06.00.00
The CA RS 2204 Product/Component Count for this release is 1		

CA RS Level	Service	FMID
CAR2204	LU04968	CCEM600
	LU04832	CCEM600
	LU04811	CCEM600
CAR2203	LU04689	CCEM600
	LU04604	CCEM600
	LU04512	CCEM600
	LU04465	CCEM600
	LU04297	CCEM600
	LU03993	CCEM600
	LU03604	CCEM600
CAR2202	LU03547	CCEM600
CAR2201	LU03968	CCEM600
	LU03460	CCEM600
	LU03246	CCEM600
CAR2112	LU03398	CCEM600
	LU03395	CCEM600
	LU03376	CCEM600
	LU03004	CCEM600
	LU02828	CCEM600
CAR2111	LU03272	CCEM600
	LU03141	CCEM600
	LU03083	CCEM600
	LU02948	CCEM600
CAR2109	LU02509	CCEM600
	LU02322	CCEM600
	LU02312	CCEM600
	LU02274	CCEM600
	LU02237	CCEM600
	LU02165	CCEM600
	LU02068	CCEM600
	LU01499	CCEM600
CAR2108	LU02106	CCEM600
	LU01692	CCEM600
	LU01451	CCEM600
	LU01315	CCEM600
	LU00731	CCEM600
CAR2107	S015494	CCEM600
	S015246	CCEM600
	S014934	CCEM600
	LU01520	CCEM600
	LU01358	CCEM600
CAR2106	LU01152	CCEM600
CAR2104	LU00621	CCEM600
CAR2103	S016311	CCEM600
	S015399	CCEM600
CAR2102	S015548	CCEM600
CAR2012	S014976	CCEM600

CA RS Level	Service	FMID
	S014799	CCEM600
CAR2011	S015278	CCEM600
	S015208	CCEM600
	S015153	CCEM600
CAR2010	S014805	CCEM600
	S014784	CCEM600
	S014689	CCEM600
	S013759	CCEM600
CAR2009	S014496	CCEM600
	S014421	CCEM600
	S014279	CCEM600
	S013948	CCEM600
	S013864	CCEM600
	S013737	CCEM600
	S013528	CCEM600
	S013475	CCEM600
	S012260	CCEM600
CAR2007	S013656	CCEM600
	S013155	CCEM600
	S013117	CCEM600
	S012941	CCEM600
	S012780	CCEM600
CAR2005	S012259	CCEM600
	S011940	CCEM600
	S011702	CCEM600
CAR2003	S011845	CCEM600
	S011588	CCEM600
CAR2002	S011340	CCEM600
	S011339	CCEM600
	S011336	CCEM600
	S010559	CCEM600
CAR2001	S011330	CCEM600
	S011024	CCEM600
	S010977	CCEM600
	S010673	CCEM600
CAR1911	S010140	CCEM600
	S010112	CCEM600
CAR1910	S009872	CCEM600
	S009750	CCEM600
	S009686	CCEM600
	S009475	CCEM600
	S009433	CCEM600
	S009189	CCEM600
	S009098	CCEM600
	S007185	CCEM600
CAR1909	S009713	CCEM600
CAR1908	S009349	CCEM600

CA RS Level	Service	FMID
	S009259	CCEM600
	S009251	CCEM600
	S009212	CCEM600
	S009127	CCEM600
	S008987	CCEM600
	S008567	CCEM600
	S008290	CCEM600
CAR1907	S008400	CCEM600
CAR1906	S007933	CCEM600
	S007773	CCEM600
	S007764	CCEM600
	S007464	CCEM600
	S007336	CCEM600
CAR1905	S008023	CCEM600
	S007962	CCEM600
CAR1904	S007611	CCEM600
	S007462	CCEM600
	S007246	CCEM600
	S005455	CCEM600
CAR1903	S006184	CCEM600
CAR1902	S006689	CCEM600
	S006607	CCEM600
	S006260	CCEM600
	S006108	CCEM600
	S005927	CCEM600
	S005848	CCEM600
	S005262	CCEM600
	S004429	CCEM600
CAR1901	S005780	CCEM600
	S005403	CCEM600
	S005263	CCEM600
CAR1812	S004968	CCEM600
	S004778	CCEM600
	S004399	CCEM600
	S001860	CCEM600
	R099634	CCEM600
	R098690	CCEM600
CAR1811	S004400	CCEM600
CAR1809	S004998	CCEM600
	S004920	CCEM600
	S001867	CCEM600
CAR1808	S004651	CCEM600
	S004214	CCEM600
CAR1807	S001786	CCEM600
	S001579	CCEM600
	S001523	CCEM600
	S001464	CCEM600

CA RS Level	Service	FMID
	S001442	CCEM600
	S001341	CCEM600
	S000971	CCEM600
	R099900	CCEM600
CAR1805	R096988	CCEM600
CAR1804	R099364	CCEM600
CAR1803	R099004	CCEM600
CAR1801	R099129	CCEM600
	R097806	CCEM600
CAR1712	R098165	CCEM600
	R097563	CCEM600
CAR1711	R097117	CCEM600
CAR1710	R096808	CCEM600
	R096796	CCEM600
	R095914	CCEM600
	R095318	CCEM600
	R095234	CCEM600
	R095120	CCEM600
	R094840	CCEM600
	R094808	CCEM600
	R094481	CCEM600
	R094299	CCEM600
	R093976	CCEM600
	R093955	CCEM600
	R093570	CCEM600
	R093245	CCEM600
	R093241	CCEM600