

OPS/MVS for JES2/JES3 14.0
CA RS 2205 Service List

Service	Description	Type
LU05358	OPSBCEP II SDC4 ABEND FOLLOWED BY SERVER SHUTDOWN	PTF
LU05380	SECURITY OR INTEGRITY PROBLEM	** PRP **
LU05432	SECURITY OR INTEGRITY PROBLEM	** PRP **
LU05517	PRP RESOLVING PE PTFS DUE TO SOC4 AT Z/OS 2.5	** PRP **
LU05627	SECURITY OR INTEGRITY PROBLEM	** PRP **
LU05691	SECURITY OR INTEGRITY PROBLEM	** PRP **
The CA RS 2205 service count for this release is 6		

OPS/MVS for JES2/JES3
CA RS 2205 Service List for CCLXE00

2

FMID	Service	Description	Type
CCLXE00	LU05358	OPSBCEP11 SDC4 ABEND FOLLOWED BY SERVER SHUTDOWN	PTF
	LU05517	PRP RESOLVING PE PTFS DUE TO SOC4 AT Z/OS 2.5	** PRP **
The CA RS 2205 service count for this FMID is 2			

OPS/MVS for JES2/JES3
CA RS 2205 Service List for CCLXE01

3

FMID	Service	Description	Type
CCLXE01	LU05380	SECURITY OR INTEGRITY PROBLEM	** PRP **
	LU05432	SECURITY OR INTEGRITY PROBLEM	** PRP **
	LU05627	SECURITY OR INTEGRITY PROBLEM	** PRP **
	LU05691	SECURITY OR INTEGRITY PROBLEM	** PRP **
The CA RS 2205 service count for this FMID is 4			

Service	Details		
LU05358	LU05358 M.C.S. ENTRIES = ++PTF (LU05358) OPSBBCPII SDC4 ABEND FOLLOWED BY SERVER SHUTDOWN PROBLEM DESCRIPTION: When issuing ADDRESS HWS commands customers have experienced up to 10 consecutive SDC4 abends which cause the OPSBBCPII server to terminate. This PTF allows the server to recover, without recursive abends, and continue to service new requests. SYMPTOMS: Multiple SDC4 abends in the OPIILOG task followed by an OPSBBCPII server shutdown. IMPACT: The shutdown prevents the ability to service ADDRESS HWS commands. CIRCUMVENTION: None. PRODUCT(S) AFFECTED: OPS/MVS Version 14.0 Related Problem: OPSMVS 16675 (C) 2022 Broadcom Inc and/or its subsidiaries; All rights reserved R00203-CLX140 DESC(OPSBBCPII SDC4 ABEND FOLLOWED BY SERVER SHUTDOWN). ++VER (Z038) FMID (CCLXE00) PRE (LU00074 LU01080 LU01116 LU02313 LU02514 LU03049 LU03137 LU03790 LU03852 LU05096 SO15515) SUP (AL05096 LT05306 LT05358 LU05306) ++HOLD (LU05358) SYSTEM FMID(CCLXE00) REASON (ACTION) DATE (22094) COMMENT (<table border="1"> <tr> <td>OPS/MVS</td><td>Version 14.0</td></tr> </table> SEQUENCE Before using the OPSBBCPII Server. PURPOSE To correct issues with SDC4 abends in the OPSBBCPII Server. USERS All users of the OPSBBCPII Server. AFFECTED KNOWLEDGE Basic z/OS system programming skills. REQUIRED ACCESS Authority to stop and start OPS/MVS. REQUIRED ***** * STEPS TO PERFORM * ***** 1. After applying the PTF restart the OPSBBCPII Server by issuing the following command: "F OPSx,RESTART(HWS)" where OPSx is the OPS/MVS subsystem id.).	OPS/MVS	Version 14.0
OPS/MVS	Version 14.0		

Service	Details
	<pre> ++HOLD (LU05358) SYSTEM FMID(CCLXE00) REASON (DYNACT) DATE (22094) COMMENT (+-----+ OPS/MVS Version 14.0 +-----+ SEQUENCE Before using the OPSBCPII Server. +-----+ PURPOSE To correct issues with SDC4 abends in the OPSBCPII Server. +-----+ USERS All users of the OPSBCPII Server. AFFECTED +-----+ KNOWLEDGE Basic z/OS system programming skills. REQUIRED +-----+ ACCESS Authority to stop and start OPS/MVS. REQUIRED +-----+ ***** * STEPS TO PERFORM * ***** 1. After applying the PTF restart the OPSBCPII Server by issuing the following command: "F OPSx,RESTART(HWS)" where OPSx is the OPS/MVS subsystem id.).</pre>

Service	Details	
LU05380	M.C.S. ENTRIES = ++PTF (LU05380)	
	SECURITY OR INTEGRITY PROBLEM	
	PROBLEM DESCRIPTION:	
	Security or Integrity Problem.	
	For more details access Security Advisories using the following URL:	
	support.broadcom.com/security-advisory/security-advisories-list.html	
	Broadcom recommends that you subscribe to notifications for Security	
	Advisories for the associated products that you support in your	
	organization. Please use the following URL to register for proactive	
	notifications: https://support.broadcom.com/user/notifications.html	
	SYMPTOMS:	
	N/A	
	IMPACT:	
	Security or Integrity Problem.	
	CIRCUMVENTION:	
	N/A	
	PRODUCT(S) AFFECTED:	
	OPS/MVS	Release 13.5
	OPS/MVS	Version 14.0
	OPS/MVS	Release 13.5
	OPS/MVS	Version 14.0
	OPS/MVS	Release 13.5
	OPS/MVS	Version 14.0
	OPS/MVS	Release 13.5
	OPS/MVS	Version 14.0
	Related Problem:	
	OPSMVS 16686	
	(C) 2022 Broadcom Inc and/or its subsidiaries; All rights reserved	
	R00206-CLX140	
	DESC(SECURITY OR INTEGRITY PROBLEM).	
	++VER (Z038)	
	FMID (CCLXE01)	
	PRE (LU00044 LU00122 LU00462 LU00633 LU01212 LU02570	
	LU03165 LU03582 LU03791 LU03884 LU03946 LU04002	
	LU04224 LU05148 LU05215 S014492 S014857 S015022	
	S015068 S015148 S015200 S015241 S015821 S015877)	
	SUP (DC15146 LT01162 LT04967 LT05378 LT05379 LT05380	
	ST14979)	
	++HOLD (LU05380) SYSTEM FMID(CCLXE01)	
	REASON (ACTION) DATE (22095)	
	COMMENT (	
	+-----+	
	OPS/MVS	Version 14.0
	+-----+	
	SEQUENCE	After Apply
	+-----+	
	PURPOSE	To activate the fix
	+-----+	
	USERS	User's of the OPS/MVS Web Services
	AFFECTED	
	+-----+	
	KNOWLEDGE	USS directories for Tomcat Web Server

Service	Details
	<pre> REQUIRED +-----+-----+ ACCESS Web servers and USS directories REQUIRED +-----+-----+ +-----+-----+ ***** * STEPS TO PERFORM * ***** 1. Update your OPS/MVS Web Services host server by copying the opsmvs.war file from the installation HFS to your runtime web server. See the following documentation for detailed instructions on how to deploy the new module. - Install and Configure CA OPS/MVS RESTful Web Services on Tomcat 2. Stop and restart your OPS/MVS web server STC so it recognizes and uses the newly updated opsmvs.war file.). ++HOLD (LU05380) SYSTEM FMID(CCLXE01) REASON (DYNACT) DATE (22095) COMMENT (+-----+-----+ OPS/MVS Version 14.0 +-----+-----+ SEQUENCE After APPLY +-----+-----+ PURPOSE To deploy a new version of Mainframe Team Center - Automation +-----+-----+ USERS All OPS/MVS MTC-A users AFFECTED +-----+-----+ KNOWLEDGE Basic z/OS systems programming skills and knowledge of REQUIRED your new or existing MTC-A installation and configuration +-----+-----+ ACCESS - Read/write access to the USS directories where your new REQUIRED or existing installation of MTC-A resides - Authority to STOP and START your MTC-A Web Application +-----+-----+ ***** * STEPS TO PERFORM * ***** Run The MTC-A Configuration Batch Job Sample JCL to execute the configuration script, mtcacfg.sh, is provided in yourHLQ.CCLXCNTL(OPMOIACG). Before executing the batch job, make the following edits: 1. Include a valid job card 2. Set CCLXCLS0 to the fully qualified MVS dataset name of the SMP/E CLIST target library installed by FMID CCLXxr0 OPS/MVS Base. (eg. 'yourHLQ.CCLXCLS0') 3. Set CCLSHFSM to the USS mount point of the zFS installed by FMID CLXxr1 OPS/MVS OPSLOG WebView and Web Features. </pre>

Service	Details
	4. Set TOMCATCONF to the USS path of your deployed Tomcat server's "context" directory. Typically: < catalina_base > / conf / Catalina / localhost 5. Set MTCADeploy to the USS path where you wish to deploy the MTCA Web App. A new directory called '/mtca' will be created on this path and will contain the mtcaApp.war as well as '/conf' and '/log' sub-directories. The configuration script creates the MTC-A directory structure at your chosen deployment location and defines the context for MTC-A to your Tomcat installation. If a previous MTC-A installation exists, your current configuration is saved as 'MTCADeploy/mtca/conf/config.yaml.YY_MM_DD_hh_mm_ss'. Your configuration is then automatically merged and upgraded to the version supplied within this PTF. Verify the STDOUT of the configuration batch job for messages indicating the addition of fields to the 'conf.yaml' that must be set specifically for your site before MTC-A is restarted. If your '/mtca' directory is on path 'a/b/c/mtca' supply path '/a/b/c' as your value for the deploy location). BINARY LINK(' ../conf.yaml') PARM(PATHMODE(0,7,5,5)) . TEXT LINK(' ../mtcacfg.sh') PARM(PATHMODE(0,7,5,5)) . BINARY LINK(' ../mtcaApp.war') PARM(PATHMODE(0,7,5,5)) . BINARY LINK(' ../opsmvs.war') PARM(PATHMODE(0,7,5,5)) .

Service	Details
LU05432	M.C.S. ENTRIES = ++PTF (LU05432) SECURITY OR INTEGRITY PROBLEM PROBLEM DESCRIPTION: Security or Integrity Problem. For more details access Security Advisories using the following URL: support.broadcom.com/security-advisory/security-advisories-list.html Broadcom recommends that you subscribe to notifications for Security Advisories for the associated products that you support in your organization. Please use the following URL to register for proactive notifications: https://support.broadcom.com/user/notifications.html SYMPTOMS: N/A IMPACT: Security or Integrity Problem. CIRCUMVENTION: N/A PRODUCT(S) AFFECTED: OPS/MVS Release 13.5 OPS/MVS Version 14.0 OPS/MVS Release 13.5 OPS/MVS Version 14.0 Related Problem: OPSMVS 16738 (C) 2022 Broadcom Inc and/or its subsidiaries; All rights reserved R00209-CLX140 DESC(SECURITY OR INTEGRITY PROBLEM) . ++VER (Z038) FMID (CCLXE01) PRE (LU00044 LU00122 LU00462 LU00633 LU01212 LU03582 LU03791 LU03946 LU04002 LU05148 LU05380 S014492 S015022 S015068 S015241 S015821 S015877) SUP (AC15146 EC15146 LT01162 LT02570 LT04224 LT04967 LT05432 LU02570 LU04224 S014857 S015148 S015200 ST14857 ST14979 ST15148 ST15200) ++HOLD (LU05432) SYSTEM FMID(CCLXE01) REASON (DYNACT) DATE (22097) COMMENT (-----+ OPS/MVS Version 14.0 -----+ SEQUENCE After APPLY -----+ PURPOSE To deploy a new version of Mainframe Team Center - Automation -----+ USERS All OPS/MVS MTC-A users AFFECTED -----+ KNOWLEDGE Basic z/OS systems programming skills and knowledge of REQUIRED your new or existing MTC-A installation and configuration -----+

Service	Details
	<pre> ACCESS - Read/write access to the USS directories where your new REQUIRED or existing installation of MTC-A resides - Authority to STOP and START your MTC-A Web Application +-----+-----+ ***** * STEPS TO PERFORM * ***** Run The MTC-A Configuration Batch Job Sample JCL to execute the configuration script, mtcacfg.sh, is provided in yourHLQ.CCLXCNTL(OPMOIACG). Before executing the batch job, make the following edits: 1. Include a valid job card 2. Set CCLXCLS0 to the fully qualified MVS dataset name of the SMP/E CLIST target library installed by FMID CCLXxr0 OPS/MVS Base. (eg. 'yourHLQ.CCLXCLS0') 3. Set CCLSHFSM to the USS mount point of the zFS installed by FMID CLXxr1 OPS/MVS OPSLOG WebView and Web Features. 4. Set TOMCATCONF to the USS path of your deployed Tomcat server's "context" directory. Typically: <catalina_base>/conf/Catalina/localhost 5. Set MTCADepLOY to the USS path where you wish to deploy the MTCA Web App. A new directory called '/mtca' will be created on this path and will contain the mtcaApp.war as well as '/conf' and '/log' sub-directories. The configuration script creates the MTC-A directory structure at your chosen deployment location and defines the context for MTC-A to your Tomcat installation. If a previous MTC-A installation exists, your current configuration is saved as 'MTCADepLOY/mtca/conf/config.yaml.YY_MM_DD_hh_mm_ss'. Your configuration is then automatically merged and upgraded to the version supplied within this PTF. Verify the STDOUT of the configuration batch job for messages indicating the addition of fields to the 'conf.yaml' that must be set specifically for your site before MTC-A is restarted. If your '/mtca' directory is on path 'a/b/c/mtca' supply path '/a/b/c' as your value for the deploy location). BINARY LINK('./conf.yaml') PARM(PATHMODE(0,7,5,5)) . TEXT LINK('./mtcacfg.sh') PARM(PATHMODE(0,7,5,5)) . BINARY LINK('./mtcaApp.war') PARM(PATHMODE(0,7,5,5)) . </pre>

Service	Details		
LU05517	LU05517 M.C.S. ENTRIES = ++PTF (LU05517) PRP RESOLVING PE PTFS DUE TO SOC4 AT Z/OS 2.5 PROBLEM DESCRIPTION: This PTF corrects JES2 offsets in OPJ2DF for z/OS 2.5. SYMPTOMS: OPJSJES2 function abends when it inquires information on printers via OPJSJES2('I','PRTS'): ABEND X'000C4000' AT OPJ2FU+X'00002BC4'. IMPACT: Unable to use OPSJES2 function without abend. CIRCUMVENTION: NONE. PRODUCT(S) AFFECTED: OPS/MVS Release 13.5 OPS/MVS Version 14.0 Related Problem: OPSMVS 16802 (C) 2022 Broadcom Inc and/or its subsidiaries; All rights reserved R00217-CLX140 DESC (PRP RESOLVING PE PTFS DUE TO SOC4 AT Z/OS 2.5). ++VER (Z038) FMID (CCLXE00) PRE (LU00442 LU03790) SUP (AL00442 LT05517) ++HOLD (LU05517) SYSTEM FMID(CCLXE00) REASON (DYNACT) DATE (22102) COMMENT (<table border="1"> <tr> <td>OPS/MVS</td><td>Version 14.0</td></tr> </table> SEQUENCE After APPLY PURPOSE To activate load modules updated by this PTF USERS All OPS/MVS users AFFECTED KNOWLEDGE Basic z/OS systems programming skills REQUIRED ACCESS - Access to OPS/MVS SMP/E Target loadlib CCLXLOAD and any REQUIRED deployed copies - Authority to issue MVS system commands - Authority to stop and start OPS/MVS ***** * STEPS TO PERFORM * ***** 1. APPLY of this PTF updates SMP/E Target loadlib CCLXLOAD. Refer to GIM23903I messages in the SMPDOUT to identify the specific load modules that are updated. 2. Copy the updated load modules from SMP/E Target loadlib CCLXLOAD to any other deployed copies, such as a loadlib	OPS/MVS	Version 14.0
OPS/MVS	Version 14.0		

Service	Details
	in the OPSMAIN STEPLIB or the system link list (LNKLIST). 3. If the system library lookaside (LLA) program is managing any updated loadlib, you must refresh LLA by using MVS system command "F LLA,REFRESH" or some equivalent method. 4. If the system link pack area (LPA) contains any updated load module, you must refresh LPA by using MVS system command "SETPROG LPA" or some equivalent method. * Note that load module OPSAEX is commonly placed in LPA. 5. Stop and re-start OPS/MVS by using MVS system commands "P OPSS" and "S OPSS" or some equivalent method. * For possible alternatives to restarting OPS/MVS, see the topic "RELOAD Modules and RESTART Components" in the user documentation at https://techdocs.broadcom.com/opsmvs 6. TSO users must exit and re-enter OPSVIEW to activate any changes. Depending on how OPSVIEW is accessed, this may require a TSO logoff and logon.).

Service	Details																		
LU05627	LU05627 M.C.S. ENTRIES = ++PTF (LU05627) SECURITY OR INTEGRITY PROBLEM PROBLEM DESCRIPTION: Security or Integrity Problem. For more details access Security Advisories using the following URL: support.broadcom.com/security-advisory/security-advisories-list.html Broadcom recommends that you subscribe to notifications for Security Advisories for the associated products that you support in your organization. Please use the following URL to register for proactive notifications: https://support.broadcom.com/user/notifications.html SYMPTOMS: N/A IMPACT: Security or Integrity Problem. CIRCUMVENTION: N/A PRODUCT(S) AFFECTED: OPS/MVS Release 13.5 OPS/MVS Version 14.0 Related Problem: OPSMVS 16891 (C) 2022 Broadcom Inc and/or its subsidiaries; All rights reserved R00223-CLX140 DESC (SECURITY OR INTEGRITY PROBLEM). ++VER (Z038) FMID (CCLXE01) PRE (LU00044 LU00122 LU00462 LU00633 LU01212 LU03582 LU03791 LU03946 LU04002 LU05148 LU05380 S014492 S015022 S015068 S015241 S015821 S015877) SUP (AC15146 EC15146 GC15146 LT01162 LT02570 LT04224 LT04967 LT05432 LT05627 LU02570 LU04224 LU05432 S014857 S015148 S015200 ST14857 ST14979 ST15148 ST15200) ++HOLD (LU05627) SYSTEM FMID(CCLXE01) REASON (DYNACT) DATE (22115) COMMENT (<table border="1"> <tr> <td>OPS/MVS</td><td>Version 14.0</td></tr> <tr> <td>SEQUENCE</td><td>After APPLY</td></tr> <tr> <td>PURPOSE</td><td>To deploy a new version of Mainframe Team Center - Automation</td></tr> <tr> <td>USERS</td><td>All OPS/MVS MTC-A users</td></tr> <tr> <td>AFFECTED</td><td></td></tr> <tr> <td>KNOWLEDGE</td><td>Basic z/OS systems programming skills and knowledge of</td></tr> <tr> <td>REQUIRED</td><td>your new or existing MTC-A installation and configuration</td></tr> <tr> <td>ACCESS</td><td>- Read/write access to the USS directories where your new</td></tr> <tr> <td>REQUIRED</td><td>or existing installation of MTC-A resides</td></tr> </table>	OPS/MVS	Version 14.0	SEQUENCE	After APPLY	PURPOSE	To deploy a new version of Mainframe Team Center - Automation	USERS	All OPS/MVS MTC-A users	AFFECTED		KNOWLEDGE	Basic z/OS systems programming skills and knowledge of	REQUIRED	your new or existing MTC-A installation and configuration	ACCESS	- Read/write access to the USS directories where your new	REQUIRED	or existing installation of MTC-A resides
OPS/MVS	Version 14.0																		
SEQUENCE	After APPLY																		
PURPOSE	To deploy a new version of Mainframe Team Center - Automation																		
USERS	All OPS/MVS MTC-A users																		
AFFECTED																			
KNOWLEDGE	Basic z/OS systems programming skills and knowledge of																		
REQUIRED	your new or existing MTC-A installation and configuration																		
ACCESS	- Read/write access to the USS directories where your new																		
REQUIRED	or existing installation of MTC-A resides																		

Service	Details
	<pre> - Authority to STOP and START your MTC-A Web Application +-----+-----+ ***** * STEPS TO PERFORM * ***** Run The MTC-A Configuration Batch Job Sample JCL to execute the configuration script, mtcacfg.sh, is provided in yourHLQ.CCLXCNTL(OPMOIACG). Before executing the batch job, make the following edits: 1. Include a valid job card 2. Set CCLXCLS0 to the fully qualified MVS dataset name of the SMP/E CLIST target library installed by FMID CCLXxr0 OPS/MVS Base. (eg. 'yourHLQ.CCLXCLS0') 3. Set CCLSHFSM to the USS mount point of the zFS installed by FMID CLXxr1 OPS/MVS OPSLOG WebView and Web Features. 4. Set TOMCATCONF to the USS path of your deployed Tomcat server's "context" directory. Typically: <catalina_base>/conf/Catalina/localhost 5. Set MTCADepLOY to the USS path where you wish to deploy the MTCA Web App. A new directory called '/mtca' will be created on this path and will contain the mtcaApp.war as well as '/conf' and '/log' sub-directories. The configuration script creates the MTC-A directory structure at your chosen deployment location and defines the context for MTC-A to your Tomcat installation. If a previous MTC-A installation exists, your current configuration is saved as 'MTCADepLOY/mtca/conf/config.yaml.YY_MM_DD_hh_mm_ss'. Your configuration is then automatically merged and upgraded to the version supplied within this PTF. Verify the STDOUT of the configuration batch job for messages indicating the addition of fields to the 'conf.yaml' that must be set specifically for your site before MTC-A is restarted. If your '/mtca' directory is on path 'a/b/c/mtca' supply path '/a/b/c' as your value for the deploy location). LINK(' ../conf.yaml') PARM(PATHMODE(0,7,5,5)). LINK(' ../mtcacfg.sh') PARM(PATHMODE(0,7,5,5)). LINK(' ../mtcaApp.war') PARM(PATHMODE(0,7,5,5)). </pre>

Service	Details	
LU05691	LU05691 M.C.S. ENTRIES = ++PTF (LU05691)	
	SECURITY OR INTEGRITY PROBLEM	
	PROBLEM DESCRIPTION:	
	Security or Integrity Problem.	
	For more details access Security Advisories using the following URL: support.broadcom.com/security-advisory/security-advisories-list.html	
	Broadcom recommends that you subscribe to notifications for Security Advisories for the associated products that you support in your organization. Please use the following URL to register for proactive notifications: https://support.broadcom.com/user/notifications.html	
	SYMPTOMS:	
	N/A	
	IMPACT:	
	Security or Integrity Problem.	
	CIRCUMVENTION:	
	N/A	
	PRODUCT(S) AFFECTED:	
	OPS/MVS	Release 13.5
	OPS/MVS	Version 14.0
	Related Problem:	
	OPSMVS 16929	
	(C) 2022 Broadcom Inc and/or its subsidiaries; All rights reserved	
	R00224-CLX140	
	DESC (SECURITY OR INTEGRITY PROBLEM).	
	++VER (Z038)	
	FMID (CCLXE01)	
	PRE (LU00044 LU00122 LU00462 LU00633 LU01212 LU03582 LU03791	
	LU03946 LU04002 LU05148 LU05380 S014492 S015022 S015068	
	S015241 S015821 S015877)	
	SUP (AC15146 EC15146 GC15146 HC15146 LT01162 LT02570 LT04224	
	LT04967 LT05432 LT05627 LT05691 LU02570 LU04224 LU05432	
	LU05627 S014857 S015148 S015200 ST14857 ST14979 ST15148	
	ST15200)	
	++HOLD (LU05691) SYSTEM FMID(CCLXE01)	
	REASON (DYNACT) DATE (22116)	
	COMMENT (	
	+-----+	
	OPS/MVS	Version 14.0
	+-----+	
	SEQUENCE	After APPLY
	+-----+	
	PURPOSE	To deploy a new version of Mainframe Team Center -
		Automation
	+-----+	
	USERS	All OPS/MVS MTC-A users
	AFFECTED	
	+-----+	
	KNOWLEDGE	Basic z/OS systems programming skills and knowledge of
	REQUIRED	your new or existing MTC-A installation and configuration
	+-----+	
	ACCESS	- Read/write access to the USS directories where your new

Service	Details
	<pre> REQUIRED or existing installation of MTC-A resides - Authority to STOP and START your MTC-A Web Application +-----+-----+ ***** * STEPS TO PERFORM * ***** Run The MTC-A Configuration Batch Job Sample JCL to execute the configuration script, mtcacfg.sh, is provided in yourHLQ.CCLXCNTL(OPMOIACG). Before executing the batch job, make the following edits: 1. Include a valid job card 2. Set CCLXCLS0 to the fully qualified MVS dataset name of the SMP/E CLIST target library installed by FMID CCLXxr0 OPS/MVS Base. (eg. 'yourHLQ.CCLXCLS0') 3. Set CCLSHFSM to the USS mount point of the zFS installed by FMID CLXxr1 OPS/MVS OPSLOG WebView and Web Features. 4. Set TOMCATCONF to the USS path of your deployed Tomcat server's "context" directory. Typically: <catalina_base>/conf/Catalina/localhost 5. Set MTCADepLOY to the USS path where you wish to deploy the MTCA Web App. A new directory called '/mtca' will be created on this path and will contain the mtcaApp.war as well as '/conf' and '/log' sub-directories. The configuration script creates the MTC-A directory structure at your chosen deployment location and defines the context for MTC-A to your Tomcat installation. If a previous MTC-A installation exists, your current configuration is saved as 'MTCADepLOY/mtca/conf/config.yaml.YY_MM_DD_hh_mm_ss'. Your configuration is then automatically merged and upgraded to the version supplied within this PTF. Verify the STDOUT of the configuration batch job for messages indicating the addition of fields to the 'conf.yaml' that must be set specifically for your site before MTC-A is restarted. If your '/mtca' directory is on path 'a/b/c/mtca' supply path '/a/b/c' as your value for the deploy location). LINK('..../conf.yaml') PARM(PATHMODE(0,7,5,5)). LINK('..../mtcacfg.sh') PARM(PATHMODE(0,7,5,5)). LINK('..../mtcaApp.war') PARM(PATHMODE(0,7,5,5)). MCS LU05358 STARTS ON PAGE 0002 MCS LU05380 STARTS ON PAGE 0004 MCS LU05432 STARTS ON PAGE 0007 MCS LU05517 STARTS ON PAGE 0009 MCS LU05627 STARTS ON PAGE 0011 MCS LU05691 STARTS ON PAGE 0013 </pre>

OPS/MVS for JES2/JES3 14.0
CA RS 2205 Product/Component Listing

17

Product Family	Product	Release
Systems Management	CA OPS/MVS BASE	14.00.00
The CA RS 2205 Product/Component Count for this release is 1		

CA RS Level	Service	FMID
CAR2205	LU05691	CCLXE01
	LU05627	CCLXE01
	LU05517	CCLXE00
	LU05432	CCLXE01
	LU05380	CCLXE01
	LU05358	CCLXE00
CAR2204	LU05306	CCLXE00
	LU05297	CCLXE00
	LU05260	CCLXE00
	LU05234	CCLXE00
	LU05216	CCLXE00
	LU05215	CCLXE01
	LU05214	CCLXE00
	LU05148	CCLXE01
	LU05096	CCLXE00
	LU05064	CCLXE00
	LU05045	CCLXE00
	LU05016	CCLXE00
	LU05009	CCLXE00
	LU04902	CCLXE00
	LU04793	CCLXE00
CAR2203	LU04913	CCLXE00
	LU04889	CCLXE00
	LU04888	CCLXE00
	LU04768	CCLXE00
	LU04738	CCLXE00
	LU04575	CCLXE00
	LU04473	CCLXE00
	LU03819	CCLXE00
CAR2202	LU04341	CCLXE00
	LU04292	CCLXE00
	LU04224	CCLXE01
	LU04194	CCLXE00
	LU04184	CCLXE00
	LU04168	CCLXE00
	LU04163	CCLXE00
	LU04106	CCLXE00
	LU03744	CCLXE00
	LU03513	CCLXE00
CAR2201	LU04002	CCLXE01
	LU03946	CCLXE01
	LU03884	CCLXE01
	LU03852	CCLXE00
	LU03792	CCLXE03
	LU03791	CCLXE01
	LU03790	CCLXE00
	LU03721	CCLXE00

CA RS Level	Service	FMID
	LU03582	CCLXE01
CAR2112	LU03548	CCLXE00
	LU03512	CCLXE03
	LU03481	CCLXE00
	LU03418	CCLXE00
	LU03387	CCLXE00
	LU03373	CCLXE01
	LU03334	CCLXE00
	LU03258	CCLXE00
CAR2111	LU03303	CCLXE00
	LU03179	CCLXE00
	LU03165	CCLXE01
	LU03149	CCLXE00
	LU03137	CCLXE00
	LU03119	CCLXE00
	LU03099	CCLXE00
	LU03084	CCLXE00
	LU03082	CCLXE00
	LU03072	CCLXE00
	LU03049	CCLXE00
	LU03011	CCLXE00
CAR2110	LU02790	CCLXE00
	LU02570	CCLXE01
	LU02514	CCLXE00
	LU02484	CCLXE00
	LU02253	CCLXE01
	LU02252	CCLXE00
CAR2109	LU02562	CCLXE00
	LU02545	CCLXE00
	LU02521	CCLXE00
	LU02515	CCLXE00
	LU02478	CCLXE00
	LU02417	CCLXE00
	LU02313	CCLXE00
	LU02285	CCLXE00
	LU02105	CCLXE00
CAR2108	LU02209	CCLXE00
	LU02161	CCLXE00
	LU02080	CCLXE00
	LU02046	CCLXE00
	LU02021	CCLXE00
	LU01967	CCLXE00
CAR2107	LU01929	CCLXE00
	LU01862	CCLXE00
	LU01797	CCLXE00
	LU01655	CCLXE00
	LU01630	CCLXE00

CA RS Level	Service	FMID
	LU01562	CCLXE01
	LU01212	CCLXE01
	LU01211	CCLXE00
	LU01140	CCLXE01
CAR2106	LU01398	CCLXE00
	LU01310	CCLXE00
	LU01080	CCLXE00
	LU00913	CCLXE00
CAR2105	LU01117	CCLXE00
	LU01116	CCLXE00
	LU00998	CCLXE00
	LU00876	CCLXE00
	LU00741	CCLXE00
	LU00717	CCLXE00
	LU00679	CCLXE00
CAR2104	LU00716	CCLXE01
	LU00715	CCLXE00
	LU00677	CCLXE00
	LU00634	CCLXE00
	LU00633	CCLXE01
	LU00632	CCLXE00
	LU00610	CCLXE00
	LU00496	CCLXE00
	LU00477	CCLXE00
	LU00462	CCLXE01
	LU00442	CCLXE00
	LU00407	CCLXE00
	LU00361	CCLXE00
	LU00235	CCLXE00
CAR2103	LU00278	CCLXE00
	LU00210	CCLXE00
	LU00188	CCLXE00
	LU00122	CCLXE01
	LU00121	CCLXE00
CAR2102	SO15877	CCLXE01
	SO15876	CCLXE00
	LU00117	CCLXE00
	LU00113	CCLXE00
	LU00078	CCLXE00
	LU00077	CCLXE00
	LU00074	CCLXE00
	LU00067	CCLXE00
	LU00063	CCLXE00
	LU00060	CCLXE00
	LU00058	CCLXE00
	LU00057	CCLXE00
	LU00044	CCLXE01

CA RS Level	Service	FMID
	LU00040	CCLXE00
CAR2101	S015920	CCLXE00
	S015902	CCLXE00
	S015821	CCLXE01
	S015820	CCLXE00
	S015729	CCLXE00
	LU00028	CCLXE00
	LU00025	CCLXE00
CAR2012	S015758	CCLXE00
	S015662	CCLXE00
	S015610	CCLXE00
	S015578	CCLXE00
	S015569	CCLXE00
	S015565	CCLXE00
	S015526	CCLXE00
	S015515	CCLXE00
	S015505	CCLXE00
	S015502	CCLXE00
	S015497	CCLXE00
CAR2011	S015373	CCLXE00
	S015324	CCLXE00
	S015241	CCLXE01
	S015200	CCLXE01
	S015151	CCLXE00
	S015148	CCLXE01
	S015069	CCLXE00
	S015068	CCLXE01
	S015067	CCLXE00
	S014750	CCLXE00
CAR2010	S015022	CCLXE01
	S015018	CCLXE00
	S014993	CCLXE00
	S014932	CCLXE00
	S014903	CCLXE00
	S014875	CCLXE00
	S014871	CCLXE00
	S014857	CCLXE01
	S014824	CCLXE00
	S014801	CCLXE00
	S014646	CCLXE00
	S014644	CCLXE00
	S014609	CCLXE00
CAR2009	S014537	CCLXE00
	S014492	CCLXE01
	S014477	CCLXE00
	S014434	CCLXE01
	S014412	CCLXE00