

Workload Automation ESP Edition 12.0  
CA RS 2205 Service List

Service	Description	Type
LU02801	JOBMAP IS NOT DISPLAYING LAST EXECUTION	PTF
LU05302	ESP4102E INVALID AGENT NAME	PTF
LU05371	INTELLIGENT EXPERIENCE RELEASE 12.1.01-2112	** PRP **
LU05383	ESP REST API 12.0.03 - SECURITY OT INTEGRITY PROBLEM	** PRP **
LU05486	UPDATES TO AAI INTEGRATION - RELEASE 1.0.1	** PRP **
The CA RS 2205 service count for this release is 5		

Workload Automation ESP Edition  
CA RS 2205 Service List for CD7YC00

2

FMID	Service	Description	Type
CD7YC00	LU02801	JOBMAP IS NOT DISPLAYING LAST EXECUTION	PTF
	LU05302	ESP4102E INVALID AGENT NAME	PTF
	LU05486	UPDATES TO AAI INTEGRATION - RELEASE 1.0.1	** PRP **
The CA RS 2205 service count for this FMID is 3			

FMID	Service	Description	Type
CFIFC00	LU05371	INTELLIGENT EXPERIENCE RELEASE 12.1.01-2112	** PRP **
The CA RS 2205 service count for this FMID is 1			

Workload Automation ESP Edition  
CA RS 2205 Service List for CRSTC00

FMID	Service	Description	Type
CRSTC00	LU05383	ESP REST API 12.0.03 - SECURITY OT INTEGRITY PROBLEM	** PRP **
The CA RS 2205 service count for this FMID is 1			

Service	Details				
LU02801	<p>LU02801 M.C.S. ENTRIES = ++PTF (LU02801)</p> <p>JOBMAP IS NOT DISPLAYING LAST EXECUTION</p> <p>PROBLEM DESCRIPTION:</p> <p>JOBMAP command output is not displaying the last execution date and time in the "LAST RUN" field.</p> <p>After applying the PTF the JOBMAP command will correctly fill the "LAST RUN" field by the last date and time that the job ran.</p> <p>SYMPTOMS:</p> <p>"LAST RUN" field in JOBMAP output is blank even the job has already run.</p> <p>IMPACT:</p> <p>The incorrect information is shown in the JOBMAP output.</p> <p>CIRCUMVENTION:</p> <p>The LJS command lists the latest job submissions or execution statistics. For example use this syntax: LJS JOB(jobname) INDEX</p> <p>PRODUCT(S) AFFECTED:</p> <table> <tr> <td>ESP WORKLOAD AUTOMATION</td><td>Release 11.4</td></tr> <tr> <td>ESP WORKLOAD AUTOMATION</td><td>Version 12.0</td></tr> </table> <p>Related Problem:</p> <p>ESPWA 14538</p> <p>(C) 2022 Broadcom Inc and/or its subsidiaries; All rights reserved</p> <p>R00226-D7Y120</p> <p>DESC(JOBMAP IS NOT DISPLAYING LAST EXECUTION).</p> <p>++VER (Z038)</p> <p>FMID (CD7YC00)</p> <p>PRE ( LU01506 LU04550 )</p> <p>SUP ( LT02635 LT02801 )</p>	ESP WORKLOAD AUTOMATION	Release 11.4	ESP WORKLOAD AUTOMATION	Version 12.0
ESP WORKLOAD AUTOMATION	Release 11.4				
ESP WORKLOAD AUTOMATION	Version 12.0				

Service	Details
LU05302	<p>LU05302 M.C.S. ENTRIES = ++PTF (LU05302)</p> <p>ESP4102E INVALID AGENT NAME</p> <p>PROBLEM DESCRIPTION:</p> <p>ESP4102E Invalid Agent name error message is produced when the APPLBUF initialization parameter is too small to accommodate all Agent Definition Entries (AGDFE).</p> <p>SYMPTOMS:</p> <p>ESP4102E Invalid Agent name error message is reported for the existing agent.</p> <p>IMPACT:</p> <p>ESP4102E error message is baselessly reported.</p> <p>CIRCUMVENTION:</p> <p>If a significant number of obsolete Agent Definitions is active - remove the obsolete entries. Otherwise increase the size of the APPLBUF initialization parameter and restart ESP. For each AGDF entry, the space of 256 bytes is needed in APPLBUF, i.e. every 1MB of APPLBUF size accommodates 4k of AGDF entries.</p> <p>PRODUCT(S) AFFECTED:</p> <p>ESP WORKLOAD AUTOMATION Release 11.4</p> <p>ESP WORKLOAD AUTOMATION Version 12.0</p> <p>Related Problem:</p> <p>ESPWA 12953</p> <p>(C) 2022 Broadcom Inc and/or its subsidiaries; All rights reserved</p> <p>R00271-D7Y120</p> <p>DESC(ESP4102E INVALID AGENT NAME).</p> <p>++VER (Z038)</p> <p>FMID (CD7YC00)</p> <p>PRE ( LU04550 S006339 S010257 S012402 )</p> <p>SUP ( LT00370 LT04820 LT04837 LT05253 LT05270 LT05302 )</p> <p>++HOLD (LU05302) SYSTEM FMID(CD7YC00)</p> <p>REASON (DOC ) DATE (22088)</p> <p>COMMENT (</p> <p>+-----+</p> <p>  ESP WORKLOAD AUTOMATION Version 12.0  </p> <p>+-----+</p> <p>*****</p> <p>* PUBLICATION *</p> <p>*****</p> <p>Message: 2759E</p> <p>APPLBUF too small to accommodate all agent definitions</p> <p>Reason:</p> <p>A user has created too many agent definitions. The APPLBUF initialization parameter is too small to accommodate all of the agent definitions.</p> <p>System Action:</p> <p>The request is not processed.</p> <p>Action:</p> <p>Increase the size of the APPLBUF initialization parameter and restart ESP.</p> <p>).</p>

Service	Details
LU05371	<p>LU05371 M.C.S. ENTRIES = ++PTF (LU05371)</p> <p>The following items are included in this solution:</p> <ol style="list-style-type: none"> <li>1. INTELLIGENT EXPERIENCE RELEASE 12.1.01-2112</li> <li>2. SECURITY OR INTEGRITY PROBLEM</li> </ol> <p>=====</p> <p>INTELLIGENT EXPERIENCE RELEASE 12.1.01-2112</p> <p>ENHANCEMENT DESCRIPTION:</p> <p>The new version of ESP Workload Automation Intelligent Experience brings additional features and changes to existing functionality:</p> <ul style="list-style-type: none"> <li>- Better utilization of the screen space</li> <li>- Smoother experience with the tables</li> <li>- Up to 200 saved filters on Application List and Job List pages</li> <li>- Possibility to share the filters via URL</li> <li>- Application Details: Improved Job Flow visualization</li> <li>- Full-screen mode</li> <li>- Easy to reach info about job details and job dependencies</li> <li>- Enhanced minimap</li> <li>- Application list: New filtering criteria based on sub-applications</li> <li>- Job List: New filtering criteria based on job qualifier</li> <li>- Removed Dashboard page</li> </ul> <p>PRODUCT(S) AFFECTED:</p> <p>ESP Intelligent Experience Version 12.0</p> <p>Related Problem:</p> <p>ESPUI 16699</p> <p>=====</p> <p>SECURITY OR INTEGRITY PROBLEM</p> <p>PROBLEM DESCRIPTION:</p> <p>Security or Integrity Problem.</p> <p>For more details access Security Advisories using the following URL:  <a href="https://support.broadcom.com/security-advisory/security-advisories-list.html">support.broadcom.com/security-advisory/security-advisories-list.html</a>          Broadcom recommends that you subscribe to notifications for Security Advisories for the associated products that you support in your organization. Please use the following URL to register for proactive notifications: <a href="https://support.broadcom.com/user/notifications.html">https://support.broadcom.com/user/notifications.html</a></p> <p>SYMPTOMS:</p> <p>N/A</p> <p>IMPACT:</p> <p>Security or Integrity Problem.</p> <p>CIRCUMVENTION:</p> <p>N/A</p> <p>PRODUCT(S) AFFECTED:</p> <p>ESP Intelligent Experience Version 12.0</p> <p>Related Problem:</p> <p>ESPUI 16695</p> <p>(C) 2022 Broadcom Inc and/or its subsidiaries; All rights reserved          R00274-D7Y120</p> <p>DESC(INTELLIGENT EXPERIENCE RELEASE 12.1.01-2112).          ++VER (Z038)          FMID (CFIFC00)          PRE ( LU04555 S012378 )          SUP ( BC05227 BL05319 LT05226 LT05314 LT05319 LT05371          LU05319 ST12256 ST12340 ST12351 ST12356 )</p>

Service	Details
	<pre> ++HOLD (LU05371) SYSTEM FMID(CFIFC00) REASON (ACTION )    DATE (22091) COMMENT ( +-----+        ESP Intelligent Experience                      Version 12.0        +-----+  SEQUENCE   Before Apply  +-----+  PURPOSE    For smooth upgrade of Intelligent Experience to Release                12.1.01.  +-----+  USERS      All users   AFFECTED  +-----+  KNOWLEDGE  1. MVS Commands   REQUIRED   2. Unix System Services  +-----+  ACCESS     1. Operator console   REQUIRED   2. Write access to USS path where wla-esp-ix.jar is                        deployed, or where the WEBPROP property ix.db.path                         is pointing to.   +-----+ ***** * STEPS    TO    PERFORM * ***** 1. Stop the Intelligent Experience server by issuing 'P &lt;espixstc&gt;' command from the Operator console before applying the PTF. 2. a. Delete the Intelligent Experience database directory, or b. Set the ix.db.path property to a new location. The database directory is set by ix.db.path property in WEBPROP configuration member. The property is set to ix.db.path=./DB by default. That means the database resides in the same USS path where the wla-esp-ix.jar is placed and that is specified by ESPWEB_HOME environment variable in WEBOPTS configuration member. After the database is deleted or the location changed, the database is automatically recreated from scratch. 3. Start the Intelligent Experience server by issuing 'S &lt;espixstc&gt;' command from the Operator console. ). LINK('wla-esp-ix.jar') PARM(PATHMODE(0,6,4,4)) . </pre>



Service	Details
LU05383	<p>LU05383 M.C.S. ENTRIES = ++PTF (LU05383)</p> <p>SECURITY OR INTEGRITY PROBLEM</p> <p>PROBLEM DESCRIPTION:</p> <p>Security or Integrity Problem.</p> <p>For more details access Security Advisories using the following URL:  <a href="https://support.broadcom.com/security-advisory/security-advisories-list.html">support.broadcom.com/security-advisory/security-advisories-list.html</a></p> <p>Broadcom recommends that you subscribe to notifications for Security Advisories for the associated products that you support in your organization. Please use the following URL to register for proactive notifications: <a href="https://support.broadcom.com/user/notifications.html">https://support.broadcom.com/user/notifications.html</a></p> <p>SYMPTOMS:</p> <p>N/A</p> <p>IMPACT:</p> <p>Security or Integrity Problem.</p> <p>CIRCUMVENTION:</p> <p>N/A</p> <p>PRODUCT(S) AFFECTED:</p> <p>ESP WORKLOAD AUTOMATION Version 12.0</p> <p>Related Problem:</p> <p>ESPWA 16705</p> <p>(C) 2022 Broadcom Inc and/or its subsidiaries; All rights reserved</p> <p>R00275-D7Y120</p> <p>DESC(ESP REST API 12.0.03 - SECURITY OT INTEGRITY PROBLEM) .</p> <p>++VER (Z038)</p> <p>FMID (CRSTC00)</p> <p>PRE ( LU04556 S007102 S012251 )</p> <p>SUP ( AC04571 BC04571 LT02907 LT02978 LT02980 LT02981 LT02986  LT04638 LT05383 LU02986 LU04638 )</p> <p>LINK('esp-rest-api.jar') PARM(PATHMODE(0,6,4,4)) .</p>

Service	Details
LU05486	<div>LU05486    M.C.S. ENTRIES    = ++PTF (LU05486)</div> <div>The following items are included in this solution: 1. UPDATES TO AAI INTEGRATION - RELEASE 1.0.1 2. SECURITY OR INTEGRITY PROBLEM</div> <div>=====</div> <div>UPDATES TO AAI INTEGRATION - RELEASE 1.0.1</div> <div>ENHANCEMENT DESCRIPTION: The new version of ESP/AAI Integration introduces the following changes: - The embedded Web server in the ESP Adapter is disabled by default. - The native job type of the application in the AAI User Interface is changed frpm CONTAINER to APPLICATION.</div> <div>PRODUCT(S) AFFECTED: ESP WORKLOAD AUTOMATION<span>Version 12.0</span></div> <div>Related Problem: ESPWA 16734</div> <div>=====</div> <div>SECURITY OR INTEGRITY PROBLEM</div> <div>PROBLEM DESCRIPTION: Security or Integrity Problem. For more details access Security Advisories using the following URL: support.broadcom.com/security-advisory/security-advisories-list.html Broadcom recommends that you subscribe to notifications for Security Advisories for the associated products that you support in your organization. Please use the following URL to register for proactive notifications: https://support.broadcom.com/user/notifications.html</div> <div>SYMPTOMS: N/A</div> <div>IMPACT: Security or Integrity Problem.</div> <div>CIRCUMVENTION: N/A</div> <div>PRODUCT(S) AFFECTED: ESP WORKLOAD AUTOMATION<span>Version 12.0</span> ESP WORKLOAD AUTOMATION<span>Version 12.0</span></div> <div>Related Problem: ESPWA 16644</div> <div>(C) 2022 Broadcom Inc and/or its subsidiaries; All rights reserved R00279-D7Y120</div> <div>DESC(UPDATES TO AAI INTEGRATION - RELEASE 1.0.1). ++VER (Z038) FMID (CD7YC00) PRE ( LU01675 LU01702 LU04550 ) SUP ( AL01702 LT01633 LT01650 LT01654 LT01670 LT01676 LT05441 LT05486 ) LINK('integrations/CA/esp-adapter-boot.jar') PARM(PATHMODE(0,6,4,4)).</div> <div>MCS                    LU02801                    STARTS ON PAGE 0002 MCS                    LU05302                    STARTS ON PAGE 0002 MCS                    LU05371                    STARTS ON PAGE 0004 MCS                    LU05383                    STARTS ON PAGE 0006 MCS                    LU05486                    STARTS ON PAGE 0007</div>

Product Family	Product	Release
Scheduling	CA ESP ENCORE	12.00.00
	CA ESP HIGH AVAILABILITY	12.00.00
	CA ESP INTELLIGENT EXPERIENCE	12.00.00
	CA ESP REPORT SERVER	12.00.00
	CA ESP RESTFUL WEB SERVICES	12.00.00
	CA ESP SERVICE GOVERNOR	12.00.00
	CA WORKLOAD AUTOMATION ESP EDITION	12.00.00
The CA RS 2205 Product/Component Count for this release is 7		

CA RS Level	Service	FMID
CAR2205	LU05486	CD7YC00
	LU05383	CRSTC00
	LU05371	CFIFC00
	LU05302	CD7YC00
	LU02801	CD7YC00
CAR2204	LU05319	CFIFC00
	LU04943	CEACC00
	LU04520	CD7YC00
	LU04335	CD7YC00
	LU02551	CD7YC00
CAR2203	LU04638	CRSTC00
	LU04556	CRSTC00
	LU04555	CFIFC00
	LU04554	CEACC00
	LU04553	CD71C00
	LU04552	CD70C00
	LU04551	CD7ZC00
	LU04550	CD7YC00
	LU03812	CD7YC00
	LU03257	CD7YC00
	LU01769	CD7YC00
CAR2202	LU04268	CD7YC00
	LU04235	CD7YC00
	LU04181	CD7YC00
	LU04096	CD7YC00
	LU02885	CD7YC00
CAR2201	LU03683	CD7YC00
CAR2112	LU03369	CD7YC00
CAR2111	LU03059	CD7YC00
	LU02986	CRSTC00
	LU02984	CD7YC00
	LU02218	CD7YC00
	LU02057	CD7YC00
	LU01871	CD7YC00
CAR2110	LU02643	CD7YC00
	LU02234	CD7YC00
	LU02226	CD7YC00
CAR2107	LU01702	CD7YC00
	LU01675	CD7YC00
	LU01506	CD7YC00
	LU01133	CD7YC00
CAR2106	S013274	CD7YC00
	LU01016	CD7YC00
CAR2105	LU00942	CEACC00
CAR2104	S016227	CD7YC00
	S016225	CD7YC00
	S015267	CD7YC00

CA RS Level	Service	FMID
	LU00656	CD7YC00
	LU00416	CD7YC00
CAR2103	S016157	CD7YC00
	S016000	CD7YC00
	S015431	CD7YC00
	S015429	CD7YC00
CAR2102	S014713	CD7YC00
CAR2101	S012981	CD7YC00
CAR2012	S015391	CD7YC00
CAR2011	S014850	CD7YC00
CAR2010	S014790	CD7YC00
	S014315	CD7YC00
	S013620	CD7YC00
	S012554	CD7YC00
CAR2009	S014071	CD7YC00
CAR2008	S013138	CD7YC00
	S011136	CD7YC00
CAR2007	S013418	CD7YC00
	S013403	CD7YC00
	S010159	CD7YC00
CAR2006	S013387	CD71C00
	S013386	CD70C00
	S013385	CD7ZC00
	S013384	CD7YC00
	S012890	CD7YC00
	S012240	CD7YC00
CAR2005	S012402	CD7YC00
CAR2004	S012378	CFIFC00
	S012377	CD7YC00
	S012251	CRSTC00
	S012250	CD7YC00
CAR2002	S009904	CEACC00
CAR2001	S011267	CD7YC00
	S011050	CD7YC00
	S010682	CD7YC00
CAR1912	S010472	CD7YC00
	S010257	CD7YC00
	S009594	CD7YC00
CAR1910	S009670	CD7YC00
	S009245	CD7YC00
	S009014	CD7YC00
CAR1909	S009015	CD7YC00
	S008834	CEACC00
	S008713	CD7YC00
CAR1906	S008106	CD7YC00
	S007895	CD7YC00
	S006341	CD7YC00

CA RS Level	Service	FMID
CAR1904	S007473	CD7YC00
CAR1903	S007325	CD7YC00
	S007178	CD7YC00
	S006343	CD7YC00
	S006339	CD7YC00
	S006338	CD7YC00
	S006297	CD7YC00
	S006180	CD7YC00
	S005922	CD7YC00
	S005358	CD7YC00
CAR1902	S007102	CRSTC00
	S007101	CD7YC00
CAR1901	S006342	CD7YC00
CAR1812	S006322	CD7YC00
	S006305	CD7YC00
	S006146	CD7YC00
	S005895	CD7YC00
	S005800	CD7YC00
	S005654	CD7YC00
	S005357	CD7YC00
	S005356	CD7YC00