

Endevor SCM 18.1
CA RS 2206 Service List

1

Service	Description	Type
LU05034	POOR ERROR REPORTING FROM ENDIE440	PTF
LU05373	CORRECTIONS TO REXX PROGRAM ENDEVORS	PTF
LU05688	DFC FAILING WHEN SUBSTRING STARTS AFTER LAST NONBLANKSYMBOL	PTF
LU05731	S637-BC ABEND FOR EXTENDED TEMPORARY DATASETS IN PROCESSOR	PTF
LU05853	(E) ECLIPSE UI: RELEASE 18.1.9	PTF
The CA RS 2206 service count for this release is 5		

Endevor SCM
CA RS 2206 Service List for CSIQI10

FMID	Service	Description	Type
CSIQI10	LU05034	POOR ERROR REPORTING FROM ENDIE440	PTF
	LU05373	CORRECTIONS TO REXX PROGRAM ENDEVORS	PTF
	LU05688	DFC FAILING WHEN SUBSTRING STARTS AFTER LAST NONBLANKSYMBOL	PTF
	LU05731	S637-BC ABEND FOR EXTENDED TEMPORARY DATASETS IN PROCESSOR	PTF
The CA RS 2206 service count for this FMID is 4			

Endevor SCM
CA RS 2206 Service List for CSIQI13

FMID	Service	Description	Type
CSIQI13	LU05853	(E) ECLIPSE UI: RELEASE 18.1.9	PTF
The CA RS 2206 service count for this FMID is 1			

Endevor SCM 18.1
CA RS 2206 - PTF LU05034 Details

4

Service	Details
LU05034	LU05034 M.C.S. ENTRIES = ++PTF (LU05034) POOR ERROR REPORTING FROM ENDIE440 PROBLEM DESCRIPTION: If SYSPROC concatenation has more than 16 datasets, during the start of Quick Edit ENDIE440 routine produces a confusing error message which doesn't help to diagnose the problem. SYMPTOMS: Every time Quick Edit is started the following error message appears: ENDIE440 Error:Invalid RC from LMINIT 8. IMPACT: The product continues to function but the error message appears at every Quick Edit start. CIRCUMVENTION: No. PRODUCT(S) AFFECTED: Endevor Software Change Manager Release 18.1 Related Problem: ENDBAS 16185 (C) 2022 Broadcom Inc and/or its subsidiaries; All rights reserved R00212-SCM181 DESC(POOR ERROR REPORTING FROM ENDIE440). ++VER (Z038) FMID (CSIQI10) PRE (LU02047 S014704) SUP (LT05034)

Service	Details																										
LU05373	LU05373 M.C.S. ENTRIES = ++PTF (LU05373) CORRECTIONS TO REXX PROGRAM ENDEVORS PROBLEM DESCRIPTION: Rexx program ENDEVORS has these deficiencies: 1) it doesn't handle a customization that results in an empty list of data sets 2) it saves and restores more variables of the TSO PROFILE than needed. SYMPTOMS: 1) ENDEVORS fails with this message: IKJ56709I INVALID DATA SET NAME,) 2) a user without authority to update certain TSO PROFILE variables gets an error message, e.g.: IKJ56690I YOU ARE NOT AUTHORIZED TO USE THE RECOVER/NORECOVER FACILITY. IMPACT: The ENDEVORS program can't be used "as is". CIRCUMVENTION: One of these workarounds can be used: - Use the legacy clists to start Endevor - Update ENDEVORS: 1) remove the variable with the empty list of data sets from the LIBDEFS variable. 2) Change the coding to save and restore only the MSGID setting in the TSO PROFILE. PRODUCT(S) AFFECTED: Endevor Software Change Manager Release 18.1 Related Problem: ENDBAS 16687 (C) 2022 Broadcom Inc and/or its subsidiaries; All rights reserved R00223-SCM181 DESC(CORRECTIONS TO REXX PROGRAM ENDEVORS). ++VER (Z038) FMID (CSIQI10) PRE (LU01062 SO12677) SUP (LT05373) ++HOLD (LU05373) SYSTEM FMID(CSIQI10) REASON (ACTION) DATE (22124) COMMENT (<table border="1"> <tr> <td colspan="2">-----+</td> </tr> <tr> <td> </td><td>Endevor Software Change Manager Release 18.1</td> </tr> <tr> <td colspan="2">+-----+</td> </tr> <tr> <td> SEQUENCE</td><td> Before Apply</td> </tr> <tr> <td colspan="2">+-----+</td> </tr> <tr> <td> PURPOSE</td><td> This PTF updates REXX programs in the CSIQCLS0 library.</td> </tr> <tr> <td> </td><td> If you have customized the REXX programs delivered by</td> </tr> <tr> <td> </td><td> this PTF, you must backup your customized version of the</td> </tr> <tr> <td> </td><td> REXX program(s) before applying this PTF to avoid losing</td> </tr> <tr> <td> </td><td> your changes.</td> </tr> <tr> <td colspan="2">+-----+</td> </tr> <tr> <td> USERS</td><td> All Endevor users.</td> </tr> <tr> <td> AFFECTED</td><td> </td> </tr> </table>	-----+			Endevor Software Change Manager Release 18.1	+-----+		SEQUENCE	Before Apply	+-----+		PURPOSE	This PTF updates REXX programs in the CSIQCLS0 library.		If you have customized the REXX programs delivered by		this PTF, you must backup your customized version of the		REXX program(s) before applying this PTF to avoid losing		your changes.	+-----+		USERS	All Endevor users.	AFFECTED	
-----+																											
	Endevor Software Change Manager Release 18.1																										
+-----+																											
SEQUENCE	Before Apply																										
+-----+																											
PURPOSE	This PTF updates REXX programs in the CSIQCLS0 library.																										
	If you have customized the REXX programs delivered by																										
	this PTF, you must backup your customized version of the																										
	REXX program(s) before applying this PTF to avoid losing																										
	your changes.																										
+-----+																											
USERS	All Endevor users.																										
AFFECTED																											

Service	Details
	<pre> +-----+-----+ KNOWLEDGE 1. SMP/e REQUIRED 2. Endevor Administration 3. Endevor REXX program customization +-----+-----+ ACCESS No special access is required. REQUIRED +-----+-----+ ***** * STEPS TO PERFORM * ***** 1. Backup any customized REXX programs in CSIQCLS0 that this PTF supplies. 2. APPLY this PTF. 3. Re-apply your customizations to the updated REXX programs in CSIQCLS0.).</pre>

Service	Details
LU05688	LU05688 M.C.S. ENTRIES = ++PTF (LU05688) DFC FAILING WHEN SUBSTRING STARTS AFTER LAST NONBLANKSYMBOL PROBLEM DESCRIPTION: When using deferred file creation , Symbolic string containing &C1TY(5) fails substitution for DFC when the &C1TY value has less than 5 characters. This stops scanning of the DFC table and DFC fails for the dataset entryin being processed, even though DFC could have worked using a later entry in the table. SYMPTOMS: IMPACT: Deferred file creation fails in cases that it should work. CIRCUMVENTION: PRODUCT(S) AFFECTED: Endevor Software Change Manager Release 18.1 Related Problem: ENDBAS 16696 (C) 2022 Broadcom Inc and/or its subsidiaries; All rights reserved R00227-SCM181 DESC(DFC FAILING WHEN SUBSTRING STARTS AFTER LAST NONBLANKSYMBOL) . ++VER (Z038) FMID (CSIQI10) PRE (LU01495 LU02424 S012441 S015778) SUP (LT05688)

Service	Details
LU05731	LU05731 M.C.S. ENTRIES = ++PTF (LU05731) S637-BC ABEND FOR EXTENDED TEMPORARY DATASETS IN PROCESSOR PROBLEM DESCRIPTION: In batch, when executing processor pseudo-JCL with a temporary dataset, Endevor runs in to an S637-BC abend. A temporary data set has to be used in more than one JCL step and, most importantly has to run out of space. In that case, another product (such CA-Allocate) will step in and extend that dataset to the next available volume (or more). Endevor is not aware of that change and in the next JCL step allocates that dataset again with one volume. After opening and writing to the first volume THE system will abend the job with the following message : IEC710I 1071,TET98C,J118740E,BATCH,EIN ANOTHER VOLUME EXPECTED EC026I 637-BC,IFG0553P,J118740E,BATCH,EIN,1071,TET98C, DSNAME SYMPTOMS: When the conditions are met, Endevor processor batch job will abend with the following message : IEC710I 1071,TET98C,J118740E,BATCH,EIN ANOTHER VOLUME EXPECTED EC026I 637-BC,IFG0553P,J118740E,BATCH,EIN,1071,TET98C, DSNAME IMPACT: Job abend. CIRCUMVENTION: Use a permanent data set with a proper number of volumes. PRODUCT(S) AFFECTED: Endevor Software Change Manager Version 18.0 Endevor Software Change Manager Release 18.1 Related Problem: ENDBAS 15902 (C) 2022 Broadcom Inc and/or its subsidiaries; All rights reserved R00228-SCM181 DESC(S637-BC ABEND FOR EXTENDED TEMPORARY DATASETS IN PROCESSOR). ++VER (Z038) FMID (CSIQI10) PRE (LU00593 LU01495 LU02424 LU02947 LU03503 LU04205 LU05121 S012441 S013177 S015658 S015778) SUP (LT05731 S014420 S015434 ST14420 ST15434)

Service	Details																																																												
LU05853	LU05853 M.C.S. ENTRIES = ++PTF (LU05853) (E) ECLIPSE UI: RELEASE 18.1.9 PROBLEM DESCRIPTION: Security or Integrity Problem. For more details access Security Advisories using the following URL: support.broadcom.com/security-advisory/security-advisories-list.html Broadcom recommends that you subscribe to notifications for Security Advisories for the associated products that you support in your organization. Please use the following URL to register for proactive notifications: https://support.broadcom.com/user/notifications.html SYMPTOMS: N/A IMPACT: Security or Integrity Problem. CIRCUMVENTION: N/A PRODUCT(S) AFFECTED: CA Endevor SCM Release 18.1 Related Problem: ENDBAS 17030 (C) 2022 Broadcom Inc and/or its subsidiaries; All rights reserved R00229-SCM181 DESC((E) ECLIPSE UI: RELEASE 18.1.9). ++VER (Z038) FMID (CSIQI13) SUP (LT00405 LT05853 LU00405 S010825 S012574 S014082 S015125 ST10825 ST12574 ST14082 ST15125) ++HOLD (LU05853) SYSTEM FMID(CSIQI13) REASON (ACTION) DATE (22133) COMMENT (<table><tr><td colspan="2">-----+</td></tr><tr><td> </td><td>Endevor Software Change Manager Release 18.1</td><td> </td></tr><tr><td colspan="2">-----+</td></tr><tr><td> SEQUENCE</td><td> After Apply</td><td> </td></tr><tr><td colspan="2">-----+</td></tr><tr><td> PURPOSE</td><td> This correction delivers an updated Endevor Eclipse</td><td> </td></tr><tr><td> </td><td> plug-in. To implement this update, you must DEPLOY or</td><td> </td></tr><tr><td> </td><td> UPDATE the Eclipse-BasedUI to the target Tomcat directory</td><td> </td></tr><tr><td> </td><td> and then recycle the Tomcat server for this update to be</td><td> </td></tr><tr><td> </td><td> available for Eclipse users.</td><td> </td></tr><tr><td colspan="2">-----+</td></tr><tr><td> USERS</td><td> All Endevor Eclipse Plug-in users.</td><td> </td></tr><tr><td> AFFECTED</td><td> </td><td> </td></tr><tr><td colspan="2">-----+</td></tr><tr><td> KNOWLEDGE</td><td> 1. SMP/e</td><td> </td></tr><tr><td> REQUIRED</td><td> 2. Endevor Web Services</td><td> </td></tr><tr><td> </td><td> 3. Tomcat</td><td> </td></tr><tr><td> </td><td> 4. Unix System Services</td><td> </td></tr><tr><td colspan="2">-----+</td></tr><tr><td> ACCESS</td><td> 1. Update access to USS target and deployment files</td><td> </td></tr><tr><td> REQUIRED</td><td> 2. Ability to stop and start Tomcat</td><td> </td></tr><tr><td colspan="2">-----+</td></tr></table>		-----+			Endevor Software Change Manager Release 18.1		-----+		SEQUENCE	After Apply		-----+		PURPOSE	This correction delivers an updated Endevor Eclipse			plug-in. To implement this update, you must DEPLOY or			UPDATE the Eclipse-BasedUI to the target Tomcat directory			and then recycle the Tomcat server for this update to be			available for Eclipse users.		-----+		USERS	All Endevor Eclipse Plug-in users.		AFFECTED			-----+		KNOWLEDGE	1. SMP/e		REQUIRED	2. Endevor Web Services			3. Tomcat			4. Unix System Services		-----+		ACCESS	1. Update access to USS target and deployment files		REQUIRED	2. Ability to stop and start Tomcat		-----+	
-----+																																																													
	Endevor Software Change Manager Release 18.1																																																												
-----+																																																													
SEQUENCE	After Apply																																																												
-----+																																																													
PURPOSE	This correction delivers an updated Endevor Eclipse																																																												
	plug-in. To implement this update, you must DEPLOY or																																																												
	UPDATE the Eclipse-BasedUI to the target Tomcat directory																																																												
	and then recycle the Tomcat server for this update to be																																																												
	available for Eclipse users.																																																												
-----+																																																													
USERS	All Endevor Eclipse Plug-in users.																																																												
AFFECTED																																																													
-----+																																																													
KNOWLEDGE	1. SMP/e																																																												
REQUIRED	2. Endevor Web Services																																																												
	3. Tomcat																																																												
	4. Unix System Services																																																												
-----+																																																													
ACCESS	1. Update access to USS target and deployment files																																																												
REQUIRED	2. Ability to stop and start Tomcat																																																												
-----+																																																													

Service	Details
	<pre>***** * STEPS TO PERFORM * ***** 1. Stop Tomcat 2. Verify that the parameters in the ENWSInstallOptions.properties file are set according to your environment. This file resides in the USS directory where this PTF has been installed to (USS install directory). 3. In the TSO OMVS environment, change to the directory where the script EclipseIns.sh resides: cd <USS install directory>/tpv execute the script: sh EclipseIns.sh 4. Start Tomcat 5. Inform users that an update is available and they should "Check for new Software" in Eclipse to update the version of the Endevor plug-in installed on their machine.). LINK('..'/tpv/tomcat/webapps/endevor_eclipse_plugin.zip') PARM(PATHMODE(0,7,7,5)). MCS LU05034 STARTS ON PAGE 0002 MCS LU05373 STARTS ON PAGE 0002 MCS LU05688 STARTS ON PAGE 0004 MCS LU05731 STARTS ON PAGE 0005 MCS LU05853 STARTS ON PAGE 0006</pre>

Endevor SCM 18.1
CA RS 2206 Product/Component Listing

11

Product Family	Product	Release
Application Development	CA ENDEVOR SCM	18.01.00
The CA RS 2206 Product/Component Count for this release is 1		

Endevor SCM 18.1
All CA RS Levels Service List

CA RS Level	Service	FMID
CAR2206	LU05853	CSIQI13
	LU05731	CSIQI10
	LU05688	CSIQI10
	LU05373	CSIQI10
	LU05034	CSIQI10
CAR2205	LU05550	CSIQI10
	LU05354	CSIQI11
	LU05353	CSIQI10
	LU05020	CSIQI10
	LU04903	CSIQI10
	LU04898	CSIQI10
	LU04523	CSIQI10
CAR2204	LU05290	CSIQI11
	LU05289	CSIQI10
	LU05121	CSIQI10
	LU05101	CSIQI10
	LU04836	CSIQI10
	LU04634	CSIQI10
	LU04081	CSIQI11
	LU04080	CSIQI10
CAR2203	LU04728	CSIQI10
	LU04710	CSIQI10
	LU04588	CSIQI10
	LU04549	CSIQI10
	LU04205	CSIQI10
	LU03079	CSIQI10
CAR2202	LU04286	CSIQI10
	LU04170	CSIQI10
	LU03537	CSIQI10
	LU03506	CSIQI13
	LU03503	CSIQI10
	LU03346	CSIQI13
	LU03345	CSIQI10
CAR2201	LU03750	CSIQI10
	LU03597	CSIQI11
	LU03596	CSIQI10
	LU03502	CSIQI10
	LU02360	CSIQI10
	LU02241	CSIQI10
CAR2112	LU03630	CSIQI11
	LU03501	CSIQI10
	LU03407	CSIQI10
	LU03349	CSIQI10
	LU03328	CSIQI10
	LU03290	CSIQI10
	LU03114	CSIQI10
	LU03054	CSIQI10

CA RS Level	Service	FMID
CAR2111	LU03136	CSIQI13
	LU02947	CSIQI10
	LU02925	CSIQI13
	LU02924	CSIQI10
	LU02753	CSIQI10
	LU02608	CSIQI10
CAR2110	S014940	CSIQI11
	S014939	CSIQI10
	LU02425	CSIQI11
	LU02424	CSIQI10
CAR2109	LU02384	CSIQI13
	LU02334	CSIQI11
	LU02333	CSIQI10
	LU02047	CSIQI10
	LU01962	CSIQI10
CAR2108	S015142	CSIQI10
	LU02149	CSIQI10
	LU01926	CSIQI10
CAR2107	S016216	CSIQI10
	LU01912	CSIQI11
	LU01911	CSIQI10
	LU01853	CSIQI10
	LU01641	CSIQI13
	LU01602	CSIQI10
	LU01596	CSIQI10
	LU01554	CSIQI10
	LU01544	CSIQI10
	LU01490	CSIQI10
	LU01412	CSIQI10
CAR2106	LU01497	CSIQI13
	LU01496	CSIQI11
	LU01495	CSIQI10
	LU01335	CSIQI10
	LU01326	CSIQI10
	LU01264	CSIQI13
	LU01263	CSIQI10
	LU01219	CSIQI10
	LU01136	CSIQI10
	LU01063	CSIQI11
	LU01062	CSIQI10
	LU00970	CSIQI10
	LU00249	CSIQI10
CAR2105	LU01038	CSIQI10
	LU01012	CSIQI10
	LU00808	CSIQI10
	LU00798	CSIQI13
	LU00797	CSIQI10

Endevor SCM 18.1
All CA RS Levels Service List

CA RS Level	Service	FMID
	LU00774	CSIQI10
	LU00405	CSIQI13
	LU00344	CSIQI10
	LU00086	CSIQI10
CAR2104	S015436	CSIQI10
	LU00594	CSIQI11
	LU00593	CSIQI10
	LU00540	CSIQI13
	LU00539	CSIQI11
	LU00538	CSIQI10
	LU00352	CSIQI10
	LU00280	CSIQI10
CAR2103	S016209	CSIQI10
	S016126	CSIQI10
CAR2102	S016224	CSIQI10
	S015995	CSIQI11
	S015994	CSIQI10
	S015978	CSIQI13
	S015962	CSIQI10
	S015658	CSIQI10
	S015323	CSIQI11
	S012677	CSIQI10
	LU00109	CSIQI11
	LU00108	CSIQI10
	LU00093	CSIQI10
CAR2101	S015900	CSIQI13
	S015878	CSIQI10
	S015818	CSIQI10
	S014767	CSIQI10
CAR2012	S015779	CSIQI11
	S015778	CSIQI10
	S015462	CSIQI10
	S015434	CSIQI10
	S015234	CSIQI13
	S015110	CSIQI10
CAR2011	S015251	CSIQI10
	S015219	CSIQI11
	S015218	CSIQI10
	S015125	CSIQI13
	S014748	CSIQI10
	S013905	CSIQI13
	S012172	CSIQI10
CAR2010	S014847	CSIQI10
	S014705	CSIQI11
	S014704	CSIQI10
	S014674	CSIQI10
CAR2009	S014513	CSIQI10

CA RS Level	Service	FMID
	S014420	CSIQI10
	S014309	CSIQI10
	S014222	CSIQI11
	S014221	CSIQI10
	S014082	CSIQI13
	S014076	CSIQI10
CAR2008	S013857	CSIQI10
	S013849	CSIQI13
	S013321	CSIQI10
	S013082	CSIQI13
	S012441	CSIQI10
CAR2007	S013690	CSIQI11
	S013689	CSIQI10
	S013604	CSIQI11
	S013592	CSIQI10
	S013583	CSIQI10
	S013582	CSIQI13
	S013479	CSIQI10
	S013434	CSIQI10
	S013067	CSIQI10
CAR2006	S013177	CSIQI10
	S013128	CSIQI10
	S013068	CSIQI10
	S012961	CSIQI10
	S012864	CSIQI10
CAR2005	S012574	CSIQI13
	S012546	CSIQI10
	S012498	CSIQI10
	S012495	CSIQI11
	S012494	CSIQI10
	S012491	CSIQI13
	S012490	CSIQI10
	S012309	CSIQI13
	S012022	CSIQI10
CAR2004	S012341	CSIQI10
	S012326	CSIQI11
	S012312	CSIQI10
	S012308	CSIQI10
	S012301	CSIQI11
	S012300	CSIQI10
	S012169	CSIQI10
	S011910	CSIQI10
	S011257	CSIQI10
	S011104	CSIQI10
CAR2003	S012079	CSIQI10
	S011879	CSIQI10
	S011289	CSIQI11

CA RS Level	Service	FMID
	S011288	CSIQI10
CAR2002	S011541	CSIQI10
	S011495	CSIQI10
	S011467	CSIQI13
	S011272	CSIQI13
CAR2001	S011124	CSIQI11
	S011123	CSIQI10
	S010979	CSIQI10
	S010896	CSIQI10
	S010825	CSIQI13
	S010824	CSIQI10
	S010822	CSIQI10