

OPS/MVS for JES2/JES3 14.0
CA RS 2208 Service List

1

Service	Description	Type
LU05310	ADD SUPPORT FOR A HYPHEN IN RULESET NAMES	PTF
LU06468	Continuous Delivery Level Set 14.0.05	PTF
LU06513	OPSJES2 FUNCTION PRINTER OPTION RETURNS INVALID DATA	PTF
LU06522	REST API GET LOGNAMES FAILS TO AUTHORIZE WITHOUT RULE	PTF
LU06529	ERRORS IN OPSBCPII SAMPLE RULE APIHWSV	PTF
LU06533	SUPPORT OF MULTIPLE CHANNEL SETS FOR SOF	PTF
LU06626	SSMQUERY REXX PROGRAM MOVED FROM CCLXSAMP TO CCLXEXEC	PTF
LU06641	SECURITY OR INTEGRITY PROBLEM	** PRP **
LU06642	ADD SCOPE TO SSMV3 POLICIES FOR MATCH ACTIONS	PTF
LU06678	SSMV3 POLICY EDITOR UPDATING TABLES IN BROWSE MODE	PTF
The CA RS 2208 service count for this release is 10		

OPS/MVS for JES2/JES3
CA RS 2208 Service List for CCLXE00

2

FMID	Service	Description	Type
CCLXE00	LU05310	ADD SUPPORT FOR A HYPHEN IN RULESET NAMES	PTF
	LU06468	Continuous Delivery Level Set 14.0.05	PTF
	LU06513	OPSJES2 FUNCTION PRINTER OPTION RETURNS INVALID DATA	PTF
	LU06522	REST API GET LOGNAMES FAILS TO AUTHORIZE WITHOUT RULE	PTF
	LU06529	ERRORS IN OPSBCPII SAMPLE RULE APIHWSV	PTF
	LU06533	SUPPORT OF MULTIPLE CHANNEL SETS FOR SOF	PTF
	LU06626	SSMQUERY REXX PROGRAM MOVED FROM CCLXSAMP TO CCLXEXEC	PTF
	LU06642	ADD SCOPE TO SSMV3 POLICIES FOR MATCH ACTIONS	PTF
	LU06678	SSMV3 POLICY EDITOR UPDATING TABLES IN BROWSE MODE	PTF
The CA RS 2208 service count for this FMID is 9			

OPS/MVS for JES2/JES3
CA RS 2208 Service List for CCLXE01

3

FMID	Service	Description	Type
CCLXE01	LU06641	SECURITY OR INTEGRITY PROBLEM	** PRP **
The CA RS 2208 service count for this FMID is 1			

Service	Details
LU05310	LU05310 M.C.S. ENTRIES = ++PTF (LU05310) ADD SUPPORT FOR A HYPHEN IN RULESET NAMES PROBLEM DESCRIPTION: OPS/MVS does not recognize a hyphen (-) character in the name of an AOF RULESET. THE OPS/MVS RULESET NAME PARAMETERS, RULEPREFIX[N] AND RULEALTFIX, will accept a hyphen as a valid value for a ruleset name. However, various REXX runtime errors will occur when attempting to access or work with rulesets using OPS/REXX ADDRESS AOF and certain OPSVIEW options, such as 4.5.1 and 2.1. SYMPTOMS: The following REXX errors will occur if accessing OPSVIEW option 4.5.1 and using a hyphen in a ruleset name: ERROR 40 RUNNING OPAORLLS, LINE 1484: INCORRECT CALL TO ROUTINE ERROR 40 RUNNING OPAORSLS, LINE 705: INCORRECT CALL TO ROUTINE ERROR 40 RUNNING OP450000, LINE 258: INCORRECT CALL TO ROUTINE IMPACT: Unable to use OPSVIEW options 4.5.1 and 2.1. ADDRESS AOF commands will fail if issued against a ruleset that includes a hyphen in its name CIRCUMVENTION: Do not use a hyphen in a ruleset name. PRODUCT(S) AFFECTED: OPS/MVS Release 13.5 OPS/MVS Version 14.0 Related Problem: OPSMVS 16046 (C) 2022 Broadcom Inc and/or its subsidiaries; All rights reserved R00201-CLX140 DESC(ADD SUPPORT FOR A HYPHEN IN RULESET NAMES). ++VER (Z038) FMID (CCLXE00) PRE (LU03513 LU03790 LU05297 S015067 S015502) SUP (LT04626 LT05310) ++HOLD (LU05310) SYSTEM FMID(CCLXE00) REASON (DOC) DATE (22186) COMMENT (+-----+ OPS/MVS Version 14.0 +-----+ ***** * PUBLICATION * ***** See section "Configuration Tasks for the Base Component, Names for Rule Sets, in the Installing Guide" for the OPS/MVS documentation set at http://techdocs.broadcom.com/opsmvs). ++HOLD (LU05310) SYSTEM FMID(CCLXE00) REASON (DYNACT) DATE (22186) COMMENT (+-----+ OPS/MVS Version 14.0 +-----+

Service	Details
	<pre> SEQUENCE After APPLY +-----+-----+ PURPOSE To activate load modules updated by this PTF +-----+-----+ USERS All OPS/MVS users AFFECTED +-----+-----+ KNOWLEDGE Basic z/OS systems programming skills REQUIRED +-----+-----+ ACCESS - Access to OPS/MVS SMP/E Target loadlib CCLXLOAD and any REQUIRED deployed copies - Authority to issue MVS system commands - Authority to stop and start OPS/MVS +-----+-----+ ***** * STEPS TO PERFORM * ***** 1. APPLY of this PTF updates SMP/E Target loadlib CCLXLOAD. Refer to GIM23903I messages in the SMPDOUT to identify the specific load modules that are updated. 2. Copy the updated load modules from SMP/E Target loadlib CCLXLOAD to any other deployed copies, such as a loadlib in the OPSMAIN STEPLIB or the system link list (LNKLIST). 3. If the system library lookaside (LLA) program is managing any updated loadlib, you must refresh LLA by using MVS system command "F LLA,REFRESH" or some equivalent method. 4. If the system link pack area (LPA) contains any updated load module, you must refresh LPA by using MVS system command "SETPROG LPA" or some equivalent method. * Note that load module OPSAEX is commonly placed in LPA. 5. Stop and re-start OPS/MVS by using MVS system commands "P OPSS" and "S OPSS" or some equivalent method. * For possible alternatives to restarting OPS/MVS, see the topic "RELOAD Modules and RESTART Components" in the user documentation at https://techdocs.broadcom.com/opsmvs 6. TSO users must exit and re-enter OPSVIEW to activate any changes. Depending on how OPSVIEW is accessed, this may require a TSO logoff and logon.).</pre>

Service	Details																						
LU06468	LU06468 M.C.S. ENTRIES = ++PTF (LU06468) Continuous Delivery Level Set 14.0.05 PROBLEM DESCRIPTION: This PTF will apply all maintenance up to the modification level 14.0.05 SYMPTOMS: N/A IMPACT: N/A CIRCUMVENTION: N/A PRODUCT(S) AFFECTED: CA OPS/MVS Base Version 14.0 Related Problem: OPSMVS 17626 (C) 2022 Broadcom Inc and/or its subsidiaries; All rights reserved R00253-CLX140 DESC(Continuous Delivery Level Set 14.0.05). ++VER (Z038) FMID (CCLXE00) PRE (LU00634 LU02790 LU03790 LU04793 LU04888 LU04889 LU04902 LU04913 LU05009 LU05016 LU05045 LU05064 LU05096 LU05214 LU05216 LU05234 LU05260 LU05297 LU05306 LU05310 LU05358 LU05478 LU05517 LU05612 LU05737 LU05807 LU05921 LU06069 LU06133 LU06262 LU06342 S015729) SUP (LT02779 LT05735 LT05740 LT06468) ++IF FMID(CCLXE01) REQ(LU05148 LU05215 LU05380 LU05432 LU05627 LU05691 LU05943 LU06030 LU06134 LU06179 LU06343). ++HOLD (LU06468) SYSTEM FMID(CCLXE00) REASON (DYNACT) DATE (22187) COMMENT (<table border="1"> <tr> <td>OPS/MVS</td><td>Version 14.0</td></tr> <tr> <td>SEQUENCE</td><td>After APPLY</td></tr> <tr> <td>PURPOSE</td><td>To activate load modules updated by this PTF</td></tr> <tr> <td>USERS</td><td>All OPS/MVS users</td></tr> <tr> <td>AFFECTED</td><td></td></tr> <tr> <td>KNOWLEDGE</td><td>Basic z/OS systems programming skills</td></tr> <tr> <td>REQUIRED</td><td></td></tr> <tr> <td>ACCESS</td><td>- Access to OPS/MVS SMP/E Target loadlib CCLXLOAD and any</td></tr> <tr> <td>REQUIRED</td><td>deployed copies</td></tr> <tr> <td></td><td>- Authority to issue MVS system commands</td></tr> <tr> <td></td><td>- Authority to stop and start OPS/MVS</td></tr> </table> ***** * STEPS TO PERFORM * *****	OPS/MVS	Version 14.0	SEQUENCE	After APPLY	PURPOSE	To activate load modules updated by this PTF	USERS	All OPS/MVS users	AFFECTED		KNOWLEDGE	Basic z/OS systems programming skills	REQUIRED		ACCESS	- Access to OPS/MVS SMP/E Target loadlib CCLXLOAD and any	REQUIRED	deployed copies		- Authority to issue MVS system commands		- Authority to stop and start OPS/MVS
OPS/MVS	Version 14.0																						
SEQUENCE	After APPLY																						
PURPOSE	To activate load modules updated by this PTF																						
USERS	All OPS/MVS users																						
AFFECTED																							
KNOWLEDGE	Basic z/OS systems programming skills																						
REQUIRED																							
ACCESS	- Access to OPS/MVS SMP/E Target loadlib CCLXLOAD and any																						
REQUIRED	deployed copies																						
	- Authority to issue MVS system commands																						
	- Authority to stop and start OPS/MVS																						

Service	Details
	1. APPLY of this PTF updates SMP/E Target loadlib CCLXLOAD. Refer to GIM23903I messages in the SMPDOUT to identify the specific load modules that are updated. 2. Copy the updated load modules from SMP/E Target loadlib CCLXLOAD to any other deployed copies, such as a loadlib in the OPSMAIN STEPLIB or the system link list (LNKLIST). 3. If the system library lookaside (LLA) program is managing any updated loadlib, you must refresh LLA by using MVS system command "F LLA,REFRESH" or some equivalent method. 4. If the system link pack area (LPA) contains any updated load module, you must refresh LPA by using MVS system command "SETPROG LPA" or some equivalent method. * Note that load module OPSAEX is commonly placed in LPA. 5. Stop and re-start OPS/MVS by using MVS system commands "P OPSS" and "S OPSS" or some equivalent method. * For possible alternatives to restarting OPS/MVS, see the topic "RELOAD Modules and RESTART Components" in the user documentation at https://techdocs.broadcom.com/opsmvs 6. TSO users must exit and re-enter OPSVIEW to activate any changes. Depending on how OPSVIEW is accessed, this may require a TSO logoff and logon.).

Service	Details																						
LU06513	LU06513 M.C.S. ENTRIES = ++PTF (LU06513) OPSJES2 FUNCTION PRINTER OPTION RETURNS INVALID DATA PROBLEM DESCRIPTION: OPS/REXX OPSJES2 function returns invalid data for the inquiries for PRINTER. SYMPTOMS: Incorrect information is returned. IMPACT: Cannot use the OPSJES2 function to obtain information about PRINTER. CIRCUMVENTION: Use z/OS JES2 commands to return corresponding information. PRODUCT(S) AFFECTED: OPS/MVS Release 13.5 OPS/MVS Version 14.0 Related Problem: OPSMVS 17666 (C) 2022 Broadcom Inc and/or its subsidiaries; All rights reserved R00255-CLX140 DESC(OPSJES2 FUNCTION PRINTER OPTION RETURNS INVALID DATA). ++VER (Z038) FMID (CCLXE00) PRE (LU00442 LU03790) SUP (AL00442 LT05517 LT06262 LT06513 LU05517 LU06262) ++HOLD (LU06513) SYSTEM FMID(CCLXE00) REASON (DYNACT) DATE (22200) COMMENT (<table border="1"> <tr> <td>OPS/MVS</td><td>Version 14.0</td></tr> <tr> <td>SEQUENCE</td><td>After APPLY</td></tr> <tr> <td>PURPOSE</td><td>To activate load modules updated by this PTF</td></tr> <tr> <td>USERS</td><td>All OPS/MVS users</td></tr> <tr> <td>AFFECTED</td><td></td></tr> <tr> <td>KNOWLEDGE</td><td>Basic z/OS systems programming skills</td></tr> <tr> <td>REQUIRED</td><td></td></tr> <tr> <td>ACCESS</td><td>- Access to OPS/MVS SMP/E Target loadlib CCLXLOAD and any</td></tr> <tr> <td>REQUIRED</td><td>deployed copies</td></tr> <tr> <td></td><td>- Authority to issue MVS system commands</td></tr> <tr> <td></td><td>- Authority to stop and start OPS/MVS</td></tr> </table> ***** * STEPS TO PERFORM * ***** 1. APPLY of this PTF updates SMP/E Target loadlib CCLXLOAD. Refer to GIM23903I messages in the SMPOUT to identify the specific load modules that are updated. 2. Copy the updated load modules from SMP/E Target loadlib CCLXLOAD to any other deployed copies, such as a loadlib in the OPSMAIN STEPLIB or the system link list (LNKLIST).	OPS/MVS	Version 14.0	SEQUENCE	After APPLY	PURPOSE	To activate load modules updated by this PTF	USERS	All OPS/MVS users	AFFECTED		KNOWLEDGE	Basic z/OS systems programming skills	REQUIRED		ACCESS	- Access to OPS/MVS SMP/E Target loadlib CCLXLOAD and any	REQUIRED	deployed copies		- Authority to issue MVS system commands		- Authority to stop and start OPS/MVS
OPS/MVS	Version 14.0																						
SEQUENCE	After APPLY																						
PURPOSE	To activate load modules updated by this PTF																						
USERS	All OPS/MVS users																						
AFFECTED																							
KNOWLEDGE	Basic z/OS systems programming skills																						
REQUIRED																							
ACCESS	- Access to OPS/MVS SMP/E Target loadlib CCLXLOAD and any																						
REQUIRED	deployed copies																						
	- Authority to issue MVS system commands																						
	- Authority to stop and start OPS/MVS																						

Service	Details
	3. If the system library lookaside (LLA) program is managing any updated loadlib, you must refresh LLA by using MVS system command "F LLA,REFRESH" or some equivalent method. 4. If the system link pack area (LPA) contains any updated load module, you must refresh LPA by using MVS system command "SETPROG LPA" or some equivalent method. * Note that load module OPSAEX is commonly placed in LPA. 5. Stop and re-start OPS/MVS by using MVS system commands "P OPSS" and "S OPSS" or some equivalent method. * For possible alternatives to restarting OPS/MVS, see the topic "RELOAD Modules and RESTART Components" in the user documentation at https://techdocs.broadcom.com/opsmvs 6. TSO users must exit and re-enter OPSVIEW to activate any changes. Depending on how OPSVIEW is accessed, this may require a TSO logoff and logon.).

Service	Details																						
LU06522	LU06522 M.C.S. ENTRIES = ++PTF (LU06522) REST API GET LOGNAMES FAILS TO AUTHORIZE WITHOUT RULE PROBLEM DESCRIPTION: The OPSCTL.OPSLOG security event that is being used to authorize access to the GET logname REST API call will fail erroneously if there is no matching rule or a AOF security rule that returns ACCEPT or NOACTION for the event. SYMPTOMS: Security event OPSCTL.OPSLOG for GET logname REST API call fails to authorize unless a specific AOF security rule returns ACCEPT or NOACTION. IMPACT: Authorization to use GET lognames fails. CIRCUMVENTION: Provide a specific rule to ACCEPT OPSCTL for GET logname REST API caller. Related Problem: OPSMVS 17598 (C) 2022 Broadcom Inc and/or its subsidiaries; All rights reserved R00256-CLX140 DESC(REST API GET LOGNAMES FAILS TO AUTHORIZE WITHOUT RULE). ++VER (Z038) FMID (CCLXE00) PRE (LU03418 LU03513 LU03790 LU05216 LU06133 LU06342) SUP (LT01929 LT06483 LT06522 LU01929) ++HOLD (LU06522) SYSTEM FMID(CCLXE00) REASON (DYNACT) DATE (22199) COMMENT (<table border="1"> <tr> <td>OPS/MVS</td><td>Version 14.0</td></tr> <tr> <td>SEQUENCE</td><td>After APPLY</td></tr> <tr> <td>PURPOSE</td><td>To activate load modules updated by this PTF</td></tr> <tr> <td>USERS</td><td>All OPS/MVS users</td></tr> <tr> <td>AFFECTED</td><td></td></tr> <tr> <td>KNOWLEDGE</td><td>Basic z/OS systems programming skills</td></tr> <tr> <td>REQUIRED</td><td></td></tr> <tr> <td>ACCESS</td><td>- Access to OPS/MVS SMP/E Target loadlib CCLXLOAD and any</td></tr> <tr> <td>REQUIRED</td><td>deployed copies</td></tr> <tr> <td></td><td>- Authority to issue MVS system commands</td></tr> <tr> <td></td><td>- Authority to stop and start OPS/MVS</td></tr> </table> ***** * STEPS TO PERFORM * ***** 1. APPLY of this PTF updates SMP/E Target loadlib CCLXLOAD. Refer to GIM23903I messages in the SMPDOUT to identify the specific load modules that are updated. 2. Copy the updated load modules from SMP/E Target loadlib CCLXLOAD to any other deployed copies, such as a loadlib	OPS/MVS	Version 14.0	SEQUENCE	After APPLY	PURPOSE	To activate load modules updated by this PTF	USERS	All OPS/MVS users	AFFECTED		KNOWLEDGE	Basic z/OS systems programming skills	REQUIRED		ACCESS	- Access to OPS/MVS SMP/E Target loadlib CCLXLOAD and any	REQUIRED	deployed copies		- Authority to issue MVS system commands		- Authority to stop and start OPS/MVS
OPS/MVS	Version 14.0																						
SEQUENCE	After APPLY																						
PURPOSE	To activate load modules updated by this PTF																						
USERS	All OPS/MVS users																						
AFFECTED																							
KNOWLEDGE	Basic z/OS systems programming skills																						
REQUIRED																							
ACCESS	- Access to OPS/MVS SMP/E Target loadlib CCLXLOAD and any																						
REQUIRED	deployed copies																						
	- Authority to issue MVS system commands																						
	- Authority to stop and start OPS/MVS																						

Service	Details
	in the OPSMAIN STEPLIB or the system link list (LNKLIST). 3. If the system library lookaside (LLA) program is managing any updated loadlib, you must refresh LLA by using MVS system command "F LLA,REFRESH" or some equivalent method. 4. If the system link pack area (LPA) contains any updated load module, you must refresh LPA by using MVS system command "SETPROG LPA" or some equivalent method. * Note that load module OPSAEX is commonly placed in LPA. 5. Stop and re-start OPS/MVS by using MVS system commands "P OPSS" and "S OPSS" or some equivalent method. * For possible alternatives to restarting OPS/MVS, see the topic "RELOAD Modules and RESTART Components" in the user documentation at https://techdocs.broadcom.com/opsmvs 6. TSO users must exit and re-enter OPSVIEW to activate any changes. Depending on how OPSVIEW is accessed, this may require a TSO logoff and logon.).

Service	Details
LU06529	LU06529 M.C.S. ENTRIES = ++PTF (LU06529) ERRORS IN OPSBCPII SAMPLE RULE APIHWSV PROBLEM DESCRIPTION: The OPSBCPII sample API rule APIHWSV fails when processing a BCPii HWSHWCOMER event. APIHWSV errantly references the AOF variables API.EVLEVEL and API.NUMENTRIES, which are not created for an HWSHWCOMER event. This PTF updates the APIHWSV sample rule to bypass references to the variables API.EVLEVEL and API.NUMENTRIES for HWSHWCOMER events. SYMPTOMS: The following error messages may be seen when using the APIHWSV rule. 07JUL 09:09:49 OPSBCPII HWIBCPPI 0019 OPS9999T OPAOEV RC= 46 FOR ENVIRONMENTAL VARIABLE API.EVLEVEL OR 07JUL 09:09:49 OPSBCPII HWIBCPPI 0019 OPS9999T OPAOEV RC= 46 FOR ENVIRONMENTAL VARIABLE API.NUMENTRIES IMPACT: Any logic processing the event using the sample rule. CIRCUMVENTION: Update the APIHWSV sample rule to bypass references to the variables API.EVLEVEL and API.NUMENTRIES for HWSHWCOMER events. PRODUCT(S) AFFECTED: OPS/MVS Version 13.5 OPS/MVS Version 14.0 Related Problem: OPSMVS 17667 (C) 2022 Broadcom Inc and/or its subsidiaries; All rights reserved R00257-CLX140 DESC(ERRORS IN OPSBCPII SAMPLE RULE APIHWSV) . ++VER (Z038) FMID (CCLXE00) PRE (LU03790) SUP (LT06529) ++HOLD (LU06529) SYSTEM FMID(CCLXE00) REASON (ACTION) DATE (22200) COMMENT (-----+ OPS/MVS

Service	Details
	* STEPS TO PERFORM * ***** This PTF installs updated AOF rule(s) into SMP/E Target library CCLXRULS with no ISPF statistics. You will not be able to auto-enable the updated rule(s) until you reset their ISPF statistics. You can use ISPF option 3.5 to manually reset the ISPF statistics for the updated rule(s). You can use ISPF option 3.3 to manually copy the updated rule(s) to your deployed ruleset(s).).

Service	Details
LU06533	LU06533 M.C.S. ENTRIES = ++PTF (LU06533) SUPPORT OF MULTIPLE CHANNEL SETS FOR SOF PROBLEM DESCRIPTION: SOF is unaware of devices attached to alternate channel sets and will not vary the paths offline. This may cause I/O errors for those devices if the port is blocked on channel 0 of the device. Also, excessive checkpoints occur when ShareDevices set to NO. SYMPTOMS: Possible I/O errors from IOS if a port is blocked by SOF on a device that is accessible thru multiple channel sets. IMPACT: Unable to use SOF for these devices. CIRCUMVENTION: NONE. PRODUCT(S) AFFECTED: CA OPS/MVS Base Release 13.5 CA OPS/MVS Base Version 14.0 Related Problem: OPSMVS 1600 (C) 2022 Broadcom Inc and/or its subsidiaries; All rights reserved R00258-CLX140 DESC(SUPPORT OF MULTIPLE CHANNEL SETS FOR SOF). ++VER (Z038) FMID (CCLXE00) PRE (LU00715 LU03790) SUP (LT06533) ++HOLD (LU06533) SYSTEM FMID(CCLXE00) REASON (DYNACT) DATE (22192) COMMENT (<pre> +-----+ OPS/MVS Version 14.0 +-----+ SEQUENCE After APPLY +-----+ PURPOSE To activate load modules updated by this PTF +-----+ USERS All OPS/MVS users AFFECTED +-----+ KNOWLEDGE Basic z/OS systems programming skills REQUIRED +-----+ ACCESS - Access to OPS/MVS SMP/E Target loadlib CCLXLOAD and any REQUIRED deployed copies - Authority to issue MVS system commands - Authority to stop and start OPS/MVS +-----+ ***** * STEPS TO PERFORM * ***** 1. APPLY of this PTF updates SMP/E Target loadlib CCLXLOAD. Refer to GIM23903I messages in the SMPOUT to identify the </pre>

Service	Details
	specific load modules that are updated. 2. Copy the updated load modules from SMP/E Target loadlib CCLXLOAD to any other deployed copies, such as a loadlib in the OPSMAIN STEPLIB or the system link list (LNKLIST). 3. If the system library lookaside (LLA) program is managing any updated loadlib, you must refresh LLA by using MVS system command "F LLA,REFRESH" or some equivalent method. 4. If the system link pack area (LPA) contains any updated load module, you must refresh LPA by using MVS system command "SETPROG LPA" or some equivalent method. * Note that load module OPSAEX is commonly placed in LPA. 5. Stop and re-start OPS/MVS by using MVS system commands "P OPSS" and "S OPSS" or some equivalent method. * For possible alternatives to restarting OPS/MVS, see the topic "RELOAD Modules and RESTART Components" in the user documentation at https://techdocs.broadcom.com/opsmvs 6. TSO users must exit and re-enter OPSVIEW to activate any changes. Depending on how OPSVIEW is accessed, this may require a TSO logoff and logon.).

Service	Details
LU06626	LU06626 M.C.S. ENTRIES = ++PTF (LU06626) SSMQUERY REXX PROGRAM MOVED FROM CCLXSAMP TO CCLXEXEC PROBLEM DESCRIPTION: SSM psuedo-command rule SSMCNTL that is installed in the CCLXRULM target library calls the SSMQUERY OPS/REXX program. This requires that SSMQUERY be in a library that is in the SYSEXEC DD concatenation list for OPSMAIN. This PTF delivers the SSMQUERY OPS/REXX program in the CCLXEXEC target library. By default, the CCLXEXEC library is in the default SYSEXEC DD concatenation list for OPSMAIN. SYMPTOMS: When the SSMCNTL rule is to be enabled, for example by executing the SSM3STUP OPS/REXX program that is installed in the CCLXEXEC target library, the following messages may appear and the configuration for SSM version 3 cannot be completed. Messages: Unable to enable rule 'SSMCNTL'. ENABLE RC = 42 OPS3918E ERROR 43 COMPILING SSMV3.SSMCNTL, LINE 232: ROUTINE SSMQUERY NOT FOUND IMPACT: Configuration for SSM version 3 cannot be completed. CIRCUMVENTION: Copy SSMQUERY from the CCLXSAMP target library to the deployed CCLXEXEC library. PRODUCT(S) AFFECTED: OPS/MVS Release 13.5 OPS/MVS Version 14.0 Related Problem: OPSMVS 17761 (C) 2022 Broadcom Inc and/or its subsidiaries; All rights reserved R00259-CLX140 DESC(SSMQUERY REXX PROGRAM MOVED FROM CCLXSAMP TO CCLXEXEC). ++VER (Z038) FMID (CCLXE00) PRE (LU03790) SUP (LT06626)

Service	Details														
LU06641	LU06641 M.C.S. ENTRIES = ++PTF (LU06641) SECURITY OR INTEGRITY PROBLEM PROBLEM DESCRIPTION: Security or Integrity Problem. For more details access Security Advisories using the following URL: support.broadcom.com/security-advisory/security-advisories-list.html Broadcom recommends that you subscribe to notifications for Security Advisories for the associated products that you support in your organization. Please use the following URL to register for proactive notifications: https://support.broadcom.com/user/notifications.html SYMPTOMS: N/A IMPACT: Security or Integrity Problem. CIRCUMVENTION: N/A PRODUCT(S) AFFECTED: OPS/MVS Release 13.5 OPS/MVS Version 14.0 Related Problem: OPSMVS 17781 (C) 2022 Broadcom Inc and/or its subsidiaries; All rights reserved R00260-CLX140 DESC (SECURITY OR INTEGRITY PROBLEM) . ++VER (Z038) FMID (CCLXE01) PRE (LU00044 LU00122 LU00462 LU00633 LU01212 LU03582 LU03791 LU03946 LU04002 LU05148 LU05380 LU06134 S014492 S015022 S015068 S015241 S015821 S015877) SUP (AC15146 EC15146 GC15146 HC15146 JC15146 LT01162 LT02570 LT04224 LT04967 LT05432 LT05627 LT05691 LT06018 LT06030 LT06114 LT06121 LT06122 LT06123 LT06132 LT06641 LU02570 LU04224 LU05432 LU05627 LU05691 LU06030 RC15146 S014857 S015148 S015200 ST14857 ST14979 ST15148 ST15200) ++HOLD (LU06641) SYSTEM FMID(CCLXE01) REASON (DYNACT) DATE (22203) COMMENT (<table border="1"> <tr> <td>OPS/MVS</td><td>Version 14.0</td></tr> <tr> <td>SEQUENCE</td><td>After APPLY</td></tr> <tr> <td>PURPOSE</td><td>To deploy a new version of Mainframe Team Center - Automation</td></tr> <tr> <td>USERS</td><td>All OPS/MVS MTC-A users</td></tr> <tr> <td>AFFECTED</td><td></td></tr> <tr> <td>KNOWLEDGE</td><td>Basic z/OS systems programming skills and knowledge of</td></tr> <tr> <td>REQUIRED</td><td>your new or existing MTC-A installation and configuration</td></tr> </table>	OPS/MVS	Version 14.0	SEQUENCE	After APPLY	PURPOSE	To deploy a new version of Mainframe Team Center - Automation	USERS	All OPS/MVS MTC-A users	AFFECTED		KNOWLEDGE	Basic z/OS systems programming skills and knowledge of	REQUIRED	your new or existing MTC-A installation and configuration
OPS/MVS	Version 14.0														
SEQUENCE	After APPLY														
PURPOSE	To deploy a new version of Mainframe Team Center - Automation														
USERS	All OPS/MVS MTC-A users														
AFFECTED															
KNOWLEDGE	Basic z/OS systems programming skills and knowledge of														
REQUIRED	your new or existing MTC-A installation and configuration														

Service	Details
	<pre> ACCESS - Read/write access to the USS directories where your new REQUIRED or existing installation of MTC-A resides - Authority to STOP and START your MTC-A Web Application +-----+-----+ ***** * STEPS TO PERFORM * ***** Run The MTC-A Configuration Batch Job Sample JCL to execute the configuration script, mtcacfg.sh, is provided in yourHLQ.CCLXCNTL(OPMOIACG). Before executing the batch job, make the following edits: 1. Include a valid job card 2. Set CCLXCLS0 to the fully qualified MVS dataset name of the SMP/E CLIST target library installed by FMID CCLXxr0 OPS/MVS Base. (eg. 'yourHLQ.CCLXCLS0') 3. Set CCLSHFSM to the USS mount point of the zFS installed by FMID CLXxr1 OPS/MVS OPSLOG WebView and Web Features. 4. Set TOMCATCONF to the USS path of your deployed Tomcat server's "context" directory. Typically: <catalina_base>/conf/Catalina/localhost 5. Set MTCADepLOY to the USS path where you wish to deploy the MTCA Web App. A new directory called '/mtca' will be created on this path and will contain the mtcaApp.war as well as '/conf' and '/log' sub-directories. The configuration script creates the MTC-A directory structure at your chosen deployment location and defines the context for MTC-A to your Tomcat installation. If a previous MTC-A installation exists, your current configuration is saved as 'MTCADepLOY/mtca/conf/config.yaml.YY_MM_DD_hh_mm_ss'. Your configuration is then automatically merged and upgraded to the version supplied within this PTF. Verify the STDOUT of the configuration batch job for messages indicating the addition of fields to the 'conf.yaml' that must be set specifically for your site before MTC-A is restarted. If your '/mtca' directory is on path 'a/b/c/mtca' supply path '/a/b/c' as your value for the deploy location). LINK('..../conf.yaml') PARM(PATHMODE(0,7,5,5)). LINK('..../mtcacfg.sh') PARM(PATHMODE(0,7,5,5)). LINK('..../mtcaApp.war') PARM(PATHMODE(0,7,5,5)). </pre>

Service	Details		
LU06642	LU06642 M.C.S. ENTRIES = ++PTF (LU06642) ADD SCOPE TO SSMV3 POLICIES FOR MATCH ACTIONS ENHANCEMENT DESCRIPTION: The SSMV3 policy definition has been updated to include a new SCOPE field for the 'Activation Complete' and Inactivation Complete' MATCH actions. The SCOPE values are: NAME - The action is specific to the resource. TYPE - The action is for all resources of a specific TYPE. ALL - A default action for resources that do not have a specific NAME or TYPE action. PRODUCT(S) AFFECTED: OPS/MVS Version 14.0 Related Problem: OPSMVS 17401 (C) 2022 Broadcom Inc and/or its subsidiaries; All rights reserved R00261-CLX140 DESC(ADD SCOPE TO SSMV3 POLICIES FOR MATCH ACTIONS). ++VER (Z038) FMID (CCLXE00) PRE (LU02161 LU02417 LU02478 LU03011 LU03303 LU03790 LU04341 LU04473 LU04575 LU04889 LU05260 LU05921 S014412 S015151 S015578 S015610 S015662) SUP (LT00677 LT00876 LT01398 LT02515 LT02545 LT02562 LT04163 LT06642 LU00677 LU00876 LU01398 LU02515 LU02545 LU02562 LU04163 S015902 ST15902) ++HOLD (LU06642) SYSTEM FMID(CCLXE00) REASON (ENH) DATE (22203) COMMENT (<table border="1"> <tr> <td>OPS/MVS</td><td>Version 14.0</td></tr> </table> SEQUENCE After Apply PURPOSE Add scope to MATCH actions in SSMv3 policy manager USERS All OPS/MVS users AFFECTED KNOWLEDGE Knowledge of OPS/MVS installation REQUIRED ACCESS Necessary OPS/MVS authorization REQUIRED ***** * STEPS TO PERFORM * ***** See the following topics in the OPS/MVS documentation set at http://techdoc.broadcom.com/opsmvs 'Add Scope to MATCH Actions in SSMv3 Policy Manager' 'The SSM Resource List Panel').	OPS/MVS	Version 14.0
OPS/MVS	Version 14.0		

Service	Details	
LU06678	LU06678 M.C.S. ENTRIES = ++PTF (LU06678)	
	SSMV3 POLICY EDITOR UPDATING TABLES IN BROWSE MODE	
	PROBLEM DESCRIPTION:	
	The policy manager was issuing an SQL UPDATE command when exiting a browse panel. The data could not be changed but update access was needed to browse the policy data.	
	SYMPTOMS:	
	SQL update authority errors when trying to browse policy data.	
	IMPACT:	
	Users unable to browse policy data without SQL update authority.	
	CIRCUMVENTION:	
	None.	
	PRODUCT(S) AFFECTED:	
	OPS/MVS	Release 13.5
	OPS/MVS	Version 14.0
	Related Problem:	
	OPSMVS 17795	
	(C) 2022 Broadcom Inc and/or its subsidiaries; All rights reserved	
	R00262-CLX140	
	DESC(SSMV3 POLICY EDITOR UPDATING TABLES IN BROWSE MODE).	
++VER (Z038)		
FMID (CCLXE00)		
PRE (LU00677 LU00876 LU01398 LU02161 LU02417 LU02478 LU02545		
LU02562 LU03011 LU03303 LU03790 LU04163 LU04473 LU04575		
LU04889 LU05260 LU05921 LU06642 S014412 S015151 S015578		
S015610 S015662 S015902)		
SUP (LT02515 LT04341 LT06678 LU02515 LU04341)		
MCS	LU05310	STARTS ON PAGE 0002
MCS	LU06468	STARTS ON PAGE 0004
MCS	LU06513	STARTS ON PAGE 0005
MCS	LU06522	STARTS ON PAGE 0007
MCS	LU06529	STARTS ON PAGE 0009
MCS	LU06533	STARTS ON PAGE 0011
MCS	LU06626	STARTS ON PAGE 0013
MCS	LU06641	STARTS ON PAGE 0015
MCS	LU06642	STARTS ON PAGE 0017
MCS	LU06678	STARTS ON PAGE 0019

OPS/MVS for JES2/JES3 14.0
CA RS 2208 Product/Component Listing

21

Product Family	Product	Release
Systems Management	CA OPS/MVS BASE	14.00.00
The CA RS 2208 Product/Component Count for this release is 1		

CA RS Level	Service	FMID
CAR2208	LU06678	CCLXE00
	LU06642	CCLXE00
	LU06641	CCLXE01
	LU06626	CCLXE00
	LU06533	CCLXE00
	LU06529	CCLXE00
	LU06522	CCLXE00
	LU06513	CCLXE00
	LU06468	CCLXE00
	LU05310	CCLXE00
CAR2207	LU06343	CCLXE01
	LU06342	CCLXE00
	LU06262	CCLXE00
	LU06179	CCLXE01
	LU06134	CCLXE01
	LU06133	CCLXE00
	LU05921	CCLXE00
CAR2206	LU06069	CCLXE00
	LU06030	CCLXE01
	LU05943	CCLXE01
	LU05807	CCLXE00
	LU05737	CCLXE00
	LU05612	CCLXE00
	LU05478	CCLXE00
CAR2205	LU05691	CCLXE01
	LU05627	CCLXE01
	LU05517	CCLXE00
	LU05432	CCLXE01
	LU05380	CCLXE01
	LU05358	CCLXE00
CAR2204	LU05306	CCLXE00
	LU05297	CCLXE00
	LU05260	CCLXE00
	LU05234	CCLXE00
	LU05216	CCLXE00
	LU05215	CCLXE01
	LU05214	CCLXE00
	LU05148	CCLXE01
	LU05096	CCLXE00
	LU05064	CCLXE00
	LU05045	CCLXE00
	LU05016	CCLXE00
	LU05009	CCLXE00
	LU04902	CCLXE00
	LU04793	CCLXE00
CAR2203	LU04913	CCLXE00
	LU04889	CCLXE00

CA RS Level	Service	FMID
	LU04888	CCLXE00
	LU04768	CCLXE00
	LU04738	CCLXE00
	LU04575	CCLXE00
	LU04473	CCLXE00
	LU03819	CCLXE00
CAR2202	LU04341	CCLXE00
	LU04292	CCLXE00
	LU04224	CCLXE01
	LU04194	CCLXE00
	LU04184	CCLXE00
	LU04168	CCLXE00
	LU04163	CCLXE00
	LU04106	CCLXE00
	LU03744	CCLXE00
	LU03513	CCLXE00
CAR2201	LU04002	CCLXE01
	LU03946	CCLXE01
	LU03884	CCLXE01
	LU03852	CCLXE00
	LU03792	CCLXE03
	LU03791	CCLXE01
	LU03790	CCLXE00
	LU03721	CCLXE00
	LU03582	CCLXE01
CAR2112	LU03548	CCLXE00
	LU03512	CCLXE03
	LU03481	CCLXE00
	LU03418	CCLXE00
	LU03387	CCLXE00
	LU03373	CCLXE01
	LU03334	CCLXE00
	LU03258	CCLXE00
CAR2111	LU03303	CCLXE00
	LU03179	CCLXE00
	LU03165	CCLXE01
	LU03149	CCLXE00
	LU03137	CCLXE00
	LU03119	CCLXE00
	LU03099	CCLXE00
	LU03084	CCLXE00
	LU03082	CCLXE00
	LU03072	CCLXE00
	LU03049	CCLXE00
	LU03011	CCLXE00
CAR2110	LU02790	CCLXE00
	LU02570	CCLXE01

CA RS Level	Service	FMID
	LU02514	CCLXE00
	LU02484	CCLXE00
	LU02253	CCLXE01
	LU02252	CCLXE00
CAR2109	LU02562	CCLXE00
	LU02545	CCLXE00
	LU02521	CCLXE00
	LU02515	CCLXE00
	LU02478	CCLXE00
	LU02417	CCLXE00
	LU02313	CCLXE00
	LU02285	CCLXE00
	LU02105	CCLXE00
CAR2108	LU02209	CCLXE00
	LU02161	CCLXE00
	LU02080	CCLXE00
	LU02046	CCLXE00
	LU02021	CCLXE00
	LU01967	CCLXE00
CAR2107	LU01929	CCLXE00
	LU01862	CCLXE00
	LU01797	CCLXE00
	LU01655	CCLXE00
	LU01630	CCLXE00
	LU01562	CCLXE01
	LU01212	CCLXE01
	LU01211	CCLXE00
	LU01140	CCLXE01
CAR2106	LU01398	CCLXE00
	LU01310	CCLXE00
	LU01080	CCLXE00
	LU00913	CCLXE00
CAR2105	LU01117	CCLXE00
	LU01116	CCLXE00
	LU00998	CCLXE00
	LU00876	CCLXE00
	LU00741	CCLXE00
	LU00717	CCLXE00
	LU00679	CCLXE00
CAR2104	LU00716	CCLXE01
	LU00715	CCLXE00
	LU00677	CCLXE00
	LU00634	CCLXE00
	LU00633	CCLXE01
	LU00632	CCLXE00
	LU00610	CCLXE00
	LU00496	CCLXE00

CA RS Level	Service	FMID
	LU00477	CCLXE00
	LU00462	CCLXE01
	LU00442	CCLXE00
	LU00407	CCLXE00
	LU00361	CCLXE00
	LU00235	CCLXE00
CAR2103	LU00278	CCLXE00
	LU00210	CCLXE00
	LU00188	CCLXE00
	LU00122	CCLXE01
	LU00121	CCLXE00
CAR2102	S015877	CCLXE01
	S015876	CCLXE00
	LU00117	CCLXE00
	LU00113	CCLXE00
	LU00078	CCLXE00
	LU00077	CCLXE00
	LU00074	CCLXE00
	LU00067	CCLXE00
	LU00063	CCLXE00
	LU00060	CCLXE00
	LU00058	CCLXE00
	LU00057	CCLXE00
	LU00044	CCLXE01
	LU00040	CCLXE00
CAR2101	S015920	CCLXE00
	S015902	CCLXE00
	S015821	CCLXE01
	S015820	CCLXE00
	S015729	CCLXE00
	LU00028	CCLXE00
	LU00025	CCLXE00
CAR2012	S015758	CCLXE00
	S015662	CCLXE00
	S015610	CCLXE00
	S015578	CCLXE00
	S015569	CCLXE00
	S015565	CCLXE00
	S015526	CCLXE00
	S015515	CCLXE00
	S015505	CCLXE00
	S015502	CCLXE00
	S015497	CCLXE00
CAR2011	S015373	CCLXE00
	S015324	CCLXE00
	S015241	CCLXE01
	S015200	CCLXE01

CA RS Level	Service	FMID
	S015151	CCLXE00
	S015148	CCLXE01
	S015069	CCLXE00
	S015068	CCLXE01
	S015067	CCLXE00
	S014750	CCLXE00
CAR2010	S015022	CCLXE01
	S015018	CCLXE00
	S014993	CCLXE00
	S014932	CCLXE00
	S014903	CCLXE00
	S014875	CCLXE00
	S014871	CCLXE00
	S014857	CCLXE01
	S014824	CCLXE00
	S014801	CCLXE00
	S014646	CCLXE00
	S014644	CCLXE00
	S014609	CCLXE00
CAR2009	S014537	CCLXE00
	S014492	CCLXE01
	S014477	CCLXE00
	S014434	CCLXE01
	S014412	CCLXE00