

InterTest and SymDump for CICS 11.0
CA RS 2301 Service List

1

Service	Description	Type
LU07446	2D ABEND IN A DEBUG SESSION WHEN DYNAMIC CALL IS ISSUED.	PTF
LU07920	INTERTEST CICS ABENDS WITH 0 LENGTH RECEIVED IN RECEIVE MAP	PTF
LU08329	SYMBT110 - DB2 V13 - EXTENDED DB2 INFORMATION NOT DISPLAYED.	PTF
LU08488	CALLTRACE FOR ASM REQUESTED BY GUI FAILS	PTF
LU08502	INTBAT RELINK MODULES WITH AC(0)	PTF
The CA RS 2301 service count for this release is 5		

InterTest and SymDump for CICS
CA RS 2301 Service List for CABAB00

2

FMID	Service	Description	Type
CABAB00	LU07446	2D ABEND IN A DEBUG SESSION WHEN DYNAMIC CALL IS ISSUED.	PTF
	LU07920	INTERTEST CICS ABENDS WITH 0 LENGTH RECEIVED IN RECEIVE MAP	PTF
	LU08488	CALLTRACE FOR ASM REQUESTED BY GUI FAILS	PTF
The CA RS 2301 service count for this FMID is 3			

InterTest and SymDump for CICS
CA RS 2301 Service List for CARXB01

3

FMID	Service	Description	Type
CARXB01	LU08329	SYMBT110 - DB2 V13 - EXTENDED DB2 INFORMATION NOT DISPLAYED.	PTF
The CA RS 2301 service count for this FMID is 1			

InterTest and SymDump for CICS
CA RS 2301 Service List for CAVHB00

4

FMID	Service	Description	Type
CAVHB00	LU08502	INTBAT RELINK MODULES WITH AC(0)	PTF
The CA RS 2301 service count for this FMID is 1			

Service	Details
LU07446	LU07446 M.C.S. ENTRIES = ++PTF (LU07446) REWORK(2022350) 2D ABEND IN A DEBUG SESSION WHEN DYNAMIC CALL IS ISSUED. PROBLEM DESCRIPTION: When Debugging an application, a 2D abend may occur when issuing a dynamic call and CNTL=ON,PROG=.ALL is active. SYMPTOMS: 2d abend may occur. IMPACT: The debugging session may abend unexpectedly. CIRCUMVENTION: Do not use CNTL=ON,PROG=.ALL. PRODUCT(S) AFFECTED: InterTest for CICS Version 11.0 Related Problem: INTERT 18377 (C) 2022 Broadcom Inc and/or its subsidiaries; All rights reserved R00260-AVH110 DESC(2D ABEND IN A DEBUG SESSION WHEN DYNAMIC CALL IS ISSUED.). ++VER (Z038) FMID (CABAB00) PRE (LU03473 LU04658 R097425 S004582 S007315 S013489) SUP (LT07437 LT07446)

Service	Details
LU07920	LU07920 M.C.S. ENTRIES = ++PTF (LU07920) REWORK(2022341) INTERTEST CICS ABENDS WITH 0 LENGTH RECEIVED IN RECEIVE MAP PROBLEM DESCRIPTION: Inetertest CICS set an ABP with zero length received in EXEC CICS RECEIVE MAP INTO(). SYMPTOMS: Intertest CICS issue ABP with error code CC. IMPACT: Unexpected automatic beakpoint set while monitoring. CIRCUMVENTION: NA PRODUCT(S) AFFECTED: InterTest for CICS Version 11.0 Related Problem: INTERT 18775 (C) 2022 Broadcom Inc and/or its subsidiaries; All rights reserved R00270-AVH110 DESC(INTERTEST CICS ABENDS WITH 0 LENGTH RECEIVED IN RECEIVE MAP). ++VER (Z038) FMID (CABAB00) PRE (LU00779 LU03473 LU03652 LU03958 LU04658 LU04921 LU06271 LU06741 R097425 R099718 S001266 S001925 S004110 S004582 S005170 S006269 S007315 S008883 S012157 S013489 S013956) SUP (LT01913 LT02487 LT02685 LT02842 LT04711 LT05316 LT05856 LT07048 LT07653 LT07920 LU01913 LU02685 LU04711 LU05856 LU07653 S004149 S004409 S005960 S006471 S007174 S013998 S014628 S015296 ST04149 ST04409 ST05958 ST05960 ST06471 ST07174 ST13998 ST14628 ST15296)

Service	Details
LU08329	LU08329 M.C.S. ENTRIES = ++PTF (LU08329) REWORK(2022339) SYMBT110 - DB2 V13 - EXTENDED DB2 INFORMATION NOT DISPLAYED. PROBLEM DESCRIPTION: The last executed SQL statement information is not being displayed by SYMDUMP Batch for DB2 and IMS-DB2 programs. Moreover, warning message CAPD142W was displayed by SUYMDUMP Batch report. SYMPTOMS: When SYMDUMP Batch is executed for DB2 version 12.15 and 13.15 program then below error message found in SYMDUMP Batch report. CAPD142W - The parameter list for the last SQL Call was not found. IMPACT: Last executed SQL call information is not being displayed on SYMDUMP Batch report. CIRCUMVENTION: None PRODUCT(S) AFFECTED: SymDump Batch Version 11.0 Related Problem: SYMBAT 18898 (C) 2022 Broadcom Inc and/or its subsidiaries; All rights reserved R00277-AVH110 DESC(SYMBT110 - DB2 V13 - EXTENDED DB2 INFORMATION NOT DISPLAYED.). ++VER (Z038) FMID (CARXB01) PRE (LU04664 R097430 R099722) SUP (LT08329)

Service	Details
LU08488	LU08488 M.C.S. ENTRIES = ++PTF (LU08488) REWORK(2022354) CALLTRACE FOR ASM REQUESTED BY GUI FAILS PROBLEM DESCRIPTION: Intertest GUI stopping at a breakpoint in an assembler program may cause the monitored task to abend shortly afterwards. SYMPTOMS: The monitored task abends with the code AICA. IMPACT: The debugging session is terminated abnormally. CIRCUMVENTION: Do not place breakpoints near the beginning of assembler programs where the proper linkage convention is not established yet. PRODUCT(S) AFFECTED: InterTest for CICS Version 11.0 Related Problem: INTERT 19171 (C) 2022 Broadcom Inc and/or its subsidiaries; All rights reserved R00281-AVH110 DESC(CALLTRACE FOR ASM REQUESTED BY GUI FAILS). ++VER (Z038) FMID (CABAB00) PRE (LU03473 LU04658 R097425 R099718 S004582 S005170 S006269 S007315 S013489) SUP (LT08488)

Service	Details
LU08502	LU08502 M.C.S. ENTRIES = ++PTF (LU08502) REWORK(2022356) INTBAT RELINK MODULES WITH AC(0) PROBLEM DESCRIPTION: InterTest Batch modules relinked with AC(0) SYMPTOMS: N/A IMPACT: N/A CIRCUMVENTION: N/A PRODUCT(S) AFFECTED: InterTest Batch Version 11.0 Related Problem: INTBAT 19019 (C) 2022 Broadcom Inc and/or its subsidiaries; All rights reserved R00282-AVH110 DESC(INTBAT RELINK MODULES WITH AC(0)). ++VER (Z038) FMID (CAVHB00) PRE (LU04665) SUP (LT08502) ++HOLD (LU08502) SYSTEM FMID(CAVHB00) REASON (ACTION) DATE (22356) COMMENT (<pre> +-----+ Testing Tools Common Symbolic Component Version 11.0 +-----+ SEQUENCE After Apply +-----+ PURPOSE Intertest Batch modules which do not need AC(1) is updated with AC(0) to be relinked. +-----+ USERS AFFECTED All Users. +-----+ KNOWLEDGE REQUIRED SMPE operations. +-----+ ACCESS REQUIRED NA +-----+ ***** * STEPS TO PERFORM * ***** 1. Reinitialize Intertest Batch by executing the JCL to run CAVHINIT.).</pre>

Product Family	Product	Release
DevOps	CA-SYMDUMP BATCH	11.00.00
	COMMON CICS COMPONENT	11.00.00
	COMMON SYMBOLIC COMPONENT	11.00.00
	INTERTEST BATCH COMPONENT	11.00.00
	INTERTEST CICS COMPONENT	11.00.00
	SYMDUMP CICS COMPONENT	11.00.00
The CA RS 2301 Product/Component Count for this release is 6		

CA RS Level	Service	FMID
CAR2301	LU08502	CAVHB00
	LU08488	CABAB00
	LU08329	CARXB01
	LU07920	CABAB00
	LU07446	CABAB00
CAR2212	LU08307	CAMRB00
	LU08177	CAMRB00
	LU08164	CAVHB01
	LU08124	CABAB00
	LU08105	CABAB00
	LU08046	CAMRB00
	LU07718	CABAB00
	LU07485	CAMRB00
	LU07448	CAMRB00
	LU05594	CARXB00
	LU07653	CABAB00
	LU07560	CAVHB00
	LU07546	CCSAB00
CAR2211	LU07509	CABAB00
	LU07494	CARXB00
	LU07076	CAMRB00
	LU06904	CAMRB00
CAR2210	LU06855	CAVHB00
	LU05602	CABAB00
	LU06834	CAVHB01
	LU06771	CAMRB00
	LU06742	CAMRB00
CAR2209	LU06741	CABAB00
	LU06732	CAMRB00
	LU06714	CAMRB00
	LU06405	CAVHB00
	LU06404	CARXB00
CAR2208	LU06403	CAMRB00
	LU06402	CABAB00
	LU06272	CCSAB00
	LU06271	CABAB00
	LU05856	CABAB00
	LU06247	CAMRB00
	LU06118	CABQB00
	LU06075	CARXB00
CAR2207	LU05947	CAVHB00
	LU05946	CABAB00
	LU05901	CABAB00
	LU05443	CABAB00
	LU05661	CAMRB00
CAR2206	LU05540	CAVHB00
	LU05458	CAVHB01

CA RS Level	Service	FMID
	LU05415	CARXB00
	LU05351	CARXB00
	LU04922	CAMRB00
	LU04921	CABAB00
CAR2204	LU04546	CARXB00
	LU03826	CAVHB00
CAR2203	LU04711	CABAB00
	LU04667	CCSAB00
	LU04666	CAVHB01
	LU04665	CAVHB00
	LU04664	CARXB01
	LU04663	CARXB00
	LU04662	CAMRB00
	LU04661	CABQB00
	LU04660	CABAB01
	LU04658	CABAB00
	LU04564	CAVHB00
	LU04563	CABAB00
	LU03432	CAVHB00
	LU03306	CARXB00
CAR2202	LU04390	CAVHB00
	LU03958	CABAB00
	LU03844	CABAB00
	LU03688	CABAB00
	LU03653	CCSAB00
	LU03652	CABAB00
	LU02958	CAMRB00
CAR2201	LU03857	CARXB00
	LU03619	CABAB00
CAR2112	LU03478	CCSAB00
	LU03477	CAVHB01
	LU03476	CAVHB00
	LU03475	CABQB00
	LU03474	CABAB01
	LU03473	CABAB00
	LU03403	CAVHB01
	LU03402	CARXB00
	LU02685	CABAB00
CAR2111	LU02903	CAMRB00
	LU02295	CCSAB00
	LU02294	CABAB00
CAR2110	LU02216	CAMRB00
	LU02175	CAVHB01
	LU01913	CABAB00
	LU01831	CARXB00
CAR2108	LU01919	CABAB00
	LU01077	CAVHB00

CA RS Level	Service	FMID
CAR2107	LU01579	CAVHB00
	LU01578	CARXB00
	LU01577	CAMRB00
	LU01576	CABAB00
	LU01498	CABAB00
	LU00627	CABAB00
CAR2106	S016155	CAVHB00
	LU01086	CCSAB00
	LU00805	CAVHB01
	LU00804	CAMRB00
	LU00779	CABAB00
CAR2105	LU01059	CCSAB00
	LU01058	CABAB00
	LU00575	CABAB00
CAR2104	S016104	CABAB00
	S016073	CABAB00
	LU00158	CABAB00
CAR2103	S015839	CABQB00
	S015838	CABAB00
	S015013	CABAB00
CAR2102	S016210	CABAB00
	S015873	CCSAB00
	S015768	CABAB00
	S015636	CAVHB00
	S015322	CAVHB00
	S015204	CABQB00
CAR2101	S015887	CAVHB00
	S015635	CAMRB00
	S015478	CAMRB00
	S015296	CABAB00
CAR2012	S015567	CARXB00
	S015051	CCSAB00
	S015050	CABAB00
	S014311	CAVHB00
CAR2010	S014872	CABAB00
	S014678	CABAB00
	S014628	CABAB00
	S014481	CARXB00
	S014145	CCSAB00
	S014073	CABQB00
	S013613	CABAB00
CAR2009	S014488	CAMRB00
	S014193	CABAB00
CAR2008	S013998	CABAB00
	S013957	CAMRB00
	S013956	CABAB00
	S013239	CABQB00

CA RS Level	Service	FMID
	S012832	CAVHB01
	S012831	CABAB00
CAR2007	S013589	CAMRB00
	S013578	CAVHB01
	S013493	CCSAB00
	S013492	CAVHB00
	S013491	CABQB00
	S013490	CABAB01
	S013489	CABAB00
	S013478	CARXB00
	S013232	CABAB00
	S013168	CABQB00
	S013167	CABAB00
	S012785	CAVHB00
	S012784	CABAB00
	S012587	CAVHB01
CAR2005	S012637	CABAB00
	S012635	CARXB00
	S012569	CAVHB00
	S012568	CARXB00
	S012567	CAMRB00
	S012566	CABQB00
	S012565	CABAB00
	S012564	CABAB00
	S012158	CAMRB00
	S012157	CABAB00
	S011518	CABAB00
CAR2004	S012299	CCSAB00
	S012298	CABAB00
	S012297	CAVHB00
	S012093	CABAB00
	S012010	CAVHB01
	S011944	CAMRB00
	S011525	CARXB00
	S011524	CARXB00
	S011523	CARXB00
CAR2003	S012027	CAMRB00
	S011522	CABAB00
	S011126	CAVHB01
	S008355	CAVHB00
CAR2001	S011118	CARXB01
CAR1912	S010784	CAVHB00
	S010783	CARXB00
	S010782	CAMRB00
	S010781	CABAB00
	S010256	CAMRB00
CAR1911	S009639	CABAB00

CA RS Level	Service	FMID
CAR1910	S009940	CAVHB00
	S009939	CAVHB00
	S009938	CAVHB00
CAR1909	S009257	CARXB00
	S009096	CAVHB00
	S007755	CAVHB00
CAR1908	S009037	CARXB00
	S008956	CAMRB00
	S008679	CABAB00
CAR1907	S008888	CAVHB00
	S008887	CARXB00
	S008886	CAMRB00
	S008885	CABQB00
	S008884	CABAB01
	S008883	CABAB00
	S008391	CAMRB00
	S008369	CABAB00
	S008214	CAMRB00
CAR1906	S008019	CABAB00
	S007771	CARXB00
	S007740	CAMRB00
CAR1905	S007685	CAVHB00
	S007651	CABQB00
CAR1904	S007716	CABAB01
CAR1903	S007319	CCSAB00
	S007318	CAVHB00
	S007317	CABQB00
	S007316	CABAB01
	S007315	CABAB00
	S007174	CABAB00
	S007035	CAMRB00
CAR1902	S006723	CARXB00
	S006722	CABAB01
	S006542	CABAB00
	S006471	CABAB00
	S006273	CCSAB00
	S006272	CAVHB01
	S006271	CAVHB00
	S006270	CAMRB00
	S006269	CABAB00
	S006062	CABAB00
CAR1901	S006376	CABQB00
	S006375	CABAB00
	S005951	CCSAB00
	S005950	CABQB00
CAR1812	S006251	CCSAB00
	S006250	CAVHB00

CA RS Level	Service	FMID
	S006249	CABAB00
	S006137	CCSAB00
CAR1811	S005960	CABAB00
	S005599	CABQB00
	S005598	CABAB01
	S005294	CABAB00
	S005172	CCSAB00
	S005171	CAVHB00
	S005170	CABAB00
CAR1809	S004973	CAVHB01
	S004586	CCSAB00
	S004585	CAVHB00
	S004584	CABQB00
	S004583	CABAB01
	S004582	CABAB00
	S004181	CAVHB00
CAR1808	S004528	CAVHB00
	S004409	CABAB00
	S004149	CABAB00
	S004114	CABAB00
	S001960	CABQB00
CAR1807	S004113	CCSAB00
	S004112	CAVHB01
	S004111	CAVHB00
	S004110	CABAB00
CAR1806	S001931	CCSAB00
	S001930	CAVHB01
	S001929	CAVHB00
	S001928	CARXB00
	S001927	CAMRB00
	S001926	CABQB00
	S001925	CABAB00
	S001485	CABAB00
CAR1805	S001266	CABAB00
	S001144	CAMRB00
	S001062	CAVHB00
CAR1804	S001052	CAMRB00
	S000798	CAVHB00
	S000797	CAMRB00
	S000796	CABAB00
	S000698	CAVHB01
	S000505	CAVHB00
	S000477	CAMRB00
CAR1802	S000117	CAMRB00
	S000115	CAVHB01
	S000114	CAVHB00
	S000113	CABQB00

CA RS Level	Service	FMID
	S000112	CABAB00
	R099880	CABAB00
CAR1801	R099725	CCSAB00
	R099724	CAVHB01
	R099723	CAVHB00
	R099722	CARXB01
	R099721	CARXB00
	R099720	CAMRB00
	R099719	CABQB00
	R099718	CABAB00
	R099041	CAVHB00
	R098271	CARXB00
CAR1711	R098579	CAVHB00
CAR1709	R097433	CCSAB00
	R097432	CAVHB01
	R097431	CAVHB00
	R097430	CARXB01
	R097429	CARXB00
	R097428	CAMRB00
	R097427	CABQB00
	R097426	CABAB01
	R097425	CABAB00