

SYSVIEW Performance Management 16.0
CA RS 2301 Service List

1

Service	Description	Type
LU08068	NO DATA SENT TO ZAB VIA ZDM FOR CATEGORY IMSTRANRECORD	PTF
LU08110	ABEND U2999-802 ISSUING IMSOMAT COMMAND INVALID DATA	PTF
LU08361	WMSYSSUM DETAIL RESOURCE DATA INCORRECT AVERAGE TIME	PTF
LU08577	NOXSYSTEM DISPLAYS XSYSTEM FIELDS W/LU02875	** PRP **
The CA RS 2301 service count for this release is 4		

SYSVIEW Performance Management
CA RS 2301 Service List for CNM4G00

2

FMID	Service	Description	Type
CNM4G00	LU08068	NO DATA SENT TO ZAB VIA ZDM FOR CATEGORY IMSTRANRECORD	PTF
	LU08110	ABEND U2999-802 ISSUING IMSOMAT COMMAND INVALID DATA	PTF
	LU08361	WMSYSSUM DETAIL RESOURCE DATA INCORRECT AVERAGE TIME	PTF
	LU08577	NOXSYSTEM DISPLAYS XSYSTEM FIELDS W/LU02875	** PRP **
The CA RS 2301 service count for this FMID is 4			

Service	Details
LU08068	LU08068 M.C.S. ENTRIES = ++PTF (LU08068) REWORK(2022335) NO DATA SENT TO ZAB VIA ZDM FOR CATEGORY IMSTRANRECORD PROBLEM DESCRIPTION: Records will not be sent to z/OS APM Bridge (ZAB) via z/OS Data Mover (ZDM) for the category of zDM-ImsTranRecord even though you have subscribed to it. SYMPTOMS: No packets being sent to ZAB via ZDM. The ZDMSTATS display will show no packets being sent for category ImsTranRecord. IMPACT: No IMS transaction records data being sent to ZAB via ZDM. CIRCUMVENTION: None PRODUCT(S) AFFECTED: SYSVIEW Performance Management Version 16.0 Related Problem: SYSVW 18863 (C) 2022 Broadcom Inc and/or its subsidiaries; All rights reserved R00352-NM4160 DESC(NO DATA SENT TO ZAB VIA ZDM FOR CATEGORY IMSTRANRECORD). ++VER (Z038) FMID (CNM4G00) PRE (LU03135) SUP (LT08068)

Service	Details
LU08110	LU08110 M.C.S. ENTRIES = ++PTF (LU08110) REWORK(2022336) ABEND U2999-802 ISSUING IMSOMAT COMMAND INVALID DATA PROBLEM DESCRIPTION: Abend U2999-802 may be encountered when issuing the IMSOMAT command followed by selecting a response type to view the IMS OM Audit Trail Response Record. SYMPTOMS: The following error messages and dump received when the data buffer for a response type exceeds the default of 64K. GSV2770E XML GXL1PRS FAILED. DOCUMENT IS NOT WELL FORMED GSVX830E NG=N</MSG><MSG> APPC/OTMA RRS MAX TCBS - 40 ATTACH ED TCBS - 1 QUEUED RRS GSVX488I GSVXRREX STDXX\$ ESTAEX, MODE SUP KEY 80 SDWA KEY 88 LEV EL 1 OPTS BA GSVX489I SDWA 37D36528 RRXB 37480868 DSA 37D4C480 GSVX451E ABEND U2999-802 IN IMSOMAX COMMAND GSVX472I USERID AA71331 TERMINAL VCA23789 INTERFACE ISPF GSVX457I PSW 078C1000 B7987D84 ILC 2 INTC OD GSVX477I KEY 8 STATE SUP AM 31 ASC PRI GSVX458I MODULE GSVXNUC ADDR 37487000 OFFSET 00500D84 GSVX458I NUCMOD GSVXSTGR ADDR 37986B20 OFFSET 00001264 GSVX450I FIXLVL LU02534 GSVX473I ROUTNE VFYC\$\$ ADDR 37987BE8 OFFSET 0000019C GSVX459I DATA AT PSW ADDR 37987D7E GSVX460I A7F80802 0A0D581B 0224A7F8 GSVX455I GENERAL REGISTERS AT ENTRY TO ABEND GSVX467I R0-R1 00000000_00000000 00000000_04000BB7 GSVX467I R2-R3 00000000_00000000 00000000_37481A18 GSVX467I R4-R5 00000000_00000000 00000000_37F06950 GSVX467I R6-R7 00000000_37F6C000 00000000_37DCFA30 GSVX467I R8-R9 00000000_3745CEA0 00000000_37D3B000 GSVX467I R10-R11 00000000_3798B8B0 00000000_37481000 GSVX467I R12-R13 00000000_37987BE8 00000000_37D3CF88 GSVX467I R14-R15 00000000_37D3CF88 00000000_00000802 GSVX475I ACCESS REGISTERS AT ENTRY TO ABEND GSVX461I AR0-AR3 00000000 00000000 00000000 00000000 GSVX461I AR4-AR7 00000000 00000000 00000000 00000000 GSVX461I AR8-AR11 00000000 00000000 00000000 00000000 GSVX461I AR12-AR15 00000000 00000000 00000000 00000000 GSVX462I END OF SYMPTOM DUMP IMPACT: Abend produces dump and user session terminates. CIRCUMVENTION: None. PRODUCT(S) AFFECTED: SYSVIEW Performance Management Version 15.0 SYSVIEW Performance Management Version 16.0 SYSVIEW Performance Management Version 17.0 Related Problem: SYSVW 18902 (C) 2022 Broadcom Inc and/or its subsidiaries; All rights reserved R00353-NM4160

Service	Details
	DESC (ABEND U2999-802 ISSUING IMSOMAT COMMAND INVALID DATA) . ++VER (Z038) FMID (CNM4G00) PRE (LU03135 SO11553) SUP (LT00417 LT08110 LU00417)

Service	Details						
LU08361	LU08361 M.C.S. ENTRIES = ++PTF (LU08361) REWORK(2022340) WMSYSSUM DETAIL RESOURCE DATA INCORRECT AVERAGE TIME PROBLEM DESCRIPTION: When the Select line command is issued on the WMSYSSUM command, a WLM system summary report is displayed. In the Resource Data section of the report, the following fields report both total and average values: DASD I/O connect time, DASD I/O disconnect time, DASD I/O wait time, and DASD IOS queue time. The average values for these fields are incorrectly calculated. SYMPTOMS: The average values calculated for the DASD I/O connect time, DASD I/O disconnect time, DASD I/O wait time, and DASD IOS queue time fields are incorrect. The total values for these fields are erroneously multiplied by 128 prior to calculating the averages. IMPACT: Incorrect average values displayed on WMSYSSUM DETAIL screen. CIRCUMVENTION: To manually calculate an average value, divide either the DASD I/O connect time, DASD I/O disconnect time, DASD I/O wait time, or DASD IOS queue time by the DASD I/O count field. PRODUCT(S) AFFECTED: <table> <tr> <td>SYSVIEW Performance Management</td><td>Version 15.0</td></tr> <tr> <td>SYSVIEW Performance Management</td><td>Version 16.0</td></tr> <tr> <td>SYSVIEW Performance Management</td><td>Version 17.0</td></tr> </table> Related Problem: SYSVW 19076 (C) 2022 Broadcom Inc and/or its subsidiaries; All rights reserved R00355-NM4160 DESC(WMSYSSUM DETAIL RESOURCE DATA INCORRECT AVERAGE TIME). ++VER (Z038) FMID (CNM4G00) PRE (LU03135) SUP (LT08361)	SYSVIEW Performance Management	Version 15.0	SYSVIEW Performance Management	Version 16.0	SYSVIEW Performance Management	Version 17.0
SYSVIEW Performance Management	Version 15.0						
SYSVIEW Performance Management	Version 16.0						
SYSVIEW Performance Management	Version 17.0						

Service	Details												
LU08577	LU08577 M.C.S. ENTRIES = ++PTF (LU08577) REWORK(2022354) NOXSYSTEM DISPLAYS XSYSTEM FIELDS W/LU02875 PROBLEM DESCRIPTION: For cross-system commands that support a command parameter of NOSYSTEM, specifying NOSYSTEM properly displays data from only the local system but improperly displays the xsystem-related fields. This problem only occurs if PTF LU02875 is applied. SYMPTOMS: Issuing a command such as ACTSUM NOXSYSTEM still displays the xsystem-related fields: XSSystem XSJobnam XSMsg IMPACT: Undesired fields are displayed. CIRCUMVENTION: None. PRODUCT(S) AFFECTED: SYSVIEW Performance Management Version 16.0 Related Problem: SYSVW 19239 (C) 2022 Broadcom Inc and/or its subsidiaries; All rights reserved R00357-NM4160 DESC(NOXSYSTEM DISPLAYS XSYSTEM FIELDS W/LU02875). ++VER (Z038) FMID (CNM4G00) PRE (LU02875 LU03135 S009059 S016292) SUP (CL02875 LT08577) <table><tr><td>MCS</td><td>LU08068</td><td>STARTS ON PAGE 0002</td></tr><tr><td>MCS</td><td>LU08110</td><td>STARTS ON PAGE 0002</td></tr><tr><td>MCS</td><td>LU08361</td><td>STARTS ON PAGE 0004</td></tr><tr><td>MCS</td><td>LU08577</td><td>STARTS ON PAGE 0005</td></tr></table>	MCS	LU08068	STARTS ON PAGE 0002	MCS	LU08110	STARTS ON PAGE 0002	MCS	LU08361	STARTS ON PAGE 0004	MCS	LU08577	STARTS ON PAGE 0005
MCS	LU08068	STARTS ON PAGE 0002											
MCS	LU08110	STARTS ON PAGE 0002											
MCS	LU08361	STARTS ON PAGE 0004											
MCS	LU08577	STARTS ON PAGE 0005											

Product Family	Product	Release
Performance and Storage	CA SYSVIEW PERFORMANCE MANAGEMENT	16.00.00
The CA RS 2301 Product/Component Count for this release is 1		

CA RS Level	Service	FMID
CAR2301	LU08577	CNM4G00
	LU08361	CNM4G00
	LU08110	CNM4G00
	LU08068	CNM4G00
CAR2212	LU08287	CNM4G00
	LU07918	CNM4G00
	LU07887	CNM4G00
	LU07794	CNM4G00
	LU07761	CNM4G00
	LU07500	CNM4G00
	LU06776	CNM4G00
CAR2211	LU07715	CNM4G00
	LU07692	CNM4G00
	LU07663	CNM4G00
	LU07601	CNM4G00
	LU07580	CNM4G00
	LU07549	CNM4G00
	LU07527	CNM4G00
	LU07279	CNM4G00
	LU07152	CNM4G00
	LU07113	CNM4G00
	LU06796	CNM4G00
CAR2210	LU07496	CNM4G00
	LU07411	CNM4G00
	LU07363	CNM4G00
	LU07355	CNM4G00
	LU06759	CNM4G00
	LU06516	CNM4G00
	LU05088	CNM4G00
CAR2209	LU07173	CNM4G00
	LU07041	CNM4G00
	LU07010	CNM4G00
	LU06972	CNM4G00
	LU06724	CNM4G00
CAR2208	LU06598	CNM4G00
	LU06585	CNM4G00
	LU06479	CNM4G00
	LU06322	CNM4G00
	LU06234	CNM4G00
	LU05773	CNM4G00
	LU05601	CNM4G00
CAR2207	LU06443	CNM4G00
	LU06336	CNM4G00
	LU06319	CNM4G00
	LU06228	CNM4G00
	LU06165	CNM4G00
	LU06155	CNM4G00

CA RS Level	Service	FMID
	LU06145	CNM4G00
	LU06119	CNM4G00
	LU05981	CNM4G00
	LU05953	CNM4G00
	LU05776	CNM4G00
CAR2206	LU05980	CNM4G00
	LU05959	CNM4G00
	LU05819	CNM4G00
	LU05813	CNM4G00
	LU05777	CNM4G00
	LU05753	CNM4G00
	LU05574	CNM4G00
CAR2205	LU05614	CNM4G00
	LU05548	CNM4G00
	LU05311	CNM4G00
CAR2204	LU05263	CNM4G00
	LU05154	CNM4G00
	LU05136	CNM4G00
	LU05123	CNM4G00
	LU05097	CNM4G00
	LU05067	CNM4G00
	LU05026	CNM4G00
	LU05001	CNM4G00
CAR2203	LU04847	CNM4G00
	LU04796	CNM4G00
	LU04778	CNM4G00
	LU04722	CNM4G00
	LU04622	CNM4G00
	LU04570	CNM4G00
	LU04461	CNM4G00
CAR2202	LU04404	CNM4G00
	LU04364	CNM4G00
	LU04349	CNM4G00
	LU04342	CNM4G00
	LU04328	CNM4G00
	LU04281	CNM4G00
	LU04206	CNM4G00
	LU04177	CNM4G00
	LU04169	CNM4G00
	LU04147	CNM4G00
	LU04131	CNM4G00
	LU02573	CNM4G00
	LU02535	CNM4G00
CAR2201	LU03892	CNM4G00
	LU03874	CNM4G00
	LU03842	CNM4G00
	LU03805	CNM4G00

CA RS Level	Service	FMID
	LU03781	CNM4G00
CAR2112	LU03689	CNM4G00
	LU03616	CNM4G00
	LU03533	CNM4G00
	LU03529	CNM4G00
	LU03526	CNM4G00
	LU03480	CNM4G00
	LU03469	CNM4G00
	LU03433	CNM4G00
	LU03359	CNM4G00
	LU03277	CNM4G00
	LU03115	CNM4G00
	LU02890	CNM4G00
	LU02544	CNM4G00
CAR2111	LU03284	CNM4G00
	LU03153	CNM4G00
	LU03135	CNM4G00
	LU03067	CNM4G00
	LU03050	CNM4G00
	LU03030	CNM4G00
	LU03000	CNM4G00
	LU02966	CNM4G00
	LU02963	CNM4G00
	LU02954	CNM4G00
	LU02613	CNM4G00
CAR2110	LU02875	CNM4G00
	LU02760	CNM4G00
	LU02748	CNM4G00
	LU02664	CNM4G00
	LU02620	CNM4G00
	LU02568	CNM4G00
	LU02548	CNM4G00
	LU02427	CNM4G00
	LU02298	CNM4G00
CAR2109	LU02534	CNM4G00
	LU02441	CNM4G00
	LU02367	CNM4G00
	LU02316	CNM4G00
	LU02262	CNM4G00
	LU02244	CNM4G00
CAR2108	LU02191	CNM4G00
	LU02125	CNM4G00
	LU02032	CNM4G00
	LU02016	CNM4G00
	LU02000	CNM4G00
	LU01709	CNM4G00
CAR2107	LU01896	CNM4G00

CA RS Level	Service	FMID
	LU01855	CNM4G00
	LU01826	CNM4G00
	LU01773	CNM4G00
	LU01687	CNM4G00
	LU01568	CNM4G00
	LU01522	CNM4G00
	LU01511	CNM4G00
	LU01501	CNM4G00
	LU01276	CNM4G00
CAR2106	LU01394	CNM4G00
	LU01368	CNM4G00
	LU01353	CNM4G00
	LU01337	CNM4G00
	LU01138	CNM4G00
	LU01095	CNM4G00
CAR2105	LU01112	CNM4G00
	LU01098	CNM4G00
	LU01071	CNM4G00
	LU01064	CNM4G00
	LU01050	CNM4G00
	LU01005	CNM4G00
	LU00958	CNM4G00
	LU00951	CNM4G00
	LU00933	CNM4G00
	LU00919	CNM4G00
	LU00894	CNM4G00
	LU00849	CNM4G00
	LU00838	CNM4G00
	LU00806	CNM4G00
CAR2104	LU00763	CNM4G00
	LU00742	CNM4G00
	LU00704	CNM4G00
	LU00630	CNM4G00
	LU00595	CNM4G00
	LU00552	CNM4G00
	LU00548	CNM4G00
	LU00527	CNM4G00
	LU00517	CNM4G00
	LU00417	CNM4G00
	LU00409	CNM4G00
	LU00395	CNM4G00
CAR2103	S016310	CNM4G00
	LU00279	CNM4G00
CAR2102	S016292	CNM4G00
	S016215	CNM4G00
	S016213	CNM4G00
	S016162	CNM4G00

CA RS Level	Service	FMID
	S016108	CNM4G00
	S016069	CNM4G00
	S016035	CNM4G00
	S016034	CNM4G00
	S014945	CNM4G00
CAR2101	S016018	CNM4G00
	S015790	CNM4G00
	S013275	CNM4G00
CAR2012	S015783	CNM4G00
	S015746	CNM4G00
	S015546	CNM4G00
	S015518	CNM4G00
	S015433	CNM4G00
	S015374	CNM4G00
CAR2011	S015474	CNM4G00
	S015325	CNM4G00
	S015274	CNM4G00
	S015212	CNM4G00
	S015210	CNM4G00
	S015206	CNM4G00
	S015081	CNM4G00
	S015053	CNM4G00
	S014964	CNM4G00
CAR2010	S014985	CNM4G00
	S014921	CNM4G00
	S014894	CNM4G00
	S014768	CNM4G00
	S014761	CNM4G00
	S014746	CNM4G00
	S014740	CNM4G00
	S014696	CNM4G00
CAR2009	S014661	CNM4G00
	S014653	CNM4G00
	S014533	CNM4G00
	S014487	CNM4G00
	S014442	CNM4G00
	S014411	CNM4G00
	S014363	CNM4G00
	S014361	CNM4G00
	S014259	CNM4G00
	S013364	CNM4G00
	S013186	CNM4G00
CAR2008	S014130	CNM4G00
	S014092	CNM4G00
	S014004	CNM4G00
	S013996	CNM4G00
	S013989	CNM4G00

CA RS Level	Service	FMID
	S013984	CNM4G00
	S013927	CNM4G00
	S013792	CNM4G00
	S013701	CNM4G00
	S013485	CNM4G00
	S013350	CNM4G00
	S013268	CNM4G00
CAR2007	S013782	CNM4G00
	S013779	CNM4G00
	S013751	CNM4G00
	S013612	CNM4G00
	S013538	CNM4G00
	S013529	CNM4G00
	S013408	CNM4G00
	S013188	CNM4G00
CAR2006	S013276	CNM4G00
	S013240	CNM4G00
	S013228	CNM4G00
	S013187	CNM4G00
	S013116	CNM4G00
	S013089	CNM4G00
	S013072	CNM4G00
	S013033	CNM4G00
CAR2005	S012880	CNM4G00
	S012816	CNM4G00
	S012773	CNM4G00
	S012721	CNM4G00
	S012629	CNM4G00
	S012625	CNM4G00
	S012580	CNM4G00
	S012330	CNM4G00
CAR2004	S012516	CNM4G00
	S012474	CNM4G00
	S012454	CNM4G00
	S012406	CNM4G00
	S012401	CNM4G00
	S012381	CNM4G00
	S012354	CNM4G00
	S012347	CNM4G00
	S012257	CNM4G00
	S012200	CNM4G00
	S012163	CNM4G00
CAR2003	S012125	CNM4G00
	S012051	CNM4G00
	S012050	CNM4G00
	S011959	CNM4G00
	S011955	CNM4G00

CA RS Level	Service	FMID
	S011898	CNM4G00
	S011891	CNM4G00
	S011875	CNM4G00
	S011865	CNM4G00
	S011762	CNM4G00
	S010411	CNM4G00
CAR2002	S011830	CNM4G00
	S011821	CNM4G00
	S011798	CNM4G00
	S011683	CNM4G00
	S011642	CNM4G00
	S011632	CNM4G00
	S011553	CNM4G00
	S011361	CNM4G00
CAR2001	S011122	CNM4G00
	S011028	CNM4G00
CAR1912	S010853	CNM4G00
	S010849	CNM4G00
	S010710	CNM4G00
	S010680	CNM4G00
	S010649	CNM4G00
	S010588	CNM4G00
	S010541	CNM4G00
CAR1911	S010537	CNM4G00
	S010497	CNM4G00
	S010493	CNM4G00
	S010484	CNM4G00
	S010421	CNM4G00
	S010382	CNM4G00
	S010332	CNM4G00
	S010326	CNM4G00
	S010316	CNM4G00
	S010269	CNM4G00
	S010214	CNM4G00
	S010209	CNM4G00
CAR1910	S010206	CNM4G00
	S010197	CNM4G00
	S010143	CNM4G00
	S010098	CNM4G00
	S009844	CNM4G00
	S009632	CNM4G00
CAR1909	S009772	CNM4G00
	S009681	CNM4G00
	S009650	CNM4G00
	S009607	CNM4G00
	S009589	CNM4G00
	S009537	CNM4G00

CA RS Level	Service	FMID
	S008894	CNM4G00
CAR1908	S009287	CNM4G00
	S009281	CNM4G00
	S009059	CNM4G00
	S009013	CNM4G00
	S008793	CNM4G00
CAR1907	S008895	CNM4G00
	S008743	CNM4G00
	S008740	CNM4G00
	S008698	CNM4G00
	S008681	CNM4G00
	S008674	CNM4G00
	S008553	CNM4G00
	S008544	CNM4G00
	S008502	CNM4G00
	S008485	CNM4G00
	S008459	CNM4G00
	S008228	CNM4G00